

NORTH DAKOTA REGISTERED SERVICE COMPANIES LIQUID

BEP Petroleum & Tank LLC 1200 Yegen Rd Bismarck ND 58504	Phone: 701-258-5427 Fax E-Mail: kris@bepnd.com Web: www.bepnd.com
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

CMS Petroleum Equipment Co. PO Box 85 Morris MN 56267	Phone: 320-589-9017 Fax E-Mail: cmspetro@hotmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

<p>Crossroads Repair, LLC 8060 36th St SE Jamestown ND 58401</p>	<p>Phone: 701-400-7299 Fax E-Mail: jheidt@crossroadsrepair.com Web:</p>
<p> <input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other: </p>	

<p>Hobbs, Inc. 2389 Business Loop I-94 Mandan ND 58554</p>	<p>Phone: 701-663-6363 Fax 701-663-9220 E-Mail: mattw@hobbsinc.net Web:</p>
<p> <input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other: </p>	

JL Inspections LLC 704 Cobblestone Loop SW Mandan ND 58554	Phone: 701-391-2355 Fax: Email: jlevi50@yahoo.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Main Line Measurement LLC PO Box 4344 Minot ND 58702-4344	Phone: 337-936-1034 Fax: E-Mail: audie.pankhurst@watco.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Meter Provers 2965 85 th Ave SE Jamestown ND 58401-9604	Phone: 701-320-3698 Fax: E-Mail: Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input checked="" type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Pump & Tank PO Box 2105 Aberdeen SD 57402-2105	Phone: 605-225-0577 Fax: 605-225-0516 E-Mail: mpt@midwestpump.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 60 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 60 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 1301 40th St NW Fargo ND 58102	Phone: 701-282-9260 Fax: 701-281-9770 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 635 31 st St SE Minot ND 58701	Phone: 701-852-3145 Fax: 701-852-6058 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Pump and Meter Service, Inc. dba Premium Petroleum Services 1601 7 th Ave N Fargo ND 58102	Phone: 855-301-3835 Fax: E-Mail: jandrews@pump-meter.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Quam Petroleum Service, Inc. 4720 Highway 6 Mandan ND 58554	Phone: 701-663-3732 Fax: 701-663-3650 E-Mail: jqbigguy@bektel.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

R & R Petroleum Equipment Sales, Inc. 5115 County Road 81 N Fargo ND 58102	Phone: 701-293-1707 Fax: 701-293-0310 E-Mail: jschaefer@rrpetroleum.net Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

RJT Testing and Service, LLC 49134 150 th St Donnelly MN 56235	Phone: 320-288-6115 Fax: 320-589-4421 E-Mail: rjttesting2011@gmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 100 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Reiter Oil & Gas, Inc. PO Box 2226 Minot ND 58702-2226	Phone: 701-839-6791 Fax: 701-838-4462 E-Mail: acreiter@srt.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Seneca Companies, Inc. 4140 E 14 th St Des Moines IA 50313	Phone: 515-262-5000 Fax: E-Mail: licensing@senecaco.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Swansys – a Division of Minnesota Petroleum Service, Inc. 682 39 th Ave NE Columbia Heights MN 55421	Phone: 763-780-5191 Fax: 763-780-5472 E-Mail: service@mnpetro.com Web: www.swansys.net
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

T & T Measurements, LLP 10671 43 rd St NW New Town ND 58763	Phone: 701-471-9319 Fax: E-Mail: john.dietrich81@gmail.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: 100 gpm <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Tanknology Inc. 11000 N MoPac Expy Ste 500 Austin TX 78759	Phone: 800-742-9620 x1003 Fax: E-Mail: info@tanknology.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. 677 43rd St NW Fargo ND 58102-3980	Phone: 701-373-7806 Fax: 701-373-7807 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Valley Petroleum Equipment, Inc. PO Box 13355 Grand Forks ND 58208	Phone: 701-772-7261 Fax: 701-772-1301 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Wariole, LLC dba Rollie's Sales and Service PO Box E Osakis MN 56360	Phone: 320-859-4811 Fax: 320-859-3585 E-Mail: rolliessalesinc@gmail.com Web: www.rolliessales.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Westmor Fluid Solutions, LLC 14044 W Freeway Dr Columbus MN 55038	Phone: 763-571-8110 Fax: 763-571-1789 E-Mail: ryan.hartin@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input checked="" type="checkbox"/> Other: Mass Meter	

Westmor Industries, LLC PO Box 683 Morris MN 56267-0683	Phone: 320-589-2100/1-800-992-8981 Fax: 320-589-2206 E-Mail: dispatches@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Zahl-Petroleum Maintenance Co. 3101 Spring St NE Minneapolis MN 55413	Phone: 612-331-8550 Fax: E-Mail: service@zahl-pmc.com Web: www.zahl-pmc.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

2/13/2026

For an updated list, see our website at:
www.psc.nd.gov/jurisdiction/weights/index.php