



# Public Service Commission

## State of North Dakota

### COMMISSIONERS

Susan E. Wefald, President  
Kevin Cramer  
Tony Clark

Executive Director  
Illona A. Jeffcoat-Sacco

600 E. Boulevard Ave. Dept 408  
Bismarck, North Dakota 58505-0480  
web: [www.nd.gov/psc](http://www.nd.gov/psc)  
e-mail: [ndpsc@nd.gov](mailto:ndpsc@nd.gov)  
TTY 800-366-6888 or 711  
Fax 701-328-2410  
Phone 701-328-2400

April 25, 2008

Brian Bjella  
Fleck Mather & Strutz, Ltd.  
P.O. Box 2798  
Bismarck ND 58502-2798

Kris H. Benson  
Environmental Analyst II  
Enbridge Pipelines (North Dakota) LLC  
119 N 25<sup>th</sup> St East  
Superior WI 54880

Re: Enbridge Pipelines (North Dakota) LLC  
Trenton to Beaver Lodge Pipeline – Williams County  
Siting Application  
Tree & Shrub Restoration Plan  
Case No.: PU-06-330

Enbridge Pipelines (North Dakota) LLC  
Crude Oil Pump Stations-Moun, McHe, Rams, GFor Cty  
Siting Application  
Tree & Shrub Restoration Plan  
Case No.: PU-06-349

Dear Brian Bjella and Kris Benson:

Please be advised that at its regular meeting on April 23, 2008, the Commission moved to approve Enbridge Pipelines (North Dakota) LLC's Tree & Shrub Restoration Plan, with conditions, Case No. PU-06-330 and Case No. PU-06-349.

If you have any questions, please feel free to contact our office.

Sincerely,

Janet Marquart  
Public Utilities Division

### Enclosure

92 PU-06-349 Filed: 4/25/2008 Pages: 3  
Letter re: Approval of Tree and Shrub Restoration Plan

Public Service Commission

117 PU-06-330 Filed: 4/25/2008 Pages: 3  
Letter re: Approval of Tree and Shrub Restoration Plan

Public Service Commission

**APPROVED**

DATE: 4-23-08  
sf

MOTION

April 23, 2008

Enbridge Pipelines (North Dakota) LLC  
Trenton to Beaver Lodge Pipeline – Williams  
County  
Siting Application

Case No. PU-06-330

I move the Commission approve Enbridge Pipelines (North Dakota) LLC's Tree & Shrub Restoration Plan with the condition that tree replacement be with 2-year-old saplings, and that somewhat less than 2-year-old saplings be used only when 2-year-old saplings cannot be purchased, Case No. PU-06-330.

PJF

**APPROVED**

DATE: 4-23-08  
[Signature]

**MOTION**

April 23, 2008

**Enbridge Pipelines (North Dakota) LLC  
Crude Oil Pumping Stations – Mountrail,  
McHenry, Ramsey, Grand Forks Counties  
Siting Application**

**Case No. PU-06-349**

I move the Commission approve Enbridge Pipelines (North Dakota) LLC's Tree & Shrub Restoration Plan with the condition that tree replacement be with 2-year-old saplings, and that somewhat less than 2-year-old saplings be used only when 2-year-old saplings cannot be purchased, Case No. PU-06-349.

PJF