



**STATE
HISTORICAL
SOCIETY**
OF NORTH DAKOTA

John Hoeven
Governor of North Dakota

February 28, 2008

North Dakota
State Historical Board

Albert I. Berger
Grand Forks - President

Chester E. Nelson, Jr.
Bismarck - Vice President

Gerold Gerntholz
Valley City - Secretary

A. Ruric Todd III
Jamestown

Diane K. Larson
Bismarck

Marvin L. Kaiser
Williston

Richard Kloubec
Fargo

Sara Otte Coleman
Director
Tourism Division

Kelly Schmidt
State Treasurer

Alvin A. Jaeger
Secretary of State

Douglass Prchal
Director
Parks and Recreation
Department

Francis Ziegler
Director
Department of Transportation

Merlan E. Paaverud, Jr.
Director

Ms. Elizabeth Orlando, Esq.
OES/ENV
Room 2657A
U.S. Department of State
Washington, DC 20520

**ND SHPO REF: 06-1063f Department of State (DOS)/ND PSC
Enbridge Energy's proposed: (1) Alberta Clipper and (2) Southern Lights
Petroleum Pipelines from the United States-Canadian border near Neche,
North Dakota to Clearbrook, Minnesota [Pembina County, North
Dakota]: Concurrence on Determinations of Eligibility (DOE)**

Dear Ms. Orlando:

We have received and reviewed the February 26 correspondence and documentation for **06-1063e** : Determinations of National Register of Historic Places Eligibility (DOE). We concur with the listed DOE for sites enumerated in Attachment A and with their respective management recommendations. **Sites 32PB206, 32PB161, and 32PB173 are to be avoided either through horizontal directional drilling (HDD) or file boring as recommended.** We concur that the remaining listed sites are not significant and not eligible for listing in the National Register of Historic Places. Finally, we concur with the scope and scale of identification efforts for cultural resources on the project.

Thank you for the opportunity to review this project and we look forward to further consultation on it. Please include the **ND SHPO Ref.: 06-1063** in further correspondence for this project. If you have any questions please contact either Paul Picha at (701) 328-3574 or Susan Quinnell, Review and Compliance Coordinator at (701) 328-3576 or squinnell@nd.gov

Sincerely,

Merlan E. Paaverud, Jr.
State Historic Preservation Officer (North Dakota)
and

Director, State Historical Society of North Dakota

- ✓ c: Susan E. Wefald, Commissioner, ND PSC, with enc.
c: Daniel E. Cimarosti, COE-Regulatory, Bismarck, with enc.
c: Karen Ackerman, Regulatory, ND OSE/SWC, with enc.

Accredited by the
American Association
of Museums

Attachment A: List of Properties Evaluated for Eligibility for the National Register of Historic Places for the Enbridge LSr Pipeline Project in North Dakota

Site Number	Type	NRHP Recommendation by Applicant	NRHP Finding by DOS	Additional Work Needed
Newly Identified Archaeological Sites				
32PB0206	Historic Trail/Road	Recommended Eligible	Eligible	Avoid by Boring or HDD
32PBX0161	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0165	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0205	Undetermined Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
Previously Recorded Archaeological Sites				
32PB0161	Precontact Artifact Scatter	Previously Recommended Potentially Eligible	Unevaluated*	Avoid by Boring or HDD
32PBX0212	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0213	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0214	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0219	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0158	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0215	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0099	Historical Homestead	Recommended Ineligible	Ineligible	No Additional Work Recommended

32PB0216	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0217	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0220	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0152	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0166	Potential Precontact Mound	Portion of Site within Current APE Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0155	Multi- component Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0159	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0222	Precontact Isolated Find	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0160	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PB0162	Historical Artifact Scatter	Recommended Ineligible	Ineligible	No Additional Work Recommended
32PBX0218	Isolated Precontact Artifacts	Recommended Ineligible	Ineligible	No Additional Work Recommended
Newly Identified Architectural History Property				
32PB0173	Railroad	Recommended Eligible	Ineligible	Avoid through Boring or HDD
*Because this site will be avoided through the use of a Horizontal Directional Drill for the crossing of the Red River, no further evaluation of this site's NRHP eligibility is required.				