



Aug. 24. 2007 10:19AM

No. 0944 P. 2

TEMPORARY AUTHORITY PERMIT
NORTH DAKOTA PUBLIC SERVICE COMMISSION
PUBLIC UTILITIES
SFN 80560 (6-96)

Date August 21, 2007	Time 01:00 <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	Name of Utility Otter Tail Power Company	Telephone Number 701-252-0540
Name of Person Calling Leon Kremer Operations Manager		Name of Coop Serving Northern Plains Coop	
Name of Customer Spiritwood Station		Location Sec SW 1/4 22 Twp 140 N R 62 W	
Address		County Stutsman	
City Spiritwood		State ND	Zip Code 58481
Name of Nearest City Spiritwood		Distance to the City 1 mile	
When will service be extended? November 16, 2007		Type of Service <input type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input type="checkbox"/> Other	
Extension Length to Most Economical Point of Service No Adequate Utility: 300 feet Coop: Coop Facility		Extension <input checked="" type="checkbox"/> Overhead <input type="checkbox"/> Underground	
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Name of Person Contacted (PSC Use) Joy Jacobson & Lowell Hove		Date of Contact (PSC Use) 8/27/07 8/28/07	Time (PSC Use) 8 a.m. <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
Estimated Cost of Extension Temp Service 12.5 Volt \$187,000 Perm Service 115 Volt \$200,000		Estimated Revenue \$161,200 Month \$ 53,100 Month	
Under what rate filed with the Public Service Commission will customer be served? 603 Large Commercial			
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over rail-road tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Temporary Authority Authorized by <input type="checkbox"/> Telephone <input type="checkbox"/> Letter <input checked="" type="checkbox"/> email		Date Authorized 8/28/07	
Authorized By (Name of Commissioner) Tony Clark			
Extension must be made from most economical point of service.			
Comments:			