

Exam Date:02/02/2009

Miller Elevator Company

Page: 1

Examiner: 1

PO Box 844

Valley City , ND

County:

Phone: 701-845-2013

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
011	C	2,869
012	C	2,869
013	C	2,869
014	C	2,869
		Total: 11,476

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total:	0
---------------	---

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	112,000
B	370,000
C	148,000
E	34,000
F	246,000
Total:	910,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Hannaford	189	E F	280,000
Sykeston	920	B C	518,000
Walum	188	A	112,000
			Total: 910,000

Exam Date:02/02/2009
 Examiner: 1

Miller Elevator Company
 PO Box 844
 Valley City, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Hannaford

Section: C

C	002		Square	floor over bins	0.000	11.30	9.500	52.00	0.00	0.00	52.000	0.000	52.0	86.3	5.80	4,748
C	003 T		Iregular	floor over bins 9.5x 6.8 less	33.800	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	33.8	2.50	277
C	003 B		Square	work floor _top 8'	0.000	9.500	6.800	30.00	0.00	0.00	30.000	0.000	30.0	51.9	4.50	1,627
C	004		Square	work floor	0.000	9.500	4.000	37.00	0.00	0.00	37.000	0.000	37.0	30.5	2.50	1,157
C	005		Square	work floor	0.000	9.500	6.500	30.00	0.00	0.00	30.000	0.000	30.0	49.6	4.20	1,550
C	006		Square	work floor	0.000	9.500	4.400	35.00	0.00	0.00	35.000	0.000	35.0	33.6	2.50	1,205
C	008 T		Square	work floor	0.000	9.500	6.500	35.00	0.00	0.00	35.000	0.000	35.0	49.6	4.20	1,809
C	008 B		Square	work floor - top 35'	0.000	11.30	9.500	17.00	0.00	0.00	17.000	0.000	17.0	86.3	5.80	1,552
C	009		Square	work floor	0.000	9.500	4.400	35.00	0.00	0.00	35.000	0.000	35.0	33.6	2.50	1,205
C	010		Square	work floor	0.000	9.500	4.000	36.00	0.00	0.00	36.000	0.000	36.0	30.5	2.50	1,125
C	011		Square	work floor	0.000	9.500	6.800	36.00	0.00	0.00	36.000	0.000	36.0	51.9	4.50	1,952
C	013		Square	work floor	0.000	9.500	5.000	35.00	0.00	0.00	35.000	0.000	35.0	38.2	3.00	1,377
C	014 T		Square	work floor	0.000	9.500	5.800	35.00	0.00	0.00	35.000	0.000	35.0	44.3	3.50	1,605
C	014 B		Square	work floor - top 35'	0.000	11.30	9.500	17.00	0.00	0.00	17.000	0.000	17.0	86.3	5.80	1,552
C	015		Square	work floor	0.000	9.500	5.000	35.00	0.00	0.00	35.000	0.000	35.0	38.2	3.00	1,377
C	017 T		Square	work floor	0.000	9.500	5.800	35.00	0.00	0.00	35.000	0.000	35.0	44.3	3.50	1,605
C	017 B		Square	work floor - top 35'	0.000	11.30	9.500	17.00	0.00	0.00	17.000	0.000	17.0	86.3	5.80	1,552
C	018		Square	work floor	0.000	11.30	9.500	52.00	0.00	0.00	52.000	0.000	52.0	86.3	5.80	4,748
C	020		Square	work floor	0.000	9.500	3.500	37.00	0.00	0.00	37.000	0.000	37.0	26.7	2.50	1,013
C	101		Peaked	top of sidewall	28.000	0.000	0.000	28.00	0.00	0.00	28.000	1.700	29.7	495.0	8.50	15,952
C	102		Peaked	top of sidewall	28.000	0.000	0.000	28.00	0.00	0.00	28.000	1.700	29.7	495.0	8.50	15,952

Client ID: 665

NDPSC Bin Capacity Chart

02/09/2009 08:55:04 AM

Exam Date: 02/02/2009
Examiner: 1

Miller Elevator Company
PO Box 844
Valley City, ND
County:

Page: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Hannaford

Section: C

C		103	Peaked	top of sidewall	28.000	0.000	0.000	28.00	0.00	0.00	28.000	1.700	29.7	495.0	8.50	15,952		
C		104	Peaked	top of sidewall	26.800	0.000	0.000	16.20	0.00	0.00	16.200	1.600	17.8	453.5	8.20	8,734		
C		105	Peaked	top of sidewall	26.800	0.000	0.000	16.20	0.00	0.00	16.200	1.600	17.8	453.5	8.20	8,734		
C		106	Peaked	top of sidewall	26.800	0.000	0.000	16.20	0.00	0.00	16.200	1.600	17.8	453.5	8.20	8,734		
		Bin count:	25														Facility: Hannaford Section: C Total:	107,094
																To Even:	108,000	

Section: E

E		103	Quonset	get dimensions	0.000	100.0	40.00	10.00	0.00	0.00	10.000	0.000	10.0	3075.9	10.0	33,835		
		Bin count:	1														Facility: Hannaford Section: E Total:	33,835
																To Even:	34,000	

Section: F

F		001	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		002	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		003	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		004	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		005	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		006	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F		007	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015

Client ID: 665

NDPSC Bin Capacity Chart

02/09/2009 08:55:05 AM

Exam Date:02/02/2009

Examiner: 1

Miller Elevator Company
PO Box 844
Valley City, ND
County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Hannaford

Section: F																
F	008	Peaked	top of sidewall		42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
F	009	Peaked	top of sidewall		14.000	0.000	0.000	18.00	2.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715
F	010	Peaked	top of sidewall		14.000	0.000	0.000	18.00	2.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715

Bin count: 10

Facility: Hannaford Section: F Total: 245,550

To Even: 246,000

Client ID: 665

NDPSC Bin Capacity Chart

02/09/2009 08:55:05 AM

Exam Date:02/02/2009
Examiner: 1

Miller Elevator Company
PO Box 844
Valley City, ND
County:

Page: 4

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	---------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Sykeston

B		001 T	Square	center work floor	0.000	7.000	5.300	27.00	0.00	0.00	27.000	0.000	27.0	29.8	2.50	825
B		001 B	Square	center work floor - top 27'	0.000	10.10	6.800	22.00	0.00	0.00	22.000	0.000	22.0	55.2	4.80	1,272
B		002 T	Square	center work floor	0.000	8.000	7.500	34.00	0.00	0.00	34.000	0.000	34.0	48.2	4.20	1,708
B		002 B	Square	center work floor - top 34'	0.000	10.10	7.200	15.00	0.00	0.00	15.000	0.000	15.0	58.5	4.80	920
B		003 T	Square	center work floor	0.000	8.000	7.200	34.00	0.00	0.00	34.000	0.000	34.0	46.3	4.00	1,637
B		003 B	Square	center work floor - top 34'	0.000	10.10	7.000	15.00	0.00	0.00	15.000	0.000	15.0	56.8	4.80	893
B		004 T	Square	center work floor	0.000	8.000	7.100	34.00	0.00	0.00	34.000	0.000	34.0	45.7	4.00	1,616
B		004 B	Square	center work floor - top 34'	0.000	10.10	6.800	14.00	0.00	0.00	14.000	0.000	14.0	55.2	4.80	810
B		005 T	Square	center work floor	0.000	8.000	7.100	34.00	0.00	0.00	34.000	0.000	34.0	45.7	4.00	1,616
B		005 B	Square	center work floor - top 34'	0.000	10.10	6.800	14.00	0.00	0.00	14.000	0.000	14.0	55.2	4.80	810
B		006 T	Square	center work floor	0.000	8.000	7.000	34.00	0.00	0.00	34.000	0.000	34.0	45.0	3.50	1,584
B		006 B	Square	center work floor - top 34'	0.000	10.10	7.000	15.00	0.00	0.00	15.000	0.000	15.0	56.8	4.80	893
B		007 T	Square	center work floor	0.000	8.000	7.500	34.00	0.00	0.00	34.000	0.000	34.0	48.2	4.20	1,708
B		007 B	Square	center work floor - top 34'	0.000	10.10	7.200	15.00	0.00	0.00	15.000	0.000	15.0	58.5	4.80	920
B		008	Square	center work floor	0.000	10.10	6.800	49.00	0.00	0.00	49.000	0.000	49.0	55.2	4.80	2,835
B		00TB	Square	center work floor	0.000	7.000	5.000	27.00	0.00	0.00	27.000	0.000	27.0	28.1	2.50	778
B		010	Square	center work floor	0.000	8.000	6.800	34.00	0.00	0.00	34.000	0.000	34.0	43.7	3.50	1,538
B		011	Square	center work floor	0.000	8.000	6.800	34.00	0.00	0.00	34.000	0.000	34.0	43.7	3.50	1,538
B		012	Square	center work floor	0.000	8.000	6.800	34.00	0.00	0.00	34.000	0.000	34.0	43.7	3.50	1,538
B		013	Square	center work floor	0.000	8.000	6.800	34.00	0.00	0.00	34.000	0.000	34.0	43.7	3.50	1,538
B		014	Square	center work floor	0.000	8.000	7.100	34.00	0.00	0.00	34.000	0.000	34.0	45.7	4.00	1,616

Exam Date: 02/02/2009 Miller Elevator Company Page: 5
 Examiner: 1 PO Box 844
Valley City, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Sykeston

Section: B

B	015		Square	center work floor	0.000	8.000	7.100	34.00	0.00	0.00	34.000	0.000	34.0	45.7	4.00	1,616
B	016		Square	center work floor	0.000	7.000	4.700	34.00	0.00	0.00	34.000	0.000	34.0	26.4	2.50	920
B	101 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	101 B		Square	work floor - top 47.7'	0.000	12.40	8.400	6.000	0.00	0.00	6.000	0.000	6.0	83.7	5.80	531
B	102 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	102 B		Square	work floor - top 47.7'	0.000	12.40	8.600	6.000	0.00	0.00	6.000	0.000	6.0	85.7	5.80	544
B	103 T		Square	work floor	0.000	14.40	8.700	47.70	0.00	0.00	47.700	0.000	47.7	100.7	6.00	5,091
B	103 B		Square	work floor - top 47.7'	0.000	12.40	8.600	6.000	0.00	0.00	6.000	0.000	6.0	85.7	5.80	544
B	104 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	104 B		Square	work floor - top 47.7'	0.000	12.40	8.300	6.000	0.00	0.00	6.000	0.000	6.0	82.7	5.50	523
B	105 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	105 B		Square	work floor - top 47.7'	0.000	12.70	8.300	6.000	0.00	0.00	6.000	0.000	6.0	84.7	5.80	537
B	106 T		Square	work floor	0.000	14.40	8.700	47.70	0.00	0.00	47.700	0.000	47.7	100.7	6.00	5,091
B	106 B		Square	work floor - top 47.7'	0.000	12.40	8.600	6.000	0.00	0.00	6.000	0.000	6.0	85.7	5.80	544
B	107 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	107 B		Square	work floor - top 47.7'	0.000	12.40	8.600	6.000	0.00	0.00	6.000	0.000	6.0	85.7	5.80	544
B	108 T		Square	work floor	0.000	14.40	8.600	47.70	0.00	0.00	47.700	0.000	47.7	99.5	6.00	5,031
B	108 B		Square	work floor - top 47.7'	0.000	12.40	8.400	6.000	0.00	0.00	6.000	0.000	6.0	83.7	5.80	531
B	109		Peaked	peaked or round ??	27.000	0.000	0.000	54.00	0.00	0.00	54.000	1.600	55.6	460.3	8.50	27,768
B	110		Peaked	peaked or round ??	27.000	0.000	0.000	59.50	0.00	0.00	59.500	1.600	61.1	460.3	8.50	30,515

Client ID: 665

NDPSC Bin Capacity Chart

02/09/2009 08:55:06 AM

Exam Date: 02/02/2009
Examiner: 1

Miller Elevator Company
PO Box 844
Valley City, ND
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Bin count: 41 Facility: Sykeston Section: B Total: 134,078
 To Even: 135,000

Section: C

C	001	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	002	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	003	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	004	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	005	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	006	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	007	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	008	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	009	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	010	Peaked	eaves		14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
Added	C	011	Peaked	eaves	14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
Added	C	012	Peaked	eaves	14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
Added	C	013	Peaked	eaves	14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
Added	C	014	Peaked	eaves	14.600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869

Bin count: 14 Facility: Sykeston Section: C Total: 40,166
 To Even: 41,000

Exam Date:02/02/2009

Miller Elevator Company

PO Box 844

Valley City, ND

Examiner: 1

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth for Foot	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	------------------------------	----------------------	------------------------	---------------	------------------------------

Facility: Walum

Section: A

A	003	Square	work floor		0.000	10.70	6.600	49.00	0.00	0.00	49.000	0.000	49.0	56.8	4.80	2,917
A	004	Square	work floor		0.000	6.900	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.8	2.50	1,063
A	005	Square	work floor		0.000	10.70	6.800	49.00	0.00	0.00	49.000	0.000	49.0	58.5	4.80	3,005
A	006	Square	work floor		0.000	10.70	6.800	49.00	0.00	0.00	49.000	0.000	49.0	58.5	4.80	3,005
A	007	Square	work floor		0.000	10.70	6.600	49.00	0.00	0.00	49.000	0.000	49.0	56.8	4.80	2,917
A	008	Square	work floor		0.000	6.700	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.0	2.50	1,033
A	009	Square	work floor		0.000	6.900	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.8	2.50	1,063
A	011	Square	work floor		0.000	6.700	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.0	2.50	1,033
A	012	Square	work floor		0.000	6.900	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.8	2.50	1,063
A	013	Square	work floor		0.000	10.70	6.600	49.00	0.00	0.00	49.000	0.000	49.0	56.8	4.80	2,917
A	015	Square	work floor		0.000	10.70	6.800	49.00	0.00	0.00	49.000	0.000	49.0	58.5	4.80	3,005
A	017	Square	work floor		0.000	10.70	6.800	49.00	0.00	0.00	49.000	0.000	49.0	58.5	4.80	3,005
A	018	Square	work floor		0.000	6.900	5.200	36.00	0.00	0.00	36.000	0.000	36.0	28.8	2.50	1,063
A	019	Square	work floor		0.000	10.70	6.600	49.00	0.00	0.00	49.000	0.000	49.0	56.8	4.80	2,917
A	020	Square	work floor		0.000	6.700	3.900	36.00	0.00	0.00	36.000	0.000	36.0	21.0	2.00	771
A	101	Square	work floor		0.000	13.70	12.40	47.00	0.00	0.00	47.000	0.000	47.0	136.6	6.50	6,837
A	102 T	Square	work floor		0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A	102 B	Square	work floor - top 36'		0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052
A	103	Square	work floor		0.000	13.70	12.70	47.00	0.00	0.00	47.000	0.000	47.0	139.9	6.80	7,022
A	104 T	Square	work floor		0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A	104 B	Square	work floor - top 36'		0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052

Client ID: 665

NDPSC Bin Capacity Chart

02/09/2009 08:55:06 AM

Exam Date:02/02/2009

Miller Elevator Company

PO Box 844

Valley City , ND

Examiner: 1

County:

Page: 8

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Walum

Section: A

A		105	Square	work floor	0.000	13.70	12.70	47.00	0.00	0.00	47.000	0.000	47.0	139.9	6.80	7,022
A		106 T	Square	work floor	0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A		106 B	Square	work floor - top 36'	0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052
A		107	Square	work floor	0.000	13.70	12.70	47.00	0.00	0.00	47.000	0.000	47.0	139.9	6.80	7,022
A		108 T	Square	work floor	0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A		108 B	Square	work floor - top 36'	0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052
A		109	Square	work floor	0.000	13.70	12.70	47.00	0.00	0.00	47.000	0.000	47.0	139.9	6.80	7,022
A		110 T	Square	work floor	0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A		110 B	Square	work floor - top 36'	0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052
A		111	Square	work floor	0.000	13.70	12.70	47.00	0.00	0.00	47.000	0.000	47.0	139.9	6.80	7,022
A		112 T	Square	work floor	0.000	13.80	12.80	36.00	0.00	0.00	36.000	0.000	36.0	142.0	6.80	5,460
A		112 B	Square	work floor - top 36'	0.000	12.50	9.000	11.00	0.00	0.00	11.000	0.000	11.0	90.4	5.80	1,052

Bin count: 33

Facility: Walum Section: A Total: 111,796

To Even: 112,000

Section: B

B		001	Peaked	top of sidewall	36.000	0.000	0.000	26.00	0.00	0.00	26.000	2.200	28.2	818.2	10.0	25,380
B		002	Peaked	top of sidewall	36.000	0.000	0.000	26.00	0.00	0.00	26.000	2.200	28.2	818.2	10.0	25,380
B		003	Peaked	top of sidewall	36.000	0.000	0.000	26.00	0.00	0.00	26.000	2.200	28.2	818.2	10.0	25,380
B		004	Peaked	top of sidewall	36.000	0.000	0.000	26.00	0.00	0.00	26.000	2.200	28.2	818.2	10.0	25,380

Exam Date: 02/02/2009 Miller Elevator Company Page: 9
 Examiner: 1 PO Box 844
Valley City, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Walum

B	005	Peaked	top of sidewall		36.000	0.000	0.000	26.00	0.00	0.00	26.000	2.200	28.2	818.2	10.0	25,380	
B	006	Square	bin cover		0.000	15.00	15.00	15.00	0.00	0.00	15.000	0.000	15.0	180.9	7.00	2,904	
B	007	Peaked	top of sidewall		42.000	0.000	0.000	40.50	0.00	0.00	40.500	2.500	43.0	1113.7	10.0	52,678	
B	008	Peaked	top of sidewall		42.000	0.000	0.000	40.50	0.00	0.00	40.500	2.500	43.0	1113.7	10.0	52,678	
Bin count:		8														Facility: Walum Section: B Total:	235,160
															To Even:	236,000	

<p>Overall Licensed Bin Capacity for: Miller Elevator Company Bin count: 132</p>	<p>Licensed Capacity: (includes pack) <u> </u> 907,679 Bu.</p> <p>Licensed Capacity (to even): (includes pack and section totals are rounded up to next highest 1000) <u> </u> 910,000 Bu.</p>
---	--

MILLER ELEVATOR COMPANY
 SYKESTON N.D.

RRV & W RAIL

SECTION B

004	011	010	005
003	012	013	006
002	015	014	007
TB 01	016	XX	008


driveway

Office

SECTION B

108	107	106	105
101	102	103	104

SECTION B



SECTION C

