

Exam Date: 08/13/2008

St. Hilaire Seed Company, Inc.

Page: 1

Examiner: 1

PO Box 85

St. Hilaire, MN

County:

Phone: 218-964-5407

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
101	G } Grafton - Brabanski site	8,900
102	G }	8,900
		<b>Total: 17,800</b>

**PART B - SPACE TO BE DELETED UNDER LICENSE**

202	C }	4,787
203	C } Leads Tanks at BTR	4,787
204	C }	4,787
303	C } Wakefield BIA site	31,577
304	C } 1/2 mile south of receiving station - Garske	31,577
305	C }	31,577
		<b>Total: 109,092</b>

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

B	99,000
C	277,000
D	170,000
G	18,000
<b>Total: 564,000</b>	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Crystal 1151	D	170,000
Garske 1152	C	277,000
Grafton 1000	G	18,000
Hamilton 1133	B	99,000
		<b>Total: 564,000</b>

Current Bond \$ 290,000 Maximum of 700,000 bushels

Exam Date:08/13/2008

St. Hilaire Seed Company, Inc.

Examiner: 1

PO Box 85  
St. Hilaire, MN  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

**Facility: Crystal**

**Section: D**

D	025		Peaked	O'role top of sidewall	23.900	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	360.6	7.80	9,873
D	033		Peaked	top of sidewall	12.500	0.000	0.000	10.00	2.00	0.00	12.000	0.800	12.8	98.6	5.00	1,325
D	091		Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	092		Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	093		Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	101		Flat	Crystal potato whrse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	102		Flat	Crystal potato whrse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	103		Flat	Crystal potato whrse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	104		Flat	Crystal potato whrse	0.000	98.00	25.00	13.40	0.00	0.00	13.400	0.000	13.4	1969.5	10.0	29,030
D	4700		Peaked	top of sidewall	16.000	0.000	0.000	17.00	0.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D	4909		Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	4911		Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	7911		Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	8190		Peaked	top of sidewall	16.000	0.000	0.000	23.00	0.00	0.00	23.000	1.000	24.0	161.6	5.80	4,103
D	9482		Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9487		Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9488		Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9491		Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	PH80		Peaked	top of sidewall	14.000	0.000	0.000	12.00	0.00	0.00	12.000	0.800	12.8	123.7	5.50	1,670

Client ID: 2943

### NDPSC Bin Capacity Chart

09/03/2008 11:06:05 AM

Exam Date: 08/13/2008

St. Hilaire Seed Company, Inc.

Page: 2

Examiner: 1

PO Box 85  
St. Hilaire, MN

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	-------------------------------	------------------------	---------------	------------------------------

Bin count: 19

Facility: Crystal Section: D Total: 169,567

To Even: 170,000

Exam Date: 08/13/2008

St. Hilaire Seed Company, Inc.

Page: 5

Examiner: 1

PO Box 85  
St. Hilaire, MN

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Det. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	---------------	-----------------	--------------	------------------	------------------	------------	---------------------------

## Facility: Hamilton

### Section: B

B	100	Flat	grain wall ht. 7.5' btm drag		0.000	58.70	139.2	9.250	0.00	0.00	9.250	0.000	9.3	6568.4	10.0	67,195
B	101	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	102	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	103	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	104	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	105	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	106	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	107	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	108	Peaked	eave at top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
<b>Bin count: 9</b>													<b>Facility: Hamilton Section: B Total:</b>		<b>98,659</b>	
													<b>To Even:</b>		<b>99,000</b>	

**Overall Licensed Bin Capacity for:**  
 St. Hilaire Seed Company, Inc.  
 Bin count: 36

**Licensed Capacity:** \_\_\_\_\_  
 (includes pack)

**Licensed Capacity (to even):** \_\_\_\_\_  
 (includes pack and section totals are rounded up to next highest 1000)

**562,148 Bu.**  
**564,000 Bu.**

Exam Date: 08/13/2008

St. Hilaire Seed Company, Inc.

Page: 3

Examiner: 1

PO Box 85  
St. Hilaire, MN

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irrg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

**Facility: Garske**

C	001	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	002	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	003	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	004	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	005	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	101	Peaked	top of sidewall		16.000	0.000	0.000	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787

Bin count: 6      Facility: Garske Section: C Total: 276,122

To Even: 277,000

Exam Date: 08/13/2008

Examiner: 1

St. Hilaire Seed Company, Inc.

PO Box 85

St. Hilaire, MN

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side for Hopper	Depth for Peak	Effective Depth	Depth for Peak	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------------	----------------	-----------------	----------------	------------------	------------	---------------------------

## Facility: Grafton

Added	G	101	Peaked	Grabanski site- top of	24.000	0.000	0.000	18:30	3.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900
Added	G	102	Peaked	Grabanski site- top of	24.000	0.000	0.000	18:30	3.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900

Bin count: 2


Facility: Grafton Section: G Total: 17,800

To Even: 18,000

## Section: G


St. Hilaire Seed Company Inc.  
O'Toole Farm Site

- 
- 
- 2174
- 2153
- 2175
- 




- 9488
- 9491
- 9482
- 9487

Storage licensed by St. Hilaire  
farm site - #25-33-91-92-93-4700-4909-ph80  
4911-7911-8190-9482-9487-9488-9491  
potato warehouse in Crystal bins - 101-2-3-4



St. Hilaire Seed Company, Inc.  
Crystal ND- O'Toole  
potato warehouse  
located at Crystal ND



BINS #1-2-3 - 98'L x 20'W x 12.5' grain depth






BIN #4 - 98'L x 25'W x 13.4' grain depth

ST. HILAIRE BEAN

Hamilton Receiving site located 7 miles east of Glaston- i mile north - 1/2 mile east

Section B

Licensed by St. Hilaire  
hopper tanks 101 thru 108  
flat warehouse #100



Flat 100- 58.7' W x 139.2' L

grain wall ht. 7.5'

bottom center drag to floor 18.75'

rafters & main sidewall beam 20' on center





tanks #1-2-3-4-8-9-10-11-12-14-- 23.9' diameter, 16' sidewall -6,763 bu. capacity

tanks #5-6-7 -- 23.9' diameter , 17.5' sidewall - 7,347 bu. capacity

tank # 13 - 23.9' diameter, 14.75' sidewall - 6,298 bu. capacity

Hopper tanks- 16' dia - 20' sidewall - 6' hopper

ST. HILAIRE BEAN  
Garske Receiving site  
located 1 mile west of Garske Elevator Company  
Section C





hopper tank- 16' diameter 25' sidewall  
6' hopper -161.6 bu./ft - 28' depth for capacity.  
unpacked capacity 4525 bu. - packed capacity 4787 bu.

Large tanks - 47.8' diameter - 31.3' sidewall ( 20" air floor)  
depth for capacity 34.2' (2.9' for peak)  
capacity--unpacked 49,334 bu - packed 54,267 bu

GRABRANSKI GRAIN LLC  
GRAFTON ND

located west of Grafton south of John Deere dealership



located  
1/2 block north  
of Grabanski Grain  
24' dia- 18.3' sidewall - 9' hopper

TANKS  
47.8' diameter  
33.1' sidewall Less 1.5' aeration floor = 31.6' grain sidewall  
34.5' depth for capacity including 2.9' of additional for peak  
unpacked capacity 49,766 bushels  
packed capacity 54,743 bu. x 5(tanks) = 273,715 or 274,000 bu. to even.  
tank #7- 47.9' diameter - 31.6' sidewall

Licensing Division  
600 E Boulevard Ave – Dept 408  
Bismarck, ND 58505-0480  
701/328-4103 – phone  
701/328-2410 – fax

**Public Service Commission**

# Fax

**To:** Craig Anderson- St. Hilaire Seed Co., Inc. **From:** Timothy Erdmann

---

**Fax:** 218-964-5415 **Pages:** 12

---

**Phone:** 218-964-5407 **Date:** 09-03-08

---

**Re:** Recalculation of storage capacity including new  
construction at Grabanski Grain LLC. At Grafton

---

**Urgent**     **For Review**     **Please Comment**     **Please Reply**     **Please Recycle**

---

● **Comments:** I have reviewed the storage facilities at Garkse, Crystal, & Hamilton and measured the new construction at Grafton. Assembled a revised the statement of capacity, bin charts, and diagrams for all locations. Please review the included information and reply to our office if acceptable or if any changes are required.

Thank you,

---