



**TEMPORARY AUTHORITY PERMIT**  
**NORTH DAKOTA PUBLIC SERVICE COMMISSION**  
**PUBLIC UTILITIES**  
 BFN 50590 (8-98)

PU-08-421

Date 6/25/08	Time 5:00	<input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities Co.	Telephone Number 701-572-1601
Name of Person Calling Steve Rock, Electric Operations Supervisor			Name of Coop Serving Burke-Divide REC	
Name of Customer Tim Gjovig		Location NE1/4 NE1/4 SEC 25 Twp 163N R 98W		
Address 104th Street NW and 120th Avenue NW			County Divide	
City Crosby			State ND	Zip Code 58730
Name of Nearest City Crosby, ND			Distance to the City 1.25 miles	
When will service be extended? July 15, 2008		Type of Service <input checked="" type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input type="checkbox"/> Other _____		
Extension Length to Most Economical Point of Service Utility: 100 feet Coop: 3 miles estimated		Extension <input checked="" type="checkbox"/> Overhead <input type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$200		Estimated Revenue \$1500 per year		
Under what rate filed with the Public Service Commission will customer be served? Rate 10 Residential Service				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <del>_____</del> 7-2-08 <input checked="" type="checkbox"/> Telephone <input checked="" type="checkbox"/> Letter 8-1-08		Date Authorized 7-2-08		
Authorized By (Name of Commissioner) <i>Renee Cameron</i>				

Extension must be made from most economical point of service.

Comments:  
MDU has a distribution line about 100 feet north of this person's property. A quick service extension is all that will be required to serve this customer.