

Exam Date:09/09/2008

Renville Elevator Company
 7900 Van Buren
 St. Louis , MO
 County:
 Phone: 314-638-1447
 CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
010	A	146,941
011	A	206,240
012	A	206,240
019	C	3,933
020	C	3,933
021	C	3,933
022	C	3,665
023	C	3,665
024	C	3,665
025	C	3,665
026	C	3,665
027	C	8,625
028	C	8,625
		Total: 606,795

PART B - SPACE TO BE DELETED UNDER LICENSE

002 T	B	2,115
002B	B	785
003	B	3,168
005	B	3,093
007	B	1,182
008	B	1,518
009	B	3,093
010	B	3,243
011	B	15,387
012 T	B	2,115
012B	B	785
013	B	1,360
		Total: 37,844

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE


A	1,107,000
C	114,000
D	207,000
Total: 1,428,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Greene 1086	D	207,000
Tolley 702	A C	1,221,000
		Total: 1,428,000

RENVILLE ELEVATOR COMPANY
GREENE LOCATION
SECTION D



Northern Plains Rail




SECTION D

Renville Elevator Company
Tolley, North Dakota

#####



(Located West of Section A)



Exam Date: 09/09/2008
 Examiner: 1

Renville Elevator Company
 7900 Van Buren
 St. Louis, MO
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Depth for Obs.	Effective Depth	Add for Peak	Depth for Cap.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	----------------	------------------	------------	---------------------------

Facility: Greene

Section: D

D	003		Square	work floor	0.000	11.40	9.200	41.50	0.00	0.00	41.500	0.000	41.5	84.3	5.80	3,701
D	004		Square	work floor	0.000	5.300	4.000	28.00	0.00	0.00	28.000	0.000	28.0	17.0	2.00	486
D	005		Square	work floor	0.000	11.20	3.000	28.00	0.00	0.00	28.000	0.000	28.0	27.0	2.50	775
D	006		Square	work floor	0.000	7.700	5.500	30.00	0.00	0.00	30.000	0.000	30.0	34.0	2.50	1,046
D	008		Square	work floor	0.000	11.40	9.200	41.50	0.00	0.00	41.500	0.000	41.5	84.3	5.80	3,701
D	009		Square	work floor	0.000	11.40	8.800	43.00	0.00	0.00	43.000	0.000	43.0	80.6	5.50	3,657
D	010		Square	work floor	0.000	11.40	8.800	40.00	0.00	0.00	40.000	0.000	40.0	80.6	5.50	3,401
D	012		Square	work floor	0.000	11.40	9.000	41.50	0.00	0.00	41.500	0.000	41.5	82.5	5.50	3,612
D	013		Square	work floor	0.000	7.700	5.500	30.00	0.00	0.00	30.000	0.000	30.0	34.0	2.50	1,046
D	014		Square	work floor	0.000	7.600	5.500	30.00	0.00	0.00	30.000	0.000	30.0	33.6	2.50	1,033
D	017		Square	work floor	0.000	7.600	5.500	30.00	0.00	0.00	30.000	0.000	30.0	33.6	2.50	1,033
D	019		Square	work floor	0.000	11.40	9.000	41.50	0.00	0.00	41.500	0.000	41.5	82.5	5.50	3,612
D	101 T		Square	catwalk	0.000	13.60	12.10	35.00	0.00	0.00	35.000	0.000	35.0	132.3	6.50	4,932
D	101 B		Square	catwalk -top 35'	0.000	12.10	11.40	6.500	0.00	0.00	6.500	0.000	6.5	110.9	6.20	766
D	102 T		Square	catwalk	0.000	13.60	12.10	35.00	0.00	0.00	35.000	0.000	35.0	132.3	6.50	4,932
D	102 B		Square	catwalk -top 35'	0.000	12.10	11.40	6.500	0.00	0.00	6.500	0.000	6.5	110.9	6.20	766
D	103 T		Square	catwalk	0.000	13.60	12.20	35.00	0.00	0.00	35.000	0.000	35.0	133.4	6.50	4,972
D	103 B		Square	catwalk -top 35'	0.000	12.20	11.40	6.500	0.00	0.00	6.500	0.000	6.5	111.8	6.20	772
D	104 T		Square	catwalk	0.000	13.60	12.20	35.00	0.00	0.00	35.000	0.000	35.0	133.4	6.50	4,972
D	104 B		Square	catwalk -top 35'	0.000	12.20	11.40	6.500	0.00	0.00	6.500	0.000	6.5	111.8	6.20	772
D	105 T		Square	catwalk	0.000	13.60	12.10	35.00	0.00	0.00	35.000	0.000	35.0	132.3	6.50	4,932

Exam Date: 09/09/2008

Renville Elevator Company

Page: 2

Examiner: 1

7900 Van Buren
St. Louis, MO

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Greene

Section: D

D	105 B		Square	catwalk -top 35'	0.000	12.10	11.40	5.500	0.00	0.00	5.500	0.000	5.5	110.9	6.20	648
D	106 T		Square	catwalk	0.000	13.60	12.10	35.00	0.00	0.00	35.000	0.000	35.0	132.3	6.50	4,932
D	106 B		Square	catwalk -top 35'	0.000	12.10	11.40	5.500	0.00	0.00	5.500	0.000	5.5	110.9	6.20	648
D	201		Peaked	top of sidewall	41.900	0.000	0.000	23.00	0.00	0.00	23.000	2.500	25.5	1108.4	10.0	31,090
D	301		Peaked	top of sidewall	47.800	0.000	0.000	33.00	0.00	0.00	33.000	2.900	35.9	1442.5	10.0	56,965
D	302		Peaked	top of sidewall	47.800	0.000	0.000	33.00	0.00	0.00	33.000	2.900	35.9	1442.5	10.0	56,965

Bin count: 27

Facility: Greene Section: D Total: 206,167

To Even: 207,000

Exam Date: 09/09/2008

Renville Elevator Company

Page: 3

Examiner: 1

7900 Van Buren
St. Louis, MO

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Tolley

Section: A

A		001	Peaked	TOE	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
A		002	Peaked	TOE	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
A		003	Peaked	TOE	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
A		004	Peaked	TOE	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
A		005	Peaked	TOE	36.000	0.000	0.000	26.50	0.00	0.00	26.500	2.200	28.7	818.2	10.0	25,830
A		006	Peaked	TOE	42.000	0.000	0.000	73.50	0.00	0.00	73.500	2.500	76.0	1113.7	10.0	93,105
A		007	Peaked	TOE	42.000	0.000	0.000	73.50	0.00	0.00	73.500	2.500	76.0	1113.7	10.0	93,105
A		008	Peaked	TOE	42.000	0.000	0.000	73.50	0.00	0.00	73.500	2.500	76.0	1113.7	10.0	93,105
A		009	Peaked	TOE	24.000	0.000	0.000	18.50	2.00	0.00	20.500	1.400	21.9	363.7	7.80	8,586
Added	A	010	Peaked	TOE	53.800	0.000	0.000	69.30	0.00	0.00	69.300	3.800	73.1	1827.4	10.0	146,941
Added	A	011	Peaked	TOE	53.800	0.000	0.000	98.75	0.00	0.00	98.750	3.800	102.6	1827.4	10.0	206,240
Added	A	012	Peaked	TOE	53.800	0.000	0.000	98.75	0.00	0.00	98.750	3.800	102.6	1827.4	10.0	206,240

Bin count: 12 Facility: Tolley Section: A Total: 1,106,120

To Even: 1,107,000

Section: C

C		001	Peaked	TOE	13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	1111.7	5.20	1,798
C		002	Peaked	TOE	13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	1111.7	5.20	1,798
C		003	Peaked	TOE	13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	1111.7	5.20	1,798
C		004	Peaked	TOE	13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	1111.7	5.20	1,798

Exam Date:09/09/2008
 Examiner: 1

Renville Elevator Company
 7900 Van Buren
 St. Louis, MO
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Tolley

Section: C

C	005	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	006	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	007	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	008	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	009	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	010	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	011	Peaked	TOE		13.300	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	111.7	5.20	1,798
C	012	Peaked	TOE		24.000	0.000	0.000	15.20	3.30	0.00	18.500	1.400	19.9	363.7	7.80	7,803
C	013	Peaked	TOE		24.000	0.000	0.000	15.20	3.30	0.00	18.500	1.400	19.9	363.7	7.80	7,803
C	014	Peaked	TOE		24.000	0.000	0.000	15.20	3.30	0.00	18.500	1.400	19.9	363.7	7.80	7,803
C	015	Peaked	TOE		24.000	0.000	0.000	18.30	2.30	0.00	20.600	1.400	22.0	363.7	7.80	8,625
C	016	Peaked	TOE		24.000	0.000	0.000	18.30	2.30	0.00	20.600	1.400	22.0	363.7	7.80	8,625
C	017	Peaked	TOE		15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
C	018	Peaked	TOE		15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
Added	C	019	Peaked	TOE	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	C	020	Peaked	TOE	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	C	021	Peaked	TOE	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	C	022	Peaked	TOE	15.500	0.000	0.000	20.00	2.00	0.00	22.000	0.900	22.9	151.7	5.50	3,665
Added	C	023	Peaked	TOE	15.500	0.000	0.000	20.00	2.00	0.00	22.000	0.900	22.9	151.7	5.50	3,665
Added	C	024	Peaked	TOE	15.500	0.000	0.000	20.00	2.00	0.00	22.000	0.900	22.9	151.7	5.50	3,665
Added	C	025	Peaked	TOE	15.500	0.000	0.000	20.00	2.00	0.00	22.000	0.900	22.9	151.7	5.50	3,665

Exam Date: 09/09/2008

Examiner: 1

Renville Elevator Company

7900 Van Buren

St. Louis, MO

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side for Hopper	Depth for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------------	-----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Tolley

Added	C	026	Peaked	TOE	15,500	0.000	0.000	20.00	2.00	0.00	22,000	0.900	22.9	151.7	5.50	3,665
Added	C	027	Peaked	TOE	24,000	0.000	0.000	18.30	2.30	0.00	20,600	1,400	22.0	363.7	7.80	8,625
Added	C	028	Peaked	TOE	24,000	0.000	0.000	18.30	2.30	0.00	20,600	1,400	22.0	363.7	7.80	8,625

Bin count: 28

Facility: Tolley Section: C Total: 113,539

To Even: 114,000

Overall Licensed Bin Capacity for:

Renville Elevator Company

Bin count: 67

Licensed Capacity: 1,425,826 Bu.
(includes pack)

Licensed Capacity (to even): 1,428,000 Bu.
(includes pack and section totals are rounded up to next highest 1000)