

Exam Date:09/11/2008

Johnstown Bean Company

Page: 1

Examiner: 1

PO Box 5

Gilby , ND

County:

Phone: 701-869-2680

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
101-1	G	9,936
101-2	G	10,409
101-3	G	10,409
101-4	G	9,936
001	L	3,933
002	L	3,933
003	L	3,933
004	L	3,933
001	F	4,838
002	F	4,838
003	F	4,838
Total:		70,936

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	152,000
B	207,000
C	215,000
D	100,000
F	15,000
G	41,000
L	16,000
Total: 746,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Johnstown	453	A B C D F G L	746,000
Total:			746,000

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth for Foot	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
A	001	Peaked	Peaked	eave at sidewall	15.000	0.000	0.000	18.00	2.70	0.00	20.700	0.900	21.6	142.1	5.50	3,238
A	002	Peaked	Peaked	eave at sidewall	15.000	0.000	0.000	18.00	2.70	0.00	20.700	0.900	21.6	142.1	5.50	3,238
A	003	Flat	Flat	top of bin at sidewall	0.000	40.00	16.00	7.200	1.40	0.00	8.600	0.000	8.6	514.5	8.80	4,814
A	006	Flat	Flat	bag warehouse	0.000	50.00	50.00	4.700	0.00	0.00	4.700	0.000	4.7	2009.6	10.0	10,390
A	030	Peaked	Peaked	eave at sidewall	46.000	0.000	0.000	31.50	0.00	0.00	31.500	2.800	34.3	1335.9	10.0	50,403
A	113 Brk B	Flat	Flat	west sidewall ht. 17.1'	0.000	96.70	15.40	7.500	0.00	0.00	7.500	0.000	7.5	1197.1	10.0	9,876
A	114	Flat	Flat		0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747
A	115	Flat	Flat		0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747
A	116	Flat	Flat	end wall ht. top of metal	0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747
A	117 crnqs	Flat	Flat	inside grain wall ht. 17.8'	0.000	71.80	18.30	7.500	0.00	0.00	7.500	0.000	7.5	1056.2	10.0	8,714
A	118	Flat	Flat	inside grain wall ht. 17.8'	0.000	71.80	17.20	7.500	0.00	0.00	7.500	0.000	7.5	992.7	10.0	8,190
A	119	Flat	Flat	inside grain wall ht. 17.8'	0.000	71.80	17.80	7.500	0.00	0.00	7.500	0.000	7.5	1027.4	10.0	8,477
A	120	Flat	Flat	grain wall ht. 18.0'	0.000	60.80	18.30	7.500	0.00	0.00	7.500	0.000	7.5	894.4	10.0	7,379
A	122	Flat	Flat	grain wall ht. 18.0'	0.000	60.80	17.50	7.500	0.00	0.00	7.500	0.000	7.5	855.3	10.0	7,057

Bin count: 14 **Facility: Johnstown Section: A Total: 151,017**
 To Even: **152,000**

Section: B

B	205	Flat	Flat	hrzntl brace rods to floor	0.000	257.8	60.00	11.00	0.00	0.00	11.000	0.000	11.0	12434.1	10.0	150,453
B	206 Mill	Flat	Flat	cmnt fndtn 4.5' west wall	0.000	59.00	59.00	6.000	0.00	0.00	6.000	0.000	6.0	2798.2	10.0	18,468

NDPSC Bin Capacity Chart

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Johnstown

Section: B

B	207	Flat	sidewall ht below screen	0.000	77.70	14.60	7.000	0.00	0.00	0.00	7.000	0.000	7.0	911.9	10.0	7,021
B	208	Flat	ceiling ht. 17.3'	0.000	77.70	14.00	7.000	0.00	0.00	0.00	7.000	0.000	7.0	874.4	10.0	6,733
B	209	Flat	ceiling ht. 19.3'	0.000	77.70	14.50	7.000	0.00	0.00	0.00	7.000	0.000	7.0	905.7	10.0	6,974
B	210	Flat		0.000	91.30	15.10	7.000	0.00	0.00	0.00	7.000	0.000	7.0	1108.2	10.0	8,533
B	211	Flat		0.000	91.30	14.80	7.000	0.00	0.00	0.00	7.000	0.000	7.0	1086.2	10.0	8,363

Bin count: 7 **Facility: Johnstown Section: B Total: 206,545**
 To Even: 207,000

Section: C

C	303	Quonset	overhead center U-trough	0.000	156.8	47.80	11.00	0.00	0.00	0.00	11.000	0.000	11.0	5804.9	10.0	70,239
C	304	Flat	hrzntl brace rods 15.2' bttm	0.000	161.8	60.00	12.70	0.00	0.00	0.00	12.700	0.000	12.7	7803.9	10.0	109,021
C	305	Flat	grain wall ht. 6.0' bttm rafter	0.000	78.60	50.50	10.00	0.00	0.00	0.00	10.000	0.000	10.0	3190.8	10.0	35,099

Bin count: 3 **Facility: Johnstown Section: C Total: 214,359**
 To Even: 215,000

Section: D

D	401	Flat	Mondry grain wall 14'	0.000	137.0	48.00	13.00	0.00	0.00	0.00	13.000	0.000	13.0	5286.2	10.0	75,593
D	402	Quonset	Frost farm site quonset	0.000	80.00	45.50	7.500	0.00	0.00	0.00	7.500	0.000	7.5	2872.1	10.0	23,695

NDPSC Bin Capacity Chart

Johnstown Bean Company
 PO Box 5
 Gilby, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Bin count: 2
Facility: Johnstown Section: D Total: 99,288
To Even: 100,000

Section: F

Added	F	001	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
Added	F	002	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
Added	F	003	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838

Bin count: 3
Facility: Johnstown Section: F Total: 14,514
To Even: 15,000

Section: G

Added	G	101-1	Flat	Gilby potato whrse	0.000	78.00	14.70	9.750	0.00	0.00	9.750	0.000	9.8	921.7	10.0	9,936
Added	G	101-2	Flat	Gilby potato whrse	0.000	78.00	15.40	9.750	0.00	0.00	9.750	0.000	9.8	965.6	10.0	10,409
Added	G	101-3	Flat	Gilby potato whrse	0.000	78.00	15.40	9.750	0.00	0.00	9.750	0.000	9.8	965.6	10.0	10,409
Added	G	101-4	Flat	Gilby potato whrse	0.000	78.00	14.70	9.750	0.00	0.00	9.750	0.000	9.8	921.7	10.0	9,936

Bin count: 4
Facility: Johnstown Section: G Total: 40,690
To Even: 41,000

Section: L

Added	L	001	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	L	002	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	L	003	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	L	004	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

NDPSC Bin Capacity Chart

Client ID: 267

Exam Date: 09/11/2008

Examiner: 1

09/15/2008 11:09:25 AM

Page: 4

Johnstown Bean Company
 PO Box 5
 Gilby, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
		4														

Bin count: 4

Facility: Johnstown Section: L Total: 15,732

To Even: 16,000

Overall Licensed Bin Capacity for:
 Johnstown Bean Company

Bin count: 37

Licensed Capacity: _____
 (includes pack) **742,145 Bu.**

Licensed Capacity (to even): _____
 (includes pack and section totals are rounded up to next highest 1000) **746,000 Bu.**

JOHNSTOWN BEAN COMPANY
JOHNSTOWN ND
Gilby Potato warehouse
Section G 101-1, 2, 3, 4
located south edge of town beside county highway



Bin 101-1 & 101-4
14.7' W x 78' L
inside grain wall 16.25' ht.
bottom of rafter center line of bin 18.5' ht.

Bin 101-2 & 101-3
15.4' W x 78' L
grain wall 16.25' ht.
bottom of rafter center line of bin 19.75' ht.

