

Exam Date:09/10/2008

Central Valley Bean Cooperative

Page: 1

Examiner: 2

PO Box 162

Buxton , ND

County:

Phone: 701-847-2622

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
609-1	F	27,575
609-2	F	27,575
609-3	F	27,575
609-4	F	27,575
610-1	F	20,798
610-2	F	22,902
103-1	Z	12,100
105	Z	35,015
		Total: 201,115

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	86,000
B	824,000
D	12,000
E	115,000
F	504,000
J	162,000
K	104,000
P	123,000
Z	200,000
Total: 2,130,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Buxton	126	A B D E F J K P Z	2,130,000
			Total: 2,130,000

Exam Date:09/10/2008
Examiner: 2

Central Valley Bean Cooperative
PO Box 162
Buxton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Buxton

Section: A

A	001	Square	top of bin at side wall		0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	002	Square	top of bin at side wall		0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	003	Square	top of bin at side wall		0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	004	Square	top of bin at side wall		0.000	10.00	6.500	38.00	2.00	0.00	40.000	0.000	40.0	52.3	4.50	2,186
A	005	Square	top of bin at side wall		0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	006	Square	top of bin at side wall		0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	007	Square	top of bin at side wall		0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	008	Square	top of bin at side wall		0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	009	Square	top of bin at side wall		0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	010	Square	top of bin at side wall		0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	111	Flat	bag storage		0.000	214.0	60.00	5.000	0.00	0.00	5.000	0.000	5.0	10321.5	10.0	56,769

Bin count: 11

Facility: Buxton Section: A Total: 85,656

To Even: 86,000

Section: B

B	201	Peaked	eave at sidewall		33.000	0.000	0.000	47.70	0.00	0.00	47.700	2.000	49.7	687.5	9.50	37,415
B	202	Peaked	eave at sidewall		36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	203	Peaked	eave at sidewall		36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	204	Peaked	eave at sidewall		36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	205	Peaked	eave at sidewall		53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513

Exam Date: 09/10/2008 Page: 2
 Examiner: 2 Central Valley Bean Cooperative
PO Box 162
Buxton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Buxton

Section: B

B		206	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B		207	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B		208	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B		209	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B		210	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
		Bin count:														
															Facility: Buxton Section: B Total:	
															823,226	
															To Even:	
															824,000	

Section: D

D		401	Peaked	eave at sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
D		402	Peaked	eave at sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
D		403	Peaked	eave at sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
		Bin count:														
															Facility: Buxton Section: D Total:	
															14,949	
															To Even:	
															12,000	

Section: E

E		501	Flat		0.000	120.0	60.00	18.00	0.00	0.00	18.000	0.000	18.0	5787.8	10.0	114,598
		Bin count:														
															Facility: Buxton Section: E Total:	
															114,598	
															To Even:	
															115,000	

Facility: Buxton Section: E Total: 114,598
To Even: 115,000

Exam Date: 09/10/2008 Central Valley Bean Cooperative Page: 3
 Examiner: 2 PO Box 162 Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Buxton

Section: F

F		601	R-nor	Quonset	sidewall brace to floor	10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309	
F		602	R-so	Quonset	sidewall brace to floor	10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309	
F		604		Flat	Kuster west warehouse		0.000	95.00	46.00	12.00	0.00	0.00	12.000	0.000	12.0	3512.9	10.0	46,371	
F		607		Quonset	Kuster East warehouse		0.000	95.00	48.20	9.000	0.00	0.00	9.000	0.000	9.0	3593.4	10.0	35,575	
F		608		Flat	Reynolds elev bean flat		0.000	143.0	58.70	16.00	0.00	0.00	16.000	0.000	16.0	6747.7	10.0	118,759	
Added	F	609-1		Flat	Reynolds Galegher North		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575	
Added	F	609-2		Flat	Reynolds Galegher north		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575	
Added	F	609-3		Flat	Reynolds Galegher north		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575	
Added	F	609-4		Flat	Reynolds Galegher north		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575	
Added	F	610-1		Flat	Reynolds Galegher south		0.000	84.00	28.00	10.00	0.00	0.00	10.000	0.000	10.0	1890.7	10.0	20,798	
Added	F	610-2		Flat	Reynolds Galegher south		0.000	92.50	28.00	10.00	0.00	0.00	10.000	0.000	10.0	2082.0	10.0	22,902	
		Bin count:		11															
															Facility: Buxton Section: F Total:			503,323	
															To Even:			504,000	

Section: J

J		802		Quonset	lazur quonset		0.000	148.0	58.00	14.00	0.00	0.00	14.000	0.000	14.0	6622.0	10.0	101,979	
J		803		Quonset	lazur quonset-east foam		0.000	141.0	41.00	12.40	0.00	0.00	12.400	0.000	12.4	4345.6	10.0	59,275	
		Bin count:		2															
															Facility: Buxton Section: J Total:			161,254	
															To Even:			162,000	

Exam Date: 09/10/2008
 Examiner: 2

Central Valley Bean Cooperative
 PO Box 162
 Buxton, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	-----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Buxton

Section: K

K	903	Quonset	clem moger east		0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730
K	904	Quonset	clem moger west		0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730

Bin count: 2
 Facility: Buxton Section: K Total: 103,460

To Even: 104,000

Section: P

P	100	Irregular	pisek receiving tanks-4		1500.0	43.20	43.20	11.00	0.00	0.00	11.000	0.000	11.0	1500.0	10.0	18,150
P	101	Quonset	Pisek quonset		0.000	199.0	60.30	10.00	0.00	0.00	10.000	0.000	10.0	9466.1	10.0	104,127

Bin count: 2
 Facility: Buxton Section: P Total: 122,277

To Even: 123,000

Section: Z

Z	100	Irregular	Lankin receiving-4 tanks		1000.0	35.27	35.27	14.60	0.00	0.00	14.600	0.000	14.6	1000.0	10.0	16,060
Z	101	Irregular	Hatton receiving-4 hoppers		1000.0	35.27	35.27	18.20	0.00	0.00	18.200	0.000	18.2	1000.0	10.0	20,020
Z	102	Irregular	Kloten receiving-2 tanks		1000.0	35.27	35.27	8.200	0.00	0.00	8.200	0.000	8.2	1000.0	10.0	9,020
Z	103	Irregular	Devils Lake Receiving-4		1000.0	35.27	35.27	16.40	0.00	0.00	16.400	0.000	16.4	1000.0	10.0	18,040
Added	Z	103-1	Lakota receiveing- 3		1000.0	35.27	35.27	11.00	0.00	0.00	11.000	0.000	11.0	1000.0	10.0	12,100
Z	104	Irregular	EGF additional for Navy		1000.0	35.27	35.27	81.50	0.00	0.00	81.500	0.000	81.5	1000.0	10.0	89,650
Added	Z	105	Flat Washburn receiving flat		0.000	40.00	100.0	9.900	0.00	0.00	9.900	0.000	9.9	3215.4	10.0	35,015

Client ID: 257

NDPSC Bin Capacity Chart

09/15/2008 11:02:25 AM

Exam Date: 09/10/2008
Examiner: 2

Central Valley Bean Cooperative
PO Box 162
Buxton, ND

Page: 5

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack

Bin count: 7

Facility: Buxton Section: Z Total: 199,905

To Even: 200,000

Overall Licensed Bin Capacity for:

Central Valley Bean Cooperative

Bin count: 49

Licensed Capacity:
(includes pack)

2,125,648 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

2,130,000 Bu.

Central Valley Bean Co-op
Buxton ND
Reynolds-Galegher north
Section F 609-1,2,3,4

Base dimensions all 4 flats

33'W x 94.5'L - 8' straight sidewalk ht. - center ceiling ht. 16'


9' ht width = 31.5' - 10' ht. width = 29.7' - 12' ht. width = 26.3'

609-3	alley-not used	609-1	alley-not used
609-4	alley-not used	609-2	alley-not used

Central Valley Bean Co-op
Buxton ND
Reynolds - Galegher south
Section F 610-1,2
2 east flats

610-2 south flat base dimensions
92.5' L x 28' W - 12' straight grain wall ht.
center ceiling ht. 16'

610-1 north flat base dimensions
84' L x 28' W - 12' straight grain wall ht.
center ceiling ht. 16'




Central Valley Bean Co-op

Buxton ND

Lazur east quonset
(exterior foam insulated)

Section J-803



Base dimensions

41' W x 141' L

center ceiling u-trough 17.5' ht.

grain wall 8' slant ht.

horizontal sidewall brace above grain wall 10.75' ht

u-trough spacing 2.25' on center

