

Exam Date:08/25/2008

Red River Commodities Inc.

Page: 1

Examiner: 1

PO Box 3022

Fargo , ND

County:

Phone: 701-282-2600

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
B44	H	40,673
B45	H	41,620
091	C	9,959
092	C	9,959
093	C	9,959
094	C	9,959
095	C	9,959
096	C	9,959
097	C	9,959
098	C	9,959
099	C	9,959
100	C	9,959
101	C	9,959
102	C	9,959
103	C	9,959
104	C	9,959
105	C	9,959
080	C	9,959
081	C	9,959
082	C	9,959
083	C	9,959
084	C	9,959
085	C	9,959
086	C	9,959
087	C	9,959
088	C	9,959
089	C	9,959
090	C	9,959
004	A	79,582
NW C	B	39,791
T-9	B	29,814
T-10	B	29,814
001	D	82,243
002	D	82,243
003	D	82,243
004	D	82,243
005	D	9,959
006	D	9,959
007	D	9,959
008	D	9,959
009	D	9,959
010	D	9,959
011	D	9,959

Location/Container Numbers/Comments	Section	Capacity
		Total: 918,913
PART B - SPACE TO BE DELETED UNDER LICENSE		
B31	H	11,768
B32	H	11,768
B33	H	13,997
B36	H	10,547
B37	H	9,390
B38	H	7,763
B39	H	7,763
B40	H	29,593
B41	H	29,593
B42	H	3,969
B43	H	3,969
106	C	9,959
079	C	9,959
		Total: 160,038
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	633,000
	B	252,000
	C	259,000
	D	399,000
	H	83,000
		Total: 1,626,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Brinsmade 991	H	83,000
Fargo 288	A B C	1,144,000
Jamestown 1204	D	399,000
		Total: 1,626,000

Client ID: 283

NDPSC Bin Capacity Chart

10/27/2008 09:48:26 AM

Exam Date:08/25/2008
Examiner: 1

Red River Commodities Inc.
PO Box 3022
Fargo , ND
County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack

Facility: Fargo

Section: B

B	Mt-1	Peaked	top sidewall	Mixing bins	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-2	Peaked	top sidewall	26'8 7/8	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-3	Peaked	top sidewall	26'8 7/8	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-4	Peaked	top sidewall	26'8 7/8	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-5	Peaked	top sidewall	26'8 7/8	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-6	Peaked	top sidewall	26'8 7/8	12.600	0.000	0.000	17.00	5.10	0.00	22.100	0.800	22.9	100.2	5.00	2,410
B	Mt-7	Peaked	top sidewall	24' 6 7/8	9.000	0.000	0.000	15.00	6.10	0.00	21.100	0.500	21.6	51.1	4.80	1,157
B	Mt-8	Peaked	top sidewall	24' 6 7/8	9.000	0.000	0.000	15.00	6.10	0.00	21.100	0.500	21.6	51.1	4.80	1,157
B	Mt-9	Peaked	top sidewall	14'6 7/8	9.000	0.000	0.000	5.000	6.10	0.00	11.100	0.500	11.6	51.1	4.80	621
Added	B	NW C	Flat	Flat bagged warehouse	1.000	150.0	150.0	1.000	0.00	0.00	1.000	1.000	2.0	18086.8	10.0	39,791
B	NW- B	Flat	Flat bagged warehouse	1.500	150.0	200.0	1.500	0.00	0.00	0.00	1.500	1.400	2.9	24115.8	10.0	76,930
B	T-1	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
Added	B	T-10	Peaked	top sidewall	31.000	0.000	0.000	43.10	0.00	0.00	43.100	1.900	45.0	606.7	9.20	29,814
B	T-2	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-3	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-4	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-5	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-6	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-7	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
B	T-8	Peaked	top sidewall	to lid 4'63/4	18.600	0.000	0.000	22.00	8.10	0.00	30.100	1.100	31.2	218.4	6.20	7,236
Added	B	T-9	Peaked	top sidewall	31.000	0.000	0.000	43.10	0.00	0.00	43.100	1.900	45.0	606.7	9.20	29,814

Exam Date:08/25/2008
 Examiner: 1

Red River Commodities Inc.
 PO Box 3022
 Fargo , ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Side wall	Add for Hopper	Det. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 21 Facility: Fargo Section: B Total: 251,632

To Even: 252,000

Section: C

Added	C	080	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	081	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	082	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	083	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	084	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	085	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	086	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	087	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	088	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	089	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	090	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	091	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	092	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	093	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	094	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	095	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	096	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	097	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	098	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	099	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	100	Peaked	Eave of Bin / D & P Bin site	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959

Client ID: 283

NDPSC Bin Capacity Chart

10/27/2008 09:48:27 AM

Exam Date:08/25/2008
Examiner: 1

Red River Commodities Inc.
PO Box 3022
Fargo , ND
County:

Page: 5

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Fargo

Section: C

Added	C	101	Peaked	Eave of Bin / D & P	Bin site	24.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	102	Peaked	Eave of Bin / D & P	Bin site	24.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	103	Peaked	Eave of Bin / D & P	Bin site	24.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	104	Peaked	Eave of Bin / D & P	Bin site	24.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
Added	C	105	Peaked	Eave of Bin / D & P	Bin site	24.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959

Bin count: 26

Facility: Fargo Section: C Total: 258,934

To Even: 259,000

Licensing Division
600 E Boulevard Ave – Dept 408
Bismarck, ND 58505-0480
701/328-4103 – phone
701/328-2410 – fax

Public Service Commission

Fax

To: Randy Wigen **From:** Rick Fillbrandt

Fax: 1-701-282-5325 **Pages:** 10 5

Phone: 1-701-282-2600 **Date:** 10-27-08

Re: Revised Bin Capacity

Urgent **For Review** **Please Comment** **Please Reply** **Please Recycle**

● **Comments:** Randy here is a copy of your revised capacity with changes made at D&P Terminal if you have any questions please feel free to call. Thanks Rick
