

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack-%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	-------------	---------------------------

Facility: Harvey

Section: A

A	002		Square	floor over bins	0.000 9.400	3.600	38.00	0.00	0.00	38.000	0.000	38.0	27.2	2.50		1,060
A	004		Square	floor over bins	0.000 9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50		1,766
A	005 T		Square	floor over bins	0.000 9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50		1,106
A	005 B		Square	work floor - top 38'	0.000 9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20		1,297
A	006		Square	floor over bins	0.000 9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20		3,981
A	007 T		Irregular	2.3 x 6.5 with obstruct 2.5 x	7.400 0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	7.4	2.00		91
A	007 B		Square	work floor - top 12'	0.000 2.300	6.500	26.00	0.00	0.00	26.000	0.000	26.0	12.0	2.00		318
A	008 T		Irregular	9.3 x 6.5 with obstruct 2.5 x	42.000 0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	42.0	3.50		522
A	008 B		Square	work floor - top 12'	0.000 9.300	6.500	23.00	0.00	0.00	23.000	0.000	23.0	48.6	4.20		1,165
A	010 T		Irregular	9.3 x 6.4 with obstruct 3 x 3.3	39.800 0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	39.8	3.00		492
A	010 B		Square	work floor - top 12'	0.000 9.300	6.400	23.00	0.00	0.00	23.000	0.000	23.0	47.8	4.00		1,143
A	011		Square	floor over bins	0.000 9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20		3,981
A	012		Square	floor over bins	0.000 7.400	6.500	38.00	0.00	0.00	38.000	0.000	38.0	38.7	3.00		1,515
A	013		Square	floor over bins	0.000 9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50		1,766
A	014 T		Square	floor over bins	0.000 9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50		1,106
A	014 B		Square	work floor - top 38'	0.000 9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20		1,297
A	015		Square	floor over bins	0.000 9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20		4,022
A	016		Square	floor over bins	0.000 5.000	4.000	36.00	0.00	0.00	36.000	0.000	36.0	16.1	2.00		592
A	017		Square	floor over bins	0.000 9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20		4,022
A	018 T		Irregular	9.8 x 6.4 with obstruct 2.5 x	43.800 0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	43.8	3.50		544
A	018 B		Square	work floor-- top 12'	0.000 9.800	6.400	26.00	0.00	0.00	26.000	0.000	26.0	50.4	4.50		1,369

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: A

A		101 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		101 B	Square	work floor - top 50'	0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A		102 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		102 B	Square	work floor-- top 50'	0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A		103 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		103 B	Square	work floor-- top 50'	0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A		104 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		104 B	Square	work floor - top 50'	0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A		105 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		105 B	Square	work floor - top 50'	0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A		106 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		106 B	Square	work floor - top 50'	0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A		107 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		107 B	Square	work floor - top 50'	0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A		108 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		108 B	Square	work floor - top 50'	0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A		109	Square	floor over bins	0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A		110	Square	floor over bins	0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A		111	Square	floor over bins	0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A		112	Square	floor over bins	0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A		202	Square	floor over bins	0.000	5.200	3.100	27.00	0.00	0.00	27.000	0.000	27.0	13.0	2.00	358

Exam Date:08/13/2008

The Arthur Companies, Inc.

Page: 3

Examiner: 2

PO Box 145
Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Harvey

Section: A

A	203 T	Square	floor over bins		0.000	4.000	3.100	27.00	0.00	0.00	27.000	0.000	27.0	10.0	2.00	275
A	203 B	Square	work floor - top 27'		0.000	9.500	3.100	36.00	0.00	0.00	36.000	0.000	36.0	23.7	2.00	870
A	204 T	Square	floor over bins		0.000	9.500	10.30	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
A	204 B	Square	work floor - top 71'		0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
A	205	Square	floor over bins		0.000	9.500	11.00	75.00	0.00	0.00	75.000	0.000	75.0	84.0	5.80	6,665
A	207	Square	floor over bins		0.000	11.00	11.00	75.00	0.00	0.00	75.000	0.000	75.0	97.3	6.00	7,736
A	208	Square	floor over bins		0.000	11.00	10.30	71.00	0.00	0.00	71.000	0.000	71.0	91.1	5.80	6,843
A	209	Square	floor over bins		0.000	11.00	9.600	75.00	0.00	0.00	75.000	0.000	75.0	84.9	5.80	6,737
A	210 T	Square	floor over bins		0.000	10.30	9.600	71.00	0.00	0.00	71.000	0.000	71.0	79.5	5.50	5,955
A	210 B	Square	work floor - top 71'		0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
A	211	Square	floor over bins		0.000	13.10	9.600	63.00	0.00	0.00	63.000	0.000	63.0	101.1	6.00	6,751
A	213 T	Square	floor over bins		0.000	10.20	9.600	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
A	213 B	Square	work floor - top 71'		0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
A	214	Square	floor over bins		0.000	11.20	9.600	75.00	0.00	0.00	75.000	0.000	75.0	86.4	5.80	6,856
A	216 T	Irregular	check this bin		91.500	0.000	0.000	11.00	0.00	0.00	11.000	0.000	11.0	91.5	5.80	1,065
A	216 B	Irregular	work floor - top 11'		110.60	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	110.6	6.20	6,108
A	217	Square	floor over bins		0.000	11.00	11.20	75.00	0.00	0.00	75.000	0.000	75.0	99.0	6.00	7,871
A	218	Square	floor over bins		0.000	11.00	10.20	71.00	0.00	0.00	71.000	0.000	71.0	90.2	5.80	6,775
A	219 T	Square	floor over bins		0.000	10.20	9.500	71.00	0.00	0.00	71.000	0.000	71.0	77.9	5.50	5,835
A	219 B	Square	work floor - top 71'		0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
A	220	Square	floor over bins		0.000	11.20	9.500	75.00	0.00	0.00	75.000	0.000	75.0	85.5	5.80	6,785

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: A																
A		221	Square	floor over bins	0.000	9.500	3.500	63.00	0.00	0.00	63.000	0.000	63.0	26.7	2.50	1,724
A		300 A	Flat	bag storage	0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775
A		300B	Flat	bag storage	0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775

Bin count: 66
 Facility: Harvey Section: A Total: 202,540
 To Even: 203,000

Section: D

D		001	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		002	Peaked	eave at sidewall roof 26.4'	89.600	0.000	0.000	48.40	0.00	0.00	48.400	6.300	54.7	5068.6	10.0	304,977
D		003	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		007	Peaked	eave at sidewall	14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D		008	Peaked	eave at sidewall	23.900	0.000	0.000	40.40	0.00	0.00	40.400	1.400	41.8	360.6	7.80	16,249
D		009	Peaked	eave at sidewall	14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D		010	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		011	Peaked	eave at sidewall	41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
D		012	Peaked	eave at sidewall	41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
Added	D	101 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	102 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	103 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	104 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Bin count: 13

Facility: Harvey Section: D Total: **1,745,459**

To Even: **1,746,000**

Section: F

F	001	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	002	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	003	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	004	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	005	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	006	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	007	Square	work floor		0.000	12.00	7.000	34.00	0.00	0.00	34.000	0.000	34.0	67.5	5.20	2,414
F	008	Irregular	12 x 6 square with obstruct		46.600	0.000	0.000	29.00	0.00	0.00	29.000	0.000	29.0	46.6	4.00	1,405
F	009	Irregular	12 x 6 square with obstruct		47.000	0.000	0.000	29.00	0.00	0.00	29.000	0.000	29.0	47.0	4.00	1,418
F	010	Irregular	12 x 9.5 square with obstruct		67.500	0.000	0.000	27.00	0.00	0.00	27.000	0.000	27.0	67.5	5.20	1,918
F	011	Square	work floor		0.000	4.500	4.500	29.00	0.00	0.00	29.000	0.000	29.0	16.3	2.00	482
F	202	Square	work floor		0.000	11.00	8.500	32.50	0.00	0.00	32.500	0.000	32.5	75.2	5.50	2,578
F	203	Square	work floor		0.000	11.00	9.000	43.00	0.00	0.00	43.000	0.000	43.0	79.6	5.50	3,611
F	204	Square	work floor		0.000	9.000	5.500	31.00	0.00	0.00	31.000	0.000	31.0	39.8	3.00	1,271
F	205	Square	work floor		0.000	11.00	9.500	43.00	0.00	0.00	43.000	0.000	43.0	84.0	5.80	3,821
F	206	Square	work floor		0.000	9.500	5.500	29.00	0.00	0.00	29.000	0.000	29.0	42.0	3.50	1,261
F	207	Square	work floor		0.000	9.500	5.000	29.00	0.00	0.00	29.000	0.000	29.0	38.2	3.00	1,141
F	209	Square	work floor		0.000	11.00	9.500	43.00	0.00	0.00	43.000	0.000	43.0	84.0	5.80	3,821
F	210	Square	work floor		0.000	9.000	5.000	31.00	0.00	0.00	31.000	0.000	31.0	36.2	3.00	1,156
F	211	Square	work floor		0.000	11.00	9.000	43.00	0.00	0.00	43.000	0.000	43.0	79.6	5.50	3,611
F	212	Square	work floor		0.000	8.500	5.000	31.00	0.00	0.00	31.000	0.000	31.0	34.2	3.00	1,092

Exam Date: 08/13/2008

The Arthur Companies, Inc.

Page: 6

Examiner: 2

PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: F

F 213 Square work floor 0.000 8.500 11.00 43.00 0.00 0.00 43.000 0.000 43.0 75.2 5.50 3,412

Bin count: 22 Facility: Harvey Section: F Total: 56,150

To Even: 57,000

Section: G

G 101 Peaked eave at side wall 41.900 0.000 0.000 21.40 0.00 0.00 21.400 2.500 23.9 1108.4 10.0 29,140

G 102 Peaked eave at side wall 41.900 0.000 0.000 21.40 0.00 0.00 21.400 2.500 23.9 1108.4 10.0 29,140

Bin count: 2 Facility: Harvey Section: G Total: 58,280

To Even: 59,000

Section: H

H 001 Peaked eave at side wall 47.800 0.000 0.000 29.80 0.00 0.00 29.800 2.900 32.7 1442.5 10.0 51,887

H 002 Peaked eave at side wall 47.800 0.000 0.000 29.80 0.00 0.00 29.800 2.900 32.7 1442.5 10.0 51,887

Bin count: 2 Facility: Harvey Section: H Total: 103,774

To Even: 104,000

Section: I

I 001 Square floor over bins 0.000 8.000 8.000 36.00 0.00 0.00 36.000 0.000 36.0 51.4 4.50 1,933

I 002 Square floor over bins 0.000 8.000 8.000 36.00 0.00 0.00 36.000 0.000 36.0 51.4 4.50 1,933

Exam Date: 08/13/2008

The Arthur Companies, Inc.

Page: 7

Examiner: 2

PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Det. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: I

I		004	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		005	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		006	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		007	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		008	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		010	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		011	Peaked	top side wall	15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		012	Peaked	top side wall	15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		013	Peaked	top side wall	15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		014	Peaked	top side wall	24.000	0.000	0.000	51.30	0.00	0.00	51.300	1.400	52.7	363.7	7.80	20,662
I		015	Peaked	top side wall	24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
I		016	Peaked	top side wall	24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
Added	I	040	Peaked	top side wall-seed hopper	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	041	Peaked	top side wall-seed hopper	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	042	Peaked	top side wall-seed hopper	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	043	Peaked	top side wall-seed hopper	15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	044	Peaked	top side wall-seed hopper	15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	045	Peaked	top side wall-seed hopper	15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	046	Peaked	top side wall-seed hopper	15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713

Exam Date: 08/13/2008 The Arthur Companies, Inc. Page: 8
 Examiner: 2 PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	---------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Bin count: 21 Facility: Harvey Section: I Total: 123,959
To Even: 124,000

Section: Z

Added	Z	XT1	Irregular	top side wall	13796	131.0	131.0	13.50	0.00	0.00	13.500	0.000	13.5	13796.2	10.0	204,874
Bin count: 1 Facility: Harvey Section: Z Total: 204,874																
To Even: 205,000																

Overall Licensed Bin Capacity for:
 The Arthur Companies, Inc.
 Bin count: 127




Licensed Capacity: 8,394,825 Bu.
 (includes pack)

Licensed Capacity (to even): 8,402,000 Bu.
 (includes pack and section totals are rounded up to next highest 1000)

Harvey
 Deleted section = #100 flat 50,000 bu
 Section 5 Tank #001 - 1500 bu
 Total of Harvey 2,498,000

HARVEY FARMERS ELEVATOR
 PRAIRIE TOWERS LOCATION

section D & I



HARVEY FARMERS ELEVATOR
Section F

quonset N/A			
205	206	207	209
203	204	210	211
202	ML XX XX	212	213

006	010	003
005	XX	002
004	008	009
	11	
	007	001

East Annex
N/A

Section F


Scale Room

125' east
Section G


Section G

Driveway & Scale

Section C



360' east




HARVEY FARMERS ELEVATOR
Section A


CP Rail

011	101	103	105	107
014	109	110	111	112
017	102	104	106	108

200' east



Section H



Section A (part 2 of 2)

HARVEY FARMERS ELEVATOR
Section A

C P RAIL

214	213	211	210	209	006	008	010	011	101
217	218	216	208	207	005	007	018	013	109
					004	012		014	
220	219	21	204	205	015	002	016	017	102
		X X				XXX			
						XXX			
							MI		

Driveway & Scales

Main Office

Richter, Susan K.

From: Richter, Susan K.
Sent: Wednesday, September 03, 2008 12:28 PM
To: 'Scott Kroeger'
Subject: RE: New bins
Attachments: 1387_001.pdf

Scott,

Tim Erdmann, one of the Commission's grain warehouse inspectors was at Harvey a few weeks ago. Tim measured the new bins (they're bins 103 and 104 in Section D) and made some other changes as noted on page 8 of the bin capacity chart, which I'm forwarding to you along with a bin diagram. Please look them over and let me know if these documents are correct or if they do not agree with your records.

Were you able to reach someone at CCC?

Thanks and have a great day!!

*Sue Richter, Licensing Division Director
Public Service Commission
600 East Boulevard Ave - Dept 408
Bismarck, ND 58505-0480
Phone 701-328-4097, Fax 701-328-2410*

*9818
Note to file:
I didn't delete the
sections 2 & 4 as
Jim noted in his
charts - as I
never received
a confirmation
of these changes*

From: Scott Kroeger [mailto:skroeger@arthurcompanies.com]
Sent: Tuesday, September 02, 2008 7:26 AM
To: Richter, Susan K.
Cc: Kevin Preble; Willy Schilling; Scott Kroeger
Subject: New bins

Good Morning Sue,

We have just completed the construction of 2 new steel bins at our Prairie Towers location at Harvey, ND. Each bin has a capacity of approximately 269,500 bushels. Please approve licensing of these bins.

Do you have the contact information of the person we need to notify at CCC for their approval?

Thank you,

*Scott Kroeger
Arthur Companies, Inc.
701-967-8312*