

Exam Date:08/13/2008

The Arthur Companies,

Page: 1

Examiner: 2

PO Box 145

Arthur , ND

County:

Phone: 701-967-8312

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
XT1	Z	204,874
101 S	D	268,484
102 S	D	268,484
103 S	D	268,484
104 S	D	268,484
040	I	3,078
041	I	3,078
042	I	3,078
043	I	3,713
044	I	3,713
045	I	3,713
046	I	3,713
1000	A	533,862
		Total: 1,836,758

PART B - SPACE TO BE DELETED UNDER LICENSE

100	C	49,765
003	I	1,843
001	J	1,536
		Total: 53,144

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	1,094,000
D	1,746,000
F	57,000
G	59,000
H	104,000
I	124,000
K	182,000
L	540,000
N	18,000
P	509,000
Q	1,545,000
R	518,000
XT1	2,235,000
Z	205,000
Total: 8,936,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Anamoose 1077	K L	722,000
Arthur 328	A P	1,603,000
Ayr 331	N Q XT1	3,798,000

Location/Container Numbers/Comments	Section	Capacity
Harvey 332	D F G H I Z	2,295,000
Page 1157	R	518,000
Total:		8,936,000

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Anamoose

Section: K

K		001 T	Irregular	top of sidewall	14.100	4.188	4.188	21.00	0.00	0.00	21.000	0.000	21.0	14.1	2.00	302
K		001 B	Irregular	top of sidewall	29.300	6.037	6.037	23.00	0.00	0.00	23.000	0.000	23.0	29.3	2.50	691
K		002	Irregular	top of sidewall	14.100	4.188	4.188	22.00	0.00	0.00	22.000	0.000	22.0	14.1	2.00	316
K		003	Irregular	top of sidewall	99.500	11.13	11.13	64.00	0.00	0.00	64.000	0.000	64.0	99.5	6.00	6,750
K		005	Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K		006	Irregular	top of sidewall	50.700	7.942	7.942	43.00	0.00	0.00	43.000	0.000	43.0	50.7	4.50	2,278
K		007	Irregular	top of sidewall	50.700	7.942	7.942	43.00	0.00	0.00	43.000	0.000	43.0	50.7	4.50	2,278
K		008	Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K		009	Irregular	top of sidewall	99.500	11.13	11.13	64.00	0.00	0.00	64.000	0.000	64.0	99.5	6.00	6,750
K		010	Irregular	top of sidewall	52.700	8.097	8.097	43.00	0.00	0.00	43.000	0.000	43.0	52.7	4.50	2,368
K		013	Irregular	top of sidewall	52.700	8.097	8.097	43.00	0.00	0.00	43.000	0.000	43.0	52.7	4.50	2,368
K		014	Irregular	top of sidewall	98.600	11.08	11.08	64.00	0.00	0.00	64.000	0.000	64.0	98.6	6.00	6,689
K		015	Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K		017 T	Irregular	top of sidewall	51.300	7.989	7.989	44.00	0.00	0.00	44.000	0.000	44.0	51.3	4.50	2,359
K		017 B	Irregular	top of sidewall	104.30	11.39	11.39	20.00	0.00	0.00	20.000	0.000	20.0	104.3	6.00	2,211
K		018	Irregular	top of sidewall	51.300	7.989	7.989	44.00	0.00	0.00	44.000	0.000	44.0	51.3	4.50	2,359
K		019	Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K		020	Irregular	top of sidewall	98.600	11.08	11.08	64.00	0.00	0.00	64.000	0.000	64.0	98.6	6.00	6,689
K		021	Irregular	top of sidewall	17.000	4.599	4.599	44.00	0.00	0.00	44.000	0.000	44.0	17.0	2.00	763
K		201	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
K		202	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Exam Date:08/13/2008
Examiner: 2

The Arthur Companies, Inc.
PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Anamoose

Section: K

K	301	Peaked	top of sidewall	30.000	30.00	0.000	0.000	59.00	0.00	0.00	59.000	1.800	60.8	568.2	9.00	37,656
K	302	Peaked	top of sidewall	36.000	0.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	818.2	10.0	55,081
K	303	Peaked	top of sidewall	30.000	0.000	0.000	0.000	48.00	0.00	0.00	48.000	1.800	49.8	568.2	9.00	30,843

Bin count: 24 Facility: Anamoose Section: K Total: 181,449

To Even: 182

Section: L

L	001	Peaked	top of sidewall	35.900	35.90	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	002	Peaked	top of sidewall	35.900	0.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	003	Peaked	top of sidewall	35.900	0.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	004	Peaked	top of sidewall	35.900	0.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	005	Peaked	top of sidewall	71.800	71.80	0.000	0.000	58.90	0.00	0.00	58.900	5.000	63.9	3254.8	10.0	228,780
L	006	Peaked	top of sidewall	18.000	0.000	0.000	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
L	007	Peaked	top of sidewall	48.000	0.000	0.000	0.000	47.80	0.00	0.00	47.800	3.400	51.2	1454.6	10.0	81,924

Bin count: 7 Facility: Anamoose Section: L Total: 539,380

To Even: 540,000

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

Section: A

A	001	Square	bin floor		0.000	7.000	4.000	44.00	0.00	0.00	44.000	0.000	44.0	22.5	2.00	1,010
A	002	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	003	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	004B T	Square	bin floor		0.000	6.500	3.000	18.00	0.00	0.00	18.000	0.000	18.0	15.7	2.00	289
A	004B B	Square	bin floor - top 18'		0.000	6.500	3.000	26.00	0.00	0.00	26.000	0.000	26.0	15.7	2.00	
A	005	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	006	Square	bin floor		0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A	007	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	008	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	010	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	011	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	012	Square	bin floor		0.000	6.500	4.000	44.00	0.00	0.00	44.000	0.000	44.0	20.9	2.00	938
A	013	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	014	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	015	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	016	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	017	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	018	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	019A T	Square	bin floor		0.000	7.000	3.500	20.00	0.00	0.00	20.000	0.000	20.0	19.7	2.00	402
A	019A B	Square	bin floor - top 20'		0.000	7.500	7.000	24.00	0.00	0.00	24.000	0.000	24.0	42.2	3.50	1,048
A	020	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049

Exam Date: 08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

Section: A

A		021	Square	bin floor	0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A		022	Square	bin floor	0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A		023A	Square	bin floor	0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A		025	Square	bin floor	0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A		026	Square	bin floor	0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A		027	Square	bin floor	0.000	7.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	39.4	3.00	1,786
A		028	Square	bin floor	0.000	7.000	4.000	44.00	0.00	0.00	44.000	0.000	44.0	22.5	2.00	1,010
A		029	Square	bin floor	0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A		030	Square	bin floor	0.000	7.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	39.4	3.00	1,786
A		038	Square	bin floor	0.000	15.10	14.50	45.00	0.00	0.00	45.000	0.000	45.0	176.0	7.00	8,474
A		039	Square	bin floor	0.000	14.50	14.10	45.00	0.00	0.00	45.000	0.000	45.0	164.3	7.00	7,912
A		040 T	Square	bin floor	0.000	15.10	14.50	12.00	0.00	0.00	12.000	0.000	12.0	176.0	7.00	2,260
A		040 B	Square	bin floor top 12'	0.000	14.50	10.50	9.000	0.00	0.00	9.000	0.000	9.0	122.4	6.50	1,174
A		041	Square	bin floor	0.000	14.50	14.10	21.00	0.00	0.00	21.000	0.000	21.0	164.3	7.00	3,692
A		042 T	Square	bin floor	0.000	15.10	14.90	60.00	0.00	0.00	60.000	0.000	60.0	180.9	7.00	11,614
A		042 B	Square	bin floor - top 60'	0.000	14.90	10.50	9.000	0.00	0.00	9.000	0.000	9.0	125.8	6.50	1,206
A		043	Square	bin floor	0.000	14.90	14.10	69.00	0.00	0.00	69.000	0.000	69.0	168.9	7.00	12,470
A		044 T	Square	bin floor	0.000	15.10	14.80	60.00	0.00	0.00	60.000	0.000	60.0	179.6	7.00	11,530
A		044 B	Square	bin floor - top 60'	0.000	14.80	10.50	9.000	0.00	0.00	9.000	0.000	9.0	124.9	6.50	1,197
A		045	Square	bin floor	0.000	14.80	14.10	69.00	0.00	0.00	69.000	0.000	69.0	167.7	7.00	12,381
A		046 T	Square	bin floor	0.000	15.10	14.50	60.00	0.00	0.00	60.000	0.000	60.0	176.0	7.00	11,299

Exam Date: 08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (irreg).	Length	Width	Side for Hopper	Depth for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

Section: A

A	046 B	Square	bin floor - top 60'		0.000	14.50	10.50	9.000	0.00	0.00	9.000	0.000	9.0	122.4	6.50	1,174
A	047	Square	bin floor		0.000	14.50	14.10	69.00	0.00	0.00	69.000	0.000	69.0	164.3	7.00	12,131
A	050 T	Square	bin floor		0.000	14.50	11.30	56.00	0.00	0.00	56.000	0.000	56.0	131.7	6.50	7,854
A	050 B	Square	bin floor - top 56'		0.000	11.30	10.00	8.000	0.00	0.00	8.000	0.000	8.0	90.8	5.80	768
A	051	Square	bin floor		0.000	14.00	11.30	62.00	0.00	0.00	62.000	0.000	62.0	127.2	6.50	8
A	052 T	Square	bin floor		0.000	14.50	9.600	56.00	0.00	0.00	56.000	0.000	56.0	111.9	6.20	6,654
A	052 B	Square	bin floor - top 56'		0.000	10.00	9.600	8.000	0.00	0.00	8.000	0.000	8.0	77.2	5.50	652
A	053	Square	bin floor		0.000	14.00	9.600	62.00	0.00	0.00	62.000	0.000	62.0	108.0	6.20	7,111
A	054 T	Square	bin floor		0.000	14.50	9.500	56.00	0.00	0.00	56.000	0.000	56.0	110.7	6.20	6,583
A	054 B	Square	bin floor - top 56'		0.000	10.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	76.4	5.50	645
A	055	Square	bin floor		0.000	14.00	9.500	62.00	0.00	0.00	62.000	0.000	62.0	106.9	6.20	7,039
A	056	Square	bin floor		0.000	12.00	10.00	65.00	0.00	0.00	65.000	0.000	65.0	96.5	6.00	6,649
A	057A	Square	bin floor		0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
A	057B T	Square	bin floor		0.000	12.00	4.900	9.000	0.00	0.00	9.000	0.000	9.0	47.3	4.00	443
A	057B B	Square	bin floor - top 9'		0.000	12.00	7.000	43.00	0.00	0.00	43.000	0.000	43.0	67.5	5.20	3,054
A	058 T	Square	bin floor		0.000	14.50	9.500	56.00	0.00	0.00	56.000	0.000	56.0	110.7	6.20	6,583
A	058 B	Square	bin floor - top 56'		0.000	10.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	76.4	5.50	645
A	059	Square	bin floor		0.000	14.00	9.500	62.00	0.00	0.00	62.000	0.000	62.0	106.9	6.20	7,039
A	060 T	Square	bin floor		0.000	14.50	9.700	56.00	0.00	0.00	56.000	0.000	56.0	113.1	6.20	6,727
A	060 B	Square	bin floor - top 56'		0.000	10.00	9.700	8.000	0.00	0.00	8.000	0.000	8.0	78.0	5.50	658
A	061	Square	bin floor		0.000	14.00	9.700	62.00	0.00	0.00	62.000	0.000	62.0	109.2	6.20	7,190

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side wall	Add for Hopper	Red. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

Section: A

A	062 T	Irregular	bin floor - 14.5' x 11.5'	132.90	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	132.9	6.50	7,926
A	062 B	Square	bin floor - top 56'	0.000	11.40	10.00	8.000	0.00	0.00	8.000	0.000	8.0	91.6	5.80	776
A	063	Square	bin floor	0.000	14.00	11.40	62.00	0.00	0.00	62.000	0.000	62.0	128.3	6.50	8,472
A	071 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	071 B	Square	bin floor - top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	3,174
A	072 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	072 B	Square	bin floor top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	073 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	073 B	Square	bin floor - top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	074 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	074 B	Square	bin floor- top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	075 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	075 B	Square	bin floor top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	076 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	076 B	Square	bin floor - top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	077 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	077 B	Square	bin floor- top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	078 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	078 B	Square	bin floor - top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
Added	A	1000	Flat	7.500	300.0	115.0	10.00	0.00	0.00	10.000	7.500	17.5	27733.1	10.0	533,862
A	101	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265

Exam Date: 08/13/2008
Examiner: 2

The Arthur Companies, Inc.
PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bustel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

Section: A

A		102	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A		103	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A		104	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A		105	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A		106	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A		107	Round	top of roof	21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A		108	Round	top of roof	21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A		109	Round	top of roof	21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A		110	Round	top of roof	21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
		Bin count:	93													
														Facility: Arthur Section: A Total:	890,745	
														To Even:	891,000	

Section: P

P		101	Peaked	eaves	30.000	0.000	0.000	48.00	0.00	0.00	48.000	1.800	49.8	568.2	9.00	30,843
P		102	Peaked	eaves	42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866
P		103	Peaked	eaves	42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866
P		104	Peaked	eaves	14.000	0.000	0.000	20.00	0.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715
P		105	Peaked	eaves	14.000	0.000	0.000	20.00	0.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715
P		106	Peaked	eaves	42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866
P		108	Peaked	75' to peak	59.700	0.000	0.000	55.50	0.00	0.00	55.500	4.200	59.7	2250.2	10.0	147,771

Client ID: 2101

NDPSC Bin Capacity Chart

09/19/2008 10:55:21 AM

Exam Date: 08/13/2008

Examiner: 2

The Arthur Companies, Inc.

PO Box 145

Arthur, ND

County:

Page: 8

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Arthur

P	109		Peaked	eaves	42.000	0.000	0.000	54.00	0.00	0.00	54.000	2.500	56.5	1113.7	10.0	69,216
P	110		Peaked	eaves	42.000	0.000	0.000	54.00	0.00	0.00	54.000	2.500	56.5	1113.7	10.0	69,216

Bin count: 9 Facility: Arthur Section: P Total: 508,074

To Even: 509,000

Exam Date:08/13/2008
Examiner: 2

The Arthur Companies, Inc.
PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Buft (ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	--------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: AYR

Section: N

N		301	Peaked	bag storage	14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N		302	Peaked	bag storage	14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N		303	Peaked	bag storage	14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N		304	Peaked	bag storage	15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897
N		305	Peaked	bag storage	15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897
N		306	Peaked	bag storage	15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897
		Bin count:	6													
													Facility: AYR Section: N Total:	17,169		
													To Even:	18,000		

Section: Q

Q		002	Peaked	top of sidewall	42.000	0.000	0.000	61.30	0.00	0.00	61.300	2.500	63.8	1113.7	10.0	78,159
Q		003	Peaked	top of sidewall	42.000	0.000	0.000	61.30	0.00	0.00	61.300	2.500	63.8	1113.7	10.0	78,159
Q		005	Peaked	top of sidewall	14.000	0.000	0.000	20.00	0.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715
Q		007	Peaked	top of sidewall	48.000	0.000	0.000	74.80	0.00	0.00	74.800	3.400	78.2	1454.6	10.0	125,125
Q		008	Peaked	top of sidewall	48.000	0.000	0.000	74.80	0.00	0.00	74.800	3.400	78.2	1454.6	10.0	125,125
Q		009	Peaked	top of sidewall	60.000	0.000	0.000	72.20	0.00	0.00	72.200	4.200	76.4	2272.9	10.0	191,015
Q		010	Peaked	top of sidewall	48.000	0.000	0.000	82.70	0.00	0.00	82.700	3.400	86.1	1454.6	10.0	137,765
Q		011	Peaked	top of sidewall	48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q		012	Peaked	top of sidewall	48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q		013	Peaked	top of sidewall	48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925

Exam Date:09/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: AYR

Section: Q

Q	014	Peaked	top of sidewall		48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q	015	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	016	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	017	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	018	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3
Q	019	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	020	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	021	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	022	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	023	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	024	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	025	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	026	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	027	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	028	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	029	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	030	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	031	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	032	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	033	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	034	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	---------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Bin count: 31

Facility: Ayr Section: Q Total: 1,544,375

To Even: 1,545,000

Section: XT1

XT1	00T-1		Peaked	top of sidewall .4'	deduct for 260.00	0.000	0.000	6.000	0.00	0.40	5.600	18.20	23.8	42679.2	10.0	1,117,342
XT1	00T-2		Peaked	top of sidewall .4'	deduct for 260.00	0.000	0.000	6.000	0.00	0.40	5.600	18.20	23.8	42679.2	10.0	1,117,342

Bin count: 2

Facility: Ayr Section: XT1 Total: 2,234,684

To Even: 2,235,000

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: A

A		002	Square	floor over bins	0.000	9.400	3.600	38.00	0.00	0.00	38.000	0.000	38.0	27.2	2.50	1,060
A		004	Square	floor over bins	0.000	9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50	1,766
A		005 T	Square	floor over bins	0.000	9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50	1,106
A		005 B	Square	work floor - top 38'	0.000	9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20	1,297
A		006	Square	floor over bins	0.000	9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20	3,981
A		007 T	Irregular	2.3 x 6.5 with obstruct 2.5 x	7.400	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	7.4	2.00	91
A		007 B	Square	work floor - top 12'	0.000	2.300	6.500	26.00	0.00	0.00	26.000	0.000	26.0	12.0	2.00	318
A		008 T	Irregular	9.3 x 6.5 with obstruct 2.5 x	42.000	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	42.0	3.50	522
A		008 B	Square	work floor - top 12'	0.000	9.300	6.500	23.00	0.00	0.00	23.000	0.000	23.0	48.6	4.20	1,165
A		010 T	Irregular	9.3 x 6.4 with obstruct 3 x 3.3	39.800	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	39.8	3.00	492
A		010 B	Square	work floor - top 12'	0.000	9.300	6.400	23.00	0.00	0.00	23.000	0.000	23.0	47.8	4.00	1,143
A		011	Square	floor over bins	0.000	9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20	3,981
A		012	Square	floor over bins	0.000	7.400	6.500	38.00	0.00	0.00	38.000	0.000	38.0	38.7	3.00	1,515
A		013	Square	floor over bins	0.000	9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50	1,766
A		014 T	Square	floor over bins	0.000	9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50	1,106
A		014 B	Square	work floor - top 38'	0.000	9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20	1,297
A		015	Square	floor over bins	0.000	9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20	4,022
A		016	Square	floor over bins	0.000	5.000	4.000	36.00	0.00	0.00	36.000	0.000	36.0	16.1	2.00	592
A		017	Square	floor over bins	0.000	9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20	4,022
A		018 T	Irregular	9.8 x 6.4 with obstruct 2.5 x	43.800	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	43.8	3.50	544
A		018 B	Square	work floor-- top 12'	0.000	9.800	6.400	26.00	0.00	0.00	26.000	0.000	26.0	50.4	4.50	1,369

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: A

A		101 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		101 B	Square	work floor - top 50'	0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A		102 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		102 B	Square	work floor-- top 50'	0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A		103 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		103 B	Square	work floor-- top 50'	0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A		104 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		104 B	Square	work floor - top 50'	0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A		105 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		105 B	Square	work floor - top 50'	0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A		106 T	Square	floor over bins	0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A		106 B	Square	work floor - top 50'	0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A		107 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		107 B	Square	work floor - top 50'	0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A		108 T	Square	floor over bins	0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A		108 B	Square	work floor - top 50'	0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A		109	Square	floor over bins	0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A		110	Square	floor over bins	0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A		111	Square	floor over bins	0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A		112	Square	floor over bins	0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A		202	Square	floor over bins	0.000	5.200	3.100	27.00	0.00	0.00	27.000	0.000	27.0	13.0	2.00	358

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Harvey

Section: A

A	203 T	Square	floor over bins	0.000	4.000	3.100	27.00	0.00	0.00	27.000	0.000	27.0	10.0	2.00	275
A	203 B	Square	work floor - top 27'	0.000	9.500	3.100	36.00	0.00	0.00	36.000	0.000	36.0	23.7	2.00	870
A	204 T	Square	floor over bins	0.000	9.500	10.30	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
A	204 B	Square	work floor - top 71'	0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
A	205	Square	floor over bins	0.000	9.500	11.00	75.00	0.00	0.00	75.000	0.000	75.0	84.0	5.80	6,665
A	207	Square	floor over bins	0.000	11.00	11.00	75.00	0.00	0.00	75.000	0.000	75.0	97.3	6.00	7,736
A	208	Square	floor over bins	0.000	11.00	10.30	71.00	0.00	0.00	71.000	0.000	71.0	91.1	5.80	6,843
A	209	Square	floor over bins	0.000	11.00	9.600	75.00	0.00	0.00	75.000	0.000	75.0	84.9	5.80	6,737
A	210 T	Square	floor over bins	0.000	10.30	9.600	71.00	0.00	0.00	71.000	0.000	71.0	79.5	5.50	5,955
A	210 B	Square	work floor - top 71'	0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
A	211	Square	floor over bins	0.000	13.10	9.600	63.00	0.00	0.00	63.000	0.000	63.0	101.1	6.00	6,751
A	213 T	Square	floor over bins	0.000	10.20	9.600	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
A	213 B	Square	work floor - top 71'	0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
A	214	Square	floor over bins	0.000	11.20	9.600	75.00	0.00	0.00	75.000	0.000	75.0	86.4	5.80	6,856
A	216 T	Irregular	check this bin	91.500	0.000	0.000	11.00	0.00	0.00	11.000	0.000	11.0	91.5	5.80	1,065
A	216 B	Irregular	work floor - top 11'	110.60	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	110.6	6.20	6,108
A	217	Square	floor over bins	0.000	11.00	11.20	75.00	0.00	0.00	75.000	0.000	75.0	99.0	6.00	7,871
A	218	Square	floor over bins	0.000	11.00	10.20	71.00	0.00	0.00	71.000	0.000	71.0	90.2	5.80	6,775
A	219 T	Square	floor over bins	0.000	10.20	9.500	71.00	0.00	0.00	71.000	0.000	71.0	77.9	5.50	5,835
A	219 B	Square	work floor - top 71'	0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
A	220	Square	floor over bins	0.000	11.20	9.500	75.00	0.00	0.00	75.000	0.000	75.0	85.5	5.80	6,785

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

Section: A

A		221	Square	floor over bins	0.000	9.500	3.500	63.00	0.00	0.00	63.000	0.000	63.0	26.7	2.50	1,724
A		300 A	Flat	bag storage	0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775
A		300B	Flat	bag storage	0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775

Bin count: 66
 Facility: Harvey Section: A Total: 202,540
 To Even: 203,000

Section: D

D		001	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		002	Peaked	eave at sidewall roof 26.4'	89.600	0.000	0.000	48.40	0.00	0.00	48.400	6.300	54.7	5068.6	10.0	304,977
D		003	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		007	Peaked	eave at sidewall	14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D		008	Peaked	eave at sidewall	23.900	0.000	0.000	40.40	0.00	0.00	40.400	1.400	41.8	360.6	7.80	16,249
D		009	Peaked	eave at sidewall	14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D		010	Peaked	eave at sidewall	41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D		011	Peaked	eave at sidewall	41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
D		012	Peaked	eave at sidewall	41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
Added	D	101 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	102 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	103 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
Added	D	104 S	Peaked	eave at sidewall	77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Del. for Obst.	Effective Depth	Add for Peak Capac.	Depth for	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---------------------------	--------	-------	-----------	----------------	----------------	-----------------	---------------------	-----------	------------------	------------	---------------------------

Bin count: 13

Facility: Harvey Section: D Total: 1,745,459

To Even: 1,746,000

Section: F

F	001	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	002	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	003	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	004	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	005	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	006	Square	work floor		0.000	11.50	9.500	39.00	0.00	0.00	39.000	0.000	39.0	87.8	5.80	3,623
F	007	Square	work floor		0.000	12.00	7.000	34.00	0.00	0.00	34.000	0.000	34.0	67.5	5.20	2,414
F	008	Irregular	12 x 6 square with obstruct		46.600	0.000	0.000	29.00	0.00	0.00	29.000	0.000	29.0	46.6	4.00	1,405
F	009	Irregular	12 x 6 square with obstruct		47.000	0.000	0.000	29.00	0.00	0.00	29.000	0.000	29.0	47.0	4.00	1,418
F	010	Irregular	12 x 9.5 square with obstruct		67.500	0.000	0.000	27.00	0.00	0.00	27.000	0.000	27.0	67.5	5.20	1,918
F	011	Square	work floor		0.000	4.500	4.500	29.00	0.00	0.00	29.000	0.000	29.0	16.3	2.00	482
F	202	Square	work floor		0.000	11.00	8.500	32.50	0.00	0.00	32.500	0.000	32.5	75.2	5.50	2,578
F	203	Square	work floor		0.000	11.00	9.000	43.00	0.00	0.00	43.000	0.000	43.0	79.6	5.50	3,611
F	204	Square	work floor		0.000	9.000	5.500	31.00	0.00	0.00	31.000	0.000	31.0	39.8	3.00	1,271
F	205	Square	work floor		0.000	11.00	9.500	43.00	0.00	0.00	43.000	0.000	43.0	84.0	5.80	3,821
F	206	Square	work floor		0.000	9.500	5.500	29.00	0.00	0.00	29.000	0.000	29.0	42.0	3.50	1,261
F	207	Square	work floor		0.000	9.500	5.000	29.00	0.00	0.00	29.000	0.000	29.0	38.2	3.00	1,141
F	209	Square	work floor		0.000	11.00	9.500	43.00	0.00	0.00	43.000	0.000	43.0	84.0	5.80	3,821
F	210	Square	work floor		0.000	9.000	5.000	31.00	0.00	0.00	31.000	0.000	31.0	36.2	3.00	1,156
F	211	Square	work floor		0.000	11.00	9.000	43.00	0.00	0.00	43.000	0.000	43.0	79.6	5.50	3,611
F	212	Square	work floor		0.000	8.500	5.000	31.00	0.00	0.00	31.000	0.000	31.0	34.2	3.00	1,092

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Harvey

F 213 Square work floor 0.000 8.500 11.00 43.00 0.00 0.00 43.000 0.000 43.0 75.2 5.50 3,412

Bin count: 22 Facility: Harvey Section: F Total: 56,150

To Even: 57,000

Section: G

G 101 Peaked eave at side wall 41.900 0.000 0.000 21.40 0.00 0.00 21.400 2.500 23.9 1108.4 10.0 29,140
 G 102 Peaked eave at side wall 41.900 0.000 0.000 21.40 0.00 0.00 21.400 2.500 23.9 1108.4 10.0 29,140

Bin count: 2 Facility: Harvey Section: G Total: 58,280

To Even: 59,000

Section: H

H 001 Peaked eave at side wall 47.800 0.000 0.000 29.80 0.00 0.00 29.800 2.900 32.7 1442.5 10.0 51,887
 H 002 Peaked eave at side wall 47.800 0.000 0.000 29.80 0.00 0.00 29.800 2.900 32.7 1442.5 10.0 51,887

Bin count: 2 Facility: Harvey Section: H Total: 103,774

To Even: 104,000

Section: I

I 001 Square floor over bins 0.000 8.000 8.000 36.00 0.00 0.00 36.000 0.000 36.0 51.4 4.50 1,933
 I 002 Square floor over bins 0.000 8.000 8.000 36.00 0.00 0.00 36.000 0.000 36.0 51.4 4.50 1,933

Exam Date:08/13/2008
Examiner: 2The Arthur Companies, Inc.
PO Box 145
Arthur, ND
County:

Page: 18

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg):		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Harvey

Section: I

I		004	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		005	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		006	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		007	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		008	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		010	Square	floor over bins		0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I		011	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		012	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		013	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I		014	Peaked	top side wall		24.000	0.000	0.000	51.30	0.00	0.00	51.300	1.400	52.7	363.7	7.80	20,662
I		015	Peaked	top side wall		24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
I		016	Peaked	top side wall		24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
Added	I	040	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	041	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	042	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	I	043	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	044	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	045	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
Added	I	046	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713

Exam Date: 08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Ireg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth	Bushels per Foot	Base Pack%	Bushel Capacity with Pack

Bin count: 21 Facility: Harvey Section: I Total: 123,959

To Even: 124,000

Section: Z

Added	Z	XT1	Irregular	top side wall	13796	131.0	131.0	13.50	0.00	0.00	13.500	0.000	13.5	13796.2	10.0	204,874
-------	---	-----	-----------	---------------	-------	-------	-------	-------	------	------	--------	-------	------	---------	------	---------

Bin count: 1 Facility: Harvey Section: Z Total: 204,874

To Even: 205,000

Exam Date:08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	---------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Page

Section: R

R	001		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	002		Square	floor over bins	0.000	7.900	5.100	55.00	0.00	0.00	55.000	0.000	55.0	32.4	2.50	1,827
R	003		Square	floor over bins	0.000	4.600	6.200	55.00	0.00	0.00	55.000	0.000	55.0	22.9	2.00	1,285
R	004 T		Square	floor over bins	0.000	9.200	6.700	8.000	0.00	0.00	8.000	0.000	8.0	49.5	4.20	413
R	004 C		Square	floor over bins - top 8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	004B		Square	floor over bins -18' c 47'	0.000	8.900	10.70	19.00	0.00	0.00	19.000	0.000	19.0	76.6	5.50	1,535
R	005 T		Square	floor over bins	0.000	9.200	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.0	2.50	279
R	005B		Square	floor over bins - top 8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	006 T		Square	floor over bins	0.000	7.900	4.600	8.000	0.00	0.00	8.000	0.000	8.0	29.2	2.50	240
R	006B		Square	floor over bins - top 8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	007 T		Square	floor over bins	0.000	7.900	6.700	8.000	0.00	0.00	8.000	0.000	8.0	42.5	3.50	352
R	007 C		Square	floor over bins- top 8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	007B		Square	floor over bins- top 8' C 47'	0.000	7.500	10.70	19.00	0.00	0.00	19.000	0.000	19.0	64.5	5.00	1,287
R	008		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	009		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	010 T		Square	floor over bins	0.000	8.100	4.600	8.000	0.00	0.00	8.000	0.000	8.0	30.0	2.50	246
R	010B		Square	floor over bins- T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	012 T		Square	floor over bins	0.000	8.100	6.700	8.000	0.00	0.00	8.000	0.000	8.0	43.6	3.50	361
R	012 C		Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	012B		Square	floor over bins T8'-C47'	0.000	7.400	10.70	19.00	0.00	0.00	19.000	0.000	19.0	63.6	5.00	1,268
R	013 T		Square	floor over bins	0.000	9.400	6.700	8.000	0.00	0.00	8.000	0.000	8.0	50.6	4.50	423

Exam Date:08/13/2008
Examiner: 2

The Arthur Companies, Inc.
PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Page

Section: R

R	013 C	Square	floor over bins T8'		0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	013B	Square	floor over bins T8'-C47'		0.000	9.100	10.70	19.00	0.00	0.00	19.000	0.000	19.0	78.3	5.50	1,570
R	014 T	Square	floor over bins		0.000	9.400	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.8	3.00	286
R	014B	Square	floor over bins T8'		0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	015	Square	floor over bins		0.000	9.400	5.900	55.00	0.00	0.00	55.000	0.000	55.0	44.6	3.50	2,539
R	017 T	Square	floor over bins		0.000	9.400	9.600	11.00	0.00	0.00	11.000	0.000	11.0	72.5	5.20	839
R	017B	Square	floor over bins T11'		0.000	9.400	9.500	44.00	0.00	0.00	44.000	0.000	44.0	71.8	5.20	3,323
R	018 T	Square	floor over bins		0.000	9.400	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.8	3.00	286
R	018B	Square	floor over bins T8'		0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	019 T	Square	floor over bins		0.000	9.400	6.700	8.000	0.00	0.00	8.000	0.000	8.0	50.6	4.50	423
R	019 C	Square	floor over bins T8'		0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	019B	Square	floor over bins T8'-C47'		0.000	9.100	10.70	19.00	0.00	0.00	19.000	0.000	19.0	78.3	5.50	1,570
R	020	Square	floor over bins		0.000	7.900	5.100	55.00	0.00	0.00	55.000	0.000	55.0	32.4	2.50	1,827
R	021	Square	floor over bins		0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	022 T	Square	floor over bins		0.000	8.100	6.700	8.000	0.00	0.00	8.000	0.000	8.0	43.6	3.50	361
R	022 C	Square	floor over bins T8'		0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	022B	Square	floor over bins T8'-C47'		0.000	7.400	10.70	19.00	0.00	0.00	19.000	0.000	19.0	63.6	5.00	1,268
R	023 T	Square	floor over bins		0.000	8.100	4.600	8.000	0.00	0.00	8.000	0.000	8.0	30.0	2.50	246
R	023B	Square	floor over bins T8'		0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	024 T	Square	floor over bins		0.000	7.900	6.700	8.000	0.00	0.00	8.000	0.000	8.0	42.5	3.50	352
R	024 C	Square	floor over bins T8'		0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660

NDPSC Bin Capacity Chart

Exam Date: 08/13/2008
 Examiner: 2

The Arthur Companies, Inc.
 PO Box 145
 Arthur, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Page

Section: R

R	024B	Square	floor over bins T8' C47'	0.000	7.500	10.70	19.00	0.00	0.00	19.000	0.000	19.0	64.5	5.00	1,287
R	025 T	Square	floor over bins	0.000	7.900	4.600	8.000	0.00	0.00	8.000	0.000	8.0	29.2	2.50	240
R	025B	Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	026 T	Square	floor over bins	0.000	9.200	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.0	2.50	279
R	026B	Square	floor over bins T8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	027 T	Square	floor over bins	0.000	9.200	6.700	8.000	0.00	0.00	8.000	0.000	8.0	49.5	4.20	413
R	027 C	Square	floor over bins T8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	027B	Square	floor over bins T8' C47'	0.000	8.900	10.70	19.00	0.00	0.00	19.000	0.000	19.0	76.6	5.50	1,535
R	028	Square	floor over bins	0.000	7.400	8.700	51.00	0.00	0.00	51.000	0.000	51.0	51.8	4.50	2,761
R	029	Square	floor over bins	0.000	8.200	8.700	51.00	0.00	0.00	51.000	0.000	51.0	57.3	4.80	3,062
R	030	Square	floor over bins	0.000	9.200	6.100	55.00	0.00	0.00	55.000	0.000	55.0	45.1	4.00	2,580
R	101	Peaked	top of sidewall	36.000	0.000	0.000	67.50	0.00	0.00	67.500	2.200	69.7	818.2	10.0	62,732
R	102	Peaked	top of sidewall	36.000	0.000	0.000	73.00	0.00	0.00	73.000	2.200	75.2	818.2	10.0	67,682
R	103	Peaked	top of sidewall	42.000	0.000	0.000	81.00	0.00	0.00	81.000	2.500	83.5	1113.7	10.0	102,293
R	201	Square	floor over bins	0.000	7.500	4.100	30.50	0.00	0.00	30.500	0.000	30.5	24.7	2.50	772
R	202	Square	floor over bins	0.000	4.900	6.400	33.00	0.00	0.00	33.000	0.000	33.0	25.2	2.50	853
R	203	Square	floor over bins	0.000	8.800	6.400	34.00	0.00	0.00	34.000	0.000	34.0	45.3	4.00	1,602
R	204	Square	floor over bins	0.000	7.500	4.000	30.50	0.00	0.00	30.500	0.000	30.5	24.1	2.50	753
R	206	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R	208	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R	209	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628

Exam Date: 08/13/2008 The Arthur Companies, Inc. Page: 23
 Examiner: 2 PO Box 145
Arthur, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Page

Section: R

R		210	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R		212	Square	floor over bins	0.000	7.500	6.300	34.00	0.00	0.00	34.000	0.000	34.0	38.0	3.00	1,331
R		213	Square	floor over bins	0.000	4.800	6.300	34.00	0.00	0.00	34.000	0.000	34.0	24.3	2.50	847
R		214	Square	floor over bins	0.000	4.900	6.300	33.00	0.00	0.00	33.000	0.000	33.0	24.8	2.50	838
R		215	Square	floor over bins	0.000	4.900	6.500	34.00	0.00	0.00	34.000	0.000	34.0	25.6	2.50	892
R		216	Square	floor over bins	0.000	4.300	7.500	30.50	0.00	0.00	30.500	0.000	30.5	25.9	2.50	810
R		301	Peaked	top of sidewall	42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857
R		302	Peaked	top of sidewall	42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857
R		303	Peaked	top of sidewall	42.000	0.000	0.000	32.10	0.00	0.00	32.100	2.500	34.6	1113.7	10.0	42,387
R		304	Peaked	top of sidewall	42.000	0.000	0.000	32.10	0.00	0.00	32.100	2.500	34.6	1113.7	10.0	42,387
R		305	Peaked	top of sidewall	12.000	0.000	0.000	14.00	0.00	0.00	14.000	0.700	14.7	90.9	5.00	1,403
R		306	Peaked	top of sidewall	14.000	0.000	0.000	23.80	0.00	0.00	23.800	0.800	24.6	123.7	5.50	3,210
R		307	Peaked	top of sidewall	14.000	0.000	0.000	23.80	0.00	0.00	23.800	0.800	24.6	123.7	5.50	3,210
R		401	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R		402	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R		403	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R		404	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826

Bin count: 80 Facility: Page Section: R Total: 517,775
To Even: 518,000

Overall Licensed Bin Capacity for:

The Arthur Companies, Inc.


Bin count: 379

Licensed Capacity:
(includes pack)

8,928,687 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

8,936,000 Bu.



1000

- 10' side wall height
- 300' in length
- 110' at ground level
- 115' at 5' high on side wall
- 120' at 10' on side wall
- 36' to bottom of cat walk
- 33'.4" to grain spout.