

LAW OFFICES OF  
**FLECK, MATHER & STRUTZ, LTD.**

400 East Broadway, Suite 600, Wells Fargo Bank Building  
P. O. Box 2798, Bismarck, North Dakota 58502

Telephone: 701-223-6585 Facsimile: 701-222-4853 E-Mail: fms@flecklaw.com Website: www.flecklaw.com

GARY R. WOLBERG<sup>+</sup>  
PAUL W. SUMMERS  
BRIAN R. BJELLA<sup>o\*</sup>  
JOHN W. MORRISON  
CURTIS L. WIKE<sup>o\*</sup>  
CRAIG C. SMITH<sup>o^</sup>

SHANE A. HANSON<sup>\*</sup>  
MICHAEL C. WALLER<sup>o</sup>  
PETRA H. MANDIGO<sup>o</sup>  
CHRISTOPHER D. FRIEZ  
CRAIG B. BURNS<sup>v</sup>  
WADE C. MANN<sup>\*</sup>

ALSO LICENSED IN:

+ Iowa  
\* Minnesota  
o Montana  
o Nebraska  
v South Dakota  
v Texas  
^ Wyoming

July 25, 2008

ERNEST R. FLECK  
(1921-1995)  
RUSSELL R. MATHER  
(RETIRED)  
WILLIAM A. STRUTZ  
(RETIRED)

*Via email and U.S. Mail*

Ms. Ilona Jeffcoat-Sacco  
North Dakota Public Service Commission  
600 East Boulevard Avenue  
Dept. 408  
Bismarck, ND 58505-0480

In re: Whiting Oil and Gas Corporation  
Robinson Lake Plant  
Supplemental Statement of Support

Dear Ms. Jeffcoat-Sacco:

This letter supplements Whiting Oil and Gas Corporation's ("Whiting") letter to you and Mr. Fahn dated July 11, 2008.

As we discussed Whiting does not believe that the residue gas pipeline connecting the Robinson gas plant to the WBI Holdings, Inc.'s ("WBI") natural gas transmission line is a "transmission facility" within the meaning of Section 49-22-03(12) of the North Dakota Century Code and therefore does not believe that a route permit is required pursuant to Section 49-22-07 of the North Dakota Century Code, which requires a route permit for the construction or operation of a "transmission facility."

Initially, the Robinson Lake Plant is a plant designed to process natural gas produced in association with oil from the Bakken formation in the Mountrail County area of North Dakota. The rated capacity of the plant is less than one hundred million cubic feet per day, so the plant is not an "energy conversion facility" subject to Chapter 49-22 pursuant to Section 49-22-03(5). The pipeline in question gathers residue gas processed at the plant for delivery into a transmission line operated by WBI.

In addition to "energy conversion facilities," Chapter 49-22 applies to "transmission facilities." A "transmission facility," insofar as the term relates to a gas pipeline, is defined as follows:

A gas ... transmission line and associated facilities designed for or capable of transporting ... gas. This subdivision does not apply to [a] ... gas gathering system. For purposes of this chapter, a gathering system *includes* the... pipelines and associated facilities used to collect gas from the well to the gas processing facility. (emphasis added).

This definition cannot be read to provide that any pipeline other than a pipeline running from a well or group of wells to the inlet of a gas processing plant is a transmission line. First, the statute does not provide that all pipelines other than gathering lines are transmission lines. The Commission has, in the past, recognized that some pipelines are neither "transmission" lines nor "gathering" lines and has not required that "distribution" lines connecting transmission lines to end users to be sited. A pipeline is only subject to the Commission's jurisdiction under Chapter 49-22 if it is, in fact, a "transmission line."

The residue line in question is part of a "gathering system" within the meaning of Section 49-22-03(12) and is therefore excepted from the siting requirements of the chapter. The statute does not define "gathering system" but instead contains only a non-exclusive example of what constitutes a "gathering system." The statute expressly uses the word "includes" and not words such as "is" or "is limited to." The ordinary sense of the word "includes" is that it is not a word of limitation but of enlargement. *Lucke v. Lucke*, 300 N.W.231 (N.D.1980). Generally, the word indicates that which follows is "but a part of the whole." *In re Chevron M.*, 698 N.W.2d 95 (Wis. 2005). By stating that a gathering system "includes" pipelines used to collect gas from the well to the gas processing facility, the statute clearly indicates that the term "includes" other types of pipelines or systems in addition to those specifically mentioned.

Words used in statutes must be construed according to the rules of grammar and approved usage of the language, but where technical words have acquired a peculiar or appropriate meaning in the law, they must be afforded that meaning. Section 1-02-03, North Dakota Century Code. Words are to be given their "commonly understood meaning." *Kim-Go, H.K. Minerals, Inc. v. J.P.Furlong Enters. Inc.*, 460 N.W.2d 694 (N.D.1990) Giving the "commonly understood meaning" to "gathering" compels a conclusion that the pipeline in question is part of a gas gathering system, even though it is downstream of the inlet of the Robinson Lake plant.

The American Petroleum Institute ("API") is a national trade association that represents all aspects of America's oil and natural gas industry, including producers, refiners, suppliers, pipeline operators, transporters, and service and supply companies. [Http://www/api.org/about](http://www/api.org/about) api. For more than 75 years, API has led the development of standards which represent the "industry's collective wisdom" on a number of subject matters and API currently maintains more than 500 standards and recommended practices. *Id.* These practices have been incorporated into a wide range of state and federal regulations. See, for example, 73 FR 39376-01 (Department of the Interior Minerals Management Service regulations regarding facility assessments for alternative energy on outer continental shelf); 73 FR 20166-01 (Department of the Interior Minerals Management Service regulation incorporating API hurricane bulletins and RP2A-WSD

regarding working stress design for fixed offshore platforms); 72 FR 31453-01 (Occupational Safety and Health Administration proposed regulation referring to definitions of "facility" and "process" contained in and API document described as an "industry consensus document on managing process hazards").

One of the industry standards which has been developed by API is API Recommended Practice 80, a copy of which is attached hereto. Section 2.2.1.2.6 of RP 80, recognizes that "the connection [of a gas processing plant] to a transmission line is generally contained within the boundaries of the facility." This section goes on to recognize that when gas must be moved through a pipeline some distance from the plant to another pipeline, the activity is considered to be "incidental gathering." The illustration to Section 2.2.1.2.6 states as follows: "'Incidental gathering' is the additional downstream gathering pipelines sometimes needed to connect the outlet of an identified gathering endpoint [i.e., a gas plant] with a transmission line, distribution line, or other pipeline facility." *Id.* at p. 5. See also Figure B-1 at p. 21.


RP 80 was specifically designed to address Pipeline Safety Act standards. It was specifically incorporated into the safety rules promulgated by the Pipeline and Hazardous Materials Safety Administration ("PHMSA"). See 49 C.F.R. §192.8. PHMSA clearly adopted the "incidental gathering" treatment afforded by RP 80: "PHMSA considers 'incidental gathering' to include only lines that directly connect a transmission line to one of the endpoints (A) through (D) [referring to paragraphs (A) through (D) of the definition of "gathering line" at RP 80 § 2.2, which includes at (A) "the inlet of the furthest downstream natural gas processing plant"], as limited by this final rule." 71 F.R.13289-01.

While RP 80 was designed to address Pipeline Safety Act standards, it clearly incorporates a broader industry understanding of the term "gathering," and is consistent with other understandings of the term. The Federal Energy Regulatory Commission ("FERC") regulates interstate pipelines that transport gas in interstate commerce. 15 U.S.C. §717(b). Gathering lines are not subject to FERC regulation. FERC applies a multi-factor test to determine the primary function of a pipeline in which it considers (1) the length and diameter of the pipeline; (2) its proximity to the central point in a field; (3) the geographic configuration of the facility; (4) its proximity to processing plants and compressors; (5) the location of wells along all or part of the facilities; and (6) operating pressure. *Farmland Industries, Inc.* 23 FERC ¶61,063 (1983). Under the "modified" primary function test, the location of a processing plant is not necessarily determinative and can be outweighed by other factors. *Jupiter Energy Corporation v. Federal Energy Regulatory Commission*, 482 F.2d 293 (5<sup>th</sup> Cir. 2007). The fact that compression, separation and dehydration occur upstream from a pipeline necessary to gather casinghead gas into a transmission line does not render the pipeline a transportation line rather than a gathering line under the modified primary function test. *Amerada Hess Corporation, et al*, 116 P.U.R 4<sup>th</sup> 350, 52 FERC 61268, 1990 WL 1241336.

Neither RP 80 nor the FERC's modified primary function test have been expressly incorporated into Chapter 49-22 and are not binding upon the Commission. They do, however, reflect the general understanding of the industry as to the meaning of "gathering" and indicate that a common understanding of the term would include a pipeline necessary to carry residue gas from a gas gathering plant to a transmission line.

For these reasons, Whiting respectfully submits that the subject residue gathering line is not a jurisdictional line within the meaning of Chapter 49-22. If you have any questions or need additional information, please contact the undersigned at your convenience.

Very truly yours,

A handwritten signature in black ink, appearing to be 'J. Morrison', written over the typed name.

JOHN W. MORRISON

cc: Brent Miller

# **Guidelines for the Definition of Onshore Gas Gathering Lines**

**Upstream Segment**

**API RECOMMENDED PRACTICE 80  
FIRST EDITION, APRIL 2000**



**American  
Petroleum  
Institute**

**Helping You  
Get The Job  
Done Right.™**

## SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication date as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Upstream Segment [telephone (202) 682-8000]. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the general manager of the Upstream Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the general manager.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict.

Suggested revisions are invited and should be submitted to the general manager of the Upstream Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005.

*All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.*

## FOREWORD

This recommended practice was prepared by the Industry Coalition on Onshore Gas Gathering Line Definition (Coalition) that included representatives from the following industry associations:

Alaska Oil and Gas Association (AOGA)  
American Petroleum Institute (API)  
Appalachian Producers  
Association of Texas Intrastate Natural Gas Pipelines (ATINGP)  
Colorado Oil and Gas Association (COGA)  
Domestic Petroleum Council (DPC)  
Gas Processors Association (GPA)  
Independent Petroleum Association of America (IPAA)  
Independent Oil and Gas Association of New York (IOGA-NY)  
Independent Oil and Gas Association of Pennsylvania (IOGA-PA)  
Independent Oil and Gas Association of West Virginia (IOGA-WV)  
Interstate Natural Gas Association of America (INGAA)  
Kansas Petroleum Council (KPC)  
Kentucky Oil and Gas Association (KOGA)  
Louisiana Mid-Continent Oil and Gas Association (LMOGA)  
Ohio Oil and Gas Association (OOGA)  
Oklahoma Mid-Continent Oil and Gas Association (OMOGA)  
Permian Basin Petroleum Association (PBPA)  
Texas Independent Producers and Royalty Owners Association (TIPRO)  
Texas Oil and Gas Association (TXOGA)  
Virginia Oil and Gas Association (VOGA)  
Western States Petroleum Association (WSPA)

In any subsequent revisions of this recommended practice, API intends to solicit input from the Coalition stakeholders, including state and federal regulators.

# CONTENTS

	Page
1 GENERAL.....	1
1.1 Purpose and Scope.....	1
1.2 Background.....	1
1.3 How to Use this Recommended Practice.....	1
2 DEFINITIONS.....	1
2.1 General Discussion.....	1
2.2 Definition of Onshore Gathering Line.....	2
2.3 Definition of Production Operation.....	6
2.4 Supplemental Definitions.....	6
2.5 Decision Trees.....	7
2.6 Commentary on Development of Definitions.....	7
3 REPRESENTATIVE APPLICATIONS.....	8
3.1 Applications of "Production Operation" Concepts.....	8
3.2 Applications of "Gathering Line" Concepts.....	9
APPENDIX A ONSHORE GAS GATHERING DECISION TREES.....	13
APPENDIX B APPLICATIONS.....	19

## Figures

2-1 Gas Processing is Not a Pipeline Function.....	3
2-2 Gas Treatment is a Distinct Function on Many Gathering Systems.....	3
2-3 The Gathering Function Commingles Gas from Different Sources.....	4
2-4 Gathering Lines Often Have Multiple Compressors in Series.....	4
2-5 Gathering Extends to the Futhermost Downstream Endpoint.....	5
2-6 Incidental Gathering Downstream of an Identified Endpoint.....	5
A-1 Onshore Gas Gathering Decision Tree—Alternative 1.....	15
A-2 Onshore Gas Gathering Decision Tree—Alternative 2.....	17
B-1 Examples of Common Gas Production and Gathering Operations.....	21
B-2 Alternative 1 Decision Tree for Figure B-1 (Scenario A).....	22
B-3 Alternative 2 Decision Tree for Figure B-1 (Scenario A).....	23
B-4 Alternative 1 Decision Tree for Figure B-1 (Scenario B).....	25
B-5 Alternative 2 Decision Tree for Figure B-1 (Scenario B).....	27
B-6 Alternative 1 Decision Tree for Figure B-1 (Scenario C).....	29
B-7 Alternative 2 Decision Tree for Figure B-1 (Scenario C).....	31
B-8 Example of a Central Production Facility With Satellites.....	33
B-9 Alternative 1 Decision Tree for Figure B-8.....	34

	Page
B-10 Alternative 2 Decision Tree for Figure B-8 .....	35
B-11 Typical Appalachian Production Operation and Gas Gathering Applications ..	36
B-12 Alternative 1 Decision Tree for Figure B-11 .....	37
B-13 Alternative 2 Decision Tree for Figure B-11 .....	39
B-14 Example of a Gas Gathering System with Multiple Compressors .....	41
B-15 Alternative 1 Decision Tree for Figure B-14 .....	42
B-16 Alternative 2 Decision Tree for Figure B-14 .....	43
B-17 Example of a Gas Gathering System With Fuel Gas Return Lines.....	45
B-18 Alternative 1 Decision Tree for Figure B-17 (Gas Return Lines).....	46
B-19 Alternative 2 Decision Tree for Figure B-17 (Gas Return Lines).....	47
B-20 Alternative 1 Decision Tree for Figure B-17 (Production Gathering).....	49
B-21 Alternative 2 Decision Tree for Figure B-17 (Production Gathering).....	51
B-22 Example of Gas Gathering Systems With Different Ownership and in Multiple States .....	53

# Guidelines for the Definition of Onshore Gas Gathering Lines

## 1 General

### 1.1 PURPOSE AND SCOPE

This industry standard provides a functional description of onshore gas gathering pipelines for the sole purpose of providing users with a practical guide for determining the application of the definition of gas gathering in the federal *Gas Pipeline Safety Standards*, 49 CFR Part 192, and state programs implementing these standards.

The definition of "gas gathering" reflects the varied nature of the gas industry throughout the country. Because of the regional and operational diversity within the gas industry, additional guidance—either within the regulation or through incorporation of a recognized industry standard—is necessary to ensure appropriate and consistent application of the gas gathering line definition. This Recommended Practice was developed as such a standard through the joint efforts of the regulated community.

### 1.2 BACKGROUND

1.2.1 A definition for "gathering line" was adopted as part of the federal *Gas Pipeline Safety Standards* in August 1970 to implement the Natural Gas Pipeline Safety Act of 1968. The Office of Pipeline Safety (OPS) issued a Notice of Proposed Rulemaking (Docket No. OPS-31, Notice 74-7; 39 Fed. Reg. 34569) on September 20, 1974, to clarify this definition. Notice 74-7 was subsequently withdrawn because OPS determined that many words and phrases in the proposal were open to varied interpretation. On September 25, 1991, OPS again published a Notice of Proposed Rulemaking (Docket No. PS-122, Notice 1; 56 Fed. Reg. 48505) to revise the regulatory definition of "gathering line." A significant number of comments that opposed adoption of the definition as proposed were filed with the agency.

1.2.2 The Pipeline Safety Act of 1992 (Pub. L. 102-105), enacted October 24, 1992, and amended in 1996, directed the Department of Transportation (DOT) to define the term "gathering line" in its gas pipeline safety regulations and to consider the merit of revising pipeline safety regulation of such lines. On March 11, 1999, DOT issued a Request for Comments that announced an electronic public discussion forum and subsequent written comment period to provide an opportunity for public input to allow DOT to decide whether and how to modify the definition and regulatory status of gas gathering lines for the purposes of pipeline safety regulation. (Docket No. RSPA-98-4868, Notice 1; 64 Fed. Reg. 12147.) The official comment period closed October 7, 1999.

1.2.3 The Coalition determined that an API Recommended Practice should be published to document the industry standard developed during the comment process. In development of this Recommended Practice, comments and recommendations filed in the current and previous dockets—together with relevant discussions over the past 15 years with DOT, its Technical Gas Pipeline Safety Standards Committee, and state regulators—were considered.

### 1.3 HOW TO USE THIS RECOMMENDED PRACTICE

1.3.1 In addition to the text of the definitions of "gathering line" (2.2), "production operation" (2.3), and supplemental terms (2.4), the following information constitutes an integral part of these definitions:

- "Decision Trees" (Appendix A)
- Representative Applications (Appendix B)

1.3.2 The "Decision Trees" in Appendix A are graphical, logical representations of the "gathering line" definition. They were developed to help users understand and apply this definition.

1.3.3 The "Representative Applications" in Appendix B include both narrative and schematic descriptions of typical gas gathering systems and production operations. Every effort has been made to define critical terms, but the illustrated applications make the meaning much clearer than would otherwise be the case. The applications provide an extremely useful tool to help people with varying levels of experience with gas gathering to correctly and consistently interpret the definitions in this Recommended Practice. These real-life applications clarify the intent of the definitions with respect to many different facility configurations.

Note: These illustrations are not intended to describe every possible onshore gas gathering system or production operation configuration. They simply represent some typical examples for facilities located throughout the United States and the manner in which the "gas gathering" and "production operation" definitions are applied to those facilities.

## 2 Definitions

### 2.1 GENERAL DISCUSSION

In accordance with general industry practice, the definition of "gathering line" is based on the function performed by that type of pipeline. The pipeline safety definition of "gathering line" in 2.2 describes specified gathering line "endpoints" to

delineate the end of the gathering function. This style of definition is necessary to accommodate the wide variety of gas gathering pipeline configurations throughout the country. This Recommended Practice also defines "production operation" in 2.3 (to describe where the gathering function begins) and various other common terms (2.4) used in the gathering line and production operation definitions. In addition, there is a discussion of alternatives considered in development of the definition of gathering line (2.6).

## 2.2 DEFINITION OF ONSHORE GATHERING LINE

### "Gathering Line"

- (a) means any pipeline or part of a connected series of pipelines used to
- (1) transport gas from the furthestmost downstream point in a production operation to the furthestmost downstream of the following endpoints, which physically may have intermediate deliveries (to other production operations, pipeline facilities, farm taps, or residential/commercial/industrial end users) that are not necessarily part of the gathering line:
    - (A) the inlet of the furthestmost downstream natural gas processing plant, other than a natural gas processing plant located on a transmission line,
    - (B) the outlet of the furthestmost downstream gathering line gas treatment facility,
    - (C) the furthestmost downstream point where gas produced in the same production field or separate production fields is commingled,
    - (D) the outlet of the furthestmost downstream compressor station used to lower gathering line operating pressure to facilitate deliveries into the pipeline from production operations or to increase gathering line pressure for delivery to another pipeline, or
    - (E) the connection to another pipeline downstream of:
      - (i) the furthestmost downstream endpoint identified in (A), (B), (C) or (D), or (in the absence of such endpoint)
      - (ii) the furthestmost downstream production operation; or
  - (2) transport gas from a point other than in a production operation exclusively to points in or adjacent to one or more production operations or gathering facility sites for use as fuel, gas lift, or gas injection gas within those operations; and
- (b) does not include a natural gas processing plant.

The above definition is graphically illustrated by the Decision Trees in Appendix A. Additional definitions explaining the meanings of many of the terms used in this definition are found in 2.4. Basic "gathering line" definitional concepts are presented in 2.2.1. Representative applications of the "gathering line" definitions are shown and discussed in Appendix B.

### 2.2.1 Basic "Gathering Line" Definitional Concepts

The gathering of gas from multiple production operations can be a complex procedure. In many locations, one or more of the processes that may occur in the production operation may also occur downstream in the gathering function. The introduction of gas of varying quality into a gathering system may require further treatment/processing before the gas can be delivered into another pipeline or facility downstream of the gathering line. Because a gathering system may extend over a large geographical area, it is not uncommon for taps on gathering systems to serve numerous residential consumers as well as to make intermediate deliveries to local distribution facilities or large volume end users.

In determining where a gathering line ends, two important concepts are considered—the concepts of "function" and "furthestmost downstream."

#### 2.2.1.1 Function

"Function" recognizes that a gathering line continues to fulfill the gathering function until it reaches a defined and recognized endpoint regardless of intermediate processes and/or deliveries along the line. Because gas flowing into a gathering line from various locations may be of differing quality and flowing pressure, it is sometimes necessary to subject the gas stream to one or more intermediate processes. This is usually done to maintain efficient operation of the gathering line and/or maintain pressure in the line which will not result in an unacceptable back pressure on production or tributary gathering lines flowing into the gathering line. Regardless of the intermediate processes and/or deliveries that may occur along a gathering line, the gathering function—and therefore the gathering line—continues until the line terminates at a defined and recognized endpoint.

#### 2.2.1.2 Furthestmost Downstream

"Furthestmost downstream" recognizes that the most downstream of all locations defined as potential endpoints is the endpoint for the gathering line. The endpoint of a "gathering line" is often defined by the furthestmost downstream gas processing plant, gas treatment facility, gas gathering compressor, point of commingling of gas from two or more fields, or point of connection of the gathering line to another pipeline. These endpoints, together with related basic gathering line concepts, are discussed and illustrated in this section.




Figure 2-1—Gas Processing is Not a Pipeline Function

2.2.1.2.1 Natural Gas Processing

Natural gas processing is not regulated under the federal gas pipeline safety standards. Gas is removed from transportation for processing, and the residue gas after processing is returned to transportation at the plant outlet. For this reason, when there is no gas gathering beyond a natural gas processing plant as shown in Figure 2-1, the endpoint of gathering is the plant inlet.

2.2.1.2.2 Gas Treatment

Gas treatment often occurs in conjunction with gas processing or compression and in such cases is considered to be part of those operations. In some cases, however, gas treatment operations involve significant stand-alone facilities (e.g., a sulfur recovery or large dehydration facility). When there is no gas gathering beyond a stand-alone gas treatment facility as shown in Figure 2-2, the endpoint of gathering is the facility outlet.




Figure 2-2—Gas Treatment is a Distinct Function on Many Gathering Systems

### 2.2.1.2.3 Commingling

By its very nature, a common function of gas gathering is to gather ("commingle") gas from different sources for processing, treatment, and/or delivery to an end-user or other pipeline.<sup>1</sup> Gathering is not limited to accumulation of gas from only one or two fields.<sup>2</sup> This feature of the "gathering function" is clearly evidenced by the gas commingling from numerous fields that occurs when gas is gathered for processing or treatment prior to delivery to a gas transmission

<sup>1</sup>Commingling of production from multiple fields may, in some instances, occur as part of the production process and does not necessarily mean that gas is in "transportation."

line or other pipeline facility. The basic function of the gathering line—to "gather" gas for delivery to another pipeline (e.g., a gas transmission line) or to an end user—would not change if no processing or treatment were needed. The gathering function extends at least as far as the last point of commingling, as shown in Figure 2-3 and generally will extend downstream to the point of connection with another pipeline as shown in Figure 2-6.

<sup>2</sup>In some regions of the United States, "fields" may not be easily defined. It is anticipated that the furthestmost downstream endpoint of "gathering" will be defined for those regions by one of the other endpoints identified in the definitions.





Figure 2-3—The Gathering Function Commingles Gas from Different Sources

### 2.2.1.2.4 Compression

Gas gathering compression is used to lower upstream gathering line operating pressure to facilitate gas deliveries from production operations into the pipeline or to increase downstream gathering line pressure so that the gas can be delivered to a processing plant, treatment facility, other pipeline, or other end user. Staged compression (compressors in series) may be needed to accomplish

either or both of these objectives. In extensive gathering systems transporting gas from numerous fields, it is often necessary to have compression at several points along the gathering line to maintain upstream line pressures low enough to keep producers from having to operate a great number of individual production compressors to deliver into the gathering system. This concept is illustrated in Figure 2-4.



Gathering compression is used to lower line operating pressure to facilitate deliveries into the pipeline from production operations or to increase downstream gathering line pressure for delivery to another pipeline. Multiple compressors along a gathering

Figure 2-4—Gathering Lines Often Have Multiple Compressors in Series

**2.2.1.2.5 Multiple Potential Endpoints**

It is very common for a gathering system to have several of the facilities or characteristics listed in the proposed definition as potential endpoints. Sour gas production commingled from several different fields, for instance, might be compressed through several gathering compressors before reaching a desulfurization plant ("gas treatment facility") that sweetens the gas so that it can be delivered to a natural gas

processing plant further down the pipeline. Although each of these operations—commingling, compression, treatment, and processing—are potential endpoints, the "gathering function" has not ended until all potential endpoints have occurred (and, some cases, more than once). For this reason, the definition provides for gathering to end at the "furthest downstream" of the defined potential gathering endpoints. This concept is illustrated in Figure 2-5.




Figure 2-5—Gathering Extends to the Furthest Downstream Endpoint

**2.2.1.2.6 Incidental Gathering**

In the case of gas processing or gas treatment, the connection to a transmission line is generally contained within the boundaries of the facility. This is not always the case, however. The gathering line operator may have to move the gas through a pipeline some additional distance from the plant to another pipeline. The pipeline moving the gas from the plant to another pipeline is termed "incidental gathering." The "incidental gathering" resumes at the plant outlet and continues to the other pipeline connection. Incidental gathering may

also occur when a compressor is a potential endpoint. Incidental gathering normally is present when the point of last commingling is the last "identified endpoint." From a functional standpoint, this section of incidental gathering line is no different from the rest of the gathering system. The definition, therefore, includes recognition that gathering may continue downstream of the last endpoint identified by processing, treatment, commingling, or compression activities to the connection with another pipeline. Figure 2-6 illustrates this concept.




Figure 2-6—Incidental Gathering Downstream of an Identified Endpoint

### 2.2.1.3 Gas Return Lines

The definition of "gathering line" includes an additional function that is a logical extension of the gas gathering concept. Processed and/or treated gas is often returned to the gathering system compressors, gathering treatment facilities, and/or production operations for fuel gas, gas lift, or gas injection.<sup>3</sup> Typically (although not in every instance), the gas return lines are in the same right-of-way or easement as the gathering line delivering gas for treatment, processing, etc. A gas return line may also originate from a tap on a transmission or distribution line. In either situation, the gas return lines are normally operated by the operator of the gathering system or production operation. For pipeline safety purposes, these lines should be treated as gathering lines. The definition therefore addresses these gas return lines, when used solely by gathering or production facilities for fuel, gas lift, or gas injection, in the definition of "gathering line."

## 2.3 DEFINITION OF PRODUCTION OPERATION

As discussed in previous sections, definitions of additional terms and concepts have been provided to enhance the implementation of the gathering line definition. The following is the definition for "production operation" as it has been incorporated into the concept of gathering for the purpose of implementing pipeline safety regulations.

**"Production Operation"** means piping and equipment used for production and preparation for transportation or delivery of hydrocarbon gas and/or liquids and includes the following processes:

- (a) extraction and recovery, lifting, stabilization, treatment, separation, production processing, storage, and measurement of hydrocarbon gas and/or liquids; and
- (b) associated production compression, gas lift, gas injection, or fuel gas supply.

Additional definitions explaining the meanings of many of the terms used in this definition are found in 2.4. Basic "production operation" definitional concepts are presented below in 2.3.1. Representative applications of the "production operation" definition are shown and discussed in Appendix B.

### 2.3.1 Basic "Production Operation" Definitional Concepts

**2.3.1.1** Production operations generally take place upstream of any gathering or other pipeline facilities that could be regulated as transportation under Title 49 U.S. Code

<sup>3</sup>Like other "gathering lines," gas return lines do not extend into the "production operation" since the fuel gas, gas lift, and gas injection lines within the production operations are "production piping."

Chapter 601 (Pipeline Safety Act). The production function, in most cases, extends well downstream of the wellhead and may include several processes required to prepare the gas for transportation. Such processes may include separation, dehydration, hydrocarbon liquid stripping or processing, desulfurization, CO<sub>2</sub> or N<sub>2</sub> removal and compression (including series, or "staged," compression) used to enhance the productive capacity of the wells. The scope of production operations may include any number of operators and can vary from one well to large consolidated lease blocks with many wells.

**2.3.1.2** A gas producer with a gathering line connection may grant one or more other producers access (via flowlines or other production piping) to that connection. In such situations, the piping from the individual wells and the equipment and facilities used to treat the gas are all a part of the production operation as defined in this Recommended Practice. It should be noted that all or part of the gas from a production operation may go directly to a distribution facility, a transmission facility or a large volume end user without entering a gathering line.

## 2.4 SUPPLEMENTAL DEFINITIONS

Various oil and gas industry terms-of-art used in the preceding definitions of "gathering line" and "production operation" are defined below. These supplemental definitions serve to further explain the meaning, scope and application of the terms "gathering line" and "production operation." They also explain some of the differences between the use of certain equipment and processes (e.g., "compression" and "gas processing") in production operations and in transportation operations.

**2.4.1 natural gas processing plant:** A natural gas processing operation, other than production processing, operated for the purpose of commercially extracting natural gas liquids from the gas stream.

**2.4.2 gathering line gas treatment facility:** One or a series of gas treatment operations, other than production treatment, operated for the purpose of removing impurities (e.g., water, solids, basic sediment and water, sulfur compounds, carbon dioxide, etc.).

**2.4.3 production field:** An area that is underlain by at least one reservoir containing natural gas or natural gas associated with crude oil.

**2.4.4 production:** A blanket term referring to all of the operations enumerated in the following definitions.

a. **piping:** As used in the definition of "production operation," includes individual well flowlines, equipment piping, transfer lines between production operation equipment elements and sites, and tie-in lines to connect to gathering, transmission, or distribution lines.

b. **extraction and recovery** (i.e. primary, secondary, and tertiary): Used synonymously to mean operations used to move liquid and/or gas products from their resident place in the underground reservoir to the surface and separate them into their individual components. These terms are amplified and further explained in some of the following terms.

c. **lifting**: Refers to mechanical and other means used to move liquid and/or products from the producing interval in the well to the surface. Examples of this kind of equipment are: wellheads, downhole tubing, beam lift pumping equipment, submersible pumps, and gas lift equipment.

d. **stabilization**: The treatment of produced fluids during which some gas may evolve. The gas is removed to make liquid product(s) less volatile. These techniques are fairly common operations used to adjust the equilibrium of produced fluids. An example of this technique is staged separation.

e. **separation**: The physical and/or chemical technique used to segregate produced well fluids (oil, water, gas), e.g., separator vessels, heater treaters, emulsion treaters, free water knockouts, chemelectric units, etc.

f. **treatment**: The physical and/or chemical technique used to enhance separation of produced well fluids and removal of impurities (e.g., water, solids, basic sediment and water, sulfur compounds, carbon dioxide, etc.). Examples include iron sponge units, field amine units, and dehydrators. In some cases, treatment can be a function or integral part of separation, and vice versa.

g. **measurement**: The process of gauging or determining the quantity of hydrocarbons (natural gas or liquid products). Equipment involved in these operations are meter runs, flow meters, metering skids, etc.

h. **production processing**: A commercial natural gas processing operation for the recovery of natural gas liquids from the gas and is limited to situations in which (A) there is no custody transfer of the gas, from production through processing and residue return; (B) there have been no intermediate production operations between the well and the processing facility; and (C) all residue gas goes back into the production and/or production support operations as fuel, gas lift gas, and/or injection.

i. **storage**: Temporary containment of liquids (condensate, oil, and/or produced water) normally associated with oil and gas producing operations. This does not refer to underground storage for natural gas.

j. **production compression**: Compression situated within the production field and used to (A) enhance production through reduced backpressure on the wells, gas lift, and/or gas injection, and/or (B) boost produced gas pressure to enhance delivery into a gas gathering line.

## 2.5 DECISION TREES

2.5.1 "Onshore Gas Gathering Decision Tree Alternative 1" (Figure A-1 in Appendix A) was developed as a visual illustration of the "gas gathering line" definitional concepts. Section designators such as "(a)(1)(A)" within the Decision Tree blocks refer to the corresponding subparagraphs in the gas gathering line definition. The Decision Tree provides the user a way to "walk through" the definition and determine which endpoint for the "gas gathering" function is applicable.

2.5.2 "Onshore Gas Gathering Decision Tree Alternative 2" (Figure A-2 in Appendix A) is another version of the Decision Tree and is also provided for users who may prefer this alternative representation of the same logic path. The end result will be the same regardless of which Decision Tree is applied.

2.5.3 For each of the "Representative Applications" of gas gathering discussed in Section 3, illustrations of the appropriate logic path are included using both Decision Tree versions.

## 2.6 COMMENTARY ON DEVELOPMENT OF DEFINITIONS

### 2.6.1 General

In formulating these definitions, the focus was upon the historical "functional concept of gas gathering" relative to application of regulatory pipeline safety standards. The intent was not to make wholesale changes in the way pipeline function is understood or applied. In addition, consideration of "gas gathering" has been limited to "onshore gas gathering." There has been no attempt to address or make any recommendations regarding "offshore gas gathering" in this recommended practice.

### 2.6.2 Major Concepts Considered and Rejected

In development of these definitions, several alternative approaches were considered in the interest of developing a definition that was short and simple as well as uniformly applicable. It was ultimately concluded that these approaches—many of which had been suggested in the past—could not encompass the great variety of scenarios involved in the gas gathering process.

#### 2.6.2.1 Physical Parameters

Among the approaches considered and rejected in the development of a gathering line definition were physical parameters such as line size, length, and operating pressures. Such factors are not sufficiently correlative to actual pipeline function to be useful. Also found to be inadequate were determinations based on gas quality or gas throughput. These factors are often more dependent on producing reservoir characteristics than on surface operation. Neither gas quality nor gas throughput provides consistency in determining the nature of the facility handling the gas, and, therefore, neither are dependable indicators of pipeline function.

### 2.6.2.2 Ownership/Physical Custody

Custody transfer—whether defined in terms of ownership or physical custody—was another factor judged unsuitable for representing pipeline function. This factor has become inherently unstable and unreliable for such purposes due to the rapidly evolving nature of transactions in the gas transportation industry and the increasingly frequent changes of ownership of the facilities themselves.

### 2.6.2.3 Geopolitical Boundaries

Movement of gas across geopolitical boundaries should not be considered in determining the function of the pipeline. It does not make a difference, for instance, whether the pipeline is moving gas across a state line.

### 2.6.2.4 FERC or Other Agency Regulatory Definitions

One other option considered was to define as an “end-point” of gathering any instance in which a pipeline terminated by connection to another pipeline designated by the Federal Energy Regulatory Commission (“FERC”) as a “transmission line.” It was recognized that FERC or other agency pipeline designations were not developed with pipeline safety as the regulatory purpose and as such may represent and include concepts and assumptions that are not relevant to Pipeline Safety Act objectives. Conversely, the definitions presented herein are not designed to address issues—nor are they intended for application—in any regulatory context other than gas pipeline safety pursuant to the federal Pipeline Safety Act.

## 3 Representative Applications

This section is organized to complement the definition of gas gathering with representative examples of production operations and gas gathering systems.

The scenarios described in these examples may occur separately or in various combinations. They provide several concrete applications of the definitional concepts described in this Recommended Practice. They are not intended to represent every possible production or gathering scenario.

### 3.1 APPLICATIONS OF “PRODUCTION OPERATION” CONCEPTS

The following applications are illustrated in Appendix B, Figures B-1, B-8, and B-11. (Note that Scenarios A and B in Figure B-1 collectively illustrate that lease boundaries are irrelevant in the determination of the production function.)

#### 3.1.1 On-Lease Gas Well Production Facilities

Refer to Scenario A in Figure B-1 (Appendix B). Several gas wells produce through flowlines to their respective on-

lease<sup>4</sup> production facilities. The furthestmost downstream point of each of the three production operations is located at the same site as the production separation, sweetening, and/or dehydration facilities for the lease and is the beginning of transportation.

#### 3.1.2 Full-Wellstream Production to Off-Lease Commingled Facility

Refer to Scenario B in Figure B-1 (Appendix B). Several gas wells from different leases<sup>5</sup> are produced full-wellstream through flowlines to a commingled production separation facility. Production is allocated back to the individual wells on the basis of well tests (which could be done either with testing equipment at the production separation facility or with portable testing facilities). The furthestmost downstream point of the production operation is the beginning of transportation.

#### 3.1.3 Production Directly to Transmission Line With No Intermediate Operations

Refer to Scenario C in Figure B-1 (Appendix B). A single gas well produces through a flowline directly to a transmission line<sup>6</sup> with no intermediate production operations (other than metering) and no gathering. The furthestmost downstream point of the production operation in this scenario is the point of connection to the transmission line and is the beginning of transportation. This scenario illustrates that there is not always a “gathering” function between production and transmission or distribution.

#### 3.1.4 Central Production Handling Facility With Satellites

3.1.4.1 Refer to Figure B-8 (Appendix B). This application is based on an actual 15,000 acre, 160(+) well gas unitized production operation. Gas production from 15–20 wells is brought through individual flowlines to a satellite station where initial separation occurs. Production compressors used to reduce backpressure on the wells send the gas to a central production handling facility through production piping (“production transfer lines”) for further separation, sweetening, and dehydration before leaving the production operation for gathering to a gas processing plant. Likewise, condensate and water from the satellite station is pumped separately to the central production handling facility for water removal and condensate storage. In this application, the furthestmost downstream point of the production operation happens to be the

<sup>4</sup>Note that lease boundaries are irrelevant in the determination of the production function.

<sup>5</sup>Note that lease boundaries are irrelevant in the determination of the production function.

<sup>6</sup>A production operation may also produce directly to a distribution facility, service line of a large end user, or other pipeline facility with no intermediate gathering function.

final gas volume meter at the central production handling facility. (This does not imply that metering or custody transfer signifies a change of function.)

Moreover, the fact that the entire illustrated operation is "unitized" is not a primary factor in determining that the operations described above are "production operations." The application would have been equally valid had the situation been one in which production from several leases was commingled by the lease operator at a central production handling facility in the field (similar to Scenario B in Figure B-1) before being put into transportation. The determinative factor is that the production operation—the preparation of the gas and condensate for transportation—was not complete without the processes performed at the central production handling facility.

**3.1.4.2** The production operation illustrated in this application also includes production piping that takes processed residue gas that has been delivered back to the central production handling facility out to each of the satellite stations for compressor fuel.

### 3.1.5 Typical Appalachian Production Operations

**3.1.5.1** Refer to Figure B-11 (Appendix B). This application illustrates a type of production operation that is quite common, although not necessarily unique, to the Appalachian Region of the United States. This application is shown in the "Detail Inset" at the right of the attachment, "Example of Multi-Operator Cascading of Production Facilities."

**3.1.5.2** The Appalachian Basin is very mature and contains the oldest producing fields found in the United States. While operators continue to make new discoveries, the new wells are typically long life, low pressure, and economically marginal. Typically the operators are small independent producers. Rarely are there large lease blocks managed by a single operator, but rather the typical pattern is smaller, non-contiguous leaseholds intermixed between multiple operators.

Over the years, the natural gas production, gathering and transmission systems have evolved around the producing fields in an interlacing grid that has moved gas from the wells to nearby markets. Local Distribution Companies ("LDCs") have built multi-use systems to production fields that gather and move gas directly into LDC distribution systems to service many local markets. Because of the maturity of the production, the wells, production systems and gathering grid are low pressure and low volume systems. A great deal of this production requires production field compression to simply lower backpressure to very low levels to achieve economic production rates.

Within this complex network of gathering, transmission and distribution systems, marginal natural gas producers must often seek economic efficiencies by arranging for their natural gas production to flow through existing production flow-

lines on offsetting leases to reach the gathering system. This practice avoids duplicative flowline or production piping, reduces the need for multiple metering, and thus lowers the costs of production. This practice assists the gathering companies or LDCs by reducing the number of meters servicing many marginal properties. Since these wells have particularly long lives but low volumes, these cost efficiencies are highly beneficial to both the producer and gas buyers.

**3.1.5.3** The "Detail Inset" in Figure B-11 illustrates a production operation (owned by XYZ Company) delivering natural gas through a total production meter into a gathering company- or LDC-owned gas gathering system. XYZ's production operation includes 2-stage production compression to lower back pressure on the producing wells and discharge at high enough pressure to get into the gathering line, small gas drips to remove produced fluids, a small desiccant gas drying unit to dry the gas, and the total production meter station to measure the volume of gas being delivered to gathering.

In this application, KLM Company and ABC Company are outlying operators whose production will not support a separate production system or the cost of laying pipeline to the gathering system. Both KLM and XYZ have tied into adjoining production piping using "deduct meters" to measure the volume of gas being delivered by one producer into another producers' production operation.

**3.1.5.4** The production operation illustrated in Figure B-11 "Detail Inset" also has several "customer taps" on flowlines or other production piping. It is very common for lease agreements to include provisions requiring lessees to furnish gas from their production operations for residential, agricultural, or other use. Similar demands are often made of gatherers in right-of-way or easement agreements. The fact that gas may be delivered to such use from a production operation or gathering line does not change the function of that operation as it continues on past the point at which the tap was made. The line that connects to the tap to furnish gas to the end-user or the LDC serving that end-user is the property and responsibility of the end-user and is not otherwise addressed in these comments.

## 3.2 APPLICATIONS OF "GATHERING LINE" CONCEPTS

The following applications are illustrated in Appendix B, Figures B-1 to B-22.

### 3.2.1 Gathering to a Processing Plant, With Extension Downstream to the Point of Connection With Another Pipeline

Refer to Scenario A in Figure B-1 (Appendix B). Gas from three distinct production operations is commingled, compressed, processed, and delivered to a transmission line. The Decision Trees in Figures B-2 and B-3 are marked to illus-

trate the determination as to the endpoint of gathering in this application. There is only one gas processing plant. From the inlet of the plant, there is no downstream gas treatment, commingling, or compression. The gathering function does extend further downstream from the gas processing plant to the point of connection with another pipeline, at which point the gathering function ends.

### 3.2.2 Gathering from a Single Production Operation, With Extension Downstream to the Point of Connection With Another Pipeline

Refer to Scenario B in Figure B-1 (Appendix B). Gas from a single production operation is gathered to a transmission line. The Decision Trees in Figures B-4 and B-5 are marked to illustrate the determination as to the endpoint of gathering in this application. Beginning at the furthestmost downstream point of the production operation, there is no downstream gas processing, gas treatment, commingling, or compression. The gathering function does extend further downstream from the production operation to the point of connection with another pipeline, at which point the gathering function ends.

### 3.2.3 Production Operation Connection Directly to a Transmission Line

Refer to Scenario C in Figure B-1 (Appendix B). Gas from a single gas well is carried by flowline to connect to a transmission line. The Decision Trees in Figures B-6 and B-7 are marked to illustrate the determination that "gathering" never begins in this application; rather, "production" continues to the connection with the transmission line. Beginning at the furthestmost downstream point of the production operation (the point of connection with the transmission line), there is no downstream gas processing, gas treatment, commingling, compression, or further gathering extension downstream from the production operation. There is therefore no gathering function in this application.<sup>7</sup>

### 3.2.4 Gas Return from a Processing Plant to a Production Operation

Refer to Figure B-8 (Appendix B). Gas from the production operation is gathered to a natural gas processing plant. (This particular application does not address whether the processing plant is the endpoint of this particular gathering operation.) Residue gas from the gas processing plant is returned to the production operation for fuel at the central production handling facility and satellites. This function is defined as "gathering." The Decision Trees in Figures B-9 and B-10 are

<sup>7</sup>A similar situation exists if the production flowline connects to a distribution facility, service line of a large end user, or other pipeline facility.

marked to illustrate the determination as to the endpoint of gathering in this application. The gathering line does not begin at a production operation for transport to gas processing, gas treatment, commingling, compression, or another pipeline. The line does transport gas exclusively back to a production operation for use as fuel. The furthestmost downstream point of delivery to the production operation, in this application, is the point at which it is metered onto the unit at the central production handling facility. Routing of the gas from that point to equipment within the central production handling facility and to the satellites is production piping.

### 3.2.5 Typical Appalachian Gas Gathering System

**3.2.5.1** Refer to Figure B-11 (Appendix B). Gas from several multi-well and single-well production operations is commingled, compressed, and delivered to a transmission line connection. The Decision Trees in Figures B-12 and B-13 are marked to illustrate the determination as to the endpoint of gathering in this application. Gathering begins at the furthestmost downstream point in each of the several production operations. There is no gas processing or gas treatment. The furthestmost downstream point of commingling is shown in this application as the point at which the production operation whose individual operations are detailed in the Inset connects to the gathering line. There is compression downstream of the point of last commingling. From the outlet of the gathering compressor, there is a further extension of the gathering function downstream to the connection with another pipeline (in this example, a transmission line).

**3.2.5.2** The application shown in Figure B-11 also has a compressor on the transmission line. This compression is not related to "gas gathering" and would not be part of the "furthestmost downstream compression" determination in the Gas Gathering Decision Tree.

**3.2.5.3** Like the production operation in the Figure B-11 "Detail Inset," this gathering line application has several customer taps for residential, agricultural, etc. use. The fact that gas may be delivered to such use from a gathering line does not change the function of that pipeline as it continues on past the point at which the tap was made. The line that connects to the tap to furnish gas to the end-user is the responsibility of the operator of that line and is not otherwise addressed<sup>8</sup> in this Recommended Practice.

### 3.2.6 Gas Gathering System with Multiple Compressors

**3.2.6.1** Refer to Figure B-14 (Appendix B). This application is based on a 900-mile gathering system that covers six

<sup>8</sup>Nothing in the gas gathering line definition or discussion in this Recommended Practice is intended to alter the regulatory status of customer taps.

Texas Counties. Compressors are used in this system to reduce system pressure to facilitate gas deliveries into the system from numerous production operations in several fields. The pipeline system allows some short-term re-routing of gas when a compressor station is down. For instance, if either Compressor C or Compressor D is out of service, gas can be re-routed to be compressed by the other compressor. If Compressor X has to be by-passed, the line to the Gas Sales facility will carry low pressure gas which can be boosted to transmission line pressure by the compressors at the Gas Sales Facility.

**3.2.6.2** The Decision Tree in Figures B-15 and F-16 are marked to illustrate the determination as to the endpoint of gathering illustrated in Figure B-14. Gathering begins at the furthestmost downstream point in each of the several production operations. There is no gas processing. The furthestmost downstream point of commingling is shown in this application as the point at which the gathering lines converge at the Gas Compression and Sales Facility. The farthest downstream compression relative to the point of last commingling is at the Gas Compression and Sales Facility. The outlet of the compression facility connects directly to another pipeline and is the endpoint of gas gathering.

### **3.2.7 Gas Gathering System with Fuel Gas Return Lines**

**3.2.7.1** Refer to Figure B-17 (Appendix B). In this application gathering from the production operations ends at the inlet to the gas processing plant; processed gas is delivered to a transmission line at the plant outlet. Some processed gas from the processing plant is returned to Compressor X, Compressor C, and Compressor E. In addition, gas from the transmission line is returned to Compressor A.

**3.2.7.2** The Decision Trees in Figures B-18 and B-19 are marked to illustrate the determination as to the endpoint of gathering for the gas return lines in this application. The gath-

ering line does not begin at a production operation for transport to gas processing, gas treatment, commingling, compression, or another pipeline. The line does transport gas exclusively back to a gathering facility for use as fuel. There are three separate furthestmost downstream points of delivery to a gathering facility in this application—the points of delivery to Compressors X, E, and A with each designating the end of gathering for those respective pipelines.

**3.2.7.3** The Decision Trees in Figures B-20 and B-21 are marked to illustrate the end of gathering from production operations in this particular example. There is only one gas processing plant downstream of production operations. From the inlet of the plant, there is no downstream gas treatment, no commingling, no compression and the gathering function does not extend further downstream from the gas processing plant. Thus, the inlet of the gas processing plant is the end of gathering.

### **3.2.8 Gas Gathering Systems with Different Ownership and in Multiple States**

Refer to Figure B-22 (Appendix B). This application illustrates the principle that neither ownership nor political boundaries are factors in the determination of pipeline function. Company A owns a gathering system that ends at the inlet to a gas processing station. Company C, in another state, operates its own gathering system and a leased pipeline to connect its own gathering system to Company A's gathering system. Company B's gathering system ties into the leased pipeline also. The entire pipeline, beginning with Company C's system and ending at the gas processing plant, is "gas gathering" despite the changes of ownership and the interstate operation.

This premise—that line ownership is not a factor in the determination of pipeline function—is the reason that the definition of gathering line did not directly address the issue of one operator's gathering line beginning or ending with a connection to another operator's gathering line.

**APPENDIX A—ONSHORE GAS GATHERING DECISION TREES**




Figure A-1—Onshore Gas Gathering Decision Tree—Alternative 1



## **APPENDIX B—APPLICATIONS**




Figure B-1—Examples of Common Gas production and Gathering Operations




Figure B-2—Alternative 1 Decision Tree for Figure B-1 (Scenario A)






Figure B-4—Alternative 1 Decision Tree for Figure B-1 (Scenario B)






Figure B-9—Alternative 1 Decision Tree for Figure B-8






Figure B-6—Alternative 1 Decision Tree for Figure B-1 (Scenario C)








Figure B-11—Typical Appalachian Production Operation and Gas Gathering Applications




Figure B-12—Alternative 1 Decision Tree for Figure B-11

