

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 1

Examiner: 2

#1 South Main St

Berthold, ND

County:

Phone: 701-453-3431

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

016	E <i>not added - minor dimension error</i>	797
212	A <i>2 new construction</i>	154,204
213	A	154,204
214	A	154,204
Total:		463,409

PART B - SPACE TO BE DELETED UNDER LICENSE

115	A <i>flat destroyed</i>	112,561
Total:		112,561

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	1,473,000	
B	113,000	
C	165,000	
D	13,000	
E	928,000	
F	49,000	
Total:		2,741,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Berthold	1096	A B C D	1,764,000
Carpio	1100	E F	977,000
Total:			2,741,000

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 1

Examiner: 2

#1 South Main St
Berthold, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Det. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Berthold

Section: A

A	001	Square	work floor		0.000	6.200	6.200	65.00	0.00	0.00	65.000	0.000	65.0	30.9	2.50	2,059
A	002	Square	work floor		0.000	12.50	6.000	63.00	0.00	0.00	63.000	0.000	63.0	60.3	4.80	3,981
A	003 T	Square	work floor		0.000	12.50	6.000	67.00	0.00	0.00	67.000	0.000	67.0	60.3	4.80	4,234
A	003 B	Square	work floor -top 67'		0.000	12.50	12.50	15.00	0.00	0.00	15.000	0.000	15.0	125.6	6.50	2,006
A	004	Square	work floor		0.000	12.50	3.500	65.00	0.00	0.00	65.000	0.000	65.0	35.2	3.00	2,357
A	005	Square	work floor		0.000	6.200	6.000	65.00	0.00	0.00	65.000	0.000	65.0	29.9	2.50	1,993
A	006	Square	work floor		0.000	13.00	6.000	65.00	0.00	0.00	65.000	0.000	65.0	62.7	5.00	4,280
A	008	Square	work floor		0.000	6.200	6.000	65.00	0.00	0.00	65.000	0.000	65.0	29.9	2.50	1,993
A	009	Square	work floor		0.000	12.50	12.50	82.00	0.00	0.00	82.000	0.000	82.0	125.6	6.50	10,968
A	010	Square	work floor		0.000	6.000	2.000	65.00	0.00	0.00	65.000	0.000	65.0	9.6	2.00	636
A	011	Square	work floor		0.000	6.000	4.000	65.00	0.00	0.00	65.000	0.000	65.0	19.3	2.00	1,280
A	012 T	Irregular	work floor 6x6.2 with		14.900	0.000	0.000	13.00	0.00	0.00	13.000	0.000	13.0	14.9	2.00	198
A	012 B	Square	work floor -top 13'		0.000	6.200	6.000	52.00	0.00	0.00	52.000	0.000	52.0	29.9	2.50	1,594
A	013	Square	work floor		0.000	6.200	6.200	65.00	0.00	0.00	65.000	0.000	65.0	30.9	2.50	2,059
A	016	Square	work floor		0.000	6.200	6.200	65.00	0.00	0.00	65.000	0.000	65.0	30.9	2.50	2,059
A	017 T	Irregular	work floor- 6x6.2 with		22.200	0.000	0.000	10.00	0.00	0.00	10.000	0.000	10.0	22.2	2.00	226
A	017 B	Square	work floor- top 10'		0.000	6.000	6.200	55.00	0.00	0.00	55.000	0.000	55.0	29.9	2.50	1,686
A	018	Square	work floor		0.000	6.000	6.200	65.00	0.00	0.00	65.000	0.000	65.0	29.9	2.50	1,993
A	019	Square	work floor		0.000	12.50	12.50	82.00	0.00	0.00	82.000	0.000	82.0	125.6	6.50	10,968
A	020	Square	work floor		0.000	6.200	6.000	65.00	0.00	0.00	65.000	0.000	65.0	29.9	2.50	1,993
A	022	Square	work floor		0.000	13.00	6.000	65.00	0.00	0.00	65.000	0.000	65.0	62.7	5.00	4,280

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 2

Examiner: 2

#1 South Main St
Berthold, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Berthold

Section: A

A		023	Square	work floor	0.000	6.200	6.000	65.00	0.00	0.00	65.000	0.000	65.0	29.9	2.50	1,993
A		024 U	Square	work floor	0.000	12.50	6.000	30.00	0.00	0.00	30.000	0.000	30.0	60.3	4.80	1,896
A		024 L	Square	work floor - blind bin under	0.000	12.50	6.000	33.00	0.00	0.00	33.000	0.000	33.0	60.3	4.80	2,086
A		025	Square	work floor	0.000	12.50	3.500	65.00	0.00	0.00	65.000	0.000	65.0	35.2	3.00	2,357
A		026 T	Square	work floor	0.000	12.50	6.000	67.00	0.00	0.00	67.000	0.000	67.0	60.3	4.80	4,234
A		026 B	Square	work floor - top 67'	0.000	12.50	12.50	15.00	0.00	0.00	15.000	0.000	15.0	125.6	6.50	2,006
A		028	Square	work floor	0.000	6.200	6.200	65.00	0.00	0.00	65.000	0.000	65.0	30.9	2.50	2,059
A		101	Round	work floor - round or	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		102	Round	work floor - round or	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		103	Irregular	work floor	78.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	78.0	5.50	6,912
A		104	Irregular	work floor	65.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	65.0	5.00	5,733
A		105	Irregular	work floor	78.000	0.000	0.000	86.00	0.00	0.00	86.000	0.000	86.0	78.0	5.50	7,077
A		106	Round	work floor	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		107	Round	work floor	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		108	Irregular	work floor	78.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	78.0	5.50	6,912
A		109	Irregular	work floor	65.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	65.0	5.00	5,733
A		110	Irregular	work floor	78.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	78.0	5.50	6,912
A		111	Round	work floor	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		112	Round	work floor	18.000	0.000	0.000	84.00	0.00	0.00	84.000	0.000	84.0	204.6	6.00	18,217
A		113	Peaked	top of sidewall - roof 12'	47.800	0.000	0.000	69.40	0.00	0.00	69.400	2.900	72.3	1442.5	10.0	114,722
A		114	Peaked	top of sidewall roof is 12'	47.800	0.000	0.000	69.40	0.00	0.00	69.400	2.900	72.3	1442.5	10.0	114,722

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 3

Examiner: 2

#1 South Main St
Berthold, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Det. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Berthold

Section: A

A		201	Round	top of slab	34.000	0.000	0.000	139.5	0.00	0.00	139.50	0.000	139.5	729.8	9.80	111,784
A		202	Round	top of slab	34.000	0.000	0.000	139.5	0.00	0.00	139.50	0.000	139.5	729.8	9.80	111,784
A		203	Round	top of slab	34.000	0.000	0.000	136.5	0.00	0.00	136.50	0.000	136.5	729.8	9.80	109,381
A		204	Round	top of slab	34.000	0.000	0.000	136.5	0.00	0.00	136.50	0.000	136.5	729.8	9.80	109,381
A		205	Irregular	top of slab	411.20	0.000	0.000	142.0	0.00	0.00	142.00	0.000	142.0	411.2	8.20	63,178
A		206	Irregular	top of slab	70.300	0.000	0.000	98.50	0.00	0.00	98.500	0.000	98.5	70.3	5.20	7,285
A		207	Irregular	top of slab	70.300	0.000	0.000	98.50	0.00	0.00	98.500	0.000	98.5	70.3	5.20	7,285
A		208	Irregular	top of slab	73.100	0.000	0.000	98.50	0.00	0.00	98.500	0.000	98.5	73.1	5.50	7,596
A		209	Irregular	top of slab	87.300	0.000	0.000	98.50	0.00	0.00	98.500	0.000	98.5	87.3	5.80	9,098
A		210	Irregular	top of slab	73.100	0.000	0.000	98.50	0.00	0.00	98.500	0.000	98.5	73.1	5.50	7,596
A		211	Irregular	top of slab	139.70	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	139.7	6.80	7,758
Added	A	212	Peaked	top of sidewall at eave	49.100	0.000	0.000	88.70	0.00	0.00	88.700	3.400	92.1	1522.1	10.0	154,204
Added	A	213	Peaked	top of sidewall at eave	49.100	0.000	0.000	88.70	0.00	0.00	88.700	3.400	92.1	1522.1	10.0	154,204
Added	A	214	Peaked	top of sidewall at eave	49.100	0.000	0.000	88.70	0.00	0.00	88.700	3.400	92.1	1522.1	10.0	154,204
Bin count: 56															Facility: Berthold Section: A Total:	1,472,237
															To Even:	1,473,000

Section: B

B		004 T	Square	work floor	0.000	10.80	6.200	57.00	0.00	0.00	57.000	0.000	57.0	53.8	4.50	3,205
B		004 B	Square	work floor-top 57'	0.000	11.50	10.50	16.00	0.00	0.00	16.000	0.000	16.0	97.1	6.00	1,647

Exam Date: 10/06/2008
 Examiner: 2

Berthold Farmers Elevator LLC
 #1 South Main St
 Berthold, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side for Hopper	Add for Hopper	Depth for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------------	----------------	------------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Berthold

Section: B

B	005 T	Square	work floor		0.000	10.30	6.200	57.00	0.00	0.00	57.000	0.000	57.0	51.3	4.50	3,056
B	005 B	Square	work floor- top 57'		0.000	11.50	9.800	16.00	0.00	0.00	16.000	0.000	16.0	90.6	5.80	1,534
B	006 T	Square	work floor		0.000	6.400	6.200	30.00	0.00	0.00	30.000	0.000	30.0	31.9	2.50	981
B	006 M	Square	work floor- top 30'		0.000	10.80	6.400	27.00	0.00	0.00	27.000	0.000	27.0	55.6	4.80	1,573
B	006B	Square	work floor- top 30' -		0.000	11.50	10.50	16.00	0.00	0.00	16.000	0.000	16.0	97.1	6.00	1,647
B	007 T	Square	work floor		0.000	10.30	6.400	57.00	0.00	0.00	57.000	0.000	57.0	53.0	4.50	3,157
B	007 B	Square	work floor- top 57'		0.000	11.50	9.800	16.00	0.00	0.00	16.000	0.000	16.0	90.6	5.80	1,534
B	008 T	Square	work floor		0.000	11.60	6.200	57.00	0.00	0.00	57.000	0.000	57.0	57.8	4.80	3,453
B	008 B	Square	work floor- top 57'		0.000	11.50	11.50	16.00	0.00	0.00	16.000	0.000	16.0	106.3	6.20	1,806
B	009	Square	work floor		0.000	10.30	6.600	58.00	0.00	0.00	58.000	0.000	58.0	54.6	4.50	3,310
B	00TB	Square	work floor		0.000	6.400	4.500	30.00	0.00	0.00	30.000	0.000	30.0	23.2	2.00	710
B	010	Square	work floor		0.000	11.60	6.400	59.00	0.00	0.00	59.000	0.000	59.0	59.7	4.80	3,691
B	011 T	Irregular	work floor- 10.3x7.2 with		33.600	0.000	0.000	10.00	0.00	0.00	10.000	0.000	10.0	33.6	2.50	344
B	011 B	Square	work floor- top 10'		0.000	10.30	7.200	48.00	0.00	0.00	48.000	0.000	48.0	59.6	4.80	2,998
B	013	Square	work floor		0.000	10.30	5.500	57.00	0.00	0.00	57.000	0.000	57.0	45.5	4.00	2,698
B	014	Square	work floor		0.000	10.80	5.500	57.00	0.00	0.00	57.000	0.000	57.0	47.7	4.00	2,828
B	015	Square	work floor		0.000	10.30	5.500	57.00	0.00	0.00	57.000	0.000	57.0	45.5	4.00	2,698
B	016	Square	work floor		0.000	10.80	5.500	57.00	0.00	0.00	57.000	0.000	57.0	47.7	4.00	2,828
B	017	Square	work floor		0.000	11.60	5.500	57.00	0.00	0.00	57.000	0.000	57.0	51.3	4.50	3,056
B	018	Square	work floor		0.000	10.80	3.000	58.00	0.00	0.00	58.000	0.000	58.0	26.0	2.50	1,546
B	019	Square	work floor		0.000	11.60	5.500	59.00	0.00	0.00	59.000	0.000	59.0	51.3	4.50	3,163

Exam Date: 10/06/2008 Berthold Farmers Elevator LLC Page: 5
 Examiner: 2 #1 South Main St
Berthold, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Berthold

B	020		Square	work floor	0.000	10.80	4.500	58.00	0.00	0.00	58.000	0.000	58.0	39.1	3.00	2,336
B	021		Square	work floor	0.000	11.60	6.600	58.00	0.00	0.00	58.000	0.000	58.0	61.5	4.80	3,738
B	022 A		Square	work floor	0.000	11.60	4.200	58.00	0.00	0.00	58.000	0.000	58.0	39.2	3.00	2,342
B	022 B		Square	work floor	0.000	11.60	2.500	58.00	0.00	0.00	58.000	0.000	58.0	23.3	2.00	1,378
B	101 T		Square	work floor	0.000	12.70	11.70	50.00	0.00	0.00	50.000	0.000	50.0	119.4	6.20	6,340
B	101 B		Square	work floor - top 50'	0.000	12.50	12.30	23.00	0.00	0.00	23.000	0.000	23.0	123.6	6.50	3,028
B	102 T		Square	work floor	0.000	12.80	11.70	50.00	0.00	0.00	50.000	0.000	50.0	120.4	6.50	6,411
B	102 B		Square	work floor-top 50'	0.000	12.80	12.30	23.00	0.00	0.00	23.000	0.000	23.0	126.6	6.50	3,101
B	103 T		Square	work floor	0.000	12.70	11.70	50.00	0.00	0.00	50.000	0.000	50.0	119.4	6.20	6,340
B	103 B		Square	work floor - top 50'	0.000	12.80	12.50	23.00	0.00	0.00	23.000	0.000	23.0	128.6	6.50	3,150
B	104 T		Square	work floor	0.000	12.80	11.70	50.00	0.00	0.00	50.000	0.000	50.0	120.4	6.50	6,411
B	104 B		Square	work floor - top 50'	0.000	12.80	12.80	23.00	0.00	0.00	23.000	0.000	23.0	131.7	6.50	3,226
B	105 T		Square	work floo	0.000	12.70	9.500	50.00	0.00	0.00	50.000	0.000	50.0	97.0	6.00	5,141
B	105 B		Square	work floor-top 50'	0.000	12.50	7.200	12.00	0.00	0.00	12.000	0.000	12.0	72.3	5.20	913
B	106 T		Square	work floor	0.000	12.80	9.500	37.00	0.00	0.00	37.000	0.000	37.0	97.7	6.00	3,832
B	106 M		Irregular	work floor - top 37' 9.5 x	62.600	0.000	0.000	13.00	0.00	0.00	13.000	0.000	13.0	62.6	5.00	855
B	106B		Irregular	work floor- top 37'- middle 13' 47.500	0.000	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	47.5	4.00	593

Bin count: 40 Facility: Berthold Section: B Total: 112,598

To Even: 113,000

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 6

Examiner: 2

#1 South Main St
Berthold, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Berthold

Section: C

C	001	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	002	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	003	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	004	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	005	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.00	0.00	17.300	1.100	18.4	204.6	6.00	3,991
C	006	Peaked	top of sidewall	18,000	0.000	0.000	15.40	2.00	0.00	17.400	1.100	18.5	204.6	6.00	4,012
C	007	Peaked	top of sidewall	18,000	0.000	0.000	15.40	2.00	0.00	17.400	1.100	18.5	204.6	6.00	4,012
C	008	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	009	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3,969
C	010	Peaked	top of sidewall	18,000	0.000	0.000	15.20	2.50	0.00	17.700	1.100	18.8	204.6	6.00	4,077
C	011	Peaked	top of sidewall	18,000	0.000	0.000	15.00	2.50	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	012	Peaked	top of sidewall	18,000	0.000	0.000	13.30	2.50	0.00	15.800	1.100	16.9	204.6	6.00	3,665
C	013	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	014	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	015	Peaked	top of sidewall	18,000	0.000	0.000	15.10	2.20	0.00	17.300	1.100	18.4	204.6	6.00	3,991
C	016	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	017	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	018	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	019	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	020	Peaked	top of sidewall	18,000	0.000	0.000	15.30	2.20	0.00	17.500	1.100	18.6	204.6	6.00	4,034
C	021	Peaked	top of sidewall	18,000	0.000	0.000	15.50	2.50	0.00	18.000	1.100	19.1	204.6	6.00	4,142

Exam Date: 10/06/2008

Berthold Farmers Elevator LLC

Page: 7

Examiner: 2

#1 South Main St
Berthold, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bustrels per Foot	Base Pack%	Bustel Capacity with Pack

Facility: Berthold

Section: C

C	022	Peaked	top of sidewall	18.000	0.000	0.000	15.60	2.50	0.00	18.100	1.100	19.2	204.6	6.00	4.164
C	023	Peaked	top of sidewall	18.000	0.000	0.000	15.50	2.50	0.00	18.000	1.100	19.1	204.6	6.00	4.142
C	024	Peaked	top of sidewall	18.000	0.000	0.000	15.60	2.50	0.00	18.100	1.100	19.2	204.6	6.00	4.164
C	025	Peaked	top of sidewall	18.000	0.000	0.000	15.80	2.50	0.00	18.300	1.100	19.4	204.6	6.00	4.207
C	026	Peaked	top of sidewall	18.000	0.000	0.000	15.60	2.50	0.00	18.100	1.100	19.2	204.6	6.00	4.164
C	027	Peaked	top of sidewall	18.000	0.000	0.000	15.10	2.50	0.00	17.600	1.100	18.7	204.6	6.00	4.056
C	028	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	029	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	030	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	031	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	032	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	033	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	034	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	035	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	036	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	037	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	038	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	039	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	040	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	041	Peaked	top of sidewall	18.000	0.000	0.000	16.00	0.00	0.00	16.000	1.100	17.1	204.6	6.00	3.709
C	042	Peaked	top of sidewall	18.000	0.000	0.000	15.20	2.00	0.00	17.200	1.100	18.3	204.6	6.00	3.969

Exam Date: 10/06/2008

Examiner: 2

Berthold Farmers Elevator LLC

#1 South Main St

Berthold, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth for Foot	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	---------------------	----------------	------------------	------------	---------------------------

Bin count: 42

Facility: Berthold Section: C Total:

164,768

To Even:

165,000

Section: D

D	001	Peaked	top of sidewall		13.500	0.000	0.000	17.50	2.00	0.00	19.500	0.800	20.3	115.1	5.20	2,459
D	002	Peaked	top of sidewall		13.500	0.000	0.000	17.50	2.00	0.00	19.500	0.800	20.3	115.1	5.20	2,459
D	003	Peaked	top of sidewall		14.700	0.000	0.000	15.00	2.20	0.00	17.200	0.900	18.1	136.4	5.50	2,605
D	004	Peaked	top of sidewall		14.700	0.000	0.000	15.00	2.20	0.00	17.200	0.900	18.1	136.4	5.50	2,605
D	005	Peaked	top of sidewall		13.500	0.000	0.000	15.50	2.00	0.00	17.500	0.800	18.3	115.1	5.20	2,216

Facility: Berthold Section: D Total:

12,344

To Even:

13,000

Exam Date: 10/06/2008
 Examiner: 2

Berthold Farmers Elevator LLC
 #1 South Main St
 Berthold, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side wall	Add for Hopper	Dec. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Carpio

Section: E

E	001		Round	top of slab	25.000	0.000	0.000	128.0	0.00	0.00	128.00	0.000	128.0	394.6	8.00	54,550
E	002		Round	top of slab	25.000	0.000	0.000	140.9	0.00	0.00	140.90	0.000	140.9	394.6	8.00	60,047
E	003		Round	top of slab	25.000	0.000	0.000	138.5	0.00	0.00	138.50	0.000	138.5	394.6	8.00	59,024
E	004		Round	top of slab	25.000	0.000	0.000	138.5	0.00	0.00	138.50	0.000	138.5	394.6	8.00	59,024
E	005		Irregular	top of slab 14.6 x 12.1	140.40	13.22	13.22	73.00	0.00	0.00	73.000	0.000	73.0	140.4	6.80	10,946
E	006		Round	top of slab	25.000	0.000	0.000	138.2	0.00	0.00	138.20	0.000	138.2	394.6	8.00	58,897
E	007		Round	top of slab	25.000	0.000	0.000	138.6	0.00	0.00	138.60	0.000	138.6	394.6	8.00	59,067
E	008		Irregular	top of slab 10' x 7' with	54.700	0.000	0.000	118.0	0.00	0.00	118.00	0.000	118.0	54.7	4.50	6,745
E	009		Irregular	top of slab 10' x 7' with	54.700	0.000	0.000	118.0	0.00	0.00	118.00	0.000	118.0	54.7	4.50	6,745
E	010		Irregular	top of slab 10' x 7' with	54.700	0.000	0.000	118.0	0.00	0.00	118.00	0.000	118.0	54.7	4.50	6,745
E	011		Irregular	top of slab 10' x 7' with	54.700	0.000	0.000	118.0	0.00	0.00	118.00	0.000	118.0	54.7	4.50	6,745
E	012		Irregular	top of slab- 8.1 x 7 with	44.000	0.000	0.000	129.0	0.00	0.00	129.00	0.000	129.0	44.0	3.50	5,875
E	013		Irregular	top of slab- 8.1 x 7 with	44.000	0.000	0.000	109.5	0.00	0.00	109.50	0.000	109.5	44.0	3.50	4,987
E	014		Irregular	top of slab	41.300	0.000	0.000	136.0	0.00	0.00	136.00	0.000	136.0	41.3	3.50	5,814
E	015		Irregular	top of slab	100.10	0.000	0.000	142.0	0.00	0.00	142.00	0.000	142.0	100.1	6.00	15,067
Added	E 016		Irregular	top of slab 8.1'x7' inspctn	44.000	7.398	7.398	17.50	0.00	0.00	17.500	0.000	17.5	44.0	3.50	797
E	017		Peaked	top of sidewall	48.000	0.000	0.000	64.00	0.00	0.00	64.000	3.400	67.4	1454.6	10.0	107,844
E	018		Peaked	top of sidewall	54.000	0.000	0.000	64.00	0.00	0.00	64.000	3.800	67.8	1841.0	10.0	137,302
E	019		Peaked	top of sidewall	60.000	0.000	0.000	64.00	0.00	0.00	64.000	4.200	68.2	2272.9	10.0	170,513
E	020		Peaked	top of sidewall	30.000	0.000	0.000	64.30	0.00	0.00	64.300	1.800	66.1	568.2	9.00	40,938
E	021		Peaked	top of sidewall	33.000	0.000	0.000	64.30	0.00	0.00	64.300	2.000	66.3	687.5	9.50	49,911

Exam Date: 10/06/2008
 Examiner: 2

Berthold Farmers Elevator LLC
 #1 South Main St
 Berthold, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	---------------------	-------	------------------	------------	---------------------------

Bin count: 21

Facility: Carpio Section: E Total: **927,583**

To Even: **928,000**

Section: F

F	000EAST	Peaked	top of sidewall		27,000	0.000	0.000	24.20	0.00	0.00	24.200	1.600	25.8	460.3	8.50	12,885
F	000WEST	Peaked	top of sidewall		27,000	0.000	0.000	24.20	0.00	0.00	24.200	1.600	25.8	460.3	8.50	12,885
F	001	Irregular	work floor		19,800	4.963	4.963	21.00	0.00	0.00	21.000	0.000	21.0	19.8	2.00	424
F	002	Irregular	work floor		32,500	6.358	6.358	8.000	0.00	0.00	8.000	0.000	8.0	32.5	2.50	267
F	003 T	Irregular	work floor		31,800	6.290	6.290	11.00	0.00	0.00	11.000	0.000	11.0	31.8	2.50	359
F	003 B	Irregular	work floor		66,500	9.095	9.095	32.50	0.00	0.00	32.500	0.000	32.5	66.5	5.00	2,269
F	004	Irregular	work floor		67,300	9.150	9.150	43.50	0.00	0.00	43.500	0.000	43.5	67.3	5.20	3,080
F	005	Irregular	work floor		38,600	6.930	6.930	27.00	0.00	0.00	27.000	0.000	27.0	38.6	3.00	1,073
F	006	Irregular	work floor		66,500	9.095	9.095	43.50	0.00	0.00	43.500	0.000	43.5	66.5	5.00	3,038
F	007 T	Irregular	work floor		26,900	5.785	5.785	11.00	0.00	0.00	11.000	0.000	11.0	26.9	2.50	303
F	007 B	Irregular	work floor		38,200	6.894	6.894	14.00	0.00	0.00	14.000	0.000	14.0	38.2	3.00	551
F	009 T	Irregular	work floor		19,100	4.874	4.874	11.00	0.00	0.00	11.000	0.000	11.0	19.1	2.00	214
F	009 B	Irregular	work floor		38,200	6.894	6.894	14.00	0.00	0.00	14.000	0.000	14.0	38.2	3.00	551
F	010	Irregular	work floor		66,500	9.095	9.095	43.50	0.00	0.00	43.500	0.000	43.5	66.5	5.00	3,038
F	011	Irregular	work floor		38,600	6.930	6.930	27.00	0.00	0.00	27.000	0.000	27.0	38.6	3.00	1,073
F	012	Irregular	work floor		67,300	9.150	9.150	43.50	0.00	0.00	43.500	0.000	43.5	67.3	5.20	3,080
F	013	Irregular	work floor		66,500	9.095	9.095	43.50	0.00	0.00	43.500	0.000	43.5	66.5	5.00	3,038

Bin count: 17

Facility: Carpio Section: F Total: **48,128**

To Even: **49,000**

Overall Licensed Bin Capacity for:

Berthold Farmers Elevator LLC

Bin count: 181


Licensed Capacity:
(includes pack)

2,737,658 Bu.

Licensed Capacity (to even):


(includes pack and section totals are rounded up to next highest 1000)

2,741,000 Bu.



LICENSE NO. NAME AND LOCATION OF WAREHOUSE CODE NO.
BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND 2-4226

BURLINGTON NORTHERN RAILROAD



19	18	11	10	9
22	17	13	12	8
	20		16	
26	23	1	5	3
	24	25	4	
		X X X	2	

DRIVEWAY




SECTION A

WARD COUNTY HIGHWAY NUMBER 10 SECTION C 1/2 MILE EAST

M A I N T R E E T

U S # 2



WA-134

U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM

LICENSE NO.

NAME AND LOCATION OF WAREHOUSE


CODE NO.

BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND


2-4226

Burlington Northern Railroad

Driveway



Steel tanks- 49.1' dia
88.7' sidewall
Zero- top of sidewall at eave



Concrete: Top of Slab

Section A (Part 2)

DATE

EXAMINER

SECTION LOCATION


PAGE NUMBER

SEE LAST PAGE FOR DATE & SIGNATURE

Berthold, North Dakota

3

114



WA-134 U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM

LICENSE NO. NAME AND LOCATION OF WAREHOUSE

BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND


CODE NO.

2-42226

WARD COUNTY HIGHWAY NUMBER 10

← 1/2 MILE TO SECTION A

Note: Tanks 1 thru 27, and 42 are hoppers




SECTION C

ZERO: TANKS - TOP OF SIDEWALL

TANKS = 18.0' DIAMETER

DATE	EXAMINER	SECTION LOCATION	PAGE NUMBER
	SEE LAST PAGE FOR DATE AND SIGNATURE	Berthold, North Dakota	5




LICENSE NO. NAME AND LOCATION OF WAREHOUSE

BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND

CODE NO. 2-4226


Burlington Northern - Santa Fe Railroad



Approx 705 yds

ZERO: EAVE


REMARKS:
 TANKS: 1, 2 & 5 = 13.5' Dia.
 TANKS: 3 & 4 = 14.7' Dia.



WARD COUNTY HIGHWAY NUMBER 10



282 ST NW

DATE	EXAMINER	SECTION LOCATION	PAGE NUMBER
	SEE LAST PAGE FOR DATE & SIGNATURE	Berthold, North Dakota	6



LICENSE NO.	NAME AND LOCATION OF WAREHOUSE	CODE NO.
	BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND	2-4226


C P R S R R



ZERO: CONCRETE - TOP OF CONCRETE SLAB

SILO: 1-2-3-4-6 & 7 - 25.0' DIA.


SECTION E



WA-134

U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM



LICENSE NO.

NAME AND LOCATION OF WAREHOUSE

CODE NO.







BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND

2-4226

ND
HGY #
28

US HIGHWAY NUMBER 52

Canadian Pacific



SECTION E

Zero: Top of sidewall

DATE

EXAMINER


SECTION LOCATION

PAGE NUMBER

SEE LAST PAGE FOR DATE AND SIGNATURE

Carpio, North Dakota

8



LICENSE NO.

NAME AND LOCATION OF WAREHOUSE


CODE NO.

BERTHOLD FARMERS ELEVATOR LLC, BERTHOLD, ND

2-4226

U. S. #52

Canadian Pacific



SECTION F