

Public Service Commission

608 East Boulevard Avenue Dept. 408

Bismarck, ND 58505-0480

701-328-4097 – phone


701-328-2410 - fax

Memo

To: Gary L. Beier, Pekin Cooperative Elevator Company
From: Timothy Erdmann, Licensing Division
Date: October 27, 2008
Re: Grain Warehouse Capacity and Bond

Sir: Please review the enclosed bin charts and diagrams for accuracy. The new construction increases you capacity to 464,000 bushels. The company currently has a bond of \$375,000 which allows for a maximum capacity of 1,125,000 bushels- thus no bond increase is necessary. Please contact the Licensing Division office in writing, fax, or email indicating the capacity increase is acceptable and prior to use of the new construction. Please call if you have questions or need further assistance.

Thank you,



Timothy Erdmann

Exam Date:10/27/2008

Pekin Cooperative Elevator Company

Page: 1

Examiner: 2

Box 427

Pekin , ND

County:

Phone: 701-296-4438

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

011	B	21,870
401	A	49,507
402	A	49,507
012	B	21,870
Total:		142,754

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total:	0
--------	---

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	227,000
B	219,000
C	18,000
Total:	464,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Pekin	367	A B C	464,000
Total:			464,000

Exam Date: 10/27/2008
 Examiner: 2

Pekin Cooperative Elevator Company
 Box 427
 Pekin, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg):	Length	Width	Side for Hopper	Depth	Add for Obst	Dec for Obst	Effective Depth	Add for Peak	Depth for Capac	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------------	-------	--------------	--------------	-----------------	--------------	-----------------	------------------	------------	---------------------------

Facility: Pekin

Section: A

A	002		Square	work floor	0.000	4.600	3.500	53.00	0.00	0.00	0.00	53.000	0.000	53.0	12.9	2.00	698
A	004		Square	work floor	0.000	10.50	9.600	72.00	0.00	0.00	0.00	72.000	0.000	72.0	81.0	5.50	6,153
A	005		Square	work floor	0.000	7.000	3.500	18.00	0.00	0.00	0.00	18.000	0.000	18.0	19.7	2.00	362
A	006		Square	work floor	0.000	6.400	5.500	53.00	0.00	0.00	0.00	53.000	0.000	53.0	28.3	2.50	1,538
A	007 T		Square	work floor	0.000	3.500	2.300	20.00	0.00	0.00	0.00	20.000	0.000	20.0	6.5	2.00	133
A	007 B		Square	work floor - top 20'	0.000	9.600	3.500	30.00	0.00	0.00	0.00	30.000	0.000	30.0	27.0	2.50	830
A	008		Square	work floor	0.000	11.00	10.50	42.00	0.00	0.00	0.00	42.000	0.000	42.0	92.8	5.80	4,124
A	009 T		Irregular	work floor 10.5 x 9.6 obstruct	57.500	0.000	0.000	10.00	0.00	0.00	0.00	10.000	0.000	10.0	57.5	4.80	603
A	009 B		Square	work floor - top 10'	0.000	10.50	9.600	62.00	0.00	0.00	0.00	62.000	0.000	62.0	81.0	5.50	5,298
A	010		Square	work floor	0.000	6.100	5.500	53.00	0.00	0.00	0.00	53.000	0.000	53.0	27.0	2.50	1,467
A	012		Square	work floor	0.000	6.400	6.200	53.00	0.00	0.00	0.00	53.000	0.000	53.0	31.9	2.50	1,733
A	013		Square	work floor	0.000	11.00	10.50	72.00	0.00	0.00	0.00	72.000	0.000	72.0	92.8	5.80	7,070
A	014		Square	work floor	0.000	10.50	9.500	72.00	0.00	0.00	0.00	72.000	0.000	72.0	80.2	5.50	6,092
A	016		Square	work floor	0.000	9.500	6.400	53.00	0.00	0.00	0.00	53.000	0.000	53.0	48.9	4.20	2,701
A	017		Square	work floor	0.000	6.200	6.100	53.00	0.00	0.00	0.00	53.000	0.000	53.0	30.4	2.50	1,651
A	018 T		Irregular	work floor 9.5 x 6.1 obstruct	24.600	0.000	0.000	10.00	0.00	0.00	0.00	10.000	0.000	10.0	24.6	2.50	252
A	018 B		Square	work floor - top 10'	0.000	9.500	6.100	43.00	0.00	0.00	0.00	43.000	0.000	43.0	46.6	4.00	2,084
A	019		Square	work floor	0.000	10.50	9.500	72.00	0.00	0.00	0.00	72.000	0.000	72.0	80.2	5.50	6,092
A	101		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688
A	102		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688
A	103		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688

Exam Date: 10/27/2008
 Examiner: 2

Peikin Cooperative Elevator Company
 Box 427
 Peikin, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Peikin

Section: A

A	104		Square	work floor	0.000	12.10	10.00	47.00	0.00	0.00	47.000	0.000	47.0	97.3	6.00	4,847
A	105		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688
A	106		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688
A	107		Square	work floor	0.000	11.70	10.00	47.00	0.00	0.00	47.000	0.000	47.0	94.1	6.00	4,688
A	108		Square	work floor	0.000	12.10	10.00	47.00	0.00	0.00	47.000	0.000	47.0	97.3	6.00	4,847
A	109		Square	work floor	0.000	12.10	10.00	47.00	0.00	0.00	47.000	0.000	47.0	97.3	6.00	4,847
A	201		Square	work floor	0.000	11.20	5.000	37.00	0.00	0.00	37.000	0.000	37.0	45.0	3.50	1,723
A	202		Square	work floor	0.000	10.20	7.400	48.00	0.00	0.00	48.000	0.000	48.0	60.7	4.80	3,054
A	204		Square	work floor	0.000	10.20	7.700	48.00	0.00	0.00	48.000	0.000	48.0	63.1	5.00	3,180
A	205		Square	work floor	0.000	10.20	7.400	48.00	0.00	0.00	48.000	0.000	48.0	60.7	4.80	3,054
A	206		Square	work floor	0.000	11.20	4.400	34.00	0.00	0.00	34.000	0.000	34.0	39.6	3.00	1,386
A	207		Square	work floor	0.000	5.500	2.600	36.00	0.00	0.00	36.000	0.000	36.0	11.5	2.00	422
A	209		Square	work floor	0.000	10.20	7.700	48.00	0.00	0.00	48.000	0.000	48.0	63.1	5.00	3,180
A	210 T		Square	work floor	0.000	5.400	5.100	10.00	0.00	0.00	10.000	0.000	10.0	22.1	2.00	225
A	210 B		Square	work floor	0.000	7.600	5.400	23.00	0.00	0.00	23.000	0.000	23.0	33.0	2.50	778
A	211		Square	work floor	0.000	7.600	5.400	33.00	0.00	0.00	33.000	0.000	33.0	33.0	2.50	1,116
A	212		Square	work floor	0.000	10.20	7.600	48.00	0.00	0.00	48.000	0.000	48.0	62.3	5.00	3,140
A	213		Square	work floor	0.000	10.20	7.600	48.00	0.00	0.00	48.000	0.000	48.0	62.3	5.00	3,140
A	214		Square	work floor	0.000	10.20	7.400	48.00	0.00	0.00	48.000	0.000	48.0	60.7	4.80	3,054
A	215		Square	work floor	0.000	10.20	7.400	48.00	0.00	0.00	48.000	0.000	48.0	60.7	4.80	3,054
A	217		Square	work floor	0.000	7.400	5.400	33.00	0.00	0.00	33.000	0.000	33.0	32.1	2.50	1,085

Exam Date: 10/27/2008
 Examiner: 2

Pekin Cooperative Elevator Company
 Box 427
 Pekin, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Pekin

Section: A

A		218 T	Square	work floor	0.000	5.900	5.400	10.00	0.00	0.00	10.000	0.000	10.0	25.6	2.50	262
A		218 B	Square	work floor - top 10'	0.000	7.400	5.400	22.00	0.00	0.00	22.000	0.000	22.0	32.1	2.50	724
A		301	Square	work floor	0.000	7.200	5.100	14.50	0.00	0.00	14.500	0.000	14.5	29.5	2.50	439
A		302	Square	work floor	0.000	7.200	5.100	14.50	0.00	0.00	14.500	0.000	14.5	29.5	2.50	439
A		303	Square	work floor	0.000	5.100	4.800	14.50	0.00	0.00	14.500	0.000	14.5	19.7	2.00	292
A		304	Square	work floor	0.000	5.100	4.800	14.50	0.00	0.00	14.500	0.000	14.5	19.7	2.00	292
A		305	Square	work floor	0.000	5.100	4.800	14.50	0.00	0.00	14.500	0.000	14.5	19.7	2.00	292
A		306	Square	work floor	0.000	4.800	2.400	14.50	0.00	0.00	14.500	0.000	14.5	9.3	2.00	138
A		307	Square	work floor	0.000	5.100	4.800	14.50	0.00	0.00	14.500	0.000	14.5	19.7	2.00	292
A		308	Square	work floor	0.000	5.100	4.800	14.50	0.00	0.00	14.500	0.000	14.5	19.7	2.00	292
A		309	Square	work floor	0.000	7.200	5.100	14.50	0.00	0.00	14.500	0.000	14.5	29.5	2.50	439
A		310	Square	work floor	0.000	7.200	5.100	14.50	0.00	0.00	14.500	0.000	14.5	29.5	2.50	439
Added	A	401	Peaked	top of sidewall	47.800	0.000	0.000	28.25	0.00	0.00	28.250	2.900	31.2	1442.5	10.0	49,507
Added	A	402	Peaked	top of sidewall	47.800	0.000	0.000	28.25	0.00	0.00	28.250	2.900	31.2	1442.5	10.0	49,507

Bin count: 56 Facility: Pekin Section: A Total: **226,495**
 To Even: **227,000**

Section: B

B		001	Peaked	top of sidewall	36.000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B		002	Peaked	top of sidewall	36.000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870

Exam Date: 10/27/2008
Examiner: 2

Pekin Cooperative Elevator Company
Box 427
Pekin, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obsl.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Pekin

Section: B

B	003	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B	004	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B	005	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B	006	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B	007	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
B	008	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
Added	B 011	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870
Added	B 012	Peaked	top of sidewall		36,000	0.000	0.000	22.10	0.00	0.00	22.100	2.200	24.3	818.2	10.0	21,870

Bin count: 10

Facility: Pekin Section: B Total: 218,700

To Even: 219,000

Section: C

C	001	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	002	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	003	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	004	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	005	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869
C	006	Peaked	top of sidewall		14,600	0.000	0.000	17.00	2.30	0.00	19.300	0.900	20.2	134.6	5.50	2,869

Bin count: 6

Facility: Pekin Section: C Total: 17,214

To Even: 18,000

Overall Licensed Bin Capacity for:

Pekin Cooperative Elevator Company

Bin count: 72

Licensed Capacity:
(includes pack)


_____ **462,409 Bu.**

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

_____ **464,000 Bu.**

BNSF RAIL


SECTION A



SECTION A




SECTION C





1.5 blocks east

SECTION A




SECTION B




PEKIN CO-OP ELEVATOR COMPANY
PEKIN N.D.

BNSF RAIL

SECTION A




SECTION A



SECTION A



SECTION A



New Construction
tanks 47.8' diameter
28.25' sidewall ht.