

Exam Date:08/26/2008

Minto Grain, LLC
PO Box 320
Minto, ND
County:
Phone: 701-248-3541
CCC Number:

Page: 1

Examiner: 2

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
003	D	5,668
001	E	3,147
B 001	A	144,042
B 002	A	144,042
004	D	5,668
005	D	5,668
002	E	3,147
003	E	3,147
004	E	3,147
005	E	3,147
006	E	3,147
007	E	3,147
008	E	3,147
009	E	3,147
011	E	3,492
012	E	3,492
013	E	3,492
016	E	3,492
014	E	2,566
015	E	2,566
		Total: 352,511

PART B - SPACE TO BE DELETED UNDER LICENSE

K-010	F	6,323
K-011	F	6,323
K-012	F	6,323
P-005	G	5,560
P-006	G	5,560
P-007	G	5,560
P-008	G	5,560
S-001	J	5,441
S-002	J	5,441
S-003	J	5,441
S-004	J	5,441
		Total: 62,973

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	495,000
B	141,000
D	72,000
E	48,000
H	49,000

Location/Container Numbers/Comments	Section	Capacity
		<u>Total: 805,000</u>
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Minto 1024	<u>A B D E H</u>	<u>805,000</u>
		<u>Total: 805,000</u>

Exam Date:08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Minto

Section: A

A	001	Square	floor over bins	0.000	10.00	7.200	41.00	0.00	0.00	41.000	0.000	41.0	57.9	4.80	2,488
A	002	Square	floor over bins	0.000	5.500	4.200	42.00	0.00	0.00	42.000	0.000	42.0	18.6	2.00	797
A	003	Square	floor over bins	0.000	10.00	5.500	42.00	0.00	0.00	42.000	0.000	42.0	44.2	3.90	1,921
A	004 T	Square	floor over bins	0.000	10.00	5.000	43.00	0.00	0.00	43.000	0.000	43.0	40.2	3.00	1,781
A	004B	Square	floor over bins - top 43'	0.000	10.50	10.00	17.00	0.00	0.00	17.000	0.000	17.0	84.4	5.80	1,518
A	005	Square	floor over bins	0.000	6.000	4.200	42.00	0.00	0.00	42.000	0.000	42.0	20.3	2.00	870
A	006	Square	floor over bins	0.000	11.70	5.000	41.00	0.00	0.00	41.000	0.000	41.0	47.0	4.00	2,004
A	007	Square	floor over bins	0.000	11.70	5.500	41.00	0.00	0.00	41.000	0.000	41.0	51.7	4.50	2,215
A	008 T	Square	floor over bins	0.000	10.00	5.000	43.00	0.00	0.00	43.000	0.000	43.0	40.2	3.00	1,781
A	008B	Square	floor over bins - top 43'	0.000	10.50	10.00	17.00	0.00	0.00	17.000	0.000	17.0	84.4	5.80	1,518
A	009	Square	floor over bins	0.000	10.00	5.500	41.00	0.00	0.00	41.000	0.000	41.0	44.2	3.50	1,875
A	010	Square	floor over bins	0.000	10.00	7.200	40.00	0.00	0.00	40.000	0.000	40.0	57.9	4.80	2,427
A	011	Square	floor over bins	0.000	10.00	6.500	40.00	0.00	0.00	40.000	0.000	40.0	52.3	4.50	2,186
A	012	Square	floor over bins	0.000	10.00	5.500	41.00	0.00	0.00	41.000	0.000	41.0	44.2	3.50	1,875
A	013 T	Square	floor over bins	0.000	10.00	5.000	43.00	0.00	0.00	43.000	0.000	43.0	40.2	3.00	1,781
A	013 B	Square	floor over bins - top 43'	0.000	10.50	10.00	17.00	0.00	0.00	17.000	0.000	17.0	84.4	5.80	1,518
A	014	Square	floor over bins	0.000	11.70	5.000	41.00	0.00	0.00	41.000	0.000	41.0	47.0	4.00	2,004
A	015	Square	floor over bins	0.000	11.70	5.500	41.00	0.00	0.00	41.000	0.000	41.0	51.7	4.50	2,215
A	016 T	Square	floor over bins	0.000	10.50	5.000	47.00	0.00	0.00	47.000	0.000	47.0	42.2	3.50	2,052
A	016 B	Square	floor over bins - top 47'	0.000	10.50	10.00	13.00	0.00	0.00	13.000	0.000	13.0	84.4	5.80	1,161
A	017A T	Square	floor over bins	0.000	6.000	4.000	23.00	0.00	0.00	23.000	0.000	23.0	19.3	2.00	453

NDPSC Bin Capacity Chart

Exam Date:08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Del. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Minto

Section: A

A		017A B	Square	floor over bins - top 23'	0.000	11.50	4.000	18.00	0.00	0.00	18.000	0.000	18.0	37.0	3.00	686
A		017B	Square	floor over bins	0.000	5.500	4.000	23.00	0.00	0.00	23.000	0.000	23.0	17.7	2.00	415
A		018	Square	floor over bins	0.000	5.000	5.000	43.00	0.00	0.00	43.000	0.000	43.0	20.1	2.00	881
A		019	Square	floor over bins	0.000	5.500	5.000	43.00	0.00	0.00	43.000	0.000	43.0	22.1	2.00	969
A		020	Square	floor over bins	0.000	10.00	6.500	42.00	0.00	0.00	42.000	0.000	42.0	52.3	4.50	2,296
A		021	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A		022	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A		023	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A		024	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A		101 T	Square	floor over bins	0.000	13.00	12.30	34.00	0.00	0.00	34.000	0.000	34.0	128.5	6.50	4,653
A		101 B	Square	floor over bins - top 34'	0.000	12.90	9.200	10.00	0.00	0.00	10.000	0.000	10.0	95.4	6.00	1,011
A		102 T	Square	floor over bins	0.000	13.00	12.50	34.50	0.00	0.00	34.500	0.000	34.5	130.6	6.50	4,799
A		102 B	Square	floor over bins - top 34.5'	0.000	12.90	11.40	8.500	0.00	0.00	8.500	0.000	8.5	118.2	6.20	1,067
A		103 T	Square	floor over bins	0.000	12.60	12.30	34.00	0.00	0.00	34.000	0.000	34.0	124.6	6.50	4,511
A		103 B	Square	floor over bins - top 34'	0.000	12.50	9.200	10.00	0.00	0.00	10.000	0.000	10.0	92.4	5.80	978
A		104 T	Square	floor over bins	0.000	12.60	12.50	34.50	0.00	0.00	34.500	0.000	34.5	126.6	6.50	4,652
A		104 B	Square	floor over bins - top 34.5'	0.000	12.50	11.40	8.500	0.00	0.00	8.500	0.000	8.5	114.5	6.20	1,033
A		105 T	Square	floor over bins	0.000	13.00	12.30	34.00	0.00	0.00	34.000	0.000	34.0	128.5	6.50	4,653
A		105 B	Square	floor over bins - top 34'	0.000	12.90	9.200	10.00	0.00	0.00	10.000	0.000	10.0	95.4	6.00	1,011
A		106 T	Square	floor over bins	0.000	13.00	12.50	34.50	0.00	0.00	34.500	0.000	34.5	130.6	6.50	4,799
A		106 B	Square	floor over bins - top 34.5'	0.000	12.90	11.40	8.500	0.00	0.00	8.500	0.000	8.5	118.2	6.20	1,067

Exam Date:08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Minto

Section: A

A	107 T	Square	floor over bins	0.000	12.90	12.50	34.50	0.00	0.00	34.500	0.000	34.5	129.6	6.50	4,762
A	107 B	Square	floor over bins - top 34.5'	0.000	12.70	9.100	10.50	0.00	0.00	10.500	0.000	10.5	92.9	5.80	1,032
A	108 T	Square	floor over bins	0.000	12.90	12.50	35.00	0.00	0.00	35.000	0.000	35.0	129.6	6.50	4,831
A	108 B	Square	floor over bins - top 35'	0.000	12.70	11.00	9.000	0.00	0.00	9.000	0.000	9.0	112.3	6.20	1,074
A	109 T	Square	floor over bins	0.000	13.00	12.50	34.50	0.00	0.00	34.500	0.000	34.5	130.6	6.50	4,799
A	109 B	Square	floor over bins - top 34.5'	0.000	13.00	9.100	10.50	0.00	0.00	10.500	0.000	10.5	95.1	6.00	1,059
A	110 T	Square	floor over bins	0.000	13.00	12.50	35.00	0.00	0.00	35.000	0.000	35.0	130.6	6.50	4,868
A	110 B	Square	floor over bins - top 35'	0.000	13.00	11.00	9.000	0.00	0.00	9.000	0.000	9.0	115.0	6.20	1,099
A	111 T	Square	floor over bins	0.000	12.90	12.50	34.50	0.00	0.00	34.500	0.000	34.5	129.6	6.50	4,762
A	111 B	Square	floor over bins - top 34.5'	0.000	12.70	9.100	10.50	0.00	0.00	10.500	0.000	10.5	92.9	5.80	1,032
A	112 T	Square	floor over bins	0.000	12.90	12.50	35.00	0.00	0.00	35.000	0.000	35.0	129.6	6.50	4,831
A	112 B	Square	floor over bins - top 35'	0.000	12.70	11.00	9.000	0.00	0.00	9.000	0.000	9.0	112.3	6.20	1,074
A	113 T	Square	floor over bins	0.000	13.30	11.30	62.00	0.00	0.00	62.000	0.000	62.0	120.8	6.50	7,977
A	113 B	Square	floor over bins - top 62'	0.000	16.70	13.00	5.000	0.00	0.00	5.000	0.000	5.0	174.5	7.00	934
A	114	Irregular	bin floor 13.3x11.7 with	81.900	0.000	0.000	61.00	0.00	0.00	61.000	0.000	61.0	81.9	5.50	5,271
A	115 T	Square	floor over bins	0.000	13.30	11.20	61.00	0.00	0.00	61.000	0.000	61.0	119.7	6.20	7,755
A	115 B	Square	floor over bins - top 61'	0.000	13.00	13.00	9.000	0.00	0.00	9.000	0.000	9.0	135.9	6.50	1,302
A	116 T	Square	floor over bins	0.000	13.60	11.30	62.00	0.00	0.00	62.000	0.000	62.0	123.5	6.50	8,155
A	116 B	Square	floor over bins - top 62'	0.000	16.70	13.40	5.000	0.00	0.00	5.000	0.000	5.0	179.9	7.00	963
A	117	Square	floor over bins	0.000	13.60	11.70	61.00	0.00	0.00	61.000	0.000	61.0	127.9	6.50	8,309
A	118 T	Square	floor over bins	0.000	13.60	11.20	61.00	0.00	0.00	61.000	0.000	61.0	122.4	6.50	7,951

Exam Date:08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Minto

Section: A

A	118 B	Square	floor over bins - top 61'	0.000	13.40	13.00	9.000	0.00	0.00	9.000	0.000	9.0	140.0	6.80	1,346	
A	119 T	Square	floor over bins	0.000	13.30	11.30	62.00	0.00	0.00	62.000	0.000	62.0	120.8	6.50	7,977	
A	119 B	Square	floor over bins - top 62'	0.000	16.70	13.00	5.000	0.00	0.00	5.000	0.000	5.0	174.5	7.00	934	
A	120	Square	floor over b:ins	0.000	13.30	11.70	61.00	0.00	0.00	61.000	0.000	61.0	125.1	6.50	8,127	
A	121 T	Square	floor over b:ins	0.000	13.30	11.20	61.00	0.00	0.00	61.000	0.000	61.0	119.7	6.20	7,755	
A	121 B	Square	floor over b:ins - top 61'	0.000	13.00	13.00	9.000	0.00	0.00	9.000	0.000	9.0	135.9	6.50	1,302	
Added	A B 001	Peaked	top of sidewall	59.800	0.000	0.000	53.80	0.00	0.00	53.800	4.200	58.0	2257.7	10.0	144,042	
Added	A B 002	Peaked	top of sidewall	59.800	0.000	0.000	53.80	0.00	0.00	53.800	4.200	58.0	2257.7	10.0	144,042	
Bin count: 71																
														Facility: Minto Section: A Total:		494,638
														To Even:		495,000

Section: B

B	002	Square	floor over bins	0.000	7.500	3.500	36.00	0.00	0.00	36.000	0.000	36.0	21.1	2.00	775
B	003	Square	floor over bins	0.000	12.20	7.500	54.00	0.00	0.00	54.000	0.000	54.0	73.6	5.50	4,193
B	004	Square	floor over bins	0.000	12.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	75.5	5.50	4,301
B	005	Square	floor over bins	0.000	7.700	5.500	36.00	0.00	0.00	36.000	0.000	36.0	34.0	2.50	1,255
B	006	Square	floor over bins	0.000	12.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	75.5	5.50	4,301
B	007	Square	floor over bins	0.000	12.20	7.500	53.00	0.00	0.00	53.000	0.000	53.0	73.6	5.50	4,116
B	008	Square	floor over bins	0.000	7.700	5.500	36.00	0.00	0.00	36.000	0.000	36.0	34.0	2.50	1,255
B	009	Square	floor over bins	0.000	7.500	5.500	35.00	0.00	0.00	35.000	0.000	35.0	33.2	2.50	1,191

Exam Date:08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obs.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Minto

Section: B

B	011	Square	floor over bins	0.000	7.500	5.400	35.00	0.00	0.00	35.000	0.000	35.0	32.6	2.50	1,170
B	012	Square	floor over bins	0.000	7.700	5.400	36.00	0.00	0.00	36.000	0.000	36.0	33.4	2.50	1,232
B	013	Square	floor over bins	0.000	12.20	7.500	53.00	0.00	0.00	53.000	0.000	53.0	73.6	5.50	4,116
B	014	Square	floor over bins	0.000	12.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	75.5	5.50	4,301
B	015	Square	floor over bins	0.000	7.700	5.400	36.00	0.00	0.00	36.000	0.000	36.0	33.4	2.50	1,232
B	016	Square	floor over bins	0.000	12.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	75.5	5.50	4,301
B	017	Square	floor over bins	0.000	12.20	7.500	54.00	0.00	0.00	54.000	0.000	54.0	73.6	5.50	4,193
B	018	Square	floor over bins	0.000	4.000	3.000	36.00	0.00	0.00	36.000	0.000	36.0	9.6	2.00	353
B	101	Peaked	top of sidewall	30.000	0.000	0.000	25.60	0.00	0.00	25.600	1.800	27.4	568.2	9.00	16,970
B	102	Peaked	top of sidewall	30.000	0.000	0.000	25.60	0.00	0.00	25.600	1.800	27.4	568.2	9.00	16,970
B	103	Peaked	top of side wall	36.000	0.000	0.000	25.90	0.00	0.00	25.900	2.200	28.1	818.2	10.0	25,290
B	104	Peaked	top of side wall	14.500	0.000	0.000	19.50	0.00	0.00	19.500	0.900	20.4	132.7	5.50	2,856
B	105	Peaked	top of side wall	35.800	0.000	0.000	35.50	0.00	0.00	35.500	2.100	37.6	809.2	10.0	33,469
B	seed tank	Peaked	top of side wall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078

Bin count: 22 Facility: Minto Section: B Total: 140,918
 To Even: 141,000

Section: D

D	001east	Peaked	Vogland -- top of sidewall	37.000	0.000	0.000	26.30	0.00	0.00	26.300	2.200	28.5	864.3	10.0	27,096
D	002west	Peaked	vogland west top of	37.000	0.000	0.000	26.30	0.00	0.00	26.300	2.200	28.5	864.3	10.0	27,096

Exam Date:09/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Minto

Added	D	003	Peaked	vogsland west top of	22.000	0.000	0.000	16.00	0.00	0.00	16.000	1.300	17.3	305.6	7.20	5,668
Added	D	004	Peaked	vogsland west top of	22.000	0.000	0.000	16.00	0.00	0.00	16.000	1.300	17.3	305.6	7.20	5,668
Added	D	005	Peaked	vogsland west top of	22.000	0.000	0.000	16.00	0.00	0.00	16.000	1.300	17.3	305.6	7.20	5,668

Bin count: 5 Facility: Minto Section: D Total: **71,196**

To Even: **72,000**

Section: E

Added	E	001	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	002	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	003	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	004	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	005	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	006	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	007	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	008	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	009	Peaked	Kilichowski Site	19.000	35.27	35.27	11.90	0.00	0.00	11.900	1.100	13.0	227.9	6.20	3,147
Added	E	011	Peaked	Kilichowski Site	18.000	35.27	35.27	15.00	0.00	0.00	15.000	1.100	16.1	204.6	6.00	3,492
Added	E	012	Peaked	Kilichowski Site	18.000	35.27	35.27	15.00	0.00	0.00	15.000	1.100	16.1	204.6	6.00	3,492
Added	E	013	Peaked	Kilichowski Site	18.000	35.27	35.27	15.00	0.00	0.00	15.000	1.100	16.1	204.6	6.00	3,492
Added	E	014	Peaked	Kilichowski Site	19.000	35.27	35.27	9.500	0.00	0.00	9.500	1.100	10.6	227.9	6.20	2,566

Exam Date: 08/26/2008
 Examiner: 2

Minto Grain, LLC
 PO Box 320
 Minto, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Minto

Section: E

Added	E	015	Peaked	Kilichowski Site	19,000	35.27	35.27	9.500	0.00	0.00	9.500	1.100	10.6	227.9	6.20	2,566
Added	E	016	Peaked	Kilichowski Site	18,000	35.27	35.27	15.00	0.00	0.00	15,000	1.100	16.1	204.6	6.00	3,492


Bin count: 15
 Facility: Minto Section: E Total: 47,423
 To Even: 48,000

Section: H

H	EW-002	Flat	Warsaw gdtles flat	0.000	120.0	38.40	12.00	0.00	0.00	0.00	12.000	0.000	12.0	3704.2	10.0	48,895
---	--------	------	--------------------	-------	-------	-------	-------	------	------	------	--------	-------	------	--------	------	--------

Bin count: 1
 Facility: Minto Section: H Total: 48,895
 To Even: 49,000

<u>Overall Licensed Bin Capacity for:</u>	
Minto Grain, LLC	<u>803,070 Bu.</u>
Bin count: 114	
Licensed Capacity (to even):	
(includes pack and section totals are rounded up to next highest 1000)	<u>805,000 Bu.</u>






WA-134 U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM


LICENSE NO. **WA-134** NAME AND LOCATION OF WAREHOUSE
MINTO GRAIN, LLC., MINTO, ND

CODE NO.
2-0240



BURLINGTON NORTHERN RAILROAD



DRIVEWAY & SCALE



SECTION "A"




tanks B001 & B002
59.8' dia
53.8' sidewall
zero - top of sidewall

WA-134

U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM



LICENSE NO.

NAME AND LOCATION OF WAREHOUSE

MINTO GRAIN, LLC., MINTO, ND

CODE NO.

2-0240

BURLINGTON NORTHERN RAILROAD

ANNEX


ANNEX

121	118	115
		XX ML
120	117	114
119	116	113

112	110	108
111	109	107

106
105

SECTION "A"



DATE

EXAMINER


SEE LAST PAGE FOR DATE AND NAME

SECTION LOCATION

MINTO, ND

PAGE NUMBER

PAGE 2 OF 3



WA-134
LICENSE NO. NAME AND LOCATION OF WAREHOUSE
MINTO GRAIN, LLC., MINTO, ND

CODE NO.
2-0240


BURLINGTON NORTHERN RAILROAD

STEEL FLAT WHSE


(49.5 X 95.5')
7.0' FROM FLOOR TO
SIDEWALL BRACE
BEAM.
18.5' FLOOR TO CENTER
BOTTOM OF CONNECTOR
STEEL HALTER.

SECTION "C"

HARVEY AVE



STEEL TANKS




ELEVATOR

DRIVEWAY



OFFICE

SECTION "B"



GRAIN DRYER
&
HOLDING TANK

DATE 8/4/99	EXAMINER J. CLANCY	SECTION LOCATION MINTO, ND	PAGE NUMBER
----------------	-----------------------	-------------------------------	-------------


MINTO GRAIN LLC.
SECTION H
GUDAJTES SITE
located 1 mile east of Warsaw
north side of hwy

Basic dimensions




38.4' W x 120.0' L

grain wall ht. 12.0'

center roof peak to floor 24.2'



MINTO GRAIN LLC.
MINTO ND
SECTION D & E
RURAL SITES



KILICHOWSKI SITE
SECTION E
1 mile south on hwy 81

tanks 1 thru 9 19' dia - 11.9' sidewall
tanks 11-12-13-16 - 18' dia - 15' sidewall
tanks 14&15 - 19' dia - 9.5' sidewall

VOGSLAND SITE
SECTION D
4 miles north on
hwy 81

tanks 1&2- 27' dia-26.3' sidewall
tanks 3-4-5- 22' dia-16' sidewall

