

Exam Date:03/18/2010

JM Grain Inc
 12 N Railroad Street - PO Box 248
 Garrison , ND
 County:
 Phone: 701-463-7261
 CCC Number:

Page: 1


Examiner: 1

| Location/Container Numbers/Comments | Section | Capacity |
|---|---------|-----------------------|
| PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE | | |
| 203 | B | 218 |
| 204 | B | 3,419 |
| 205 | B | 3,933 |
| 206 | B | 3,933 |
| | | Total: 11,503 |
| PART B - SPACE TO BE DELETED UNDER LICENSE | | |
| <NO BINS DELETED> | | |
| | | Total: 0 |
| PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE | | |
| | B | 140,000 |
| | | Total: 140,000 |
| PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT | | |
| Garrison 1146 | B | 140,000 |
| | | Total: 140,000 |

JM GRAIN INC
 GARRISON, ND
 SECTION B


DMV & W RAIL

Section B



| | | | | | | | | |
|-----|-----|-----|---------|-----|---------|-----|---------|---------|
| 101 | 105 | 102 | 022 | 021 | 013 | 012 | 005 | 004 |
| 107 | 106 | 104 | 023 | 020 | 014 | 011 | deleted | |
| | | | | | 015 | 010 | 006 | 003 |
| | | | | | 016 | 009 | | |
| | | | | 019 | deleted | XX | 002 | |
| 109 | 108 | 110 | deleted | 018 | 017 | 008 | 007 | deleted |
| | | | 024 | | XX | | | 001 |

Section B



200

203

bagging warehouse
 and bagged storage

202

201

Office

Driveway & Scale

Exam Date: 03/18/2010
 Examiner: 1

JM Grain Inc
 12 N Railroad Street - PO Box 248
 Garrison, ND
 County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side wall | Add for Hopper | Del. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|----------------------------|--------|-------|-----------|----------------|----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|
|--------|---------|------------|----------|------------|----------------------------|--------|-------|-----------|----------------|----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|

Facility: Garrison

Section: B

| | | | | | | | | | | | | | | | | |
|---|-------|-----------|--------------------------|--|--------|-------|-------|-------|------|------|--------|-------|------|------|------|-------|
| B | 002 T | Square | work floor | | 0.000 | 11.10 | 5.900 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 52.6 | 4.50 | 2,308 |
| B | 002 B | Square | work floor top 42' | | 0.000 | 11.10 | 11.00 | 15.00 | 0.00 | 0.00 | 15.000 | 0.000 | 15.0 | 98.2 | 6.00 | 1,561 |
| B | 003 | Square | work floor | | 0.000 | 12.10 | 5.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 48.6 | 4.20 | 2,026 |
| B | 004 T | Square | work floor | | 0.000 | 11.00 | 5.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 44.2 | 3.50 | 1,830 |
| B | 004 B | Square | work floor - top 40' | | 0.000 | 11.00 | 11.10 | 17.00 | 0.00 | 0.00 | 17.000 | 0.000 | 17.0 | 98.2 | 6.00 | 1,769 |
| B | 006 | Square | work floor | | 0.000 | 12.10 | 5.800 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 56.4 | 4.80 | 2,364 |
| B | 007 | Square | work floor | | 0.000 | 5.800 | 5.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 23.3 | 2.00 | 999 |
| B | 008 | Square | work floor | | 0.000 | 5.000 | 4.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 16.1 | 2.00 | 657 |
| B | 009 | Square | work floor | | 0.000 | 5.900 | 4.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 19.0 | 2.00 | 775 |
| B | 010 | Square | work floor | | 0.000 | 6.700 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 32.3 | 2.50 | 1,324 |
| B | 011 | Square | work floor | | 0.000 | 6.700 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 32.3 | 2.50 | 1,324 |
| B | 012 T | Irregular | work floor 11 x 6.7 with | | 38.200 | 0.000 | 0.000 | 12.00 | 0.00 | 0.00 | 12.000 | 0.000 | 12.0 | 38.2 | 3.00 | 472 |
| B | 012 B | Square | work floor - top 12' | | 0.000 | 11.00 | 6.700 | 28.00 | 0.00 | 0.00 | 28.000 | 0.000 | 28.0 | 59.2 | 4.80 | 1,738 |
| B | 013 T | Irregular | work floor 11 x 7 with | | 52.500 | 0.000 | 0.000 | 12.00 | 0.00 | 0.00 | 12.000 | 0.000 | 12.0 | 52.5 | 4.50 | 658 |
| B | 013 B | Square | work floor - top 12' | | 0.000 | 11.00 | 7.000 | 28.00 | 0.00 | 0.00 | 28.000 | 0.000 | 28.0 | 61.9 | 4.80 | 1,816 |
| B | 014 | Square | work floor | | 0.000 | 7.000 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 33.8 | 2.50 | 1,386 |
| B | 015 | Square | work floor | | 0.000 | 7.000 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 33.8 | 2.50 | 1,386 |
| B | 016 T | Square | work floor | | 0.000 | 5.900 | 4.200 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 19.9 | 2.00 | 386 |
| B | 016 B | Square | work floor - top 19' | | 0.000 | 11.00 | 4.200 | 21.00 | 0.00 | 0.00 | 21.000 | 0.000 | 21.0 | 37.1 | 3.00 | 802 |
| B | 018 | Square | work floor | | 0.000 | 5.800 | 5.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 23.3 | 2.00 | 951 |

Exam Date: 03/18/2010

JM Grain Inc
12 N Railroad Street - PO Box 248
Garrison, ND

Examiner: 1

County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side for wall | Add for Hopper | Depth for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|----------------------------|--------|-------|---------------|----------------|-----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|
|--------|---------|------------|----------|------------|----------------------------|--------|-------|---------------|----------------|-----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|

Facility: Garrison

Section: B

| | | | | | | | |
|---|-------|--------|----------------------|---|-------|------|-------|
| B | 019 T | Square | work floor | 0.000 11.10 5.900 40.00 0.00 0.00 40.000 0.000 40.0 | 52.6 | 4.50 | 2,199 |
| B | 019 B | Square | work floor - top 40' | 0.000 11.10 11.00 17.00 0.00 0.00 17.000 0.000 17.0 | 98.2 | 6.00 | 1,769 |
| B | 020 | Square | work floor | 0.000 12.10 5.800 40.00 0.00 0.00 40.000 0.000 40.0 | 56.4 | 4.80 | 2,364 |
| B | 021 | Square | work floor | 0.000 11.00 5.800 40.00 0.00 0.00 40.000 0.000 40.0 | 51.3 | 4.50 | 2,144 |
| B | 022 T | Square | work floor | 0.000 11.00 5.000 40.00 0.00 0.00 40.000 0.000 40.0 | 44.2 | 3.50 | 1,830 |
| B | 022 B | Square | work floor - top 40' | 0.000 11.10 11.00 17.00 0.00 0.00 17.000 0.000 17.0 | 98.2 | 6.00 | 1,769 |
| B | 023 | Square | work floor | 0.000 12.10 5.000 40.00 0.00 0.00 40.000 0.000 40.0 | 48.6 | 4.20 | 2,026 |
| B | 101 T | Square | work floor | 0.000 11.40 11.00 48.00 0.00 0.00 48.000 0.000 48.0 | 100.8 | 6.00 | 5,128 |
| B | 101 B | Square | work floor - top 48' | 0.000 14.90 11.40 9.000 0.00 0.00 9.000 0.000 9.0 | 136.5 | 6.50 | 1,309 |
| B | 102 T | Square | work floor | 0.000 11.70 11.00 48.00 0.00 0.00 48.000 0.000 48.0 | 103.5 | 6.00 | 5,266 |
| B | 102 B | Square | work floor - top 48' | 0.000 14.90 11.70 9.000 0.00 0.00 9.000 0.000 9.0 | 140.1 | 6.80 | 1,347 |
| B | 104 | Square | work floor | 0.000 12.40 11.70 48.00 0.00 0.00 48.000 0.000 48.0 | 116.6 | 6.20 | 5,944 |
| B | 105 T | Square | work floor | 0.000 11.30 11.00 48.00 0.00 0.00 48.000 0.000 48.0 | 99.9 | 6.00 | 5,083 |
| B | 105 B | Square | work floor - top 48' | 0.000 14.90 11.30 9.000 0.00 0.00 9.000 0.000 9.0 | 135.3 | 6.50 | 1,297 |
| B | 106 | Square | work floor | 0.000 12.40 11.30 48.00 0.00 0.00 48.000 0.000 48.0 | 112.6 | 6.20 | 5,740 |
| B | 107 | Square | work floor - top 48' | 0.000 12.40 11.40 48.00 0.00 0.00 48.000 0.000 48.0 | 113.6 | 6.20 | 5,791 |
| B | 108 T | Square | work floor | 0.000 11.30 11.20 48.00 0.00 0.00 48.000 0.000 48.0 | 101.7 | 6.00 | 5,175 |
| B | 108 B | Square | work floor - top 48' | 0.000 14.90 11.30 9.000 0.00 0.00 9.000 0.000 9.0 | 135.3 | 6.50 | 1,297 |
| B | 109 T | Square | work floor | 0.000 11.40 11.20 48.00 0.00 0.00 48.000 0.000 48.0 | 102.6 | 6.00 | 5,221 |
| B | 109 B | Square | work floor - top 48' | 0.000 14.90 11.40 9.000 0.00 0.00 9.000 0.000 9.0 | 136.5 | 6.50 | 1,309 |

Exam Date: 03/18/2010 JM Grain Inc Page: 3
 Examiner: 1 12 N Railroad Street - PO Box 248
Garrison, ND
County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|----------------------------|--------|-------|-----------|----------------|----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|
|--------|---------|------------|----------|------------|----------------------------|--------|-------|-----------|----------------|----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|

Facility: Garrison

Section: B

| | | | | | | | | | | | | | | | | |
|---|-------|--|--------|----------------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|--|--------|
| B | 110 T | | Square | work floor | 0.000 | 11.70 | 11.20 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 105.3 | | 5,367 |
| B | 110 B | | Square | work floor - top 48' | 0.000 | 14.90 | 11.70 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 140.1 | | 1,347 |
| B | 200 | | Flat | work floor | 0.000 | 116.0 | 42.50 | 6.000 | 0.00 | 0.00 | 6.000 | 0.000 | 6.0 | 3963.0 | | 26,156 |
| B | 201 | | Peaked | eave | 16.000 | 0.000 | 0.000 | 10.00 | 2.00 | 0.00 | 12.000 | 1.000 | 13.0 | 161.6 | | 2,223 |
| B | 202 | | Peaked | eave | 19.000 | 0.000 | 0.000 | 8.000 | 2.20 | 0.00 | 10.200 | 1.100 | 11.3 | 227.9 | | 2,735 |
| Added B | 203 | | Square | eave | 19.000 | 10.00 | 7.000 | 2.500 | 1.20 | 0.00 | 3.700 | 0.000 | 3.7 | 56.3 | | 218 |
| Added B | 204 | | Peaked | eave | 16.000 | 10.00 | 7.000 | 17.00 | 2.00 | 0.00 | 19.000 | 1.000 | 20.0 | 161.6 | | 3,419 |
| Added B | 205 | | Peaked | eave | 16.000 | 10.00 | 7.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | | 3,933 |
| Added B | 206 | | Peaked | eave | 16.000 | 10.00 | 7.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | | 3,933 |
| Bin count: 49 | | | | | | | | | | | | | | | | |
| Facility: Garrison Section: B Total: | | | | | | | | | | | | | | | | |
| To Even: <u>140,000</u> | | | | | | | | | | | | | | | | |

| | |
|--|--------------------|
| Overall Licensed Bin Capacity for: | |
| JM Grain Inc | 139,871 Bu. |
| Bin count: 49 | |
| Licensed Capacity (to even): | 140,000 Bu. |
| (includes pack and section totals are rounded up to next highest 1000) | |