

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No

Page: 1

Examiner: 1

Box 276

Wishek , ND

County:

Phone: 701-452-2516

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
208	F	3,078
209	F	3,419
210	F	3,078
Ground	X	249,295
Ground	Y	149,827
Ground	Z	149,827
		<b>Total:</b>
		<b>558,524</b>

**PART B - SPACE TO BE DELETED UNDER LICENSE**

101	P	3,030
102	P	155
103	P	1,043
104	P	3,030
106	P	3,030
107	P	1,970
109	P	3,030
110	P	3,030
111	P	1,043
112	P	3,030
		<b>Total:</b>
		<b>22,391</b>

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	215,000
C	100,000
E	223,000
F	518,000
P	241,000
X	250,000
Y	150,000
Z	150,000
<b>Total:</b>	
<b>1,847,000</b>	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Fredonia 976	F X	768,000
Linton 1067	P Y	391,000
Wishek 72	A C E Z	688,000
<b>Total:</b>		<b>1,847,000</b>

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Fredonia

### Section: F

F	002	Square	work floor		0.000	5.000	3.500	47.00	0.00	0.00	47.000	0.000	47.0	14.1	2.00	676
F	003	Square	work floor		0.000	5.000	3.500	35.00	0.00	0.00	35.000	0.000	35.0	14.1	2.00	504
F	004	Square	work floor		0.000	6.000	5.000	46.00	0.00	0.00	46.000	0.000	46.0	24.1	2.50	1,137
F	005	Square	work floor		0.000	6.000	5.000	46.00	0.00	0.00	46.000	0.000	46.0	24.1	2.50	1,137
F	006	Square	work floor		0.000	6.000	5.000	46.00	0.00	0.00	46.000	0.000	46.0	24.1	2.50	1,137
F	007	Square	work floor		0.000	6.000	5.000	46.00	0.00	0.00	46.000	0.000	46.0	24.1	2.50	1,137
F	008	Square	work floor		0.000	5.000	3.500	47.00	0.00	0.00	47.000	0.000	47.0	14.1	2.00	676
F	009	Square	work floor		0.000	5.000	3.500	47.00	0.00	0.00	47.000	0.000	47.0	14.1	2.00	676
F	010 T	Square	work floor		0.000	12.00	5.000	46.00	0.00	0.00	46.000	0.000	46.0	48.2	4.20	2,310
F	010 B	Square	work floor -top 46'		0.000	12.00	10.50	17.00	0.00	0.00	17.000	0.000	17.0	101.3	6.00	1,825
F	011 T	Square	work floor		0.000	12.00	5.000	46.00	0.00	0.00	46.000	0.000	46.0	48.2	4.20	2,310
F	011 B	Square	work floor- top 46'		0.000	12.00	10.50	17.00	0.00	0.00	17.000	0.000	17.0	101.3	6.00	1,825
F	012	Square	work floor		0.000	6.500	5.000	46.00	0.00	0.00	46.000	0.000	46.0	26.1	2.50	1,231
F	013	Square	work floor		0.000	6.500	5.000	46.00	0.00	0.00	46.000	0.000	46.0	26.1	2.50	1,231
F	014	Square	work floor		0.000	10.50	7.000	45.00	0.00	0.00	45.000	0.000	45.0	59.1	4.80	2,788
F	015	Square	work floor		0.000	10.50	7.000	45.00	0.00	0.00	45.000	0.000	45.0	59.1	4.80	2,788
F	016	Square	work floor		0.000	6.500	5.000	46.00	0.00	0.00	46.000	0.000	46.0	26.1	2.50	1,231
F	017 T	Square	work floor		0.000	10.50	5.000	45.00	0.00	0.00	45.000	0.000	45.0	42.2	3.50	1,965
F	017 B	Square	work floor -top 45'		0.000	12.00	10.50	18.00	0.00	0.00	18.000	0.000	18.0	101.3	6.00	1,932
F	018 T	Square	work floor		0.000	10.50	5.000	45.00	0.00	0.00	45.000	0.000	45.0	42.2	3.50	1,965
F	018 B	Square	work floor - top 45'		0.000	12.00	10.50	18.00	0.00	0.00	18.000	0.000	18.0	101.3	6.00	1,932

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Examiner: 1

Page: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Fredonia

### Section: F

F	019	Square	work floor		0.000	6.500	5.000	46.00	0.00	0.00	46.000	0.000	46.0	26.1	2.50	1,231
F	020 T	Square	work floor		0.000	10.50	5.000	45.00	0.00	0.00	45.000	0.000	45.0	42.2	3.50	1,965
F	020 B	Square	work floor -top 45'		0.000	12.00	10.50	18.00	0.00	0.00	18.000	0.000	18.0	101.3	6.00	1,932
F	021 T	Square	work floor		0.000	10.50	5.000	45.00	0.00	0.00	45.000	0.000	45.0	42.2	3.50	1,965
F	021 B	Square	work floor -top 45'		0.000	12.00	10.50	18.00	0.00	0.00	18.000	0.000	18.0	101.3	6.00	1,932
F	023	Square	work floor		0.000	10.50	7.000	45.00	0.00	0.00	45.000	0.000	45.0	59.1	4.80	2,788
F	024	Square	work floor		0.000	10.50	7.000	45.00	0.00	0.00	45.000	0.000	45.0	59.1	4.80	2,788
F	025 T	Square	work floor		0.000	10.50	4.500	9.000	0.00	0.00	9.000	0.000	9.0	38.0	3.00	352
F	025 B	Square	work floor -top 9'		0.000	10.50	6.500	36.00	0.00	0.00	36.000	0.000	36.0	54.9	4.50	2,065
F	026 T	Square	work floor		0.000	10.50	4.500	9.000	0.00	0.00	9.000	0.000	9.0	38.0	3.00	352
F	026 B	Square	work floor -top 9'		0.000	10.50	6.500	36.00	0.00	0.00	36.000	0.000	36.0	54.9	4.50	2,065
F	102	Square	work floor		0.000	8.000	5.000	29.00	0.00	0.00	29.000	0.000	29.0	32.2	2.50	957
F	103	Square	work floor		0.000	8.000	5.500	24.00	0.00	0.00	24.000	0.000	24.0	35.4	3.00	876
F	105	Square	work floor		0.000	8.000	5.000	24.00	0.00	0.00	24.000	0.000	24.0	32.2	2.50	792
F	106	Square	work floor		0.000	8.500	8.000	41.00	0.00	0.00	41.000	0.000	41.0	54.7	4.50	2,344
F	107	Square	work floor		0.000	8.500	8.000	41.00	0.00	0.00	41.000	0.000	41.0	54.7	4.50	2,344
F	109	Square	work floor		0.000	8.500	8.000	41.00	0.00	0.00	41.000	0.000	41.0	54.7	4.50	2,344
F	110	Square	work floor		0.000	8.500	8.000	41.00	0.00	0.00	41.000	0.000	41.0	54.7	4.50	2,344
F	111	Square	work floor		0.000	8.500	8.000	41.00	0.00	0.00	41.000	0.000	41.0	54.7	4.50	2,344
F	112 T	Square	work floor		0.000	8.500	5.500	25.00	0.00	0.00	25.000	0.000	25.0	37.6	3.00	968
F	112 B	Square	work floor -top 25'		0.000	8.500	8.000	16.00	0.00	0.00	16.000	0.000	16.0	54.7	4.50	914

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Page: 3

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Fredonia

### Section: F

	F	113	Square	work floor	0.000	8.000	5.000	26.00	0.00	0.00	26.000	0.000	26.0	32.2	2.50	858
	F	116	Square	work floor	0.000	8.000	5.500	26.00	0.00	0.00	26.000	0.000	26.0	35.4	3.00	948
	F	117	Square	work floor	0.000	8.500	3.000	25.00	0.00	0.00	25.000	0.000	25.0	20.5	2.00	523
	F	201	Peaked	top of sidewall	26.800	0.000	0.000	47.00	0.00	0.00	47.000	1.600	48.6	453.5	8.20	23,847
	F	202	Peaked	top of sidewall	26.800	0.000	0.000	47.00	0.00	0.00	47.000	1.600	48.6	453.5	8.20	23,847
	F	203	Peaked	top of sidewall	26.800	0.000	0.000	47.00	0.00	0.00	47.000	1.600	48.6	453.5	8.20	23,847
	F	204	Peaked	top of sidewall	36.000	0.000	0.000	65.00	0.00	0.00	65.000	2.200	67.2	818.2	10.0	60,481
	F	205	Peaked	top of sidewall	59.800	0.000	0.000	58.75	0.00	0.00	58.750	4.200	63.0	2257.7	10.0	156,459
	F	206	Peaked	top of sidewall	47.800	0.000	0.000	29.30	0.00	0.00	29.300	2.900	32.2	1442.5	10.0	51,094
	F	207	Peaked	top of sidewall	47.800	0.000	0.000	32.00	0.00	0.00	32.000	2.900	34.9	1442.5	10.0	55,377
Added	F	208	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	F	209	Peaked	top of sidewall	16.000	0.000	0.000	17.00	2.00	0.00	19.000	1.000	20.0	161.6	5.80	3,419
Added	F	210	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
	F	301	Peaked	top of sidewall	28.000	0.000	0.000	24.50	0.00	0.00	24.500	1.700	26.2	495.0	8.50	14,071
	F	302	Peaked	top of sidewall	28.000	0.000	0.000	24.50	0.00	0.00	24.500	1.700	26.2	495.0	8.50	14,071
	F	303	Peaked	top of sidewall	28.000	0.000	0.000	24.50	0.00	0.00	24.500	1.700	26.2	495.0	8.50	14,071

Bin count: 58

Facility: Fredonia Section: F Total: 517,144

To Even: 518,000

Client ID: 231

### NDPSC Bin Capacity Chart

05/25/2010 02:46:05 PM

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	--	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Fredonia

### Section: X

Added	X	Ground	Hemispher ground storage		102.50	100.0	40.00	15.00	0.00	0.00	15.000	0.000	15.0	15108.8	10.0	249,295	
<b>Bin count:</b>		1														<b>Facility: Fredonia Section: X Total:</b>	<b>249,295</b>
															<b>To Even:</b>	<b>250,000</b>	

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek, ND  
County:

Page: 5

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Linton

### Section: P

P	002	Square	work floor		0.000	4.800	3.500	40.00	0.00	0.00	40.000	0.000	40.0	13.5	2.00	551
P	003	Square	work floor		0.000	4.800	3.500	40.00	0.00	0.00	40.000	0.000	40.0	13.5	2.00	551
P	004	Square	work floor		0.000	4.800	3.500	40.00	0.00	0.00	40.000	0.000	40.0	13.5	2.00	551
P	005	Square	work floor		0.000	4.800	3.500	40.00	0.00	0.00	40.000	0.000	40.0	13.5	2.00	551
P	006	Square	work floor		0.000	9.800	6.600	40.00	0.00	0.00	40.000	0.000	40.0	52.0	4.50	2,174
P	007	Square	work floor		0.000	9.800	6.600	40.00	0.00	0.00	40.000	0.000	40.0	52.0	4.50	2,174
P	008 T	Square	work floor		0.000	9.800	3.200	40.00	0.00	0.00	40.000	0.000	40.0	25.2	2.50	1,033
P	008 B	Square	work floor -top 40'		0.000	10.00	9.800	18.00	0.00	0.00	18.000	0.000	18.0	78.8	5.50	1,496
P	009 T	Square	work floor		0.000	9.800	3.200	40.00	0.00	0.00	40.000	0.000	40.0	25.2	2.50	1,033
P	009 B	Square	work floor -top 40'		0.000	10.00	9.800	18.00	0.00	0.00	18.000	0.000	18.0	78.8	5.50	1,496
P	010	Square	work floor		0.000	10.00	6.600	40.00	0.00	0.00	40.000	0.000	40.0	53.1	4.50	2,220
P	011	Square	work floor		0.000	10.00	4.800	40.00	0.00	0.00	40.000	0.000	40.0	38.6	3.00	1,590
P	012 T	Square	work floor		0.000	10.00	3.200	40.00	0.00	0.00	40.000	0.000	40.0	25.7	2.50	1,054
P	012 B	Square	work floor -top 40'		0.000	10.00	10.00	18.00	0.00	0.00	18.000	0.000	18.0	80.4	5.50	1,527
P	013	Square	work floor		0.000	10.00	6.500	40.00	0.00	0.00	40.000	0.000	40.0	52.3	4.50	2,186
P	014 T	Irregular	work floor - 10x6.5 less		46.700	0.000	0.000	9.000	0.00	0.00	9.000	0.000	9.0	46.7	4.00	437
P	014 B	Square	work floor - top 9'		0.000	10.00	6.500	31.00	0.00	0.00	31.000	0.000	31.0	52.3	4.50	1,694
P	015	Square	work floor		0.000	10.00	4.800	40.00	0.00	0.00	40.000	0.000	40.0	38.6	3.00	1,590
P	016	Square	work floor		0.000	10.00	6.600	40.00	0.00	0.00	40.000	0.000	40.0	53.1	4.50	2,220
P	017 T	Square	work floor		0.000	10.00	3.200	40.00	0.00	0.00	40.000	0.000	40.0	25.7	2.50	1,054
P	017 B	Square	work floor -top 40'		0.000	10.00	10.00	18.00	0.00	0.00	18.000	0.000	18.0	80.4	5.50	1,527

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Examiner: 1

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Linton

### Section: P

P	018 T	Square	work floor		0.000	10.00	3.200	40.00	0.00	0.00	40.000	0.000	40.0	25.7	2.50	1,054
P	018 B	Square	work floor -top 40'		0.000	10.00	10.00	18.00	0.00	0.00	18.000	0.000	18.0	80.4	5.50	1,527
P	019	Square	work floor		0.000	10.00	6.600	40.00	0.00	0.00	40.000	0.000	40.0	53.1	4.50	2,220
P	020 T	Irregular	work floor 10x6.6 less		40.200	0.000	0.000	9.000	0.00	0.00	9.000	0.000	9.0	40.2	3.00	373
P	020 B	Square	work floor -top 9'		0.000	10.00	6.600	31.00	0.00	0.00	31.000	0.000	31.0	53.1	4.50	1,720
P	021	Square	work floor		0.000	10.00	6.600	40.00	0.00	0.00	40.000	0.000	40.0	53.1	4.50	2,220
P	201	Square	work floor		0.000	13.20	11.00	60.00	0.00	0.00	60.000	0.000	60.0	116.7	6.20	7,436
P	202	Square	work floor		0.000	13.50	11.00	60.00	0.00	0.00	60.000	0.000	60.0	119.4	6.20	7,608
P	203	Square	work floor		0.000	13.50	8.000	52.00	0.00	0.00	52.000	0.000	52.0	86.8	5.80	4,776
P	204	Square	work floor		0.000	13.50	11.00	60.00	0.00	0.00	60.000	0.000	60.0	119.4	6.20	7,608
P	205	Square	work floor		0.000	13.20	11.00	60.00	0.00	0.00	60.000	0.000	60.0	116.7	6.20	7,436
P	206	Square	work floor		0.000	13.20	8.000	52.00	0.00	0.00	52.000	0.000	52.0	84.9	5.80	4,671
P	207	Square	work floor		0.000	13.20	11.00	60.00	0.00	0.00	60.000	0.000	60.0	116.7	6.20	7,436
P	208	Square	work floor		0.000	13.70	8.000	52.00	0.00	0.00	52.000	0.000	52.0	88.1	5.80	4,847
P	209	Square	work floor		0.000	13.70	11.00	60.00	0.00	0.00	60.000	0.000	60.0	121.1	6.50	7,738
P	210	Square	work floor		0.000	13.60	11.00	60.00	0.00	0.00	60.000	0.000	60.0	120.3	6.50	7,687
P	211	Square	work floor		0.000	13.60	8.000	52.00	0.00	0.00	52.000	0.000	52.0	87.5	5.80	4,814
P	212	Square	work floor		0.000	13.60	11.00	60.00	0.00	0.00	60.000	0.000	60.0	120.3	6.50	7,687
P	213	Square	work floor		0.000	13.70	11.00	60.00	0.00	0.00	60.000	0.000	60.0	121.1	6.50	7,738
P	214	Square	work floor		0.000	13.20	11.00	60.00	0.00	0.00	60.000	0.000	60.0	116.7	6.20	7,436
P	215	Square	work floor		0.000	13.20	8.000	52.00	0.00	0.00	52.000	0.000	52.0	84.9	5.80	4,671

Client ID: 231

## NDPSC Bin Capacity Chart

05/25/2010 02:46:10 PM

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Page: 7

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Linton****Section: P**

P	301	Peaked	top of sidewall		36.000	0.000	0.000	55.00	0.00	0.00	55.000	2.200	57.2	818.2	10.0	51,481
P	302	Peaked	top of sidewall		36.000	0.000	0.000	55.00	0.00	0.00	55.000	2.200	57.2	818.2	10.0	51,481

Bin count: 44

Facility: Linton Section: P Total: **240,374**To Even: **241,000****Section: Y**

Added	Y	Ground	Hemispher ground		86.500	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	9080.4	10.0	149,827
-------	---	--------	------------------	--	--------	-------	-------	-------	------	------	--------	-------	------	--------	------	---------

Bin count: 1

Facility: Linton Section: Y Total: **149,827**To Even: **150,000**

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No

Page: 8

Examiner: 1

Box 276  
Wishek , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Wishek

### Section: A

A	001	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	002	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	003	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	004	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	005	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	006	Square	work floor		0.000	9.500	8.700	48.40	0.00	0.00	48.400	0.000	48.4	66.4	5.00	3,375
A	007 T	Irregular	work floor 9.6x5.2 less		31.200	0.000	0.000	6.000	0.00	0.00	6.000	0.000	6.0	31.2	2.50	192
A	007 B	Square	work floor - top 6'		0.000	9.600	5.200	27.00	0.00	0.00	27.000	0.000	27.0	40.1	3.00	1,115
A	008	Square	work floor		0.000	9.700	5.200	31.50	0.00	0.00	31.500	0.000	31.5	40.5	3.00	1,314
A	009	Square	work floor		0.000	9.700	5.500	31.50	0.00	0.00	31.500	0.000	31.5	42.9	3.50	1,398
A	010 T	Irregular	work floor 9.6x5.5 less		33.500	0.000	0.000	6.000	0.00	0.00	6.000	0.000	6.0	33.5	2.50	206
A	010 B	Square	work floor - top 6'		0.000	9.600	5.500	27.00	0.00	0.00	27.000	0.000	27.0	42.4	3.50	1,185
A	011	Square	work floor		0.000	9.500	4.300	32.00	0.00	0.00	32.000	0.000	32.0	32.8	2.50	1,076
A	101	Square	work floor		0.000	4.900	4.800	40.00	0.00	0.00	40.000	0.000	40.0	18.9	2.00	771
A	102	Square	work floor		0.000	8.800	4.800	57.00	0.00	0.00	57.000	0.000	57.0	34.0	2.50	1,986
A	103	Square	work floor		0.000	9.000	3.800	37.00	0.00	0.00	37.000	0.000	37.0	27.5	2.50	1,043
A	105	Square	work floor		0.000	9.000	4.500	37.00	0.00	0.00	37.000	0.000	37.0	32.6	2.50	1,236
A	106	Square	work floor		0.000	9.000	4.100	37.00	0.00	0.00	37.000	0.000	37.0	29.7	2.50	1,126
A	107	Square	work floor		0.000	8.800	4.700	57.00	0.00	0.00	57.000	0.000	57.0	33.2	2.50	1,939
A	108	Square	work floor		0.000	4.900	2.600	40.00	0.00	0.00	40.000	0.000	40.0	10.2	2.00	416
A	109	Square	work floor		0.000	10.70	3.100	37.50	0.00	0.00	37.500	0.000	37.5	26.7	2.50	1,026

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
 Box 276  
 Wishek , ND  
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Wishek

### Section: A

A	110	Square	work floor		0.000	4.900	4.500	40.00	0.00	0.00	40.000	0.000	40.0	17.7	2.00	722
A	111	Square	work floor		0.000	4.900	3.100	40.00	0.00	0.00	40.000	0.000	40.0	12.2	2.00	498
A	112	Square	work floor		0.000	8.800	4.700	57.00	0.00	0.00	57.000	0.000	57.0	33.2	2.50	1,939
A	113	Square	work floor		0.000	9.000	4.100	37.00	0.00	0.00	37.000	0.000	37.0	29.7	2.50	1,126
A	114	Square	work floor		0.000	9.000	4.200	37.00	0.00	0.00	37.000	0.000	37.0	30.4	2.50	1,153
A	115	Square	work floor		0.000	6.000	5.100	38.00	0.00	0.00	38.000	0.000	38.0	24.6	2.50	958
A	116	Square	work floor		0.000	9.000	4.000	37.00	0.00	0.00	37.000	0.000	37.0	28.9	2.50	1,096
A	117	Square	work floor		0.000	8.800	4.700	57.00	0.00	0.00	57.000	0.000	57.0	33.2	2.50	1,939
A	118	Square	work floor		0.000	5.600	4.900	40.00	0.00	0.00	40.000	0.000	40.0	22.1	2.00	902
A	119	Square	work floor		0.000	10.70	3.300	37.50	0.00	0.00	37.500	0.000	37.5	28.4	2.50	1,092
A	201	Peaked	top of sidewall		32.800	0.000	0.000	59.00	0.00	0.00	59.000	2.000	61.0	679.2	9.50	45,367
A	202	Peaked	top of sidewall		32.800	0.000	0.000	59.00	0.00	0.00	59.000	2.000	61.0	679.2	9.50	45,367
A	203	Peaked	top of sidewall		42.000	0.000	0.000	59.20	0.00	0.00	59.200	2.500	61.7	1113.7	10.0	75,587

Bin count: 34

Facility: Wishek Section: A Total: 214,025

To Even: 215,000

### Section: C

C	100	Flat	cross tie rods		0.000	100.0	60.00	18.80	0.00	0.00	18.800	0.000	18.8	4823.2	10.0	99,744
---	-----	------	----------------	--	-------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Bin count: 1

Facility: Wishek Section: C Total: 99,744

To Even: 100,000

Client ID: 231

## NDPSC Bin Capacity Chart

05/25/2010 02:46:15 PM

Exam Date:05/24/2010

Farmers Elevator Incorporated, Wishek No  
Box 276  
Wishek , ND  
County:

Page: 10

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Wishek****Section: E**

E	003	Peaked	top of sidewall		42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
E	004	Peaked	top of sidewall		42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
E	005	Peaked	top of sidewall		42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
E	006	Peaked	top of sidewall		42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
E	010	Peaked	top of sidewall		18.000	0.000	0.000	17.50	0.00	0.00	17.500	1.100	18.6	204.6	6.00	4,034
E	011	Peaked	top of sidewall		18.000	0.000	0.000	17.50	0.00	0.00	17.500	1.100	18.6	204.6	6.00	4,034
E	012	Peaked	top of sidewall		24.000	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	363.7	7.80	6,822
E	013	Peaked	top of sidewall		42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857
E	014	Peaked	top of sidewall		42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857

Bin count: 9

Facility: Wishek Section: E Total: **222,664**To Even: **223,000****Section: Z**

Added	Z	Ground	Hemispher ground		86.500	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	9080.4	10.0	149,827
-------	---	--------	------------------	--	--------	-------	-------	-------	------	------	--------	-------	------	--------	------	---------

Bin count: 1

Facility: Wishek Section: Z Total: **149,827**To Even: **150,000**

**Overall Licensed Bin Capacity for:**

**Farmers Elevator Incorporated, Wishek No**

**Bin count: 149**

**Licensed Capacity:**  
(includes pack)

**1,842,900 Bu.**


**Licensed Capacity (to even):**  
(includes pack and section totals are  
rounded up to next highest 1000)

**1,847,000 Bu.**





# Farmers Elevator, Inc.

wishek, north Dakota

## Section A




Driveway & Scale



# Farmers Elevator, Inc.

section F  
Fredonia, North Dakota



# Farmers Elevator, Inc.

Section P

Linton, North Dakota

#####

