



**NORTH DAKOTA**  
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION

Gold Seal Center, 918 E. Divide Ave.

Bismarck, ND 58501-9973

701.328.3206 (fax)

www.ndhealth.gov



58501-9973  
JUN 30 2010  
32062  
NORTH DAKOTA  
PUBLIC SERVICE COMMISSION

June 28, 2010

Mr. James Deutsch  
Reclamation Division  
Public Service Commission  
600 East Boulevard Avenue  
Bismarck, ND 58505

RE: Revision 8 to Permit NACT-0201

FROM DIRECTOR - RECLAMATION DIV.

Date: \_\_\_\_\_

Action: \_\_\_\_\_

Info. Only: \_\_\_\_\_

Info & File: \_\_\_\_\_

Dear Mr. Deutsch:

We have reviewed revision 8 to Coteau Properties Company's mining permit NACT-0201. We have noted that the surface water management plan adds the proposed locations for ponds P-W27-01 and P-W27-02. We do not object to the proposed pond locations within the 100 foot buffer zone for West Antelope Creek. It is our understanding that the structures will be designed and constructed as outlined in state rules and that erosion and sediment control practices will be used during construction and reclamation.

At this time, the Department has no further comments regarding this revision.

Sincerely,

Gary Bracht  
Environmental Engineer  
Division of Water Quality

GB:RK

10 RC-10-71 Filed 06/30/2010 Pages: 1  
Comments filed on the Application & no objections to ponds near Antelope Creek  
ND Health Department  
Gary Bracht

Environmental Health  
Section Chief's Office  
701.328.5150

Division of  
Air Quality  
701.328.5188

Division of  
Municipal Facilities  
701.328.5211

Division of  
Waste Management  
701.328.5166

Division of  
Water Quality  
701.328.5210