

Exam Date: 10/29/2010

St. Hilaire Seed Company, Inc.

Page: 1

Examiner: 1

PO Box 85

St. Hilaire, MN

County:

Phone: 218-964-5407

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
001	G	54,743
002	G	54,743
003	G	54,743
004	G	54,743
005	G	54,743
006	G	54,743
007	G	54,975
008	G	54,743
ground	G	500,349
		<b>Total:</b> 938,525

**PART B - SPACE TO BE DELETED UNDER LICENSE**

&lt;NO BINS DELETED&gt;

**Total:** 0**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

B	99,000
C	277,000
D	170,000
G	957,000
Z	66,000
<b>Total:</b> 1,569,000	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Crystal 1151	D	170,000
Cummings Ag 2000	Z	66,000
Garske 1152	C	277,000
Grafton 1000	G	957,000
Hamilton 1133	B	99,000
<b>Total:</b>		1,569,000

Exam Date:10/29/2010

St. Hilaire Seed Company, Inc.

Page: 1

Examiner: 1

PO Box 85  
St. Hilaire , MN  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Crystal

### Section: D

D	025	Peaked	O'toole top of sidewall	23.900	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	360.6	7.80	9,873
D	033	Peaked	top of sidewall	12.500	0.000	0.000	10.00	2.00	0.00	12.000	0.800	12.8	98.6	5.00	1,325
D	091	Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	092	Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	093	Peaked	O'Toole farm top of sidewall	23.900	0.000	0.000	33.00	0.00	0.00	33.000	1.400	34.4	360.6	7.80	13,373
D	101	Flat	Crystal potato wrhse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	102	Flat	Crystal potato wrhse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	103	Flat	Crystal potato wrhse	0.000	98.00	20.00	12.50	0.00	0.00	12.500	0.000	12.5	1575.6	10.0	21,665
D	104	Flat	Crystal potato wrhse	0.000	98.00	25.00	13.40	0.00	0.00	13.400	0.000	13.4	1969.5	10.0	29,030
D	4700	Peaked	top of sidewall	16.000	0.000	0.000	17.00	0.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D	4909	Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	4911	Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	7911	Peaked	top of sidewall	15.000	0.000	0.000	12.00	0.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
D	8190	Peaked	top of sidewall	16.000	0.000	0.000	23.00	0.00	0.00	23.000	1.000	24.0	161.6	5.80	4,103
D	9482	Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9487	Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9488	Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	9491	Peaked	top of sidewall	16.000	0.000	0.000	11.00	2.00	0.00	13.000	1.000	14.0	161.6	5.80	2,393
D	PH80	Peaked	top of sidewall	14.000	0.000	0.000	12.00	0.00	0.00	12.000	0.800	12.8	123.7	5.50	1,670

Client ID: 2943

### NDPSC Bin Capacity Chart

10/29/2010 07:32:32 AM

Exam Date: 10/29/2010

St. Hilaire Seed Company, Inc.  
PO Box 85  
St. Hilaire, MN  
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 19**

**Facility: Crystal Section: D Total: 169,567**

**To Even: 170,000**

Client ID: 2943

## NDPSC Bin Capacity Chart

10/29/2010 07:32:33 AM

Exam Date:10/29/2010

St. Hilaire Seed Company, Inc.

Page: 3

Examiner: 1

PO Box 85

St. Hilaire , MN

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Cummings Ag****Section: Z**

Z	006-B	Peaked	top of sidewall		41.900	0.000	0.000	24.25	0.00	0.00	24.250	2.500	26.8	1108.4	10.0	32,676
Z	210	Peaked	top of sidewall		41.900	0.000	0.000	24.25	0.00	0.00	24.250	2.500	26.8	1108.4	10.0	32,676

Bin count: 2

Facility: Cummings Ag Section: Z Total: **65,352**To Even: **66,000**

Client ID: 2943

## NDPSC Bin Capacity Chart

10/29/2010 07:32:34 AM

Exam Date:10/29/2010

St. Hilaire Seed Company, Inc.  
PO Box 85  
St. Hilaire , MN  
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Garske****Section: C**

C	001	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	002	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	003	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	004	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	005	Peaked	top of sidewall		47.800	0.000	0.000	31.30	0.00	0.00	31.300	2.900	34.2	1442.5	10.0	54,267
C	101	Peaked	top of sidewall		16.000	0.000	0.000	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787

Bin count: 6

Facility: Garske Section: C Total: 276,122

To Even: 277,000

Exam Date:10/29/2010

St. Hilaire Seed Company, Inc.  
PO Box 85  
St. Hilaire , MN  
County:

Page: 5

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Grafton

### Section: G

Added	G	001	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	002	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	003	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	004	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	005	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	006	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
Added	G	007	Peaked		47.900	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1448.6	10.0	54,975
Added	G	008	Peaked		47.800	0.000	0.000	31.60	0.00	0.00	31.600	2.900	34.5	1442.5	10.0	54,743
	G	101	Peaked	Grabanski site- top of	24.000	0.000	0.000	18.30	3.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900
	G	102	Peaked	Grabanski site- top of	24.000	0.000	0.000	18.30	3.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900
Added	G	ground	Peaked	need ht of spout at	217.00	0.000	0.000	0.100	0.00	0.00	0.100	15.20	15.3	29729.6	10.0	500,349

Bin count: 11

Facility: Grafton Section: G Total: **956,325**To Even: **957,000**

Exam Date:10/29/2010

St. Hilaire Seed Company, Inc.  
PO Box 85  
St. Hilaire , MN  
County:

Page: 6

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Hamilton

### Section: B

B	100	Flat	grain wall ht. 7.5' bttm drag	0.000	58.70	139.2	9.250	0.00	0.00	9.250	0.000	9.3	6568.4	10.0	67,195
B	101	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	102	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	103	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	104	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	105	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	106	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	107	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	108	Peaked	eave at top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Bin count: 9

Facility: Hamilton Section: B Total: 98,659

To Even: 99,000

#### Overall Licensed Bin Capacity for:

St. Hilaire Seed Company, Inc.

Bin count: 47

Licensed Capacity:  
(includes pack)



1,566,025 Bu.

Licensed Capacity (to even):  
(includes pack and section totals are  
rounded up to next highest 1000)


1,569,000 Bu.

ST. HILAIRE SEED  
GRAFTON ND

located west of Grafton south of John Deere dealership



ST. Hilaire Seed  
edible bean site




located  
1/2 block north  
of Grabanski Grain  
24' dia- 18.3' sidewall - 9' hopper

TANKS

47.8' diameter  
33.1' sidewall Less 1.5' aeration floor = 31.6' grain sidewall  
34.5' depth for capacity including 2.9' of additional for peak  
unpacked capacity 49,766 bushels  
packed capacity 54,743 bu. x 5(tanks) = 273,715 or 274,000 bu. to even.  
tank #7- 47.9' diameter - 31.6' sidewall





St. Hilaire Seed Company, Inc.  
Crystal ND- O'Toole  
potato warehouse  
located at Crystal ND




BINS #1-2-3 - 98'L x 20'W x 12.5' grain depth

BIN #4 - 98'L x 25'W x 13.4' grain depth

St. Hilaire Seed Company Inc.  
O'Toole Farm Site



Storage licensed by St. Hilaire  
farm site - #25-33-91-92-93-4700-4909-ph80  
4911-7911-8190-9482-9487-9488-9491  
potato warehouse in Crystal bins - 101-2-3-4









ST. HILAIRE BEAN

Hamilton Receiving site located 7 miles east of Glaston- i mile north - 1/2 mile east

Section B




Licensed by St. Hilaire  
hopper tanks 101 thru 108  
flat warehouse #100



Flat 100- 58.7' W x 139.2' L  
grain wall ht. 7.5'  
bottom center drag to floor 18.75'

rafters & main sidewall beam 20' on center  
tanks #1-2-3-4-8-9-10-11-12-14-- 23.9' diameter, 16' sidewall -6,763 bu. capacity  
tanks #5-6-7 -- 23.9' diameter , 17.5' sidewall - 7,347 bu. capacity  
tank # 13 - 23.9' diameter, 14.75' sidewall - 6,298 bu. capacity  
Hopper tanks- 16' dia - 20' sidewall - 6' hopper

ST. HILAIRE BEAN  
Garske Receiving site  
located 1 mile west of Garske Elevator Company  
Section C



hopper tank- 16' diameter 25' sidewall  
6' hopper -161.6 bu./ft - 28' depth for capacity.  
unpacked capacity 4525 bu. - packed capacity 4787 bu.

Large tanks - 47.8' diameter - 31.3' sidewall ( 20" air floor)  
depth for capacity 34.2' (2.9' for peak)  
capacity--unpacked 49,334 bu - packed 54,267 bu

OCTOBER 22, 2008

CUMMINGS AG INC.

SECTION A


CUMMINGS N.D.

Mailing address











Cummnings Ag Inc.

P.O. Box 152

Buxton N.D. 58218



SECTION A



floating  
hoppers

SECTION A

