

Exam Date:09/01/2010

Colgate Commodities, Inc.

Page: 1

Examiner: 2

HC 2 Box 17

Colgate, ND

County:

Phone: 701-945-2580

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
128	G	4,316
129	G	4,316
130	G	4,316
		Total: 12,948

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	30,000
B	46,000
C	319,000
D	22,000
E	26,000
F	108,000
G	49,000
Total: 600,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Colgate 994	A B C D E F G	600,000
Total:		600,000

Exam Date:09/01/2010

Colgate Commodities, Inc.
 HC 2 Box 17
 Colgate, ND
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Colgate

Section: A

A	001	Irregular	floor over bin		134.00	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	134.0	6.50	4,781
A	002	Irregular	floor over bin		134.00	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	134.0	6.50	4,781
A	003	Irregular	floor over bin		137.50	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	137.5	6.50	4,905
A	004	Irregular	floor over bin		137.50	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	137.5	6.50	4,905
A	005	Irregular	floor over bin		137.50	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	137.5	6.50	4,905
A	006	Irregular	floor over bin		137.50	0.000	0.000	33.50	0.00	0.00	33.500	0.000	33.5	137.5	6.50	4,905

Bin count: 6

Facility: Colgate Section: A Total: 29,182

To Even: 30,000

Section: B

B	112	Peaked	eave at sidewall		33.000	0.000	0.000	28.30	0.00	0.00	28.300	2.000	30.3	687.5	9.50	22,810
B	113	Peaked	eave at sidewall		33.000	0.000	0.000	28.30	0.00	0.00	28.300	2.000	30.3	687.5	9.50	22,810

Bin count: 2

Facility: Colgate Section: B Total: 45,620

To Even: 46,000

Section: C

C	201	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	202	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	203	Peaked	eave at sidewall		36.000	0.000	0.000	23.00	0.00	0.00	23.000	2.200	25.2	818.2	10.0	22,681
C	204	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880

Exam Date:09/01/2010

Colgate Commodities, Inc.
HC 2 Box 17
Colgate, ND
County:

Page: 2

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Colgate

Section: C

C	207	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	208	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	209	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	210	Peaked	eave at sidewall		36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880
C	211	Flat	bag storage only- less		0.000	200.0	80.00	3.500	0.00	0.00	3.500	0.000	3.5	12861.7	10.0	49,518
C	212	Peaked	top of sidewall		42.000	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1113.7	10.0	33,322
C	213	Peaked	top of sidewall		42.000	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1113.7	10.0	33,322
C	214	Peaked	top of sidewall		42.000	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1113.7	10.0	33,322

Bin count: 12

Facility: Colgate Section: C Total: 318,325To Even: 319,000

Section: D

D	301	Peaked	eave at side wall		18.000	0.000	0.000	16.00	2.30	0.00	18.300	1.100	19.4	204.6	6.00	4,207
D	302	Peaked	eave at side wall		18.000	0.000	0.000	16.00	2.30	0.00	18.300	1.100	19.4	204.6	6.00	4,207
D	303	Peaked	eave at side wall		18.000	0.000	0.000	16.00	2.30	0.00	18.300	1.100	19.4	204.6	6.00	4,207
D	304	Peaked	eave at side wall		18.000	0.000	0.000	16.00	2.30	0.00	18.300	1.100	19.4	204.6	6.00	4,207
D	305	Peaked	eave at side wall		18.000	0.000	0.000	16.00	2.30	0.00	18.300	1.100	19.4	204.6	6.00	4,207

Bin count: 5

Facility: Colgate Section: D Total: 21,035To Even: 22,000

Client ID: 1954

NDPSC Bin Capacity Chart

09/01/2010 03:37:01 PM

Exam Date:09/01/2010

Colgate Commodities, Inc.
HC 2 Box 17
Colgate, ND
County:

Page: 3

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Colgate**Section: E**

E	403	Peaked	eave at side wall		18.000	0.000	0.000	15.60	0.00	0.00	15.600	1.100	16.7	204.6	6.00	3,622
E	405	Peaked	eave at side wall		18.000	0.000	0.000	17.70	0.00	0.00	17.700	1.100	18.8	204.6	6.00	4,077
E	406	Peaked	eave at side wall		24.000	0.000	0.000	21.30	0.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900
E	407	Peaked	eave at side wall		24.000	0.000	0.000	21.30	0.00	0.00	21.300	1.400	22.7	363.7	7.80	8,900
Bin count:		4											Facility: Colgate Section: E Total:	25,499		
														To Even:	26,000	

Section: F

F	501 A	Quonset	N. 1/2 cntr ht. floor 21.75'		0.000	96.00	80.00	8.000	0.00	0.00	8.000	0.000	8.0	6132.2	10.0	53,964
F	501 B	Quonset	S. 1/2 cntr ht. floor 21.75'		0.000	96.00	80.00	8.000	0.00	0.00	8.000	0.000	8.0	6132.2	10.0	53,964
Bin count:		2											Facility: Colgate Section: F Total:	107,928		
														To Even:	108,000	

Section: G

G	101	Quonset	Satrom farm quonset		0.000	50.00	100.0	8.000	0.00	0.00	8.000	0.000	8.0	4002.0	10.0	35,218
Added	G	128	Peaked	Satrom farm tank south of	18.000	0.000	0.000	18.75	0.00	0.00	18.750	1.100	19.9	204.6	6.00	4,316
Added	G	129	Peaked	Satrom farm tank south of	18.000	0.000	0.000	18.75	0.00	0.00	18.750	1.100	19.9	204.6	6.00	4,316
Added	G	130	Peaked	Satrom farm tank south of	18.000	0.000	0.000	18.75	0.00	0.00	18.750	1.100	19.9	204.6	6.00	4,316

Client ID: 1954

NDPSC Bin Capacity Chart

09/01/2010 03:37:10 PM

Exam Date:09/01/2010

Colgate Commodities, Inc.
HC 2 Box 17
Colgate , ND
County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 4

Facility: Colgate Section: G Total: 48,166

To Even: 49,000

Overall Licensed Bin Capacity for:

Colgate Commodities, Inc.

Bin count: 35

Licensed Capacity:
(includes pack)

595,755 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

600,000 Bu.