

## **APPENDIX 4.C.2**

### **North Dakota Federal and State Wildlife Species of Concern**

**TABLE 4.C.2.A**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Birds</b>							
<b>Avocet: American</b>	<i>Recurvirostra americana</i>	G5	S?B			II	Aquatic/wetland habitat
<b>Bittern: American</b>	<i>Botaurus lentiginosus</i>	G4	S?B			I	Aquatic/wetland habitat
<b>Bluebird: Eastern</b>	<i>Sialia sialis</i>	G5	SU				Open forests, woodlands, grazed grassland
<b>Bobolink</b>	<i>Dolichonyx oryzivorus</i>	G5	S?B			II	Tall-grass prairie, hayland, cropland
<b>Bufflehead</b>	<i>Bucephala albeola</i>	G5	S4				Aquatic/wetland habitat
<b>Bunting: Lark</b>	<i>Calamospiza melanocorys</i>	G5	S?B			I	Sagebrush, sage prairie
<b>Canvasback</b>	<i>Aythya valisineria</i>	G5	S?B			II	Aquatic/wetland habitat
<b>Cardinal: Northern</b>	<i>Cardinalis cardinalis</i>	G5	S4				Wood margins on moist sites
<b>Chat: Yellow-Breasted</b>	<i>Icteria virens</i>	G5	SU				Dense thickets, north-facing slopes
<b>Chicken: Greater Prairie</b>	<i>Tympanuchus cupido pinnatus</i>	G4T4	S2		S	II	Native tall-grass prairie
<b>Crane: Sandhill</b>	<i>Grus canadensis</i>	G5	SU				Shallow wetlands
<b>Crane: Whooping</b>	<i>Grus americana</i>	G1	SX	E, XN		III	Aquatic/wetland habitats
<b>Cuckoo: Black-Billed</b>	<i>Coccyzus erythrophthalmus</i>	G5	S?B			I	Woodlands, thickets, prairie shrub, shelterbelt
<b>Cuckoo: Yellow-Billed</b>	<i>Coccyzus americanus</i>	G5	SU				Deciduous riparian woodlands, parks
<b>Curlew: Eskimo</b>	<i>Numenius borealis</i>	GH	S?	E			Wetlands, grasslands, pastures
<b>Curlew: Long-billed</b>	<i>Numenius americanus</i>	G5	S2		S	I	Aquatic/wetland habitats, extreme SW counties
<b>Dickcissel</b>	<i>Spiza americana</i>	G5	S?B			II	Alfalfa, sweet clover, brushy grasslands
<b>Eagle: Bald</b>	<i>Haliaeetus leucocephalus</i>	G5	S1			II	Forested areas near water
<b>Eagle: Golden</b>	<i>Aquila chrysaetos</i>	G5	S3			II	Badland buttes and adjoining native prairie
<b>Egret: Cattle</b>	<i>Bubulcus ibis</i>	G5	S4				Wetland habitat, crop fields, pastures
<b>Falcon: Peregrine</b>	<i>Falco peregrinus</i>	G4T4	S1		S	III	Undisturbed areas with cliffs and prey
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

**TABLE 4.C.2.A (CONTINUED)**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Birds</b>							
<b>Falcon: Prairie</b>	<i>Falco mexicanus</i>	G5	S3			II	Badlands, cliffs, buttes in west ND
<b>Flycatcher: Alder</b>	<i>Empidonax alnorum</i>	G5	SU				Low bushes in wet areas, woodlands
<b>Flycatcher: Olive-Sided</b>	<i>Contopus cooperi</i>	G4	S?				Burned-over forests, woodland
<b>Godwit: Marbled</b>	<i>Limosa fedoa</i>	G5	SU			I	Aquatic/wetland habitat
<b>Goldeneye: Common</b>	<i>Bucephala clangula</i>	G5	S3				Aquatic/wetland habitat
<b>Goshawk: Northern</b>	<i>Accipiter gentilis</i>	G5	S?				Conifer-dominated hardwoods
<b>Grebe: Horned</b>	<i>Podiceps auritus</i>	G5	S?B			I	Aquatic/wetland habitat
<b>Grebe: Red-Necked</b>	<i>Podiceps grisegena</i>	G5	SU				Aquatic/wetland habitat
<b>Grosbeak: Blue</b>	<i>Passerina caerulea</i>	G5	SU				Deciduous woodlands, scattered shrubs, dry fields
<b>Grouse: Greater Sage</b>	<i>Centrocercus urophasianus</i>	G4	SU		S	II	Sagebrush
<b>Grouse: Sharp-Tailed</b>	<i>Tympanuchus phasianellus</i>	G4	S?			II	Mixed-grass prairie, patches of woody vegetation
<b>Gull: Franklin’s</b>	<i>Larus pipixcan</i>	G4G5	S?B			I	Aquatic/wetland habitats
<b>Harrier: Northern</b>	<i>Circus cyaneus</i>	G5	S?B S?N			II	Upland grasses near water
<b>Hawk: Cooper’s</b>	<i>Accipiter cooperii</i>	G5	SU				Brushy woodlands along major streams
<b>Hawk: Ferruginous</b>	<i>Buteo regalis</i>	G4	SU			I	Native prairie, trees, cliffs
<b>Hawk: Swainson’s</b>	<i>Buteo swainsoni</i>	G5	SU			I	Open plains and prairies
<b>Heron: Green</b>	<i>Butorides virescens</i>	G5	S3				Aquatic/wetland habitat
<b>Ibis: White-Faced</b>	<i>Plegadis chihi</i>	G5	SU				Shallow marshes, islands w/ emergent vegetation
<b>Jay: Gray</b>	<i>Perisoreus canadensis</i>	G5	SR				Coniferous, mixed forests
<b>Longspur: Chestnut-Collared</b>	<i>Calcarius ornatus</i>	G5	S?B			I	Grazed/hayed mixed-grass prairie
<b>Longspur: McCown’s</b>	<i>Calcarius mccownii</i>	G4	S2			III	Arid, grazed, mix-grass prairie,
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

**TABLE 4.C.2.A (CONTINUED)**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Birds</b>							
<b>Loon: Common</b>	<i>Gavia immer</i>	G5	S4				Lakes with herbaceous shorelines
<b>Merganser: Common</b>	<i>Mergus merganser</i>	G5	SH				Aquatic/wetland habitat
<b>Merganser: Hooded</b>	<i>Lophodytes cucullatus</i>	G5	S3				Aquatic/wetland habitat
<b>Merlin</b>	<i>Falco columbarius</i>	G5	S2				Forests near water
<b>Mockingbird: Northern</b>	<i>Mimus polyglottos</i>	G5	SU				Parklands, cultivated land
<b>Nuthatch: Red-Breasted</b>	<i>Sitta canadensis</i>	G5	S4				Woodlands
<b>Osprey</b>	<i>Pandion haliaetus</i>	G5	SU				Habitats near lakes, large rivers
<b>Owl: Barred</b>	<i>Strix varia</i>	G5	SU				Dense thickets, forests
<b>Owl: Burrowing</b>	<i>Athene cunicularia</i>	G4	SU		S	II	Grasslands with abandoned burrows
<b>Owl: Long-Eared</b>	<i>Asio otus</i>	G5	SU				Dense vegetation adjacent to grass/shrublands, open forest
<b>Owl: Short-Eared</b>	<i>Asio flammeus</i>	G5	S?B S?N			II	Prairie, hayfields, stubble fields
<b>Pelican: American White</b>	<i>Pelecanus erythrorhynchos</i>	G4	S?B			I	Aquatic/wetland habitat
<b>Pewee: Western Wood</b>	<i>Contopus sordidulus</i>	G5	S4				Mature cottonwoods along the Little Missouri River
<b>Phalarope: Wilson’s</b>	<i>Phalaropus tricolor</i>	G5	S?B			I	Aquatic/wetland habitat
<b>Pigeon: Passenger</b>	<i>Ectopistes migratorius</i>	GX	SX				Eastern deciduous forests
<b>Pintail: Northern</b>	<i>Anas acuta</i>	G5	S?B			II	Aquatic/wetland habitat
<b>Pipit: Sprague’s</b>	<i>Anthus spragueii</i>	G4	S3		S	I	Grazed prairie
<b>Plover: Mountain</b>	<i>Charadrius montanus</i>	G2	SX	PT			Dry short grass prairie, sagebrush
<b>Plover: Piping</b>	<i>Charadrius melodus</i>	G3	S1/S2	T, CH		II	Sand/gravel shore, avoid dense vegetation
<b>Poorwill: Common</b>	<i>Phalaenoptilus nuttallii</i>	G5	S4				Shrub areas, prairie, open woodlands
<b>Rail: Yellow</b>	<i>Coturnicops noveboracensis</i>	G4	S2			I	Aquatic/wetland habitats
<b>Raven: Common</b>	<i>Corvus corax</i>	G5	SU				Along rivers and streams
<b>Redhead</b>	<i>Aythya americana</i>	G5	S?B			II	Aquatic/wetland habitat

\* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.

**TABLE 4.C.2.A (CONTINUED)**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Birds</b>							
<b>Sandpiper: Upland</b>	<i>Bartramia longicauda</i>	G5	S?B			I	Dry, open mixed-grass prairie
<b>Scoter: White-Winged</b>	<i>Melanitta fusca</i>	G5	SX				Dense underbrush near ponds, lakes, oxbows, islands
<b>Shrike: Loggerhead</b>	<i>Lanius ludovicianus</i>	G4	SU		S	II	Open country, wooded coulees, shelterbelts
<b>Sparrow: Baird’s</b>	<i>Ammodramus bairdii</i>	G4	SU		S	I	Native prairies & grasslands
<b>Sparrow: Brewer’s</b>	<i>Spizella breweri</i>	G5	S3			III	Dense sagebrush, short-grass prairie
<b>Sparrow: Grasshopper</b>	<i>Ammodramus savannarum</i>	G5	S?B			I	Mixed-grass prairie, meadows, hayfields
<b>Sparrow: Henslow’s</b>	<i>Ammodramus henslowii</i>	G4	S?				Uncultivated grasslands, wet meadows, tall grass fields
<b>Sparrow: Le Conte’s</b>	<i>Ammodramus leconteii</i>	G4	SU			II	Fens, wet meadows, marshes, sedges
<b>Sparrow: Nelson’s Sharp-Tailed</b>	<i>Ammodramus nelsoni</i>	G5	SU			I	Fens, shallow marshes, lakes
<b>Sparrow: Swamp</b>	<i>Melospiza georgiana</i>	G5	S3				Fens with cattail, phragmites
<b>Sparrow: White-Throated</b>	<i>Zonotrichia albicollis</i>	G5	S3				Mature quaking aspen, dense understory
<b>Swan: Trumpeter</b>	<i>Cygnus buccinator</i>	G4	SX				Aquatic/wetland habitats
<b>Tanager: Scarlet</b>	<i>Piranga olivacea</i>	G5	SU				Woodlands, riparian areas
<b>Tanager: Western</b>	<i>Piranga ludoviciana</i>	G5	SU				Open pine, mixed forests, wooded edges
<b>Teal: Cinnamon</b>	<i>Anas cyanoptera</i>	G5	S3				Aquatic/wetland habitat
<b>Tern: Black</b>	<i>Chlidonias niger</i>	G4	S?B			I	Aquatic/wetland habitat
<b>Tern: Common</b>	<i>Sterna hirundo</i>	G5	SU				Sparsely vegetated sand/gravel bars
<b>Tern: Forster’s</b>	<i>Sterna forsteri</i>	G5	SU				Large marshes w/ extensive vegetation
<b>Tern: Interior Least</b>	<i>Sterna antillarum</i>	G4	S1	E		II	Sparsely vegetated sand bars
<b>Thrush: Wood</b>	<i>Hylocichla mustelina</i>	G5	SU				Interior and edges of deciduous and mixed forests
<b>Vireo: Bell’s</b>	<i>Vireo bellii</i>	G5	S3				Riparian areas, brushy fields, aspen thickets
<b>Vireo: Philadelphia</b>	<i>Vireo philadelphicus</i>	G5	S3				Deciduous woods, woodland edges, parklands
<b>Vireo: Solitary</b>	<i>Vireo solitaries</i>	G5	S?				Coniferous, mixed open forests and edges

\* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.

**TABLE 4.C.2.A (CONTINUED)**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Birds</b>							
<b>Vulture: Turkey</b>	<i>Cathartes aura</i>	G5	S4				Brushy woodlands/open expanses of prairie
<b>Warbler: Audubon’s</b>	<i>Dendroica coronate auduboni</i>	G5T5	S3				Coniferous forests
<b>Warbler: Canada</b>	<i>Wilsonia canadensis</i>	G5	SU				Low trees, shrubs, underbrush
<b>Warbler: Cerulean</b>	<i>Dendroica cerulea</i>	G4	S?				Mature deciduous forest, floodplain
<b>Warbler: Chestnut-Sided</b>	<i>Dendroica pensylvanica</i>	G5	S3				Dense thickets of young deciduous forests
<b>Warbler: Golden-Winged</b>	<i>Vermivora chrysoptera</i>	G4	S3				Deciduous woodlands
<b>Warbler: Mourning</b>	<i>Oporornis philadelphia</i>	G5	S4				Trees, shrubs, red raspberries
<b>Warbler: Orange-Crowned</b>	<i>Vermivora celata</i>	G5	S4				Woodlands, riparian areas
<b>Waterthrush: Northern</b>	<i>Seiurus noveboracensis</i>	G5	S4				Wetlands, woody plants
<b>Whip-Poor-Will</b>	<i>Caprimulgus vociferus</i>	G5	SH				Woods near fields
<b>Willet</b>	<i>Catoptrophorus semipalmatus</i>	G5	SU			I	Aquatic/wetland habitat
<b>Woodcock: American</b>	<i>Scolopax minor</i>	G5	SU				Open forests, abandoned farmland
<b>Woodpecker: Pileated</b>	<i>Dryocopus pileatus</i>	G5	S3				Forests, woodlands
<b>Woodpecker: Red-Bellied</b>	<i>Melanerpes carolinus</i>	G5	SU				Woods, edges, farms, swamps
<b>Woodpecker: Red-Headed</b>	<i>Melanerpes erythrocephalus</i>	G5	S?B			II	Trees by rivers, shelterbelts, wooded areas
<b>Wren: Sedge</b>	<i>Cistothorus platensis</i>	G5	S?B			II	Wet meadows, tall grasses & sedges

\* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.

<b>TABLE 4.C.2.B</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
<b>Common Name</b>	<b>Scientific Name</b>	<b>Global</b>	<b>State</b>	<b>USFWS</b>	<b>USFS</b>	<b>CWCS</b>	<b>Habitat</b>
<b>Mammals</b>							
<b>Bear: Black</b>	<i>Ursus americanus</i>	G5	SX				Forests, brushy areas
<b>Bison: American</b>	<i>Bos bison</i>	G4	SX				Prairie, open woodlands
<b>Bobcat</b>	<i>Lynx rufus</i>	G5	SU				Forests, broken terrain
<b>Cottontail: Mountain</b>	<i>Sylvilagus nuttallii</i>	G5	SX				Sagebrush, woodlands
<b>Elk</b>	<i>Cervus canadensis</i>	G5	SU				Forests, plains, valleys
<b>Ferret: Black-Footed</b>	<i>Mustela nigripes</i>	G1	S1	E		II	Short grass prairie where prairie dog towns occur.
<b>Fisher</b>	<i>Martes pennanti</i>	G5	S2				Dense forests
<b>Fox: Common Gray</b>	<i>Urocyon cinereoargenteus</i>	G5	SU				Brushy vegetation, forests
<b>Fox: Swift</b>	<i>Vulpes velox</i>	G3	S1			II	Short mixed-grass prairie tracts
<b>Lion: Mountain</b>	<i>Puma concolor</i>	G5	S2				Mountainous, undisturbed areas
<b>Lynx</b>	<i>Lynx canadensis</i>	G5	SX				Dense conifer forests
<b>Mouse: Hispid Pocket</b>	<i>Chaetodipus hispidus</i>	G5	S4			III	Short and mixed-grass prairie
<b>Mouse: Meadow Jumping</b>	<i>Zapus hudsonius</i>	G5	S?				Moist lowland habitats
<b>Mouse: Plains Pocket</b>	<i>Perognathus flavescens</i>	G5	SU			III	Sandy areas covered with grass in SE North Dakota
<b>Myotis: Long-Eared</b>	<i>Myotis evotis</i>	G5	SU			III	Western North Dakota
<b>Myotis: Long-Legged</b>	<i>Myotis volans</i>	G5	SU			III	Western North Dakota
<b>Myotis: Northern</b>	<i>Myotis septentrionalis</i>	G4	SU				Forest, woodland habitat
<b>Myotis: Western Small-Footed</b>	<i>Myotis ciliolabrum</i>	G5	SU			III	Extreme western North Dakota
<b>Opossum: Virginia</b>	<i>Dedelphis virginiana</i>	G5	SU				Wooded areas along rivers and streams
<b>Otter: Northern River</b>	<i>Lutra canadensis</i>	G5	S1			II	Rivers, streams near wooded areas
<b>Prairie Dog: Black-Tailed</b>	<i>Cynomys ludovicianus</i>	G3G4	SU		S	I	Short grass of grazed rangeland in SW North Dakota
<b>Pronghorn Antelope</b>	<i>Antilocapra americana</i>	G5	S?				Open range, rough sagebrush flats, badlands
<b>Rat: Ord's Kangaroo</b>	<i>Dipodomys ordii</i>	G5	S4				Grasslands, shrublands
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

**TABLE 4.C.2.B (CONTINUED)**  
**NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN**

Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Mammals</b>							
<b>Sheep: Bighorn</b>	<i>Ovis canadensis</i>	G4T4	S2		S		Rugged terrain, rocky slopes, badlands
<b>Shrew: Arctic</b>	<i>Sorex arcticus</i>	G5	S?			III	Moist, grassy openings in forested areas
<b>Shrew: Pygmy</b>	<i>Sorex hoyi</i>	G5	SU			II	Forested areas in drift prairie & Red River Valley
<b>Shrew: Water</b>	<i>Sorex palustris</i>	G5	SR				Grassy/shrubby areas near streams, ponds, lakes
<b>Skunk: Eastern Spotted Skunk</b>	<i>Spilogale putoris</i>	G5	S1			III	Riparian woodlands, densely vegetated
<b>Squirrel: Southern Flying</b>	<i>Glaucomys volans</i>	G5	SR				Heavy deciduous forests
<b>Squirrel: Richardson’s Ground</b>	<i>Spermophilus richardsonii</i>	G5	S?			II	Open grasslands, cultivated fields, pastures
<b>Vole: Sagebrush</b>	<i>Lemmyscus curtatus</i>	G5	S4			III	Extreme western North Dakota
<b>Wolf, Gray</b>	<i>Canis lupus</i>	G4	SX	E		III	Forested areas
<b>Wolverine</b>	<i>Gulo gulo</i>	G4	SX				Boreal forests
<b>Wolverine: North American</b>	<i>Gulo gulo luscus</i>	G4T4	SX				Boreal forests
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.C</b>							
<b>NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN</b>							
<b>Common Name</b>	<b>Scientific Name</b>	<b>Global</b>	<b>State</b>	<b>USFWS</b>	<b>USFS</b>	<b>CWCS</b>	<b>Habitat</b>
<b>Reptiles</b>							
<b>Lizard: Short-Horned</b>	<i>Phrynosoma hernandesi</i>	G5	S?			II	Badlands
<b>Lizard: Northern Sagebrush</b>	<i>Sceloporus graciosus</i>	G5	S4			III	Sagebrush, open flats, forested slopes near water
<b>Skink: Northern Prairie</b>	<i>Eumeces septentrionalis</i>	G5	S2S3			III	Sandy areas in grasslands
<b>Snake: Redbelly</b>	<i>Storeria occipitomaculata</i>	G5	S?			II	Woodlands in drift prairie, Red River Valley
<b>Snake: Smooth Green</b>	<i>Liochlorophis vernalis</i>	G5	S?			I	Grasslands, uplands of hills
<b>Snake: Western Hognose</b>	<i>Heterodon nasicus</i>	G5	S?			I	Sand/gravel habitats near rivers
<b>Turtle: Common Snapping</b>	<i>Chelydra serpentina</i>	G5	S?			II	Warm water lakes/rivers, muddy bottoms
<b>Turtle: False Map</b>	<i>Graptemys pseudogeographica</i>	G5	SU			III	Lower Missouri River System
<b>Turtle: Smooth Softshell</b>	<i>Apalone mutica</i>	G5	SU			III	Lower Missouri River System
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.D</b>							
<b>NORTH DAKOTA’S WILDLIFE SPECIES OF CONCERN</b>							
<b>Common Name</b>	<b>Scientific Name</b>	<b>Global</b>	<b>State</b>	<b>USFWS</b>	<b>USFS</b>	<b>CWCS</b>	<b>Habitat</b>
<b>Amphibians</b>							
<b>Frog: Northern Leopard</b>	<i>Rana pipiens</i>	G5	S?				Aquatic/wetland habitat
<b>Mudpuppy</b>	<i>Necturus maculosus</i>	G5	S4				Red River
<b>Toad: Canadian</b>	<i>Bufo hemiophrys</i>	G4	S?			I	Aquatic/wetland habitat
<b>Toad: Plains Spadefoot</b>	<i>Spea bombifrons</i>	G5	S?			I	Dry grasslands, loose soils, shallow pools
<b>Treefrog: Gray</b>	<i>Hyla versicolor</i>	G5	S4				Aspen woodlands
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.E</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
<b>Common Name</b>	<b>Scientific Name</b>	<b>Global</b>	<b>State</b>	<b>USFWS</b>	<b>USFS</b>	<b>CWCS</b>	<b>Habitat</b>
<b>Fish</b>							
<b>Bullhead: Yellow</b>	<i>Ameiurus natalis</i>	G5	SX			III	Backwater, slow-moving sections of rivers, soft bottoms
<b>Catfish: Flathead</b>	<i>Pylodictis olivaris</i>	G5	S4			III	Pools, lakes, slower waters,
<b>Chub: Flathead</b>	<i>Platygobio gracilis</i>	G5	S?			II	Turbid waters, swift current, sand/gravel bottoms
<b>Chub: Hornyhead</b>	<i>Nocomis biguttatus</i>	G5	S3			III	Forest River in NE North Dakota
<b>Chub: Sicklefim</b>	<i>Macrhybopsis meeki</i>	G3	S2			I	Deep rivers, swift current, muddy waters
<b>Chub: Silver</b>	<i>Macrhybopsis storeriana</i>	G5	S?			II	Deeper pools, sandy backwater, large rivers
<b>Chub: Sturgeon</b>	<i>Macrhybopsis gelida</i>	G3	S2		S2	I	Rocky rapids, high turbidity, swift currents
<b>Chubsucker: Lake</b>	<i>Erimyzon sucetta</i>	G5	S?				Ponds, lakes, oxbows, sloughs, clear water
<b>Dace: Finescale</b>	<i>Phoxinus neogaeus</i>	G5	SU			III	Pools, slow moving waters
<b>Dace: Northern Redbelly</b>	<i>Phoxinus eos</i>	G5	S4		S2	II	Slower rivers with some vegetation
<b>Dace: Pearl</b>	<i>Margariscus margarita</i>	G5	S3			I	Missouri & Red River systems
<b>Darter: River</b>	<i>Percina shumardi</i>	G5	SU			III	Red River
<b>Lamprey: Chestnut</b>	<i>Ichthyomyzon castaneus</i>	G4	S?			III	Red River
<b>Lamprey: Silver</b>	<i>Ichthyomyzon unicuspis</i>	G5	S?			III	Red River
<b>Logperch</b>	<i>Percina caprodes</i>	G5	S3			III	Red River
<b>Minnow: Western Silvery</b>	<i>Hybognathus argyritis</i>	G4	S?				Large prairie streams, silt/sand bottoms
<b>Paddlefish</b>	<i>Polyodon spathula</i>	G4	S?			II	Large free flowing rivers with zooplankton
<b>Perch: Trout</b>	<i>Percopsis omiscomaycus</i>	G5	S?			II	Deep pools, rivers, streams, sandy bottoms
<b>Redhorse: Greater</b>	<i>Moxostoma valenciennesi</i>	G4	S2				Large streams, clear waters
<b>Shiner: Blacknose</b>	<i>Notropis heterolepis</i>	G4	S3			III	Pools with vegetation
<b>Shiner: Pugnose</b>	<i>Notropis anogenus</i>	G3	S1			III	Clear water with vegetation
<b>Shiner: Rosyface</b>	<i>Notropis rubellus</i>	G5	S3			III	Pools with current

\* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.

<b>TABLE 4.C.2.E (CONTINUED)</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Fish</b>							
<b>Stoneroller: Central</b>	<i>Campostoma anomalum</i>	G5	S3			III	Forest River in NE North Dakota
<b>Sturgeon: Lake</b>	<i>Acipenser fulvescens</i>	G3G4	SX				Large, clear rivers/lakes w/ gravel bottoms
<b>Sturgeon: Pallid</b>	<i>Scaphirhynchus albus</i>	G2	S1	E		II	Large, turbid rivers with sand/gravel bottom
<b>Sucker: Blue</b>	<i>Cycleptus elongatus</i>	G3G4	S3			I	Large rivers, strong current, high turbidity
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.F</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Insects</b>							
<b>Beetle</b>	<i>Bembidion henshawi</i>	G?	S?				Insufficient Data
<b>Beetle</b>	<i>Dyschirius criddlei</i>	G?	S?				Insufficient Data
<b>Beetle</b>	<i>Tachys halophilus</i>	G?	S?				Insufficient Data
<b>Beetle: Flea</b>	<i>Altica nancyae</i>	GNR	S2				Range grasses
<b>Beetle: Longhorn</b>	<i>Megacyllene powersi</i>	G?	SU				Sandhills
<b>Beetle: Scarab</b>	<i>Cremastocheilus nitens</i>	G3G5	S3				Adults - sand Larvae - ant hills
<b>Beetle: Tiger</b>	<i>Cicindela formosa</i>	G5	SU				Open sand, hilly areas
<b>Checkerspot: Acastus</b>	<i>Chlosyne acastus</i>	G4G5	S?				Insufficient Data
<b>Chlorochroan Bug: Belfragi's</b>	<i>Chlorochroa belfragii</i>	G?	S?				Native wet prairie habitats
<b>Crescent: Tawny</b>	<i>Phyciodes batesii</i>	G4	S3		S		Woodlands, native prairie with dogbane, leafy spurge
<b>Fritillary: Regal</b>	<i>Speyeria idalia</i>	G3	S2		S		Tall grass areas, damp meadows with blazing star, milkweed, thistle
<b>Mayfly</b>	<i>Apobaetis lakota</i>	G1	S?				Insufficient Data
<b>Skipper: Arogos</b>	<i>Atrytone arogos iowa</i>	G3G4 T3T4	S?		S		Native prairie with purple vetch, Canada thistle, purple coneflower
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.F (CONTINUED)</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Insects</b>							
<b>Skipper: Broad-Winged</b>	<i>Poanes viator</i>	G5	S2		S		Tall marsh grass with hairy sedge, swamp milkweed
<b>Skipper: Dakota</b>	<i>Hesperia dacotae</i>	G2	S2	C	S		Native tall grass prairie with white camass
<b>Skipper: Dion</b>	<i>Euphyes dion</i>	G4	S1		S		Sedge marshes, cattails, swamp milkweed
<b>Skipper: Ottoe</b>	<i>Hesperia ottoe</i>	G3G4	S?		S		Native prairie hilltops with coneflower
<b>Skipper: Powesheik</b>	<i>Oarisma powesheik</i>	G2G3	S?		S		Undisturbed, tall grass meadows
<b>Underwing: Manitoba</b>	<i>Catocala praeclara manitoba</i>	G5TU	S?				Insufficient Data
<b>Weevil</b>	<i>Platysystrophus minutus</i>	G?	SU				Oak Trees, Sheyenne River
<b>Wing: Mulberry</b>	<i>Poanes massasoit</i>	G4	S2		S		Sedge meadows with upright sedge, dogwood
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							

<b>TABLE 4.C.2.G</b>							
<b>NORTH DAKOTA'S WILDLIFE SPECIES OF CONCERN</b>							
Common Name	Scientific Name	Global	State	USFWS	USFS	CWCS	Habitat
<b>Bivalves and Gastropods</b>							
<b>Heelsplitter: Creek</b>	<i>Lasmigona compressa</i>	G5	S?			II	Sandy-bottomed headwaters
<b>Heelsplitter: Pink</b>	<i>Potamilus alatus</i>	G5	S4			II	Mud, gravel bottoms
<b>Mapleleaf</b>	<i>Quadrula quadrula</i>	G5	S3			II	Mud, sand, gravel bottoms
<b>Papershell: Pink</b>	<i>Potamilus ohioensis</i>	G5	SU			III	Sandy bottom of Bois de Sioux River
<b>Pigtoe: Wabash</b>	<i>Fusconaia flava</i>	G5	S4			II	Mud, sand, gravel bottoms
<b>Sandshell: Black</b>	<i>Ligumia recta</i>	G5	S4			II	Swift current, gravel/sand bottoms
<b>Snail: Callused Vertigo</b>	<i>Vertigo arthuri</i>	G2Q	S?				Moist, undisturbed forested areas, limestone/schist
<b>Threeridge</b>	<i>Amblema plicata</i>	G5	S?			II	Mud, sand, gravel bottoms
* Data provided by the USFWS, USFS, ND Game & Fish Dept., North Dakota Natural Heritage Program, and NatureServe.							