

BEFORE THE PUBLIC SERVICE COMMISSION  
OF THE STATE OF NORTH DAKOTA

In the Matter of  
The Coteau Properties Company  
Notice of Violation 1004

CASE NO. RC-10-598

---

**COTEAU EXHIBIT LIST**

---

1. Excerpts from Revision 50 to Permit NACT-8102.
2. Reclamation Division Letter of March 10, 2009, approving Revision No. 50.
3. Notice of Violation No. 1004.
4. PSC Regulation 69-05.2-24-03.
5. Vegetative Cover Survey prepared by Coteau.
6. Ten photos of Haul Road Ditches.
7. PSC Policy Memorandum No. 19 to Mine Operators, dated July 12, 2006.
8. PSC Regulation 69-05.2-16-08.
9. PSC Regulation 69-05.2-24-01.
10. Coteau Haul Road Certification Letter of September 17, 2009.
11. September 2, 2010, PSC Inspection Report.
12. North Dakota Department of Health Letter dated September 17, 2010, to Joseph D. Friedlander.
13. Department of Health Regulation 33-16-01-25.
14. Mercer County Board of County Commissioners Emergency Declaration.
15. Public Service Commission Memorandum, dated November 18, 2010, regarding NOV 1004.

16. Rainfall Hyetograph Gage at NW $\frac{1}{4}$ NE $\frac{1}{4}$  Section 31, Township 146 North, Range 87 West. September 9, 2010 – five minute interval.
17. Cumulative Rainfall Gage at NW $\frac{1}{4}$ NE $\frac{1}{4}$  Section 31, Township 146 North, Range 87 West. September 9, 2010 – 1842 hrs. to 2032 hrs.
18. Watershed for Culvert C-47+00 (aerial photo prepared by Coteau).
19. Rainfall amounts on September 9, 2010 (map prepared by Coteau).
20. 21 Runoff Volume Comparison Culvert C-47+00 Watershed.
21. 22 Peak Flow Comparison, West and East Haul Road Ditches at Culvert C-47+00 Inlet.
22. 20 Rainfall Comparisons: September 9, 2010, Event, Ten-Year/Six Hour Design Event.