

Wade C. Mann  
400 East Broadway, Suite 600  
P.O. Box 2798  
Bismarck, ND 58502-2798  
701.223.6585  
wmann@crowleyfleck.com

**RECEIVED**

AUG 10 2012

**PUBLIC SERVICE COMMISSION**

August 9, 2012

Mr. Darrell Nitschke  
Executive Director  
North Dakota Public Service Commission  
600 E. Boulevard, Dept. 408  
Bismarck, ND 58505-0480

Dear Mr. Nitschke:

RE: Enbridge Pipelines (North Dakota) LLC  
Beaver Lodge Loop Project  
Williams, Mountrail and Ward Counties  
Supplemental Filing  
Docket No. PU-10-613  
Our File No. 31-411-003

Enbridge Pipelines (North Dakota) LLC (hereinafter "EPND") encloses for filing, the original and ten copies of the following information to supplement its *Certificate of Corridor Compatibility and Route Permit* application in the above-referenced proceeding.

Activity	Water Appropriation Permit (ND State Water Commission)	Water Discharge Permit (ND Department of Health)
Mainline drilling/dust control	ND2012-14352	Authorization letter dated July 17, 2012
Stanley Station hydrostatic testing (new tankage/station piping)	ND2012-14399	NDG070338
Beaver Lodge Station hydrostatic testing (new tankage/station piping)	NA (using previously permitted water source)	NDG070339

Berthold Station hydrostatic testing (new tankage/station piping)	pending	NDG070337
--	---------	-----------

Please feel free to call me with any questions.

Very truly yours,



Wade C. Mann

bw  
Enc.

**Permit Number - ND2012-14352**

**State of North Dakota  
Temporary Water Permit  
SWC Project No. 1400A**

In response to an application for a temporary water permit dated Jun 26, 2012 as received in this office Jun 28, 2012, authority is hereby granted to:

Enbridge Pipeline (ND) LLC  
1409 Hammond Avenue  
Superior, WI 54880  
Contact Person: Sara Ploetz

Telephone (715) 398-4730

**A Temporary Water Permit as follows:**

**Source:** Un-named slough

**Point of Diversion:** NE1/4 Sec. 30 Twp. 156 Rng. 094

**Nature of Use:** Pipeline Construction

**Total Quantity of Water:** 200,000.0 Gallons

**Maximum Withdrawal Rate:** 200.0 gpm

**Period of authorized useage:** Jul 2, 2012 through Jan 1, 2013

**Conditions**


This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

The Total Quantity of Water listed above is equivalent to 0.61 acre-feet.

The use of the water authorized by this Temporary Water Permit shall be limited to activities associated with the boring and installation of a pipeline, including dust control. Any other use is unauthorized and will result in the forfeiture of this temporary water permit.

A weatherproof copy of this Temporary Water Permit must be attached the equipment withdrawing water and must be available for inspection by representatives of the State Engineers Office or the State Water Commission.

Dated: Jul 2, 2012



Todd Sando, P.E.  
State Engineer  
ND State Water Commission  
900 East Boulevard  
Bismarck, ND 58505

cc: Mountrail WRD

Permit Number - ND2012-14399

State of North Dakota  
Temporary Water Permit  
SWC Project No. 1400A

In response to an application for a temporary water permit dated Jul 19, 2012 as received in this office Jul 19, 2012, authority is hereby granted to:

Enbridge Pipeline (ND) LLC  
1409 Hammond Avenue  
Superior, WI 54880  
Contact Person: Sara Ploetz

Telephone (715) 398-4730

**A Temporary Water Permit as follows:**

**Source:** Stanley Reservoir

**Point of Diversion:** NW1/4 Sec. 34 Twp. 156 Rng. 091

**Nature of Use:** Hydrostatic testing

**Total Quantity of Water:** 85,000.0 Barrels

**Maximum Withdrawal Rate:** 1,000.0 gpm

**Period of authorized useage:** Aug 1, 2012 through Jul 31, 2012

**Note:** The requested source was listed as "un-named slough associated with Little Knife River", but review of the location indicated that the Stanley Reservoir is the dominant surface water feature in this quarter.

**Conditions**

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

The Total Quantity of Water listed above is equivalent to 10.96 acre-feet.

The storage of water in the Stanley Reservoir is authorized under perfected water permit number 1558, held by the City of Stanley. The permit holder and the contractor must obtain written permission from the City of Stanley prior to withdrawing water from the Stanley Reservoir.

Dated: Jul 27, 2012



Todd Sando, P.E.  
State Engineer  
ND State Water Commission  
900 East Boulevard  
Bismarck, ND 58505

cc: Mountrail WRD

**Permit Number - ND2012-14399**


**State of North Dakota  
Temporary Water Permit  
SWC Project No. 1400A**

The use of the water authorized by this Temporary Water Permit shall be limited to the hydrostatic testing of new station tankage and piping. Any other use is unauthorized and will result in the forfeiture of this temporary water permit.

A weatherproof copy of this Temporary Water Permit must be attached the equipment withdrawing water and must be available for inspection by representatives of the State Engineers Office or the State Water Commission.

Dated: Jul 27, 2012

cc: Mountrail WRD

  
\_\_\_\_\_  
Todd Sando, P.E.  
State Engineer  
ND State Water Commission  
900 East Boulevard  
Bismarck, ND 58505



**NORTH DAKOTA**  
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION  
Gold Seal Center, 918 E. Divide Ave.  
Bismarck, ND 58501-1947  
701.328.5200 (fax)  
www.ndhealth.gov



July 17, 2012

Paul Hartzheim – Senior Analyst  
800 Washington Ave N; Suite 315  
Minneapolis, MN 55401

Re: Enbridge Pipelines (North Dakota) LLC, Beaver Lodge Loop Project (West)/Berthold Expansion Project

Dear Mr. Hartzheim,

The Department has reviewed the paperwork dated June 28, 2012, for Enbridge Pipelines (North Dakota) LLC Beaver Lodge Loop (West) and Berthold Expansion projects. We concur with your request to reuse the hydrostatic test water for dust control. The water may not leave the properties since a permit was not obtained for these two projects.

In summary, your proposal is to utilize the hydrostatic test water as dust control on Enbridge's property and right-of-ways. Beaver Lodge Loop project is looking at using 60,000 gallons of water while the Berthold Station Expansion project is looking at using 40,000 gallons. The water is to be used on new piping with no additives.

If you have any questions, please contact me at 701.328.5234.

Sincerely,

Marty Haroldson  
Environmental Scientist  
Division of Water Quality

MH

Environmental Health  
Section Chief's Office  
701.328.5150

Division of  
Air Quality  
701.328.5188

Division of  
Municipal Facilities  
701.328.5211

Division of  
Waste Management  
701.328.5166

Division of  
Water Quality  
701.328.5210



**NORTH DAKOTA**  
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION  
Gold Seal Center, 918 E. Divide Ave.  
Bismarck, ND 58501-1947  
701.328.5200 (fax)  
www.ndhealth.gov



July 30, 2012

Sara Ploetz  
Enbridge Pipelines (North Dakota) LLC  
1409 Hammond Avenue  
Superior, WI 54880

Re: NDPDES Permit No. NDG070337

We have received your "Application for Permit to Discharge - NDPDES Industrial-Short Form C" and have granted authority to discharge under the General Permit for Temporary Dewatering/Hydrostatic Testing Permit NDG070000. Your facility has been assigned permit no. **NDG070337**. This permit has been issued by the North Dakota Department of Health (NDDoH) with the understanding that all other applicable permits and permissions have been obtained for the start of the following project. The application indicates that the discharge(s) will consist of ground, surface, or potable water from the expansion project of the Berthold Station:

<u>Discharge Point</u>	<u>Volume (Gallons)</u>	<u>Location</u>	
001H	≈ Unknown	Berthold Station	TWN 156N, RNG 86W, Sections, 20,21 County Ward

**All discharge points shall be inspected daily.** On a daily basis record the total volume of discharge and make a visual inspection for Oil and Grease. Analytical parameters for pH and Total Suspended Solids (TSS) shall be tested for this project. The parameter for Chlorine shall be tested only if the water source has been chlorinated. The parameter of Oil and/or Grease is waived unless sheen is observed in the discharge; if observed then collect a sample for Total Petroleum Hydrocarbon (TPH). The department shall be contacted on all findings of Oil and Grease. All discharges made directly to a surface water body or wetland shall be inspected closely so as to minimize any turbidity issues. Best Management Practices (BMPs) must be used to minimize the impact of the discharge.

**ADDITIVES:** No additives were reviewed for this project.

Enclosed are Discharge Monitoring Report (DMR) forms for your use. If someone else is responsible for the submittal of the DMRs, please forward this letter and the enclosed forms to them. The reports cover three months; the dates and location have been filled out. If no discharge occurs during the reporting period, check "No" in section one. The reports must be post-marked by the last day of the month following the end of each reporting period. All original DMR forms should be sent to NDDoH and a copy should be kept for your files. **EPA no longer requires a copy of the DMR form.**

If any other testing is conducted during this project, copies of the results of any such test should be forwarded to the Department. **Should you wish to no longer be covered under this permit, you must submit a written request to terminate and cite the reasons for termination.** Coverage shall be maintained until a written notification to release has been issued to the permittee by NDDoH. Should you have any questions about your permit or how to complete the DMRs, please contact me at (701) 328-5234.

Sincerely,

Marty Haroldson  
Environmental Scientist  
Division of Water Quality

Enc.  
Cc: EPA

Environmental Health  
Section Chief's Office  
701.328.5150

Division of  
Air Quality  
701.328.5188

Division of  
Municipal Facilities  
701.328.5211

Division of  
Waste Management  
701.328.5166

Division of  
Water Quality  
701.328.5210



**NORTH DAKOTA**  
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION  
Gold Seal Center, 918 E. Divide Ave.  
Bismarck, ND 58501-1947  
701.328.5200 (fax)  
www.ndhealth.gov



July 30, 2012

Sara Ploetz  
Enbridge Pipelines (North Dakota) LLC  
1409 Hammond Avenue  
Superior, WI 54880

Re: NDPDES Permit No. NDG070338

We have received your "Application for Permit to Discharge - NDPDES Industrial-Short Form C" and have granted authority to discharge under the General Permit for Temporary Dewatering/Hydrostatic Testing Permit NDG070000. Your facility has been assigned permit no. **NDG070338**. This permit has been issued by the North Dakota Department of Health (NDDoH) with the understanding that all other applicable permits and permissions have been obtained for the start of the following project. The application indicates that the discharge(s) will consist of ground, surface, or potable water from the expansion project of the Stanley Station:

<u>Discharge Point</u>	<u>Volume (Gallons)</u>	<u>Location</u>	
001H	≈ Unknown	Stanley Station	TWN 156N, RNG 91W, Sections, 27 Mountrail County


**All discharge points shall be inspected daily.** On a daily basis record the total volume of discharge and make a visual inspection for Oil and Grease. Analytical parameters for pH and Total Suspended Solids (TSS) shall be tested for this project. The parameter for Chlorine shall be tested only if the water source has been chlorinated. The parameter of Oil and/or Grease is waived unless sheen is observed in the discharge; if observed then collect a sample for Total Petroleum Hydrocarbon (TPH). The department shall be contacted on all findings of Oil and Grease. All discharges made directly to a surface water body or wetland shall be inspected closely so as to minimize any turbidity issues. Best Management Practices (BMPs) must be used to minimize the impact of the discharge.

**ADDITIVES:** No additives were reviewed for this project.

Enclosed are Discharge Monitoring Report (DMR) forms for your use. If someone else is responsible for the submittal of the DMRs, please forward this letter and the enclosed forms to them. The reports cover three months; the dates and location have been filled out. If no discharge occurs during the reporting period, check "No" in section one. The reports must be post-marked by the last day of the month following the end of each reporting period. All original DMR forms should be sent to NDDoH and a copy should be kept for your files. **EPA no longer requires a copy of the DMR form.**

If any other testing is conducted during this project, copies of the results of any such test should be forwarded to the Department. **Should you wish to no longer be covered under this permit, you must submit a written request to terminate and cite the reasons for termination.** Coverage shall be maintained until a written notification to release has been issued to the permittee by NDDoH. Should you have any questions about your permit or how to complete the DMRs, please contact me at (701) 328-5234.

Sincerely,

  
Marty Haroldson  
Environmental Scientist  
Division of Water Quality

Enc.  
Cc: EPA

Environmental Health  
Section Chief's Office  
701.328.5150

Division of  
Air Quality  
701.328.5188

Division of  
Municipal Facilities  
701.328.5211

Division of  
Waste Management  
701.328.5166

Division of  
Water Quality  
701.328.5210



**NORTH DAKOTA**  
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION  
Gold Seal Center, 918 E. Divide Ave.  
Bismarck, ND 58501-1947  
701.328.5200 (fax)  
www.ndhealth.gov



July 30, 2012

Sara Ploetz  
Enbridge Pipelines (North Dakota) LLC  
1409 Hammond Avenue  
Superior, WI 54880

Re: NDPDES Permit No. NDG070339

We have received your "Application for Permit to Discharge - NDPDES Industrial-Short Form C" and have granted authority to discharge under the General Permit for Temporary Dewatering/Hydrostatic Testing Permit NDG070000. Your facility has been assigned permit no. **NDG070339**. This permit has been issued by the North Dakota Department of Health (NDDoH) with the understanding that all other applicable permits and permissions have been obtained for the start of the following project. The application indicates that the discharge(s) will consist of ground, surface, or potable water from the expansion project of the Beaver Lodge Station:

<u>Discharge Point</u>	<u>Volume (Gallons)</u>	<u>Location</u>	
001H	≈ Unknown	Beaver Lodge Station	TWN 156N, RNG 95W, Sections, 32 Williams County

**All discharge points shall be inspected daily.** On a daily basis record the total volume of discharge and make a visual inspection for Oil and Grease. Analytical parameters for pH and Total Suspended Solids (TSS) shall be waived for this project. The parameter for Chlorine shall be tested only if the water source has been chlorinated. The parameter of Oil and/or Grease is waived unless sheen is observed in the discharge; if observed then collect a sample for Total Petroleum Hydrocarbon (TPH). The department shall be contacted on all findings of Oil and Grease. All discharges made directly to a surface water body or wetland shall be inspected closely so as to minimize any turbidity issues. Best Management Practices (BMPs) must be used to minimize the impact of the discharge.

**ADDITIVES:** No additives were reviewed for this project.

Enclosed are Discharge Monitoring Report (DMR) forms for your use. If someone else is responsible for the submittal of the DMRs, please forward this letter and the enclosed forms to them. The reports cover three months; the dates and location have been filled out. If no discharge occurs during the reporting period, check "No" in section one. The reports must be post-marked by the last day of the month following the end of each reporting period. All original DMR forms should be sent to NDDoH and a copy should be kept for your files. **EPA no longer requires a copy of the DMR form.**

If any other testing is conducted during this project, copies of the results of any such test should be forwarded to the Department. **Should you wish to no longer be covered under this permit, you must submit a written request to terminate and cite the reasons for termination.** Coverage shall be maintained until a written notification to release has been issued to the permittee by NDDoH. Should you have any questions about your permit or how to complete the DMRs, please contact me at (701) 328-5234.

Sincerely,

Marty Haroldson  
Environmental Scientist  
Division of Water Quality

Enc.  
Cc: EPA

Environmental Health  
Section Chief's Office  
701.328.5150

Division of  
Air Quality  
701.328.5188

Division of  
Municipal Facilities  
701.328.5211

Division of  
Waste Management  
701.328.5166

Division of  
Water Quality  
701.328.5210