

Brian R. Bjella
400 East Broadway, Suite 600
P.O. Box 2798
Bismarck, ND 58502-2798
701.223.6585
bbjella@crowleyfleck.com

March 19, 2013

Mr. Darrell Nitschke
Executive Director
North Dakota Public
Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480



Dear Mr. Nitschke:

In re: Enbridge Pipelines (North Dakota) LLC
Berthold Station Expansion Project
Docket No. PU-11-232
Our File No. 31-411-005

Enclosed herewith for filing please find 11 copies of environmental permits for the Berthold Station Expansion Project.

Please feel free to call should you have any questions.

Very truly yours,

A handwritten signature in blue ink, appearing to read "BR", with a long horizontal flourish extending to the right.

BRIAN R. BJELLA

bw
Enc.



April 3, 2012

North Dakota Pollutant Discharge Elimination System (NDPDES)
General Permit for Stormwater Discharges from Construction Activity
NOTICE OF COVERAGE

Permittee(s)

Owner Contact: Aaron Madsen
Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue
Superior, WI 54880

Operator Contact: Bjorn Ojard
North Shore Track
227 West First Street
Suite 200
Duluth, MN 55802

Coverage under the 2009 reissued construction general permit (NDR10-0000) is identified as follows:

Permit ID: Site Name:
NDR104403 **Berthold Station Expansion Project**

Please remember to update the Stormwater Pollution Prevention (SWPP) plan as appropriate for site conditions. The best management practices (BMPs) and temporary structures must be inspected, maintained and adjusted until the site is stabilized following construction activities. Once the site is stabilized as outlined in the general permit, you may end permit coverage by filing a termination notice. Cities or counties may impose additional requirements and/or specific BMPs for construction affecting their storm drainage system. Please check with the local officials to be sure all local stormwater management considerations are addressed.

Additional Information

The Des Lacs River is listed as an impaired body of water in the 2010 North Dakota Section 303(d) list of Waters Needing Total Maximum Daily Loads (TMDL). The Des Lacs River is listed as fully supporting fish and other aquatic biota but threatened due to fecal coliform. The TMDL development status is "Low"; this means TMDL development activities (e.g., monitoring and modeling) are scheduled for completion within 8 years of the approved date of the list. Extra care should be taken to prevent pollutants from entering the river and any storm water conveyance system that discharges to the river.

The permit conditions, forms and related information may be found on our web site at:
www.ndhealth.gov/wq/Storm/Construction/ConstructionHome.htm

Should you have any questions on the permit, please contact a stormwater staff person listed below.

Lucille Herrick
Division of Water Quality
701.328.5239
lherrick@nd.gov



NORTH DAKOTA
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov



July 30, 2012

Sara Ploetz
Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue
Superior, WI 54880

Re: NDPDES Permit No. NDG070337

We have received your "Application for Permit to Discharge - NDPDES Industrial-Short Form C" and have granted authority to discharge under the General Permit for Temporary Dewatering/Hydrostatic Testing Permit NDG070000. Your facility has been assigned permit no. NDG070337. This permit has been issued by the North Dakota Department of Health (NDDoH) with the understanding that all other applicable permits and permissions have been obtained for the start of the following project. The application indicates that the discharge(s) will consist of ground, surface, or potable water from the expansion project of the Berthold Station:

Discharge Point	Volume (Gallons)	Location	
001H	≈ Unknown	Berthold Station	TWN 156N, RNG 86W, Sections, 20,21 County Ward


All discharge points shall be inspected daily. On a daily basis record the total volume of discharge and make a visual inspection for Oil and Grease. Analytical parameters for pH and Total Suspended Solids (TSS) shall be tested for this project. The parameter for Chlorine shall be tested only if the water source has been chlorinated. The parameter of Oil and/or Grease is waived unless sheen is observed in the discharge; if observed then collect a sample for Total Petroleum Hydrocarbon (TPH). The department shall be contacted on all findings of Oil and Grease. All discharges made directly to a surface water body or wetland shall be inspected closely so as to minimize any turbidity issues. Best Management Practices (BMPs) must be used to minimize the impact of the discharge.

ADDITIVES: No additives were reviewed for this project.

Enclosed are Discharge Monitoring Report (DMR) forms for your use. If someone else is responsible for the submittal of the DMRs, please forward this letter and the enclosed forms to them. The reports cover three months; the dates and location have been filled out. If no discharge occurs during the reporting period, check "No" in section one. The reports must be post-marked by the last day of the month following the end of each reporting period. All original DMR forms should be sent to NDDoH and a copy should be kept for your files. EPA no longer requires a copy of the DMR form.

If any other testing is conducted during this project, copies of the results of any such test should be forwarded to the Department. **Should you wish to no longer be covered under this permit, you must submit a written request to terminate and cite the reasons for termination.** Coverage shall be maintained until a written notification to release has been issued to the permittee by NDDoH. Should you have any questions about your permit or how to complete the DMRs, please contact me at (701) 328-5234.

Sincerely,


Marty Haroldson
Environmental Scientist
Division of Water Quality

Enc.
Cc: EPA

Environmental Health
Section Chief's Office
701.328.5150

Division of
Air Quality
701.328.5188

Division of
Municipal Facilities
701.328.5211

Division of
Waste Management
701.328.5166

Division of
Water Quality
701.328.5210

State of North Dakota
Temporary Water Permit
SWC Project No. 1400A

In response to an application for a temporary water permit dated Jun 8, 2012 as received in this office Jun 8, 2012, authority is hereby granted to:

Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue

Superior , WI 54880

Contact Person: Sara Ploetz

Telephone (715) 398-4730

A Temporary Water Permit as follows:

Source: Unnamed slough

Point of Diversion: NE1/4 Sec. 20 Twp. 156 Rng. 086

Nature of Use: Hydrostatic testing

Total Quantity of Water: 40,000.0 Gallons

Maximum Withdrawal Rate: 800.0 gpm

Period of authorized useage: Jun 21, 2012 through Dec 31, 2012

Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

Dated: Jun 11, 2012



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

cc: Ward WRD

State of North Dakota
Temporary Water Permit
SWC Project No. 1400A

In response to an application for a temporary water permit dated Nov 12, 2012 as received in this office Nov 12, 2012, authority is hereby granted to:

Enbridge Pipeline (ND) LLC
1409 Hammond Avenue

Superior, WI 54880

Contact Person: Sara Ploetz

Telephone (715) 398-4730

A Temporary Water Permit as follows:

Source: Un-named slough

Point of Diversion: SW1/4 Sec. 21 Twp. 156 Rng. 087

Nature of Use: Hydrostatic testing

Total Quantity of Water: 25,000.0 Gallons

Maximum Withdrawal Rate: 800.0 gpm

Period of authorized useage: Dec 1, 2012 through Dec 31, 2012

Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

Dated: Nov 19, 2012



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

cc: Ward WRD

State of North Dakota
Temporary Water Permit
SWC Project No. 1400A

In response to an application for a temporary water permit dated Aug 13, 2012 as received in this office Aug 14, 2012, authority is hereby granted to:

Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue

Superior , WI 54880

Contact Person: Sara Ploetz

Telephone (715) 398-4730

A Temporary Water Permit as follows:

Source: Un-named slough

Point of Diversion: NE1/4 Sec. 20 Twp. 156 Rng. 086

Nature of Use: Hydrostatic testing

Total Quantity of Water: 6,250,000.0 Gallons

Maximum Withdrawal Rate: 1,000.0 gpm


Period of authorized usage: Sep 1, 2012 through Aug 31, 2013

Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

Dated: Aug 15, 2012

cc: Ward WRD



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

State of North Dakota
Temporary Water Permit
SWC Project No. 1400A

In response to an application for a temporary water permit dated Aug 13, 2012 as received in this office Aug 14, 2012, authority is hereby granted to:

Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue

Superior , WI 54880

Contact Person: Sara Ploetz

Telephone (715) 398-4730

A Temporary Water Permit as follows:

Source: Un-named slough

Point of Diversion: NE1/4 Sec. 20 Twp. 156 Rng. 086

Nature of Use: Hydrostatic testing

Total Quantity of Water: 6,250,000.0 Gallons

Maximum Withdrawal Rate: 1,000.0 gpm


Period of authorized useage: Nov 1, 2012 through Dec 31, 2012

Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

Dated: Aug 15, 2012

cc: Ward WRD



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

Permit Number - ND2012-14574

State of North Dakota
Temporary Water Permit
SWC Project No. 1400A

In response to an application for a temporary water permit dated Nov 26, 2012 as received in this office Nov 26, 2012, authority is hereby granted to:

Agri - Industries, Inc.
P.O. Box 1166
Williston, ND 58801
Contact Person: Mike Ames

Telephone (701) 572-0767

A Temporary Water Permit as follows:

Source: Un-named Pond

Point of Diversion: SE1/4 NE1/4 Sec. 20 Twp. 156 Rng. 086

Nature of Use: Hydrostatic testing

Total Quantity of Water: 55.0 Acre-Feet

Maximum Withdrawal Rate: 1,000.0 gpm

Period of authorized usage: Dec 15, 2012 through Dec 14, 2013

NOTE: ALL WATER TO BE RETURNED TO SOURCE POND


Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

When hydrostatic testing is completed, all water is to be returned to the source pond through a silt fence or other suitable material capable of capturing foreign matter prior to return to source pond.

Any water not returned to the source pond will be identified and permitted under Industrial Use Permit.

Dated: Nov 28, 2012



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

cc: Ward WRD



APPLICATION FOR A TEMPORARY WATER PERMIT
NORTH DAKOTA STATE WATER COMMISSION
WATER APPROPRIATIONS
 SFN 60158 (04/2012)

MAIL THE COMPLETED APPLICATION TO:
 State Engineer • ND State Water Commission • State Office Building • 900 East Boulevard • Bismarck, ND 58505-0850
 BY FAX - (701) 328-3898 • BY EMAIL - swc@nd.gov

(SIGNATURE MUST BE PROVIDED)

NOTE: Use one application for each type of source (surface water or ground water). Use one application for each different surface water source. Complete all lines. If this application is not satisfactorily completed, it will be returned. If more space is necessary, attach additional sheets. Please type or print in ink. There is no filing fee and no map is required.

2012-14574

Name of Applicant AGRI INDUSTRIES INC.			
Mailing Address P.O. Box 1166			
City WILLISTON	State N.D.	Zip Code 58861	
Home Telephone Number 701-568-0767	Work Telephone Number 701-572-0767 EXT. 12		
Cell Phone Number 701-770-5108	E-Mail MIKE@AGRIINDUSTRIES.COM		
Contact Person (if applicant is not an individual) MIKE AMES	Contact Person Telephone Number 701-572-0767 EXT. 12		
Source of Water Supply (check one) <input checked="" type="checkbox"/> Surface Water Source <input type="checkbox"/> Ground Water Source			
Name of Source (if surface water): UNKNOWN POND, NON CONSUMPTIVE USE, WATER WILL BE RETURNED TO POND.			
Location of Proposed Point of Diversion:		County WARD	
1/4 1/4 (if needed) SE 1/4	1/4 NE	Section 20	Range 86 W
Township 156 N.			
Purpose for Which Water Will be Used: HYDROTEST 3 - 140,000 BBL TANKS FOR ENRICHMENT			
Total Quantity of Water Requested: (complete one)	Acres-Feet 55 AC. FT.	Gallons	Barrels
Withdrawal rate at which water is proposed to be diverted at the location listed above:	GPM 1000 GPM		
Period of Usage: (up to 12 months)	From 15 DEC 2012	Through 15 DEC 2013	
Signature: <i>[Signature]</i>	Date: 26 Nov 2012		
Printed Name MIKE AMES			

Upon receipt of this form, the State Engineer will forward a written response to the applicant within approximately ten days. If the application is approved, the granting of temporary water permit does not create a water right. If you have any questions, call (701) 328-2764.

48.32173
 - 101.75249