

ADMINISTRATION DBE GOAL 0.00 percent

This goal represents the percentage of work to be accomplished by DBE prime contractors, subcontractors, consultants, vendors and material suppliers for professional services, construction and procurement contracts on federal-aid transit projects and grants. Information concerning these goals is available for inspection from 8 am to 5 pm, at the following location:

Room 315
North Dakota Department of
Transportation
608 East Boulevard Avenue
Bismarck, ND 58505-0700
Written comments to North Dakota
Department of Transportation Director
Francis Ziegler may be sent to the address
above or emailed to: civilrights@nd.gov
until September 1, 2011.
6/25 & 7/2 - 608868

NOTICE OF INTENT TO AMEND ADMINISTRATIVE RULES

relating to
Reclamation and
Gas Pipeline Safety,

Public Service

Commission

will hold a public hearing to address proposed changes to the N.D. Admin. Code

Commission Hearing Rm.

12th Floor

State Capitol
Bismarck, ND

Tues., Aug. 9, 2011
10:00 a.m.

A copy of the proposed rules may be obtained by writing the Public Service Commission, 600 E. Boulevard Ave., Dept. 408, Bismarck, ND 58505-0480 or by calling (701) 328-2400, toll free 1-877-245-6685 or Relay North Dakota TTY: 1-800-366-6888 or NDPSC@ND.gov. This information is also available to view on our web site at www.psc.state.nd.us under "Formal Actions/Case Search". Also, written comments may be submitted to the Public Service Commission at the above address, until September 26, 2009. If you plan to attend the public hearing and will need special facilities or assistance relating to a disability, please contact the Public Service Commission by telephone or by writing to the address above at least 24 hours prior to the public hearing.

Kevin Cramer, Commissioner
Tony Clark, Chairman
Brian P. Kalk, Commissioner

7/2 - 608892

Deadlines

PUBLISH BY	RECEIVE BY
Mon. 12 Noon	Fri. 12 Noon
Tues. 12 Noon	Mon. Noon
Wed. 12 Noon	Tues. 5PM
Thurs. 12 Noon	Wed. 12 Noon
Friday	
Sat.	

facility is not located in a floodway, 3) the facility has not sustained major structural damage in a previous flood, 4) the facility is not critical (e.g., the facility is not a hospital, generating plant, emergency operations center, or a facility that contains dangerous materials, etc.). FEMA intends to provide assistance for the restoration of these facilities to their pre-disaster condition, except that certain measures to mitigate the effects of future disaster events may be included in the work. For example, a bridge or culvert restoration may include a larger waterway opening to decrease the risk of future washouts.

Directors/Chairing: Preparation of Preliminary Reports/Disseminating the Preparation Plans and Specifications; Authorization to Agenda Item 1, first bullet regarding Ord 5830. Addition: the pulled: Smith wants addendum pulled. Seminary moved to approve remaining members voted Aye. Motion carried. Seminary removed himself from table because Consent Item 1, Bullet 1: Call for public hearing Heights Fifth Addition, requested by Mizel Bu request: Smith seconded. All members present absent and not voting. Seminary rejoined the table. Addendum Item: Call for public hearing Ord 5830 Budget Ordinance to increase Government \$15,000,000 for Missouri River flood event Keith Hunke Asst. City Administrator and Char recovery team. Recovery team would consist Center (EOC), city staff and others deemed in looking into all aspects of recovery from flood in no way meant to disrespect citizens who had flood fight. Grossman moved to approve request. Motion carried.

REGULAR AGENDA

In many cases an applicant may have started facility restoration before federal involvement. Even if the facility must undergo detailed review and analysis of alternate locations, FEMA will fund eligible restoration at the original location if the facility is functionally dependent on its floodplain location (e.g., bridges and flood control facilities), or the project facilitates an open space use, or the facility is an integral part of a larger network that is impractical or uneconomical to relocate such as a road. In such cases, FEMA must also examine the possible effects of not restoring the facility, minimize floodplain/wetland impacts, and determine both that an overriding public need for the facility clearly outweighs the Executive Order requirements to avoid the floodplain/wetland, and that the site is the only practicable alternative. The State of North Dakota and local officials will confirm to FEMA that proposed actions comply with all applicable state and local floodplain management and wetland protection requirements.

FEMA also intends to provide HMGF funding to the State of North Dakota to mitigate future disaster damages. These projects may include construction of new facilities, modification of existing undamaged facilities, relocation of facilities out of floodplains, demolition of structures or other types of projects to mitigate future disaster damages. In the course of developing project proposals, subsequent public notices will be published, if necessary, as more specific information becomes available.

The National Historic Preservation Act requires federal agencies to take into account the effects of their undertakings on historic properties. Those actions or activities affecting buildings, structures, districts, objects 50 years or older or that affect archeological sites or undisturbed ground will require further review to determine if the property is eligible for listing in the National Register of Historic Places (Register). If the property is determined to be eligible for the Register and FEMA's undertaking will adversely affect it, FEMA will provide additional public notices. For historic properties not adversely affected by FEMA's undertaking, this will be the only public notice.

As noted, this may be the only public notice regarding the above-described actions under the PA and HMGF programs. Interested persons may obtain information about these actions or a specific project by writing to the Federal Emergency Management Agency, Joint Field Office, 600 South 2nd Street, Bismarck, ND 58504 or by calling (701) 221-8640. Comments should be sent in writing to Willie G. Nunn, Federal Coordinating Officer at the above address within 15 days of the date of this notice.

Grossman moved motion to approve Ord 582 Great Fourth Addition and change the name to on Asky's motion that was approved. Seminary Naves: Grossman and Warford, motion carried 6. Street Improvement: District 496: Bids for Northern Improvement = 1,079,282.05. Eng introduced Resolution Receiving Bids and On There were no written protests and no person Determining Insufficiency of Process Resolution to Northern Improvement for \$1,079,282.05. ing resolutions. All members voted Aye. Motion duly passed and adopted.

7. Utility Ops Dept: a) Property Acquisition for Smith moved to approve request. Seminary carried b) Disposition of bids for Water Utility 2011 meeting/ Keith Denke said at May 24, 2010 George E. Haggart for \$902,389.00. Engineer's bid be rejected and staff go back and retool into bid received. Asky seconded. All members voted 8. Community Development Dept: request for Daytona Drive in Country West Park Addition, care of during Public Hearing for Ord 5828. O 9. Recommendation of Vision Fund Committee Development Association for 2011, operation funding and \$53,248 in 2010 carryover funding moved to approve request. Smith seconded. All 10. Recommendation of Vision Fund Committee 2011, operational support of \$150,000. After approve request. Grossman seconded. All members Regular Agenda Addendums. Building Inspections: Notice and Order for the Street. Seminary moved to approve request. Smith carried. Service Operations Director/Director of EOC site of unused empty sand bags. Grossman motion members voted Aye. Motion carried. 11. Ongoing project agenda. Board took no action. Having completed the agenda, the meeting was Payroll Checks by Fund - May 27, 2011. General Roads & Streets / Street Lights / Fleet Service Activities Fund - 32,316.46; Airport; Flightline Solid Waste Utility Fund - 60,749.57; Water &

7/2 Bismarck