

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC
 1630 1st Ave S
 Casselton, ND
 County:
 Phone: 701-282-4094
 CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
		Total: 0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	712,000
	B	360,000
	C	1,053,000
	D	1,132,000
	E	2,717,000
	P	301,000
	P-1	800,000
		Total: 7,075,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Casselton 1142	E	2,717,000
Chaffee 1144	B	360,000
Leonard 1145	C	1,053,000
Lynchburg 1143	A	712,000
Peak 1243	P P-1	1,101,000
Prosper 1141	D	1,132,000
		Total: 7,075,000

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC

Page: 1

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	001	Square	work floor	0.000	9.700	3.200	39.00	0.00	0.00	39.000	0.000	39.0	25.0	2.50	999
	A	002 T	Square	work floor	0.000	9.700	8.400	36.00	0.00	0.00	36.000	0.000	36.0	65.5	5.00	2,476
	A	002 M	Irregular	work floor -top 36' 11.8x9.7'	79.700	0.000	0.000	6.000	0.00	0.00	6.000	0.000	6.0	79.7	5.50	504
	A	002B	Square	work floor -top 36' mddle 6'	0.000	11.80	9.700	23.00	0.00	0.00	23.000	0.000	23.0	92.0	5.80	2,239
	A	003	Square	work floor	0.000	4.800	3.200	42.00	0.00	0.00	42.000	0.000	42.0	12.3	2.00	527
	A	004	Square	work floor	0.000	4.500	3.200	36.00	0.00	0.00	36.000	0.000	36.0	11.6	2.00	426
	A	005	Square	work floor	0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
	A	006	Square	work floor	0.000	10.20	5.500	45.00	0.00	0.00	45.000	0.000	45.0	45.1	4.00	2,111
	A	007	Square	work floor	0.000	11.80	9.700	65.00	0.00	0.00	65.000	0.000	65.0	92.0	5.80	6,327
	A	008	Square	work floor	0.000	6.900	5.500	45.00	0.00	0.00	45.000	0.000	45.0	30.5	2.50	1,407
	A	009 T	Irregular	work floor 6.9x5.5 less	19.200	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	19.2	2.00	294
	A	009 B	Square	work floor - top 15'	0.000	6.900	5.500	28.00	0.00	0.00	28.000	0.000	28.0	30.5	2.50	875
	A	010 T	Irregular	work floor - 9.7x6.9 less	45.400	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	45.4	4.00	708
	A	010 B	Square	work floor - top 15'	0.000	9.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	53.8	4.50	1,574
	A	011	Square	work floor	0.000	4.500	3.300	42.00	0.00	0.00	42.000	0.000	42.0	11.9	2.00	510
	A	012	Square	work floor	0.000	6.900	5.500	45.00	0.00	0.00	45.000	0.000	45.0	30.5	2.50	1,407
	A	013 T	Square	work floor	0.000	6.900	1.500	15.00	0.00	0.00	15.000	0.000	15.0	8.3	2.00	128
	A	013 B	Square	work floor -top 15'	0.000	6.900	5.500	28.00	0.00	0.00	28.000	0.000	28.0	30.5	2.50	875
	A	014 T	Square	work floor	0.000	6.900	6.700	15.00	0.00	0.00	15.000	0.000	15.0	37.2	3.00	575
	A	014 B	Square	work floor -top 15'	0.000	9.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	53.8	4.50	1,574
	A	015	Square	work floor	0.000	5.300	4.800	42.00	0.00	0.00	42.000	0.000	42.0	20.5	2.00	878
	A	016	Square	work floor	0.000	6.200	4.800	42.00	0.00	0.00	42.000	0.000	42.0	23.9	2.00	1,024
	A	017 T	Square	work floor	0.000	11.80	4.500	42.00	0.00	0.00	42.000	0.000	42.0	42.7	3.50	1,856

Section: A

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 2

Examiner: 1

1630 1st Ave S

Casselton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: A															
	A	017 B	Square	work floor -top 42'	0.000	11.80	9.700	23.00	0.00	0.00	23.000	0.000	23.0	92.0	5.80	2,239
	A	018	Square	work floor	0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
	A	019	Square	work floor	0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
	A	020	Square	work floor	0.000	11.80	9.700	65.00	0.00	0.00	65.000	0.000	65.0	92.0	5.80	6,327
	A	101 T	Square	work floor	0.000	13.30	9.700	57.00	0.00	0.00	57.000	0.000	57.0	103.7	6.00	6,266
	A	101 B	Square	work floor -top 57'	0.000	13.30	13.00	8.000	0.00	0.00	8.000	0.000	8.0	139.0	6.50	1,184
	A	102	Square	work floor	0.000	13.30	11.00	57.00	0.00	0.00	57.000	0.000	57.0	117.6	6.20	7,119
	A	103 T	Square	work floor	0.000	13.30	9.700	57.00	0.00	0.00	57.000	0.000	57.0	103.7	6.00	6,266
	A	103 B	Square	work floor -top 57'	0.000	13.30	13.00	8.000	0.00	0.00	8.000	0.000	8.0	139.0	6.50	1,184
	A	104 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
	A	104 B	Square	work floor -top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	105	Square	work floor	0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
	A	106 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
	A	106 B	Square	work floor -top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	107 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
	A	107 B	Square	work floor -top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	108	Square	work floor	0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
	A	109 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
	A	109 B	Square	work floor -top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	110 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
	A	110 B	Square	work floor-top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	111	Square	work floor	0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
	A	112 T	Square	work floor	0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 3

Examiner: 1

1630 1st Ave S

Casselton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	112 B	Square	work floor- top 57'	0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
	A	113 T	Square	work floor	0.000	12.20	9.700	57.00	0.00	0.00	57.000	0.000	57.0	95.1	6.00	5,746
	A	113 B	Square	work floor-top 57'	0.000	13.00	12.20	8.000	0.00	0.00	8.000	0.000	8.0	127.5	6.50	1,086
	A	114	Square	work floor	0.000	12.20	11.00	57.00	0.00	0.00	57.000	0.000	57.0	107.9	6.20	6,531
	A	115 T	Square	work floor	0.000	12.20	9.700	57.00	0.00	0.00	57.000	0.000	57.0	95.1	6.00	5,746
	A	115 B	Square	work floor-top 57'	0.000	13.00	12.20	8.000	0.00	0.00	8.000	0.000	8.0	127.5	6.50	1,086
	A	116 T	Square	work floor	0.000	11.80	9.700	57.00	0.00	0.00	57.000	0.000	57.0	92.0	5.80	5,548
	A	116 B	Square	work floor-top 57'	0.000	13.00	11.80	8.000	0.00	0.00	8.000	0.000	8.0	123.3	6.50	1,050
	A	117	Square	work floor	0.000	11.80	11.00	57.00	0.00	0.00	57.000	0.000	57.0	104.3	6.00	6,302
	A	118 T	Square	work floor	0.000	11.80	9.700	57.00	0.00	0.00	57.000	0.000	57.0	92.0	5.80	5,548
	A	118 B	Square	work floor -top 57'	0.000	13.00	11.80	8.000	0.00	0.00	8.000	0.000	8.0	123.3	6.50	1,050
	A	201	Peaked	top of sidewall	18.000	0.000	0.000	24.50	0.00	0.00	24.500	1.100	25.6	204.6	6.00	5,552
	A	202	Peaked	top of sidewall	18.000	0.000	0.000	24.50	0.00	0.00	24.500	1.100	25.6	204.6	6.00	5,552
	A	203	Peaked	top of sidewall	18.000	0.000	0.000	24.50	0.00	0.00	24.500	1.100	25.6	204.6	6.00	5,552
	A	204	Peaked	top of sidewall	18.000	0.000	0.000	24.50	0.00	0.00	24.500	1.100	25.6	204.6	6.00	5,552
	A	205	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	206	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	207	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	208	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	209	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	210	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	211	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
	A	212	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442

Section: A

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC

Page: 4

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Section: A

A	213	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	214	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	215	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078

Bin count: 72

Facility: Lynchburg Section: A Total: 711,820

To Even: 712,000

Section: B

B	001	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	003	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	004	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	005	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	006	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	008	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	009	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	010	Square	work floor		0.000	7.200	4.500	70.00	0.00	0.00	70.000	0.000	70.0	26.0	2.50	1,866
B	011	Square	work floor		0.000	6.900	3.400	70.00	0.00	0.00	70.000	0.000	70.0	18.9	2.00	1,349
B	012	Square	work floor		0.000	6.900	5.300	70.00	0.00	0.00	70.000	0.000	70.0	29.4	2.50	2,109
B	013	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	015	Square	work floor		0.000	6.900	5.300	70.00	0.00	0.00	70.000	0.000	70.0	29.4	2.50	2,109
B	016	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	017	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	018	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	019	Square	work floor		0.000	11.00	5.200	70.00	0.00	0.00	70.000	0.000	70.0	46.0	4.00	3,349

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 5

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
	Section: B															
	B	020	Square	work floor	0.000	6.000	3.800	70.00	0.00	0.00	70.000	0.000	70.0	18.3	2.00	1,307
	B	021 T	Square	work floor	0.000	11.00	5.500	70.00	0.00	0.00	70.000	0.000	70.0	48.6	4.20	3,545
	B	021 B	Square	work floor -top 70'	0.000	11.20	11.00	19.00	0.00	0.00	19.000	0.000	19.0	99.0	6.00	1,994
	B	023	Square	work floor	0.000	4.500	3.800	40.00	0.00	0.00	40.000	0.000	40.0	13.7	2.00	559
	B	024	Square	work floor	0.000	6.000	3.800	70.00	0.00	0.00	70.000	0.000	70.0	18.3	2.00	1,307
	B	116	Peaked	top of sidewall	36.000	0.000	0.000	25.90	0.00	0.00	25.900	2.200	28.1	818.2	10.0	25,290
	B	201	Flat	eaves 20' - auger 25.5'	0.000	121.5	60.00	23.00	0.00	0.00	23.000	0.000	23.0	5860.1	10.0	148,260
	B	301 T	Square	work floor	0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
	B	301 M	Square	work floor -top 20'	0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
	B	301B	Irregular	top 20' & mddle 50'	101.60	0.000	0.000	7.000	0.00	0.00	7.000	0.000	7.0	101.6	6.00	754
	B	302 T	Irregular	work floor 11x10.5 less 5x8	60.600	8.683	8.683	20.00	0.00	0.00	20.000	0.000	20.0	60.6	4.80	1,270
	B	302 B	Irregular	top 20' 10.3x10.8 less 5x8	57.200	0.000	0.000	50.00	0.00	0.00	50.000	0.000	50.0	57.2	4.80	2,997
	B	303 T	Square	work floor	0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
	B	303 M	Square	work floor-top 20'	0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
	B	303B	Square	work floor-top 20'& mddle	0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875
	B	304 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	304 M	Square	work floor -top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	304B	Square	work floor -top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
	B	305 T	Square	work floor	0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
	B	305 B	Square	work floor-top 20'	0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
	B	306 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	306 M	Square	work floor-top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	306B	Square	work floor-top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC
1630 1st Ave S
Casselton, ND
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: B															
	B	307 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	307 M	Square	work floor -top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	307B	Square	work floor -top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
	B	308 T	Square	work floor	0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
	B	308 B	Square	work floor -top 20'	0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
	B	309 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	309 M	Square	work floor -top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	309B	Square	work floor -top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
	B	310 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	310 M	Square	work floor-top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	310B	Square	work floor-top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
	B	311 T	Square	work floor	0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
	B	311 B	Square	work floor -top 20'	0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
	B	312 T	Square	work floor	0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
	B	312 M	Square	work floor-top 20'	0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
	B	312B	Square	work floor-top 20' & mddle	0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
	B	313 T	Square	work floor	0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
	B	313 M	Square	work floor - 20'	0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
	B	313B	Square	work floor - 20' & mddle 50'	0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875
	B	314 T	Square	work floor	0.000	11.00	10.50	20.00	0.00	0.00	20.000	0.000	20.0	92.8	5.80	1,964
	B	314 B	Square	work floor -top 20'	0.000	10.80	10.30	50.00	0.00	0.00	50.000	0.000	50.0	89.4	5.80	4,729
	B	315 T	Square	work floor	0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
	B	315 M	Square	work floor -top 20'	0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC
1630 1st Ave S
Casselton , ND
County:

Page: 7

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
	Section: B															
	B	315B	Square	work floor -top 20' & middle	0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875

Bin count: 63

Facility: Chaffee Section: B Total: 359,909

To Even: 360,000

Section: C

C	001	Round	top of slab	44.200	0.000	0.000	120.0	0.00	0.00	120.00	0.000	120.0	1233.4	10.0	162,809
C	002	Peaked	eave	18.500	0.000	0.000	42.50	0.00	0.00	42.500	1.100	43.6	216.1	6.20	10,006
C	003	Peaked	eave	12.000	0.000	0.000	32.00	0.00	0.00	32.000	0.700	32.7	90.9	5.00	3,121
C	004	Peaked	eave	12.000	0.000	0.000	32.00	0.00	0.00	32.000	0.700	32.7	90.9	5.00	3,121
C	005	Peaked	eave	12.500	0.000	0.000	21.50	0.00	0.00	21.500	0.800	22.3	98.6	5.00	2,309
C	006	Peaked	eave	18.000	0.000	0.000	43.70	0.00	0.00	43.700	1.100	44.8	204.6	6.00	9,716
C	007	Peaked	eave	48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	008	Peaked	eave	48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	009	Peaked	eave	48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	010	Peaked	eave	48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	101	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	102	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	103	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	104	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	105	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	106	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	107	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	108	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC

Page: 8

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
Section: C																
	C	109	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
	C	110	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
	C	111	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
	C	112	Peaked	eave	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
Bin count:	22															
															Facility: Leonard Section: C Total:	1,052,762
															To Even:	1,053,000

Section: D

	D	001 T	Square	binfloor (scale in bin)	0.000	12.00	7.000	13.00	0.00	1.90	11.100	0.000	11.1	67.5	5.20	788
	D	001B	Square	binfloor T 13'	0.000	12.00	7.000	39.00	0.00	0.00	39.000	0.000	39.0	67.5	5.20	2,770
	D	002 T	Square	binfloor	0.000	5.500	3.500	35.00	0.00	0.00	35.000	0.000	35.0	15.5	2.00	554
	D	002B	Square	binfloor T35'	0.000	11.00	3.500	17.00	0.00	0.00	17.000	0.000	17.0	30.9	2.50	538
	D	003	Square	binfloor	0.000	5.000	3.500	35.00	0.00	0.00	35.000	0.000	35.0	14.1	2.00	504
	D	004	Square	binfloor	0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
	D	005	Square	binfloor	0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
	D	006 T	Square	binfloor	0.000	5.500	14.30	55.00	0.00	0.00	55.000	0.000	55.0	63.2	5.00	3,650
	D	006B	Square	binfloor T 55'	0.000	11.00	14.30	14.00	0.00	0.00	14.000	0.000	14.0	126.4	6.50	1,885
	D	008	Square	binfloor	0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
	D	009	Square	binfloor	0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
	D	010 T	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
	D	010B	Square	binfloor T52'	0.000	11.00	14.30	17.00	0.00	0.00	17.000	0.000	17.0	126.4	6.50	2,289
	D	011	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
	D	012	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 9

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: D															
	D	015	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
	D	016 T	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
	D	016B	Square	binfloor T52'	0.000	11.00	14.30	17.00	0.00	0.00	17.000	0.000	17.0	126.4	6.50	2,289
	D	017	Square	binfloor	0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
	D	018 T	Irregular	binfloor-12'X7' less 28.1bpf	39.400	7.001	7.001	13.00	0.00	0.00	13.000	0.000	13.0	39.4	3.00	527
	D	018B	Square	binfloor T13'	0.000	12.00	7.000	39.00	0.00	0.00	39.000	0.000	39.0	67.5	5.20	2,770
	D	019	Square	binfloor	0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
	D	020	Square	binfloor	0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
	D	022 T	Square	binfloor	0.000	5.500	14.30	55.00	0.00	0.00	55.000	0.000	55.0	63.2	5.00	3,650
	D	022B	Square	binfloor T55'	0.000	11.00	14.30	14.00	0.00	0.00	14.000	0.000	14.0	126.4	6.50	1,885
	D	023	Square	binfloor	0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
	D	024	Square	binfloor	0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
	D	025	Square	binfloor	0.000	11.00	3.500	52.00	0.00	0.00	52.000	0.000	52.0	30.9	2.50	1,647
	D	101 T	Square	binfloor	0.000	11.40	11.20	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
	D	101B	Square	binfloor T65'	0.000	14.90	11.10	8.500	0.00	0.00	8.500	0.000	8.5	133.0	6.50	1,205
	D	102	Square	binfloor	0.000	11.30	11.20	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
	D	103 T	Square	binfloor	0.000	11.40	11.20	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
	D	103B	Square	binfloor T65'	0.000	14.80	11.10	8.500	0.00	0.00	8.500	0.000	8.5	132.1	6.50	1,196
	D	104 T	Square	binfloor	0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
	D	104B	Square	binfloor T65'	0.000	14.90	11.30	8.500	0.00	0.00	8.500	0.000	8.5	135.3	6.50	1,225
	D	105	Square	binfloor	0.000	11.30	11.30	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
	D	106 T	Square	binfloor	0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
	D	106B	Square	binfloor T65'	0.000	14.80	11.30	8.500	0.00	0.00	8.500	0.000	8.5	134.4	6.50	1,216

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 10

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
	Section: D															
	D	107 T	Square	binfloor	0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
	D	107B	Square	binfloor T65'	0.000	14.90	11.40	8.500	0.00	0.00	8.500	0.000	8.5	136.5	6.50	1,235
	D	108	Square	binfloor	0.000	11.30	11.40	65.00	0.00	0.00	65.000	0.000	65.0	103.6	6.00	7,138
	D	109 T	Square	binfloor	0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
	D	109B	Square	binfloor T65'	0.000	14.80	11.40	8.500	0.00	0.00	8.500	0.000	8.5	135.6	6.50	1,228
	D	110 T	Square	binfloor	0.000	11.40	11.10	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
	D	110B	Square	binfloor top 65'	0.000	14.90	10.20	8.500	0.00	0.00	8.500	0.000	8.5	122.2	6.50	1,107
	D	111	Square	binfloor	0.000	11.30	10.90	65.00	0.00	0.00	65.000	0.000	65.0	99.0	6.00	6,821
	D	112 T	Square	binfloor	0.000	11.40	11.10	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
	D	112B	Square	binfloor T65'	0.000	14.80	10.20	8.500	0.00	0.00	8.500	0.000	8.5	121.4	6.50	1,099
	D	113	Square	binfloor	0.000	5.600	4.600	56.50	0.00	0.00	56.500	0.000	56.5	20.7	2.00	1,193
	D	114	Square	binfloor	0.000	5.600	4.400	56.50	0.00	0.00	56.500	0.000	56.5	19.8	2.00	1,141
	D	115	Square	binfloor	0.000	5.600	4.500	56.50	0.00	0.00	56.500	0.000	56.5	20.3	2.00	1,170
	D	116	Square	binfloor	0.000	5.600	4.600	56.50	0.00	0.00	56.500	0.000	56.5	20.7	2.00	1,193
	D	117	Square	binfloor	0.000	5.600	4.400	56.50	0.00	0.00	56.500	0.000	56.5	19.8	2.00	1,141
	D	118	Square	binfloor	0.000	5.600	4.500	56.50	0.00	0.00	56.500	0.000	56.5	20.3	2.00	1,170
	D	119	Square	binfloor	0.000	11.40	14.30	56.50	0.00	0.00	56.500	0.000	56.5	131.0	6.50	7,883
	D	120	Square	binfloor	0.000	11.40	14.30	56.50	0.00	0.00	56.500	0.000	56.5	131.0	6.50	7,883
	D	202	Square	binfloor	0.000	3.500	6.300	31.00	0.00	0.00	31.000	0.000	31.0	17.7	2.00	560
	D	203	Square	binfloor	0.000	3.500	6.300	31.00	0.00	0.00	31.000	0.000	31.0	17.7	2.00	560
	D	204	Square	binfloor	0.000	5.500	3.800	31.00	0.00	0.00	31.000	0.000	31.0	16.8	2.00	531
	D	205	Square	binfloor	0.000	9.500	9.800	45.50	0.00	0.00	45.500	0.000	45.5	74.8	5.50	3,590
	D	207	Square	binfloor	0.000	4.200	9.800	45.50	0.00	0.00	45.500	0.000	45.5	33.1	2.50	1,544

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 11

Examiner: 1

1630 1st Ave S
Casselton, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	D	208	Square	binfloor	0.000	9.500	9.800	45.50	0.00	0.00	45.500	0.000	45.5	74.8	5.50	3,590
	D	209 T	Irregular	binfloor (scale in bin)	36.000	0.000	0.000	7.000	0.00	0.00	7.000	0.000	7.0	36.0	3.00	260
	D	209B	Square	binfloor T7'	0.000	8.500	6.300	24.00	0.00	0.00	24.000	0.000	24.0	43.0	3.50	1,068
	D	210	Square	binfloor	0.000	4.200	9.800	45.50	0.00	0.00	45.500	0.000	45.5	33.1	2.50	1,544
	D	211	Square	binfloor	0.000	8.500	6.300	31.00	0.00	0.00	31.000	0.000	31.0	43.0	3.50	1,380
	D	212	Square	binfloor	0.000	4.200	9.800	45.50	0.00	0.00	45.500	0.000	45.5	33.1	2.50	1,544
	D	213	Square	binfloor	0.000	4.200	9.800	45.50	0.00	0.00	45.500	0.000	45.5	33.1	2.50	1,544
	D	214	Square	binfloor	0.000	8.500	9.800	45.50	0.00	0.00	45.500	0.000	45.5	67.0	5.00	3,201
	D	215	Square	binfloor	0.000	8.500	9.800	45.50	0.00	0.00	45.500	0.000	45.5	67.0	5.00	3,201
	D	217	Square	binfloor	0.000	8.500	6.300	30.00	0.00	0.00	30.000	0.000	30.0	43.0	3.50	1,335
	D	218 T	Irregular	binfloor (scale in bin)	37.400	0.000	0.000	7.000	0.00	0.00	7.000	0.000	7.0	37.4	3.00	270
	D	218B	Square	binfloor T7'	0.000	8.500	6.300	23.00	0.00	0.00	23.000	0.000	23.0	43.0	3.50	1,024
	D	219A	Peaked	eave	15.800	0.000	0.000	22.00	0.00	0.00	22.000	0.900	22.9	157.6	5.80	3,818
	D	220B	Peaked	eave	15.800	0.000	0.000	22.00	0.00	0.00	22.000	0.900	22.9	157.6	5.80	3,818
	D	301 T	Square	binfloor	0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
	D	301B	Square	binfloor T62'	0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
	D	302	Square	binfloor	0.000	11.10	13.50	61.00	0.00	0.00	61.000	0.000	61.0	120.5	6.50	7,829
	D	303 T	Square	binfloor	0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
	D	303B	Square	binfloor T62'	0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
	D	304 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	304B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	305	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	306 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703

Section: D

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 12

Examiner: 1

1630 1st Ave S
Casselton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: D															
	D	306B	Square	binfloor T-62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	307 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	307B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	308	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	309 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	309B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	310 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	310B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	311 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	311B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	312	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	313 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	313B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	314 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	314B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	315	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	316 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	316B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	317	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	318 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	318B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	319 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	319B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC
1630 1st Ave S
Casselton , ND
County:

Page: 13

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	D	320 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	320B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	321	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	322 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	322B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	323 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	323B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	324	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	325 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	325B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	326	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
	D	327 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	327B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	328 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	328B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	329 T	Square	binfloor	0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
	D	329B	Square	binfloor T62'	0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
	D	330	Square	binfloor	0.000	11.10	13.50	61.00	0.00	0.00	61.000	0.000	61.0	120.5	6.50	7,829
	D	331 T	Square	binfloor	0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
	D	331B	Square	binfloor T62'	0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
	D	332 T	Square	binfloor	0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
	D	332B	Square	binfloor T62'	0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
	D	333	Square	binfloor	0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056

Section: D

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 14

Examiner: 1

1630 1st Ave S

Casselton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
	Section: D															
	D	401	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	402	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	403	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	404	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	405	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	406	Peaked	eave	42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
	D	509	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	510	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	511	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	512	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	513	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	514	Peaked	eave	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
	D	515	Peaked	eave	16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
	D	516	Peaked	eave	16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
	D	517	Peaked	eave	16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958

Bin count: 145

Facility: Prosper Section: D Total: 1,131,203

To Even: 1,132,000

Section: E

E	001	Round	top of slab	28.000	0.000	0.000	119.5	0.00	0.00	119.50	0.000	119.5	495.0	8.50	64,181
E	002 T	Round	top of slab	28.000	0.000	0.000	115.0	0.00	0.00	115.00	0.000	115.0	495.0	8.50	61,764
E	002 B	Irregular	top of slab	374.00	0.000	0.000	4.500	0.00	0.00	4.500	0.000	4.5	374.0	7.80	1,814
E	003	Round	top of slab	28.000	0.000	0.000	116.5	0.00	0.00	116.50	0.000	116.5	495.0	8.50	62,570

Exam Date:11/22/2011

Maple River Grain and Agronomy, LLC

Page: 15

Examiner: 1

1630 1st Ave S
Casselton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: E															
	E	004	Round	top of slab	28.000	0.000	0.000	108.0	0.00	0.00	108.00	0.000	108.0	495.0	8.50	58,004
	E	005	Round	top of slab	28.000	0.000	0.000	118.5	0.00	0.00	118.50	0.000	118.5	495.0	8.50	63,644
	E	006	Round	top of slab	28.000	0.000	0.000	118.5	0.00	0.00	118.50	0.000	118.5	495.0	8.50	63,644
	E	007	Irregular	top of slab	98.200	0.000	0.000	68.00	0.00	0.00	68.000	0.000	68.0	98.2	6.00	7,079
	E	008	Irregular	top of slab	42.100	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	42.1	3.50	4,576
	E	009	Irregular	top of slab	202.60	0.000	0.000	102.5	0.00	0.00	102.50	0.000	102.5	202.6	7.00	22,221
	E	010	Irregular	top of slab	63.300	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	63.3	5.00	6,979
	E	011	Irregular	top of slab	122.70	0.000	0.000	114.0	0.00	0.00	114.00	0.000	114.0	122.7	6.50	14,897
	E	012	Peaked	top of sidewall	48.000	0.000	0.000	84.50	0.00	0.00	84.500	3.400	87.9	1454.6	10.0	140,645
	E	021	Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
	E	022	Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
	E	023	Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
	E	024	Irregular	top of slab	79.600	9.951	9.951	121.0	0.00	0.00	121.00	0.000	121.0	79.6	5.50	10,162
	E	025	Irregular	top of slab	79.600	9.951	9.951	121.0	0.00	0.00	121.00	0.000	121.0	79.6	5.50	10,162
	E	026	Square	top of slab	0.000	17.00	16.00	51.00	0.00	0.00	51.000	0.000	51.0	218.6	7.00	11,929
	E	027	Irregular	top of sidewall	35.900	6.683	6.683	120.0	0.00	0.00	120.00	0.000	120.0	35.9	3.00	4,437
	E	028	Irregular	top of sidewall	35.900	6.683	6.683	120.0	0.00	0.00	120.00	0.000	120.0	35.9	3.00	4,437
	E	031	Round	top of sidewall	76.000	0.000	0.000	146.0	0.00	2.70	143.30	0.000	143.3	3646.7	10.0	574,829
	E	032	Round	top of sidewall	76.000	0.000	0.000	146.0	0.00	2.70	143.30	0.000	143.3	3646.7	10.0	574,829

Bin count: 23

Facility: Casselton Section: E Total: 2,716,719

To Even: 2,717,000

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC

Page: 16

Examiner: 1

1630 1st Ave S

Casselton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
P	001A		Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	002A		Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	003A		Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	004A		Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	005A		Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	006A		Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	007A		Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	008A		Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	102		Irregular	floor over center bins	34.000	6.504	6.504	40.00	0.00	1.00	39.000	0.000	39.0	34.0	2.50	1,359
P	103		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	104		Irregular	floor over center bins	78.600	9.888	9.888	40.00	0.00	0.00	40.000	0.000	40.0	78.6	5.50	3,317
P	106		Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508
P	107		Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508
P	108		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	109		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	110		Irregular	floor over center bins	44.400	7.432	7.432	40.00	0.00	0.00	40.000	0.000	40.0	44.4	3.50	1,838
P	111		Irregular	floor over center bins	44.400	7.432	7.432	40.00	0.00	0.00	40.000	0.000	40.0	44.4	3.50	1,838
P	112		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	114		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	1.00	54.500	0.000	54.5	78.6	5.50	4,520
P	115		Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	1.00	39.000	0.000	39.0	36.6	3.00	1,470
P	116		Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508
P	117		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	1.00	54.500	0.000	54.5	78.6	5.50	4,520
P	118		Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602

Section: P

Exam Date: 11/22/2011

Maple River Grain and Agronomy, LLC

Page: 17

Examiner: 1

1630 1st Ave S

Casselton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
P		119	Irregular	floor over center bins	34.000	6.504	6.504	40.00	0.00	1.00	39.000	0.000	39.0	34.0	2.50	1,359
P		201 T	Square	floor over center bins	0.000	11.60	11.50	48.50	0.00	1.50	47.000	0.000	47.0	107.2	6.20	5,350
P		201B	Square	floor over center bins	0.000	13.00	11.20	9.500	0.00	0.00	9.500	0.000	9.5	117.0	6.20	1,181
P		202	Square	floor over center bins	0.000	11.50	11.40	45.00	0.00	1.00	44.000	0.000	44.0	105.4	6.20	4,926
P		203 T	Square	floor over center bins	0.000	11.90	11.50	45.50	0.00	3.00	42.500	0.000	42.5	110.0	6.20	4,965
P		203B	Square	floor over center bins T45.5	0.000	17.00	11.20	12.50	0.00	0.00	12.500	0.000	12.5	153.1	6.80	2,044
P		204 T	Square	floor over center bins	0.000	11.90	11.80	45.50	0.00	2.00	43.500	0.000	43.5	112.9	6.20	5,215
P		204B	Square	floor over center bins T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P		205	Square	floor over center bins	0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P		206 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	3.00	45.500	0.000	45.5	110.0	6.20	5,315
P		206B	Square	floor over center bins T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P		207 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	2.00	46.500	0.000	46.5	110.0	6.20	5,432
P		207B	Square	floor over center bins T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P		208	Square	floor over center bins	0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P		209 T	Square	floor over center bins	0.000	11.90	11.80	45.50	0.00	3.00	42.500	0.000	42.5	112.9	6.20	5,095
P		209B	Square	floor over center bins T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P		210 T	Square	floor over center bins	0.000	11.90	11.80	45.50	0.00	3.00	42.500	0.000	42.5	112.9	6.20	5,095
P		210B	Square	floor over center bins T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P		211	Square	floor over center bins	0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P		212 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	3.00	45.500	0.000	45.5	110.0	6.20	5,315
P		212B	Square	floor over center bins T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P		213 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	2.00	46.500	0.000	46.5	110.0	6.20	5,432
P		213B	Square	floor over center bins T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216

Section: P

Exam Date:11/22/2011

Examiner: 1

Maple River Grain and Agronomy, LLC
 1630 1st Ave S
 Casselton, ND
 County:

Page: 18

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
P	214		Square	floor over center bins	0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P	215 T		Square	floor over center bins	0.000	11.90	11.80	45.50	0.00	1.00	44.500	0.000	44.5	112.9	6.20	5,335
P	215B		Square	floor over center bins T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P	216 T		Square	floor over center bins	0.000	11.90	11.50	45.50	0.00	2.00	43.500	0.000	43.5	110.0	6.20	5,082
P	216B		Square	floor over center bins T45.5'	0.000	17.00	11.20	12.50	0.00	0.00	12.500	0.000	12.5	153.1	6.80	2,044
P	217		Square	floor over center bins	0.000	11.50	11.40	45.00	0.00	1.00	44.000	0.000	44.0	105.4	6.20	4,926
P	218 T		Square	floor over center bins	0.000	11.60	11.50	48.50	0.00	0.00	48.500	0.000	48.5	107.2	6.20	5,521
P	218B		Square	floor over center bins	0.000	13.00	11.20	9.500	0.00	0.00	9.500	0.000	9.5	117.0	6.20	1,181
P	303		Peaked	top of sidewall	36.000	0.000	0.000	65.00	0.00	0.00	65.000	2.200	67.2	818.2	10.0	60,481
P	305		Square	top of sidewall	0.000	13.50	8.000	26.50	0.00	0.00	26.500	0.000	26.5	86.8	5.80	2,433
P	307		Square	top of sidewall	0.000	13.50	8.000	26.50	0.00	0.00	26.500	0.000	26.5	86.8	5.80	2,433
P	308		Peaked	top of sidewall	36.200	0.000	0.000	66.00	0.00	0.00	66.000	2.200	68.2	827.3	10.0	62,064
P	309		Peaked	top of sidewall	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934
P	310		Peaked	top of sidewall	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934

Bin count: 60

Facility: Peak Section: P Total: 300,916

To Even: 301,000

Section: P-1

P-1	001		Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	002		Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	003		Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	004		Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	005		Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977

Exam Date: 11/22/2011

Examiner: 1

Maple River Grain and Agronomy, LLC
 1630 1st Ave S
 Casselton, ND
 County:

Page: 19

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: P-1															
	P-1	006	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
	P-1	007	Peaked	top of sidewall	21.000	0.000	0.000	18.50	0.00	0.00	18.500	1.300	19.8	278.4	6.80	5,887
	P-1	008	Peaked	top of sidewall	21.000	0.000	0.000	18.50	0.00	0.00	18.500	1.300	19.8	278.4	6.80	5,887
	P-1	009	Peaked	top of sidewall	48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
	P-1	010	Peaked	top of sidewall	48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
	P-1	016	Peaked	top of sidewall	42.000	0.000	0.000	25.80	0.00	0.00	25.800	2.500	28.3	1113.7	10.0	34,670
	P-1	017	Peaked	top of sidewall	42.000	0.000	0.000	24.50	0.00	0.00	24.500	2.500	27.0	1113.7	10.0	33,077
	P-1	018	Peaked	top of sidewall	74.700	0.000	0.000	64.80	0.00	0.00	64.800	5.200	70.0	3523.0	10.0	271,271
	P-1	ground	Hemispher	ground storage	109.00	0.000	0.000	20.00	0.00	0.00	20.000	0.000	20.0	13626.9	10.0	299,792

Bin count: 14

Facility: Peak Section: P-1 Total: 799,090

To Even: 800,000

Overall Licensed Bin Capacity for:

Maple River Grain and Agronomy, LLC

Bin count: 399

Licensed Capacity:
(includes pack)

7,072,419 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)


7,075,000 Bu.

MAPLE VALLEY GRAIN & AGRONOMY LLC.

Casselton N.D.

Section E

RED RIVER VALLEY & WESTERN




Zero Points: Elevator - top of slab

Tank - top of sidewall


MA[PLE RIVER GRAIN & AGRONOMY LLC.

LYNCHBURG LOCATION




SECTION A


ZERO Points: Elevator & Annex - floor over bins
Tanks- top of sidewall




MAPLE RIVER GRAIN & AGRONOMY LLC
CHAFFEE LOCATION



SECTION B




SECTION B



Butler building 201
121.5" L x 60' W
20' sidewall & auger 25.5'

MAPLE RIVER GRAIN & AGRONOMY LLC
LEONARD LOCATION







MAPLE VALLEY GRAIN & AGRONOMY LLC.
 PEAK ND
 SECTION P

RNISE RAIL

ANNEX

ELEVATOR




gravel road


MAPLE VALLEY GRAIN & AGRONOMY LLC.
PEAK ND
SECTION P-1




BNSF RAIL



SECTION P-1



gravel road




SECTION P-1


GROUND STORAGE
located approximately 1 block south
of south Section P-1

MAPLE VALLEY GRAIN & AGRONOMY LLC.
PEAK ND
SECTION P-1

BNSE RAIL




SECTION P-1



gravel road

GROUND STORAGE
located approximately 1 block south
of south Section P-1



SECTION P-1

MAPLE RIVER GRAIN & AGRONOMY LLC.

Casselton location

Section E Bunker

Base Dimensions

grain wall ht. 8.0'

Width = 113.2'

Length = 450'

20 degree angle of repose = 0.364' of rise / ft. of run



ground level is 1.5' higher in center sloped to outer walls

Capacity calculation dimensions

113.2'W x 450'L x 7.5' grain wall ht.

20' peak ht. above grain wall 56.5' offset

total packed capacity = 752,226 bu.





MAPLE RIVER GRAIN & AGRONOMY LLC.
CASSELTON STATION

RRV & W RAIL ROAD

Section E
Zero Point: Top of slab


concrete elevator

Section E
zero point bottom of roof



dump pits



Section E




MAPLE RIVER GRAIN & AGRONOMY LLC

PROSPER STATION


Burlington Northern Railroad



SECTION D



Section D




219B

220A


Hopper Tanks

Zero points: Elevator & Annexes- top of bin floor
Tanks - Eaves



MAPLE RIVER GRAIN & AGRONOMY

PROSPER STATION



SECTION D

Annex 3

SECTION D

Main Elevator

329	328	327	320	319	318	311	310	309	304	303
330	333	326	321	324	317	312	315	308	305	302
331	332	325	322	323	316	313	314	307	306	301


016	017	015	012	011	
019	020	018	001	009	
022		025	XXX	002	006
023	024		ML	003	004
		XXX			

Driveway & Scale


Office

SECTION D

SECTION D



Driveway & Scale



SECTION D

Zero points: Elevator & Annexes -top of bin floor

Tanks -Eaves