

Exam Date:11/01/2011

Reynolds United Co-op

Page: 1

Examiner: 2

Box 37

Reynolds , ND

County:

Phone: 701-847-2261

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
301	A-2	180,631
302	A-2	180,631
	<b>Total:</b>	<b>361,262</b>
<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
102	C	86,501
ground	Z	248,667
	<b>Total:</b>	<b>335,168</b>
<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
	A	1,457,000
	A-2	746,000
	B-2	36,000
	D-2	269,000
	G	144,000
	H	114,000
	J	178,000
	<b>Total:</b>	<b>2,944,000</b>
<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Buxton 1169	A-2 B-2 D-2	1,051,000
Reynolds 923	A G H J	1,893,000
	<b>Total:</b>	<b>2,944,000</b>

Exam Date:11/01/2011

Reynolds United Co-op

Page: 1

Examiner: 2

Box 37  
Reynolds , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Buxton

### Section: A-2

A-2	002	Square	floor over bins		0.000	3.500	2.400	53.00	0.00	0.00	53.000	0.000	53.0	6.8	2.00	367
A-2	003	Square	floor over bins		0.000	7.000	5.800	53.00	0.00	0.00	53.000	0.000	53.0	32.6	2.50	1,771
A-2	004	Square	floor over bins		0.000	6.300	5.800	53.00	0.00	0.00	53.000	0.000	53.0	29.4	2.50	1,597
A-2	005 T	Square	floor over bins		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	005 B	Square	floor over bins - top 58'		0.000	14.00	11.00	12.00	0.00	0.00	12.000	0.000	12.0	123.8	6.50	1,583
A-2	006	Square	floor over bins		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	007 T	Square	floor over bins		0.000	3.800	3.000	9.000	0.00	0.00	9.000	0.000	9.0	9.2	2.00	85
A-2	007 B	Square	floor over bins - top 9'		0.000	11.00	3.800	44.00	0.00	0.00	44.000	0.000	44.0	33.6	2.50	1,515
A-2	010 T	Square	floor over bins -		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	010 B	Square	floor over bins - top 58'		0.000	14.00	11.00	12.00	0.00	0.00	12.000	0.000	12.0	123.8	6.50	1,583
A-2	011	Square	floor over bins		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	012	Square	floor over bins		0.000	11.00	3.800	53.00	0.00	0.00	53.000	0.000	53.0	33.6	2.50	1,826
A-2	013	Square	floor over bins		0.000	7.000	5.800	53.00	0.00	0.00	53.000	0.000	53.0	32.6	2.50	1,771
A-2	014	Square	floor over bins		0.000	6.300	5.800	53.00	0.00	0.00	53.000	0.000	53.0	29.4	2.50	1,597
A-2	015	Irregular	bin floor - 12x7 less 2.5x3.8		59.900	0.000	0.000	53.00	0.00	0.00	53.000	0.000	53.0	59.9	4.80	3,327
A-2	016	Square	floor over bins		0.000	7.000	5.800	53.00	0.00	0.00	53.000	0.000	53.0	32.6	2.50	1,771
A-2	017	Square	floor over bins		0.000	6.300	5.800	53.00	0.00	0.00	53.000	0.000	53.0	29.4	2.50	1,597
A-2	018	Irregular	bin floor 6.3x5.3 less 3.4 b/ft		23.400	0.000	0.000	53.00	0.00	0.00	53.000	0.000	53.0	23.4	2.00	1,265
A-2	019 T	Square	floor over bins		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	019 B	Square	floor over bins - top 58'		0.000	14.00	11.00	12.00	0.00	0.00	12.000	0.000	12.0	123.8	6.50	1,583
A-2	020	Square	floor over bins		0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	022	Square	floor over bins		0.000	6.300	5.300	53.00	0.00	0.00	53.000	0.000	53.0	26.8	2.50	1,456

Exam Date:11/01/2011

Reynolds United Co-op  
Box 37  
Reynolds , ND  
County:

Page: 2

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Buxton

### Section: A-2

A-2	026	Square	floor over bins	0.000	6.300	5.300	53.00	0.00	0.00	53.000	0.000	53.0	26.8	2.50	1,456
A-2	029 T	Square	floor over bins	0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	029 B	Square	floor over bins - top 58'	0.000	14.00	11.00	12.00	0.00	0.00	12.000	0.000	12.0	123.8	6.50	1,583
A-2	030	Square	floor over bins	0.000	11.00	7.000	58.00	0.00	0.00	58.000	0.000	58.0	61.9	4.80	3,762
A-2	031	Square	floor over bins	0.000	7.000	5.800	53.00	0.00	0.00	53.000	0.000	53.0	32.6	2.50	1,771
A-2	032	Square	floor over bins	0.000	6.300	5.800	53.00	0.00	0.00	53.000	0.000	53.0	29.4	2.50	1,597
A-2	033	Square	floor over bins	0.000	12.00	7.000	53.00	0.00	0.00	53.000	0.000	53.0	67.5	5.20	3,764
A-2	034	Square	bin floor scale installed top	0.000	6.300	5.300	53.00	0.00	0.00	53.000	0.000	53.0	26.8	2.50	1,456
A-2	101	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	102	Irregular	floor over bins	82.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	82.0	5.50	6,921
A-2	103	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	104	Irregular	floor over bins	82.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	82.0	5.50	6,921
A-2	105	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	107	Irregular	floor over bins	91.000	0.000	0.000	82.00	0.00	0.00	82.000	0.000	82.0	91.0	5.80	7,895
A-2	108	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	109	Irregular	floor over bins	82.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	82.0	5.50	6,921
A-2	110	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	111	Irregular	floor over bins	82.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	82.0	5.50	6,921
A-2	112	Round	floor over bins	17.000	0.000	0.000	80.00	0.00	0.00	80.000	0.000	80.0	182.5	5.80	15,447
A-2	113	Irregular	floor over bins	91.000	0.000	0.000	82.00	0.00	0.00	82.000	0.000	82.0	91.0	5.80	7,895
A-2	201	Peaked	get dimensions	41.800	0.000	0.000	46.60	0.00	0.00	46.600	2.500	49.1	1103.1	10.0	59,578
A-2	202	Peaked	get dimensions	41.800	0.000	0.000	47.70	0.00	0.00	47.700	2.500	50.2	1103.1	10.0	60,914

Exam Date:11/01/2011

Reynolds United Co-op  
Box 37  
Reynolds , ND  
County:

Page: 3

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Buxton

### Section: A-2

	A-2	203	Peaked	get dimensions	41.800	0.000	0.000	47.70	0.00	0.00	47.700	2.500	50.2	1103.1	10.0	60,914
Added	A-2	301	Peaked	get dimensions	61.800	0.000	0.000	63.75	0.00	0.00	63.750	4.300	68.1	2411.3	10.0	180,631
Added	A-2	302	Peaked	get dimensions	61.800	0.000	0.000	63.75	0.00	0.00	63.750	4.300	68.1	2411.3	10.0	180,631

Bin count: 47

Facility: Buxton Section: A-2 Total: 745,241To Even: 746,000

### Section: B-2

	B-2	001	Peaked	get dimensions	16.000	0.000	0.000	20.00	2.50	0.00	22.500	1.000	23.5	161.6	5.80	4,018
	B-2	002	Peaked	get dimensions	16.000	0.000	0.000	20.00	2.50	0.00	22.500	1.000	23.5	161.6	5.80	4,018
	B-2	003	Peaked	top of side wall	16.000	0.000	0.000	20.00	2.50	0.00	22.500	1.000	23.5	161.6	5.80	4,018
	B-2	004	Peaked	eave at side wall	16.000	0.000	0.000	20.00	2.50	0.00	22.500	1.000	23.5	161.6	5.80	4,018
	B-2	005	Peaked	top of sidewall at eave	18.000	0.000	0.000	16.00	3.00	0.00	19.000	1.100	20.1	204.6	6.00	4,359
	B-2	006	Peaked	top of sidewall at eave	18.000	0.000	0.000	16.00	3.00	0.00	19.000	1.100	20.1	204.6	6.00	4,359
	B-2	007	Peaked	top of sidewall at eave	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
	B-2	008	Peaked	top of sidewall at eave	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
	B-2	009	Peaked	eave at side wall	18.000	0.000	0.000	16.00	3.00	0.00	19.000	1.100	20.1	204.6	6.00	4,359

Bin count: 9

Facility: Buxton Section: B-2 Total: 35,305To Even: 36,000

Exam Date:11/01/2011

Examiner: 2

Reynolds United Co-op  
 Box 37  
 Reynolds , ND  
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Buxton

### Section: D-2

D-2	001		Flat	catwalk 24.0' side wall 20.'	0.000	121.0	68.70	20.00	0.00	0.00	20.000	0.000	20.0	6682.2	10.0	147,008	
D-2	002		Flat	catwalk 24' side wall 20.	0.000	99.80	68.70	20.00	0.00	0.00	20.000	0.000	20.0	5511.5	10.0	121,253	
<b>Bin count:</b>		<b>2</b>														<b>Facility: Buxton Section: D-2 Total:</b>	<b>268,261</b>
															<b>To Even:</b>	<b>269,000</b>	

Exam Date:11/01/2011

Reynolds United Co-op

Page: 5

Examiner: 2

Box 37  
Reynolds , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Reynolds

### Section: A

A	001 OH	Square	floor over bin	0.000	10.00	10.00	35.00	5.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	002 OH	Square	floor over bin	0.000	10.00	10.00	35.00	5.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	101N	Peaked	eave	18.000	0.000	0.000	40.00	3.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	102N	Peaked	eave	18.000	0.000	0.000	40.00	3.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	103	Peaked	eave	36.000	0.000	0.000	64.00	0.00	0.00	64.000	2.200	66.2	818.2	10.0	59,582
A	104	Peaked	eave	36.000	0.000	0.000	64.00	0.00	0.00	64.000	2.200	66.2	818.2	10.0	59,582
A	105	Peaked	eave	36.000	0.000	0.000	64.00	0.00	0.00	64.000	2.200	66.2	818.2	10.0	59,582
A	106	Peaked	eave	36.000	0.000	0.000	64.00	0.00	0.00	64.000	2.200	66.2	818.2	10.0	59,582
A	107	Peaked	top of sidewall	79.500	0.000	0.000	71.70	0.00	0.00	71.700	5.600	77.3	3990.3	10.0	339,295
A	108	Peaked	top of sidewall	79.500	0.000	0.000	71.70	0.00	0.00	71.700	5.600	77.3	3990.3	10.0	339,295
A	201S	Peaked	eave	18.000	0.000	0.000	40.00	3.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	202S	Peaked	eave	18.000	0.000	0.000	40.00	3.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	203	Peaked	eave	27.800	0.000	0.000	56.80	0.00	0.00	56.800	1.700	58.5	487.9	8.50	30,968
A	204	Peaked	eave	55.800	0.000	0.000	67.60	0.00	0.00	67.600	3.900	71.5	1965.8	10.0	154,611
A	205	Peaked	eave	55.800	0.000	0.000	67.60	0.00	0.00	67.600	3.900	71.5	1965.8	10.0	154,611
A	206	Peaked	eave	55.800	0.000	0.000	67.60	0.00	0.00	67.600	3.900	71.5	1965.8	10.0	154,611

Bin count: 16

Facility: Reynolds Section: A Total: 1,456,761To Even: 1,457,000

### Section: G

G	001	Square	work floor	0.000	13.00	11.00	52.00	0.00	0.00	52.000	0.000	52.0	115.0	6.20	6,351
G	002A	Square	work floor	0.000	6.300	5.500	39.00	0.00	0.00	39.000	0.000	39.0	27.9	2.50	1,115

Exam Date:11/01/2011

Reynolds United Co-op  
Box 37  
Reynolds , ND  
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Reynolds

### Section: G

G	002B	Square	work floor		0.000	6.300	5.500	39.00	0.00	0.00	39.000	0.000	39.0	27.9	2.50	1,115
G	003	Square	work floor		0.000	11.50	6.300	40.00	0.00	0.00	40.000	0.000	40.0	58.2	4.80	2,440
G	004	Square	work floor		0.000	13.00	11.00	52.00	0.00	0.00	52.000	0.000	52.0	115.0	6.20	6,351
G	005 T	Square	work floor		0.000	11.00	6.300	24.00	0.00	0.00	24.000	0.000	24.0	55.7	4.80	1,401
G	005 B	Square	work floor-TOP 24'		0.000	11.00	6.300	15.00	0.00	0.00	15.000	0.000	15.0	55.7	4.80	876
G	006	Square	work floor		0.000	11.50	6.300	40.00	0.00	0.00	40.000	0.000	40.0	58.2	4.80	2,440
G	007	Square	work floor		0.000	11.00	3.000	41.00	0.00	0.00	41.000	0.000	41.0	26.5	2.50	1,114
G	008	Square	work floor		0.000	11.00	3.000	35.00	0.00	0.00	35.000	0.000	35.0	26.5	2.50	951
G	009	Square	work floor		0.000	11.50	6.300	40.00	0.00	0.00	40.000	0.000	40.0	58.2	4.80	2,440
G	010	Square	work floor		0.000	11.00	6.300	39.00	0.00	0.00	39.000	0.000	39.0	55.7	4.80	2,276
G	011	Square	work floor		0.000	11.00	13.00	52.00	0.00	0.00	52.000	0.000	52.0	115.0	6.20	6,351
G	012 T	Square	work floor		0.000	11.50	6.300	40.00	0.00	0.00	40.000	0.000	40.0	58.2	4.80	2,440
G	012 B	Square	work floor -top 40'		0.000	13.00	11.50	12.00	0.00	0.00	12.000	0.000	12.0	120.2	6.50	1,536
G	013	Square	work floor		0.000	11.50	6.300	40.00	0.00	0.00	40.000	0.000	40.0	58.2	4.80	2,440
G	014	Square	work floor		0.000	13.00	11.00	52.00	0.00	0.00	52.000	0.000	52.0	115.0	6.20	6,351
G	101 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	101 B	Square	work floor -top 46'		0.000	16.50	11.50	6.000	0.00	0.00	6.000	0.000	6.0	152.5	6.80	977
G	102	Square	work floor		0.000	11.50	11.50	44.00	0.00	0.00	44.000	0.000	44.0	106.3	6.20	4,967
G	103 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	103 B	Square	work floor -top 46'		0.000	12.50	11.50	7.000	0.00	0.00	7.000	0.000	7.0	115.6	6.20	859
G	104 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	104 B	Square	work floor - top 46'		0.000	16.50	11.50	6.000	0.00	0.00	6.000	0.000	6.0	152.5	6.80	977

Exam Date:11/01/2011

Reynolds United Co-op  
Box 37  
Reynolds , ND  
County:

Page: 7

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Reynolds

### Section: G

G	105	Square	work floor		0.000	11.50	11.50	44.00	0.00	0.00	44.000	0.000	44.0	106.3	6.20	4,967
G	106 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	106 B	Square	work floor -top 46'		0.000	12.50	11.50	7.000	0.00	0.00	7.000	0.000	7.0	115.6	6.20	859
G	107 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	107 B	Square	work floor -top 46'		0.000	16.50	11.50	6.000	0.00	0.00	6.000	0.000	6.0	152.5	6.80	977
G	108	Square	work floor		0.000	11.50	11.50	44.00	0.00	0.00	44.000	0.000	44.0	106.3	6.20	4,967
G	109 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	109 B	Square	work floor -top 46'		0.000	12.50	11.50	7.000	0.00	0.00	7.000	0.000	7.0	115.6	6.20	859
G	110 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	110 B	Square	work floor -top 46'		0.000	16.50	11.50	6.000	0.00	0.00	6.000	0.000	6.0	152.5	6.80	977
G	111	Square	work floor		0.000	11.50	11.50	44.00	0.00	0.00	44.000	0.000	44.0	106.3	6.20	4,967
G	112 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	112 B	Square	work floor -top 46'		0.000	12.50	11.50	7.000	0.00	0.00	7.000	0.000	7.0	115.6	6.20	859
G	113 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	113 B	Square	work floor -top 46'		0.000	16.50	11.50	6.000	0.00	0.00	6.000	0.000	6.0	152.5	6.80	977
G	114	Square	work floor		0.000	11.50	11.50	44.00	0.00	0.00	44.000	0.000	44.0	106.3	6.20	4,967
G	115 T	Square	work floor		0.000	11.50	11.50	46.00	0.00	0.00	46.000	0.000	46.0	106.3	6.20	5,193
G	115 B	Square	work floor -top 46'		0.000	12.50	11.50	7.000	0.00	0.00	7.000	0.000	7.0	115.6	6.20	859
G	201	Square	work floor		0.000	8.200	6.900	19.00	0.00	0.00	19.000	0.000	19.0	45.5	4.00	900
G	202	Square	work floor		0.000	8.600	6.900	19.00	0.00	0.00	19.000	0.000	19.0	47.7	4.00	942
G	203	Square	work floor		0.000	8.600	6.900	19.00	0.00	0.00	19.000	0.000	19.0	47.7	4.00	942
G	204	Square	work floor		0.000	8.600	7.200	19.00	0.00	0.00	19.000	0.000	19.0	49.8	4.20	986

Exam Date:11/01/2011

Reynolds United Co-op

Page: 8

Examiner: 2

Box 37  
Reynolds , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Reynolds

### Section: G

G	205	Square	work floor		0.000	7.200	6.400	19.00	0.00	0.00	19.000	0.000	19.0	37.0	3.00	724
G	206	Square	work floor		0.000	8.200	7.000	11.00	0.00	0.00	11.000	0.000	11.0	46.1	4.00	527
G	207	Square	work floor		0.000	7.000	4.200	19.00	0.00	0.00	19.000	0.000	19.0	23.6	2.00	457
G	208	Square	work floor		0.000	7.000	3.900	19.00	0.00	0.00	19.000	0.000	19.0	21.9	2.00	424
G	209	Square	work floor		0.000	7.000	4.100	19.00	0.00	0.00	19.000	0.000	19.0	23.1	2.00	448
G	210	Square	work floor		0.000	7.000	4.100	19.00	0.00	0.00	19.000	0.000	19.0	23.1	2.00	448
G	211	Square	work floor		0.000	8.200	7.000	19.00	0.00	0.00	19.000	0.000	19.0	46.1	4.00	911
G	212	Square	work floor		0.000	8.200	7.200	19.00	0.00	0.00	19.000	0.000	19.0	47.5	4.00	939
G	213	Square	work floor		0.000	8.200	6.900	19.00	0.00	0.00	19.000	0.000	19.0	45.5	4.00	900

Bin count: 55

Facility: Reynolds Section: G Total: 143,481To Even: 144,000

### Section: H

H	001	Peaked	eave		22.000	0.000	0.000	16.50	0.00	0.00	16.500	1.300	17.8	305.6	7.20	5,832
H	002	Peaked	eave		22.000	0.000	0.000	22.00	0.00	0.00	22.000	1.300	23.3	305.6	7.20	7,633
H	003	Peaked	eave		22.000	0.000	0.000	22.00	0.00	0.00	22.000	1.300	23.3	305.6	7.20	7,633
H	004	Peaked	eave		22.000	0.000	0.000	16.50	0.00	0.00	16.500	1.300	17.8	305.6	7.20	5,832
H	005	Peaked	eave		15.500	0.000	0.000	11.00	2.30	0.00	13.300	0.900	14.2	151.7	5.50	2,272
H	006	Peaked	eave		15.500	0.000	0.000	11.00	2.30	0.00	13.300	0.900	14.2	151.7	5.50	2,272
H	007	Peaked	eave		15.500	0.000	0.000	11.00	2.30	0.00	13.300	0.900	14.2	151.7	5.50	2,272
H	008	Peaked	eave		15.500	0.000	0.000	11.00	2.30	0.00	13.300	0.900	14.2	151.7	5.50	2,272
H	009	Peaked	eave		22.000	0.000	0.000	16.50	0.00	0.00	16.500	1.300	17.8	305.6	7.20	5,832

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Reynolds

### Section: H


H	103	Flat	top of sidewall 16.3'	0.000	112.0	60.60	12.00	0.00	0.00	12.000	0.000	12.0	5455.9	10.0		72,018
<b>Bin count:</b>		<b>10</b>														
														<b>Facility: Reynolds Section: H Total:</b>	<b>113,868</b>	
														<b>To Even:</b>	<b>114,000</b>	

### Section: J

J	001	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80		4,838
J	002	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80		4,838
J	003	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80		4,838
J	004	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80		4,838
J	05S	Peaked	top of sidewall	42.000	0.000	0.000	62.00	0.00	0.00	62.000	2.500	64.5	1113.7	10.0		79,017
J	06N	Peaked	top of sidewall	42.000	0.000	0.000	62.00	0.00	0.00	62.000	2.500	64.5	1113.7	10.0		79,017
<b>Bin count:</b>		<b>6</b>														
														<b>Facility: Reynolds Section: J Total:</b>	<b>177,386</b>	
														<b>To Even:</b>	<b>178,000</b>	

<b>Overall Licensed Bin Capacity for:</b>	<b>Licensed Capacity:</b>
<b>Reynolds United Co-op</b>	(includes pack) <u>2,940,303 Bu.</u>
<b>Bin count: 145</b>	
	<b>Licensed Capacity (to even):</b>
	(includes pack and section totals are rounded up to next highest 1000) <u>2,944,000 Bu.</u>

REYNOLDS UNITED CO-OP  
 REYNOLDS ND.  
 BUXTON STATION






SECTION D  
 steel flat warehouse

<p>001                  68.7' W x 121.0' L                  top of sidewall 20.0'                  bottom catwalk 24.0'                  side wall anchors                  upper 13.0'                  lower 8.0'</p>	<p>002                  100.0 L x 68.7' W                  bottom drag auger 26.8'                  main beams &amp; rafters 20.0' on center                  top of intermediate side wall beam 16.0'                  dividing wall anchors                  upper 12.0'                  lower 6.25'</p>
---	---

REYNOLDS UNITED CO-OP


RNSF RAIL



SECTION A

SECTION A

REYNOLDS UNITED CO-OP  
REYNOLDS ND  
BUXTON STATION.




SECTION A

new construction east across street


REYNOLDS UNITED CO-OP  
REYNOLDS N.D.  
SECTION A

BNSF RAIL




REYNOLDS UNITED CO-OP  
REYNOLDS N.D.  
SECTION F-H-J

BNSF RAIL



SECTION H  
located east from Section G


steel quonset #101 zero - bttm u-trough 17.0'  
101.0' L  
Not Licensed



flat # 103 16.3' top sidewall  
112.0L x 60.6'W 26.6' bttm of auger  
15.2' cross rod  
sidebraces  
12.9' - 10.1' - 7.7'  
5.3' - 3.3' - 1.5'

SECTION F DELETED 04-22-09  
located 1/4 mile north of Section G

SECTION J  
located east from Section G



section I Flat #102  
120.0'L x 48.4'W 7.2' top of innerliner  
10.1' top of rib above innerliner  
17.2' top center railing  
Not Licensed

REYNOLDS UNITED CO-OP  
 REYNOLDS N.D.  
 SECTION G

BNSF RAIL

211	212	213	004	005	010	011	101	104	107	110	113			
10	204	203	2A	03	006	009	013	012	102	105	108		111	114
09									103	106	109		112	115
08	X X X	202	2B	001	07	XX	08	014						
207	205			XX										
206	XXX	201				ml								
	XXX													

driveway & scale

Office