

Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 1

Examiner: 1

Box 108

Grafton , ND

County:

Phone: 701-352-0461

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

001	g	8,637
002	g	8,637
003	g	8,637
004	g	8,637
005	g	8,637
006	g	8,637
007	g	8,637
008	g	8,637
009	g	9,765
010	g	9,765
		Total: 88,626

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	479,000
B	46,000
C	16,000
D	290,000
g	89,000
Total: 920,000	











PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Grafton	14	A B C D g	920,000
			Total: 920,000


Grafton Farmers Coop
Boone Farm
section G

North

3 miles north of Grafton
on county Rd 10
East side of Rd



Driveway



Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 1

Examiner: 1

Box 108
Grafton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
Section: A																
	A	001	Square	work floor	0.000	9.000	3.800	30.00	0.00	0.00	30.000	0.000	30.0	27.5	2.50	846
	A	002	Square	work floor	0.000	12.50	9.000	48.00	0.00	0.00	48.000	0.000	48.0	90.4	5.80	4,591
	A	003	Square	work floor	0.000	6.600	6.500	31.00	0.00	0.00	31.000	0.000	31.0	34.5	3.00	1,102
	A	004	Square	work floor	0.000	12.50	6.500	29.00	0.00	0.00	29.000	0.000	29.0	65.3	5.00	1,989
	A	005	Square	work floor	0.000	12.50	6.500	29.00	0.00	0.00	29.000	0.000	29.0	65.3	5.00	1,989
	A	007	Square	work floor	0.000	6.600	6.500	31.00	0.00	0.00	31.000	0.000	31.0	34.5	3.00	1,102
	A	008	Square	work floor	0.000	12.50	8.500	45.00	0.00	0.00	45.000	0.000	45.0	85.4	5.80	4,066
	A	009	Square	work floor	0.000	8.500	6.600	28.00	0.00	0.00	28.000	0.000	28.0	45.1	4.00	1,314
	A	011	Square	work floor	0.000	8.500	6.600	28.00	0.00	0.00	28.000	0.000	28.0	45.1	4.00	1,314
	A	012	Square	work floor	0.000	6.600	6.500	31.00	0.00	0.00	31.000	0.000	31.0	34.5	3.00	1,102
	A	013	Square	work floor	0.000	12.50	8.500	45.00	0.00	0.00	45.000	0.000	45.0	85.4	5.80	4,066
	A	014	Square	work floor	0.000	12.50	6.500	48.00	0.00	0.00	48.000	0.000	48.0	65.3	5.00	3,291
	A	016	Square	work floor	0.000	6.600	6.500	31.00	0.00	0.00	31.000	0.000	31.0	34.5	3.00	1,102
	A	017	Square	work floor	0.000	12.50	6.500	48.00	0.00	2.00	46.000	0.000	46.0	65.3	5.00	3,154
	A	018	Square	work floor	0.000	12.50	9.000	48.00	0.00	3.00	45.000	0.000	45.0	90.4	5.80	4,304
	A	021	Square	work floor	0.000	9.000	3.800	10.00	0.00	0.00	10.000	0.000	10.0	27.5	2.50	282
	A	101	Square	work floor	0.000	11.00	10.50	33.00	0.00	0.00	33.000	0.000	33.0	92.8	5.80	3,240
	A	102 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	102 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291
	A	103 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	103 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291
	A	104 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	104 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291

Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 2

Examiner: 1

Box 108
Grafton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: A															
	A	105	Square	work floor	0.000	11.00	10.50	33.00	0.00	0.00	33.000	0.000	33.0	92.8	5.80	3,240
	A	106 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	106 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291
	A	107 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	107 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291
	A	108	Square	work floor	0.000	11.00	10.50	33.00	0.00	0.00	33.000	0.000	33.0	92.8	5.80	3,240
	A	109 T	Square	work floor	0.000	11.00	10.00	35.00	0.00	0.00	35.000	0.000	35.0	88.4	5.80	3,273
	A	109 B	Square	work floor - top 35'	0.000	12.50	11.00	11.00	0.00	0.00	11.000	0.000	11.0	110.5	6.20	1,291
	A	201	Square	work floor	0.000	15.50	9.200	42.00	0.00	0.00	42.000	0.000	42.0	114.6	6.20	5,111
	A	202 T	Square	work floor	0.000	15.50	9.200	34.00	0.00	0.00	34.000	0.000	34.0	114.6	6.20	4,138
	A	202 B	Square	work floor - top 34'	0.000	11.00	9.200	8.000	0.00	0.00	8.000	0.000	8.0	81.4	5.50	687
	A	203	Square	work floor	0.000	15.50	9.500	42.00	0.00	0.00	42.000	0.000	42.0	118.4	6.20	5,281
	A	204 T	Square	work floor	0.000	15.50	9.500	34.00	0.00	0.00	34.000	0.000	34.0	118.4	6.20	4,276
	A	204 B	Square	work floor - top 34'	0.000	11.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	84.0	5.80	711
	A	205	Square	work floor	0.000	15.50	9.500	42.00	0.00	0.00	42.000	0.000	42.0	118.4	6.20	5,281
	A	206 T	Square	work floor	0.000	15.50	9.500	34.00	0.00	0.00	34.000	0.000	34.0	118.4	6.20	4,276
	A	206 B	Square	work floor - top 34'	0.000	11.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	84.0	5.80	711
	A	207	Square	work floor	0.000	15.50	9.500	42.00	0.00	0.00	42.000	0.000	42.0	118.4	6.20	5,281
	A	208 T	Square	work floor	0.000	15.50	9.500	34.00	0.00	0.00	34.000	0.000	34.0	118.4	6.20	4,276
	A	208 B	Square	work floor - top 34'	0.000	11.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	84.0	5.80	711
	A	209	Square	work floor	0.000	15.50	9.500	42.00	0.00	0.00	42.000	0.000	42.0	118.4	6.20	5,281
	A	210 T	Square	work floor	0.000	15.50	9.500	34.00	0.00	0.00	34.000	0.000	34.0	118.4	6.20	4,276
	A	210 B	Square	work floor - top 34'	0.000	11.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	84.0	5.80	711

Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 3

Examiner: 1

Box 108
Grafton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: A															
	A	211	Square	work floor	0.000	15.50	11.20	42.00	0.00	0.00	42.000	0.000	42.0	139.5	6.80	6,257
	A	212 T	Square	work floor	0.000	15.50	11.20	34.00	0.00	0.00	34.000	0.000	34.0	139.5	6.80	5,066
	A	212 B	Square	work floor - top 34'	0.000	11.20	11.00	8.000	0.00	0.00	8.000	0.000	8.0	99.0	6.00	840
	A	310 T	Square	work floor	0.000	12.20	10.40	38.00	0.00	0.00	38.000	0.000	38.0	102.0	6.00	4,109
	A	310 B	Square	work floor - top 38'	0.000	13.00	12.20	9.000	0.00	0.00	9.000	0.000	9.0	127.5	6.50	1,223
	A	311	Square	work floor	0.000	12.20	9.400	37.00	0.00	0.00	37.000	0.000	37.0	92.2	5.80	3,609
	A	312 T	Square	work floor	0.000	12.20	10.40	38.00	0.00	0.00	38.000	0.000	38.0	102.0	6.00	4,109
	A	312 B	Square	work floor - top 38'	0.000	13.00	12.20	9.000	0.00	0.00	9.000	0.000	9.0	127.5	6.50	1,223
	A	313 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	313 B	Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
	A	314	Square	work floor	0.000	12.40	9.400	37.00	0.00	0.00	37.000	0.000	37.0	93.7	5.80	3,668
	A	315 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	315 B	Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
	A	316 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	316 B	Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
	A	317	Square	work floor	0.000	12.40	9.400	37.00	0.00	0.00	37.000	0.000	37.0	93.7	5.80	3,668
	A	318 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	318 B	Square	work floor- top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
	A	319 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	319 B	Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
	A	320	Square	work floor	0.000	12.40	9.400	37.00	0.00	0.00	37.000	0.000	37.0	93.7	5.80	3,668
	A	321 T	Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
	A	321 B	Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242

Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 4

Examiner: 1

Box 108
Grafton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
Section: A																
A	322 T		Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
A	322 B		Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
A	323		Square	work floor	0.000	12.40	9.400	37.00	0.00	0.00	37.000	0.000	37.0	93.7	5.80	3,668
A	324 T		Square	work floor	0.000	12.40	10.40	38.00	0.00	0.00	38.000	0.000	38.0	103.7	6.00	4,177
A	324 B		Square	work floor - top 38'	0.000	13.00	12.40	9.000	0.00	0.00	9.000	0.000	9.0	129.6	6.50	1,242
A	325 T		Square	work floor	0.000	12.20	10.40	38.00	0.00	0.00	38.000	0.000	38.0	102.0	6.00	4,109
A	325 B		Square	work floor - top 38'	0.000	13.00	12.20	9.000	0.00	0.00	9.000	0.000	9.0	127.5	6.50	1,223
A	326		Square	work floor	0.000	12.20	9.400	37.00	0.00	0.00	37.000	0.000	37.0	92.2	5.80	3,609
A	327 T		Square	work floor	0.000	12.20	10.40	38.00	0.00	0.00	38.000	0.000	38.0	102.0	6.00	4,109
A	327 B		Square	work floor - top 38'	0.000	13.00	12.20	9.000	0.00	0.00	9.000	0.000	9.0	127.5	6.50	1,223
A	403		Peaked	top of sidewall	12.000	0.000	0.000	12.80	0.00	0.00	12.800	0.700	13.5	90.9	5.00	1,288
A	405		Peaked	top of sidewall	26.900	0.000	0.000	42.80	0.00	0.00	42.800	1.600	44.4	456.9	8.50	22,010
A	406		Peaked	top of sidewall	27.000	0.000	0.000	43.00	0.00	0.00	43.000	1.600	44.6	460.3	8.50	22,274
A	407		Peaked	top of sidewall	48.000	0.000	0.000	47.70	0.00	0.00	47.700	3.400	51.1	1454.6	10.0	81,763
A	408		Peaked	top of sidewall at eave	59.800	0.000	0.000	47.70	0.00	0.00	47.700	4.200	51.9	2257.7	10.0	128,893
Bin count: 84													Facility: Grafton Section: A Total:		478,687	
													To Even:		479,000	

Section: B

B	101		Peaked	sidewall top bolt row	26.800	0.000	0.000	42.80	0.00	0.00	42.800	1.600	44.4	453.5	8.20	21,786
B	102		Peaked	sidewall top bolt row	26.800	0.000	0.000	42.80	0.00	0.00	42.800	1.600	44.4	453.5	8.20	21,786
B	103		Square	top of sidewall	0.000	10.50	10.50	23.00	0.00	0.00	23.000	0.000	23.0	88.6	5.80	2,156

Exam Date:08/15/2011

Grafton Farmers Coop Grain Co

Page: 5

Examiner: 1

Box 108
Grafton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
Bin count:		3													Facility: Grafton Section: B Total:	45,728
														To Even:	46,000	

Section: C

C	008	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983	
C	009	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983	
C	010	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983	
C	011	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983	
Bin count:		4													Facility: Grafton Section: C Total:	15,932
														To Even:	16,000	

Section: D

D	001 T	Square	work floor	0.000	9.500	3.200	22.00	0.00	0.00	22.000	0.000	22.0	24.4	2.50	550
D	001 B	Square	work floor - top 22'	0.000	9.500	3.200	12.50	0.00	0.00	12.500	0.000	12.5	24.4	2.50	313
D	002	Square	work floor	0.000	7.500	2.000	47.00	0.00	0.00	47.000	0.000	47.0	12.1	2.00	580
D	004	Square	work floor	0.000	10.00	5.800	61.50	0.00	0.00	61.500	0.000	61.5	46.6	4.00	2,981
D	005	Square	work floor	0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	006	Square	work floor	0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	007	Square	work floor	0.000	7.500	5.900	47.00	0.00	0.00	47.000	0.000	47.0	35.6	3.00	1,723
D	008	Square	work floor	0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	009	Square	work floor	0.000	10.00	5.800	61.50	0.00	0.00	61.500	0.000	61.5	46.6	4.00	2,981
D	010	Square	work floor	0.000	7.500	5.800	47.00	0.00	0.00	47.000	0.000	47.0	35.0	3.00	1,694
D	012	Square	work floor - blind below load	0.000	7.500	5.900	47.00	0.00	0.00	47.000	0.000	47.0	35.6	3.00	1,723
D	014	Square	work floor	0.000	5.800	4.800	47.00	0.00	0.00	47.000	0.000	47.0	22.4	2.00	1,074

Exam Date:08/15/2011

Examiner: 1

Grafton Farmers Coop Grain Co
Box 108
Grafton , ND
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: D															
D	016	Square	work floor		0.000	5.900	4.800	47.00	0.00	0.00	47.000	0.000	47.0	22.8	2.00	1,093
D	017	Square	work floor		0.000	10.00	5.800	61.50	0.00	0.00	61.500	0.000	61.5	46.6	4.00	2,981
D	018	Square	work floor		0.000	5.900	4.800	47.00	0.00	0.00	47.000	0.000	47.0	22.8	2.00	1,093
D	019	Square	work floor		0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	022	Square	work floor		0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	023	Square	work floor		0.000	10.00	5.900	61.50	0.00	0.00	61.500	0.000	61.5	47.4	4.00	3,032
D	024	Square	work floor		0.000	10.00	5.800	61.50	0.00	0.00	61.500	0.000	61.5	46.6	4.00	2,981
D	025	Square	work floor		0.000	4.800	2.000	47.00	0.00	0.00	47.000	0.000	47.0	7.7	2.00	369
D	101	Square	work floor		0.000	13.90	11.20	60.00	0.00	0.00	60.000	0.000	60.0	125.1	6.50	7,994
D	102 T	Square	work floor		0.000	14.70	11.20	52.50	0.00	0.00	52.500	0.000	52.5	132.3	6.50	7,397
D	102 B	Square	work floor - top 52.5'		0.000	11.20	9.800	7.500	0.00	0.00	7.500	0.000	7.5	88.2	5.80	700
D	103	Square	work floor		0.000	13.90	11.60	60.00	0.00	0.00	60.000	0.000	60.0	129.6	6.50	8,281
D	104 T	Square	work floor		0.000	14.70	11.60	52.50	0.00	0.00	52.500	0.000	52.5	137.1	6.50	7,666
D	104 B	Square	work floor - top 52.5'		0.000	11.60	9.800	7.500	0.00	0.00	7.500	0.000	7.5	91.4	5.80	726
D	105	Square	work floor		0.000	13.90	11.60	60.00	0.00	0.00	60.000	0.000	60.0	129.6	6.50	8,281
D	106 T	Square	work floor		0.000	14.70	11.60	52.50	0.00	0.00	52.500	0.000	52.5	137.1	6.50	7,666
D	106 B	Square	work floor - top 52.5'		0.000	11.60	9.800	7.500	0.00	0.00	7.500	0.000	7.5	91.4	5.80	726
D	107	Square	work floor		0.000	13.90	11.20	60.00	0.00	0.00	60.000	0.000	60.0	125.1	6.50	7,994
D	108 T	Square	work floor		0.000	14.70	11.20	52.50	0.00	0.00	52.500	0.000	52.5	132.3	6.50	7,397
D	108 B	Square	work floor- top 52.5'		0.000	11.20	9.800	7.500	0.00	0.00	7.500	0.000	7.5	88.2	5.80	700
D	201	Peaked	top of sidewall		36.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	818.2	10.0	55,081
D	202	Peaked	get actual dimensions		59.800	0.000	0.000	47.70	0.00	0.00	47.700	4.200	51.9	2257.7	10.0	128,893

Exam Date:08/15/2011

Examiner: 1

Grafton Farmers Coop Grain Co
 Box 108
 Grafton , ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 34

Facility: Grafton Section: D Total: 289,830

To Even: 290,000

Section: g

Added	g	001	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	002	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	003	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	004	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	005	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	006	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	007	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	008	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	16.00	0.00	0.00	16.000	1.600	17.6	453.5	8.20	8,637
Added	g	009	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	18.30	0.00	0.00	18.300	1.600	19.9	453.5	8.20	9,765
Added	g	010	Peaked	top of sidewall - Boone site	26.800	0.000	0.000	18.30	0.00	0.00	18.300	1.600	19.9	453.5	8.20	9,765

Bin count: 10

Facility: Grafton Section: g Total: 88,626

To Even: 89,000

Overall Licensed Bin Capacity for:

Grafton Farmers Coop Grain Co

Bin count: 135

Licensed Capacity:
(includes pack)

918,803 Bu.

Licensed Capacity (to even):
(includes pack and section totals are rounded up to next highest 1000)

920,000 Bu.