

Exam Date:09/07/2011

Technology Crops, Inc.

Page: 1

Examiner: 1

PO Box 11925

Winston-Salem , NC

County:

Phone: 336-759-7335

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
117	B	66,802
		Total: 66,802
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
		Total: 0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	923,000
	B	976,000
		Total: 1,899,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Glinz Farm 1000	B	976,000
Wimbledon 1161	A	923,000
		Total: 1,899,000

Exam Date:09/07/2011

Technology Crops, Inc.
PO Box 11925
Winston-Salem , NC
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Glinz Farm

Section: B

	B	101	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	102	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	103	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	104	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	105	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	106	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	107	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	108	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	109	Peaked	Eave Glinz Farm	31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
	B	115	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	116	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
Added	B	117	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	118	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	119	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	120	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	121	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	122	Peaked	Eave Glinz Farm	47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
	B	139	Peaked	Eave Glinz Farm	47.800	0.000	0.000	46.50	0.00	0.00	46.500	2.900	49.4	1442.5	10.0	78,386
	B	500	Quonset	19.2' bottom drag to floor	0.000	289.0	68.00	11.00	0.00	0.00	11.000	0.000	11.0	15517.3	10.0	187,759

Exam Date:09/07/2011

Examiner: 1

Technology Crops, Inc.
 PO Box 11925
 Winston-Salem , NC
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 19

Facility: Glinz Farm Section: B Total: 975,863

To Even: 976,000

Overall Licensed Bin Capacity for:

Technology Crops, Inc.

Bin count: 19

Licensed Capacity: 1,898,528 Bu.
 (includes pack)

Licensed Capacity (to even): 1,899,000 Bu.
 (includes pack and section totals are rounded up to next highest 1000)

Shing # 269-6010

Client ID: 3216

NDPSC Statement of Capacities

09/07/2011 10:40:52 AM

Exam Date:09/07/2011

Technology Crops, Inc.

Page: 1

Examiner: 1

PO Box 11925

Winston-Salem , NC

County:

Phone: 336-759-7335

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
		Total: 0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	923,000
	B	910,000
		Total: 1,833,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Glinz Farm 1000	B	910,000
Wimbledon 1161	A	923,000
		Total: 1,833,000

Exam Date:09/07/2011

Technology Crops, Inc.
 PO Box 11925
 Winston-Salem , NC
 County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Glinz Farm

Section: B

B	101	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	102	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	103	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	104	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	105	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	106	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	107	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	108	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	109	Peaked	Eave Glinz Farm		31.000	0.000	0.000	27.50	0.00	0.00	27.500	1.900	29.4	606.7	9.20	19,478
B	115	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	116	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	118	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	119	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	120	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	121	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	122	Peaked	Eave Glinz Farm		47.800	0.000	0.000	39.20	0.00	0.00	39.200	2.900	42.1	1442.5	10.0	66,802
B	139	Peaked	Eave Glinz Farm		47.800	0.000	0.000	46.50	0.00	0.00	46.500	2.900	49.4	1442.5	10.0	78,386
B	500	Quonset	19.2' bottom drag to floor		0.000	289.0	68.00	11.00	0.00	0.00	11.000	0.000	11.0	15517.3	10.0	187,759

Bin count: 18

Facility: Glinz Farm Section: B Total: 909,061

To Even: 910,000

Exam Date:09/07/2011

Technology Crops, Inc.
PO Box 11925
Winston-Salem , NC
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Wimbledon

Section: A

A	001	Square	work floor		0.000	6.900	5.900	51.00	0.00	0.00	51.000	0.000	51.0	32.7	2.50	1,710
A	003	Square	work floor		0.000	9.400	2.300	51.00	0.00	0.00	51.000	0.000	51.0	17.4	2.00	905
A	004	Square	work floor		0.000	5.200	5.000	52.00	0.00	0.00	52.000	0.000	52.0	20.9	2.00	1,109
A	005	Square	work floor		0.000	5.200	5.000	52.00	0.00	0.00	52.000	0.000	52.0	20.9	2.00	1,109
A	006 T	Square	work floor		0.000	10.20	3.500	51.00	0.00	0.00	51.000	0.000	51.0	28.7	2.50	1,501
A	006 B	Square	work floor- top 51'		0.000	9.600	8.600	16.00	0.00	0.00	16.000	0.000	16.0	66.4	5.00	1,115
A	007	Square	work floor		0.000	10.20	5.900	51.00	0.00	0.00	51.000	0.000	51.0	48.4	4.20	2,572
A	009	Square	work floor		0.000	10.20	5.900	51.00	0.00	0.00	51.000	0.000	51.0	48.4	4.20	2,572
A	010	Square	work floor		0.000	6.900	5.900	51.00	0.00	0.00	51.000	0.000	51.0	32.7	2.50	1,710
A	011 T	Square	work floor		0.000	10.20	9.100	51.00	0.00	0.00	51.000	0.000	51.0	74.6	5.50	4,014
A	011 B	Square	work floor -top 51'		0.000	9.600	8.600	16.00	0.00	0.00	16.000	0.000	16.0	66.4	5.00	1,115
A	012	Square	work floor		0.000	9.100	6.900	51.00	0.00	0.00	51.000	0.000	51.0	50.5	4.50	2,692
A	014	Square	work floor		0.000	6.900	5.900	51.00	0.00	0.00	51.000	0.000	51.0	32.7	2.50	1,710
A	015	Square	work floor		0.000	9.100	6.900	51.00	0.00	0.00	51.000	0.000	51.0	50.5	4.50	2,692
A	016 T	Square	work floor		0.000	10.20	9.100	51.00	0.00	0.00	51.000	0.000	51.0	74.6	5.50	4,014
A	016 B	Square	work floor -top 51'		0.000	9.610	8.600	16.00	0.00	0.00	16.000	0.000	16.0	66.4	5.00	1,115
A	017	Square	work floor		0.000	10.20	5.900	51.00	0.00	0.00	51.000	0.000	51.0	48.4	4.20	2,572
A	019	Square	work floor		0.000	10.20	5.900	51.00	0.00	0.00	51.000	0.000	51.0	48.4	4.20	2,572
A	020 T	Square	work floor		0.000	10.20	3.500	51.00	0.00	0.00	51.000	0.000	51.0	28.7	2.50	1,501
A	020 B	Square	work floor - top 51'		0.000	9.600	8.600	16.00	0.00	0.00	16.000	0.000	16.0	66.4	5.00	1,115
A	021	Square	work floor		0.000	5.200	5.000	52.00	0.00	0.00	52.000	0.000	52.0	20.9	2.00	1,109

Exam Date:09/07/2011

Technology Crops, Inc.
PO Box 11925
Winston-Salem , NC
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Wimbledon

Section: A

A	022	Square	work floor		0.000	5.200	5.000	52.00	0.00	0.00	52.000	0.000	52.0	20.9	2.00	1,109
A	023	Square	work floor		0.000	6.900	5.900	51.00	0.00	0.00	51.000	0.000	51.0	32.7	2.50	1,710
A	101	Peaked	eaves		27.000	0.000	0.000	30.00	0.00	0.00	30.000	1.600	31.6	460.3	8.50	15,781
A	102	Peaked	eaves		27.000	0.000	0.000	30.00	0.00	0.00	30.000	1.600	31.6	460.3	8.50	15,781
A	103	Peaked	eaves		27.000	0.000	0.000	30.00	0.00	0.00	30.000	1.600	31.6	460.3	8.50	15,781
A	104	Peaked	eaves		29.900	0.000	0.000	48.50	0.00	0.00	48.500	1.800	50.3	564.4	9.00	30,944
A	105	Peaked	eaves		29.900	0.000	0.000	48.50	0.00	0.00	48.500	1.800	50.3	564.4	9.00	30,944
A	106	Peaked	eaves		29.900	0.000	0.000	48.50	0.00	0.00	48.500	1.800	50.3	564.4	9.00	30,944
A	107	Peaked	eaves		11.000	0.000	0.000	32.90	0.00	0.00	32.900	0.700	33.6	76.4	5.00	2,695
A	108	Flat	top of sidewall 7.3'		13.000	446.4	73.60	7.300	0.00	0.00	7.300	6.200	13.5	26410.8	10.0	392,201
A	201	Round	top fo slab		44.000	0.000	0.000	126.5	0.00	0.00	126.50	0.000	126.5	1222.3	10.0	170,083
A	202	Round	top fo slab		44.000	0.000	0.000	126.5	0.00	0.00	126.50	0.000	126.5	1222.3	10.0	170,083
A	203	Irregular	top fo slab		22.500	0.000	0.000	86.00	0.00	0.00	86.000	0.000	86.0	22.5	2.00	1,974
A	204	Irregular	top fo slab		22.500	0.000	0.000	92.00	0.00	0.00	92.000	0.000	92.0	22.5	2.00	2,111

Bin count: 35

Facility: Wimbledon Section: A Total: **922,665**

To Even: 923,000

Overall Licensed Bin Capacity for:

Technology Crops, Inc.

Bin count: 53

Licensed Capacity:

(includes pack)

1,831,726 Bu.

Licensed Capacity (to even):

(includes pack and section totals are rounded up to next highest 1000)

1,833,000 Bu.

GLINZ FARM STORAGE SITE
SOUTH OF PINGREE
WEST SIDE HWY 281



500
19.2' TO BOTTOM OF DRAG AUGER
68 X 289



800
68x204

700
68X204
21' TO
BOTTOM
OF DRAG

600
68X204
20' TO
BOTTOM
OF DRAG
AUGER



tanks 123 thru 138 &
scale on page 3



200
19.2 TO BOTTOM OF DRAG
AUGER

300
19.2 TO BOTTOM OF DRAG
AUGER

400
19.2 TO BOTTOM OF DRAG
AUGER

tanks 139 thru 142
47.8' dia. x 46.5' sidewall
78,386 packed bu. each

tanks 113 thru 122
47.8' dia x 39.2' sidewall
66,802 packed bu. each



GLINZ FARM STORAGE SITE
SOUTH OF PINGREE
WEST SIDE HWY 281




SCALE

← office & elevator west 1 block


200
19.2 TO BOTTOM OF DRAG
AUGER

300
19.2 TO BOTTOM OF DRAG
AUGER

400
19.2 TO BOTTOM OF DRAG
AUGER



tanks 123 thru 138
47.8' dia. x 46.5' sidewall
78,386 packe bu. each



ALL QUONSET WIDTH'S

- 1' - 67.2'
- 3' - 65.3'
- 5' - 63.0'
- 7' - 60.5'
- 9' - 57.7'
- 11' - 54'

ZERO POINTS : TANKS - EAVES
QUONSETS - TOP OF FIRST SIDEWALL BRACE TO FLOOR 6.5'
TOP OF 2ND SIDEWALL BRACE TO FLOOR 11.7