
Appendix D
Agency Correspondence



UNITED STATES DEPARTMENT OF COMMERCE
National Telecommunications and
Information Administration
Washington, D.C. 20230

JAN 17 2008

Mr. Lester E. Polisky
Comsearch
Senior Principal Engineer
Field Services Department
19700 Janelia Farms Blvd
Ashburn, VA 21147

Re: Oliver III, IV and V Wind Energy Project in Morton County, North Dakota

Dear Mr. Polisky:

In response to your request, the National Telecommunications and Information Administration provided to the federal agencies represented in the Interdepartmental Radio Advisory Committee (IRAC) the plans for the Oliver III, IV and V Wind Energy Project in Morton County, ND. After a 45 day period of review, the agencies have not identified any concerns regarding blockage of their radio frequency transmissions.

While the IRAC agencies did not identify any concerns regarding radio frequency blockage, this does not eliminate the need for the wind energy facilities to meet any other requirements specified by law related to these agencies. For example, this review by the IRAC does not eliminate any need that may exist to coordinate with the Federal Aviation Administration concerning flight obstruction.

Thank you for the opportunity to review these proposals.

Sincerely,

Edward M. Davison
Deputy Associate Administrator
Office of Spectrum Management

COMMISSIONERS:

JAMES BOEHM, Chairman
Mandan, ND

MARK BITZ, Vice Chairman
Mandan, ND

BRUCE STRINDEN
Mandan, ND

DICK TOKACH
Mandan, ND

ANDY ZACHMEIER
Mandan, ND

MORTON COUNTY

STATE OF NORTH DAKOTA

210 2nd AVENUE NW
MANDAN, NORTH DAKOTA 58554

PAUL E. TRAUGER, County Auditor




MORTON COUNTY CONDITIONAL USE PERMIT No 5 November 10, 2009,
CONDITIONAL USE PERMITS FOR NextEra Energy Resources LLC FOR MORTON
COUNTY I WIND PROJECT.

NextEra Energy Resources, LLC
FEW/JB 700 Universe Blvd.
Juno Beach, Fl. 33408

Dear Mr. Scovill:

The Morton County Commissioners have granted a Conditional Use Permit to build NextEra Energy Resources LLC's Morton County Wind I in Morton County, ND. NextEra Energy is in compliance with the Morton County's Wind Energy Model Ordinance to place sixty-seven 1.5 MW Wind Turbines in Townships 140 North, Range 82, 83 and 84 West in Morton County developing up to 100.5 MW. NextEra Energy has reached agreement with the Morton County Commissioners on building up and use of section line roads under Morton County jurisdiction.

If you have any questions please contact me.



Paul E. Trauger
Paul E. Trauger
Morton County Auditor

November 30, 2009



Issued Date: 05/03/2010

Scott Scovill
NextEra Energy - Oliver III Wind
700 Universe Blvd.
Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 1
Location: Mandan, ND
Latitude: 46-55-11.11N NAD 83
Longitude: 101-05-38.66W
Heights: 398 feet above ground level (AGL)
2584 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3929-OE.

Signature Control No: 693126-125436922

(DNE -WT)

Earl Newalu
Specialist



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WIE-3941-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 2
 Location: Mandan, ND
 Latitude: 46-55-00.03N NAD 83
 Longitude: 101-05-41.68W
 Heights: 398 feet above ground level (AGL)
 2582 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3941-OE.

Signature Control No: 693138-125437267

(DNE -WT)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 3
 Location: Mandan, ND
 Latitude: 46-54-54.59N NAD 83
 Longitude: 101-05-54.24W
 Heights: 398 feet above ground level (AGL)
 2577 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3923-OE.

Signature Control No: 693120-125436914

(DNE -WI)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 4
 Location: Mandan, ND
 Latitude: 46-55-33.17N NAD 83
 Longitude: 101-06-22.84W
 Heights: 398 feet above ground level (AGL)
 2641 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA

This determination does include temporary construction equipment such as cranes, derricks, etc, which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3924-OE

Signature Control No: 693121-125436915

(DNE -WT)

Earl Newalu
Specialist



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3940-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 5
 Location: Mandan, ND
 Latitude: 46-55-23.58N NAD 83
 Longitude: 101-06-26.15W
 Heights: 398 feet above ground level (AGL)
 2608 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WIE-3940-OE.

Signature Control No: 693137-125437264

(DNE -WT)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 6
 Location: Mandan, ND
 Latitude: 46-55-20 15N NAD 83
 Longitude: 101-06-38.27W
 Heights: 398 feet above ground level (AGL)
 2592 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WIE-3939-OE.

Signature Control No: 693136-125436928

Earl Newalu
Specialist

(DNE -WI)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3925-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 7
 Location: Mandan, ND
 Latitude: 46-56-11.02N NAD 83
 Longitude: 101-06-58.99W
 Heights: 398 feet above ground level (AGL)
 2625 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights . Any changes in coordinates will void this determination . Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc , which may be used during actual construction of the structure . However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3925-OE.

Signature Control No: 693122-125436932

(DNE -WT)

Earl Newalu
Specialist



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WIE-3938-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 8
 Location: Mandan, ND
 Latitude: 46-56-03.11N NAD 83
 Longitude: 101-07-04.60W
 Heights: 398 feet above ground level (AGL)
 2612 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3938-OE.

Signature Control No: 693135-125437277
Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 9
 Location: Mandan, ND
 Latitude: 46-55-58.98N NAD 83
 Longitude: 101-07-17 44W
 Heights: 398 feet above ground level (AGL)
 2617 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3937-OE

Signature Control No: 693134-125436919

Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3942-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 10
 Location: Mandan, ND
 Latitude: 46-55-38.50N NAD 83
 Longitude: 101-07-47 65W
 Heights: 398 feet above ground level (AGL)
 2581 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3942-OE

Signature Control No: 693139-125437266

Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WIE-3926-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 11
 Location: Mandan, ND
 Latitude: 46-55-32.14N NAD 83
 Longitude: 101-07-56 76W
 Heights: 398 feet above ground level (AGL)
 2594 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3926-OE

Signature Control No: 693123-125436923

Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3927-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 12
 Location: Mandan, ND
 Latitude: 46-56-26.36N NAD 83
 Longitude: 101-07-38.44W
 Heights: 398 feet above ground level (AGL)
 2650 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3927-OE.

Signature Control No: 693124-125436929

Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3943-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 13
 Location: Mandan, ND
 Latitude: 46-56-24 08N NAD 83
 Longitude: 101-07-53.15W
 Heights: 398 feet above ground level (AGL)
 2645 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights . Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3943-OE.

Signature Control No: 693140-125437269

Earl Newalu
Specialist

(DNE -WI)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WTE-3944-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 14
 Location: Mandan, ND
 Latitude: 46-56-11.00N NAD 83
 Longitude: 101-07-49.08W
 Heights: 398 feet above ground level (AGL)
 2650 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3944-OE.

Signature Control No: 693141-125437275
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3928-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 15
 Location: Mandan, ND
 Latitude: 46-56-02.86N NAD 83
 Longitude: 101-07-54.39W
 Heights: 398 feet above ground level (AGL)
 2666 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3928-OE.

Signature Control No: 693125-125437271

Earl Newalu
Specialist

(DNE -WI)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 16
 Location: Mandan, ND
 Latitude: 46-55-55.50N NAD 83
 Longitude: 101-08-01.66W
 Heights: 398 feet above ground level (AGL)
 2683 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3945-OE.

Signature Control No: 693142-125436930
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WTE-3946-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 17
 Location: Mandan, ND
 Latitude: 46-56-41.28N NAD 83
 Longitude: 101-08-15.59W
 Heights: 398 feet above ground level (AGL)
 2667 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3946-OE

Signature Control No: 693143-125436917
Earl Newalu
Specialist

(DNE -WI)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3936-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 18
 Location: Mandan, ND
 Latitude: 46-56-35.26N NAD 83
 Longitude: 101-08-25.95W
 Heights: 398 feet above ground level (AGL)
 2643 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3936-OE.

Signature Control No: 693133-125437265
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3947-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 19
 Location: Mandan, ND
 Latitude: 46-56-30.84N NAD 83
 Longitude: 101-08-38.36W
 Heights: 398 feet above ground level (AGL)
 2643 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights . Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc , which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3947-OE.

Signature Control No: 693144-125437273
Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
NextEra Energy - Oliver III Wind
700 Universe Blvd.
Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 20
Location: Mandan, ND
Latitude: 46-56-25.83N NAD 83
Longitude: 101-08-51.59W
Heights: 398 feet above ground level (AGL)
2625 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3948-OE.

Signature Control No: 693145-125436927
Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 21
 Location: Mandan, ND
 Latitude: 46-56-10 91N NAD 83
 Longitude: 101-09-08.02W
 Heights: 398 feet above ground level (AGL)
 2583 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3930-OE.

Signature Control No: 693127-125436926
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WTE-3931-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 22
 Location: Mandan, ND
 Latitude: 46-57-41.15N NAD 83
 Longitude: 101-07-16.65W
 Heights: 398 feet above ground level (AGL)
 2516 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3931-OE.

Signature Control No: 693128-125436918

Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 23
 Location: Mandan, ND
 Latitude: 46-57-32 02N NAD 83
 Longitude: 101-07-21 40W
 Heights: 398 feet above ground level (AGL)
 2517 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3949-OE.

Signature Control No: 693146-125437270
Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U S C , Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 24
 Location: Mandan, ND
 Latitude: 46-57-30.04N NAD 83
 Longitude: 101-07-40.96W
 Heights: 398 feet above ground level (AGL)
 2557 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3950-OE

Signature Control No: 693147-125436925
Earl Newalu
Specialist

(DNE -WI)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 25
 Location: Mandan, ND
 Latitude: 46-57-23.66N NAD 83
 Longitude: 101-08-20.41W
 Heights: 398 feet above ground level (AGL)
 2579 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3932-OE.

Signature Control No: 693129-125437268
Earl Newalu
Specialist

(DNE -WI)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 26
 Location: Mandan, ND
 Latitude: 46-57-22 47N NAD 83
 Longitude: 101-08-41.18W
 Heights: 398 feet above ground level (AGL)
 2618 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3951-OE

Signature Control No: 693148-125436924
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WIE-3933-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 27
 Location: Mandan, ND
 Latitude: 46-58-39 50N NAD 83
 Longitude: 101-08-51.64W
 Heights: 398 feet above ground level (AGL)
 2546 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3933-OE.

Signature Control No: 693130-125436921

(DNE -WT)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 28
 Location: Mandan, ND
 Latitude: 46-58-27.31N NAD 83
 Longitude: 101-08-52.24W
 Heights: 398 feet above ground level (AGL)
 2580 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3952-OE.

Signature Control No: 693149-125437276
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WIE-3953-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 29
 Location: Mandan, ND
 Latitude: 46-58-16 53N NAD 83
 Longitude: 101-08-55.08W
 Heights: 398 feet above ground level (AGL)
 2575 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3953-OE.

Signature Control No: 693150-125436933

(DNE -WT)

Earl Newalu
Specialist



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No
 2010-WTE-3954-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 30
 Location: Mandan, ND
 Latitude: 46-58-08.40N NAD 83
 Longitude: 101-09-03.93W
 Heights: 398 feet above ground level (AGL)
 2578 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3954-OE.

Signature Control No: 693151-125437272

Earl Newalu
Specialist

(DNE -WT)



Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 31
 Location: Mandan, ND
 Latitude: 46-58-01 78N NAD 83
 Longitude: 101-09-14.65W
 Heights: 398 feet above ground level (AGL)
 2583 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3934-OE.

Signature Control No: 693131-125436916
Earl Newalu
Specialist

(DNE -WT)



Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2010-WTE-3956-OE

Issued Date: 05/03/2010

Scott Scovill
 NextEra Energy - Oliver III Wind
 700 Universe Blvd.
 Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 32
 Location: Mandan, ND
 Latitude: 46-57-45 67N NAD 83
 Longitude: 101-09-45.99W
 Heights: 398 feet above ground level (AGL)
 2604 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines)

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3956-OE.

Signature Control No: 693153-125437274

(DNE -WT)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
NextEra Energy - Oliver III Wind
700 Universe Blvd.
Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine 33
Location: Mandan, ND
Latitude: 46-57-36.58N NAD 83
Longitude: 101-09-53.95W
Heights: 398 feet above ground level (AGL)
2615 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint/synchronized red lights - Chapters 4,12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights. Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-7082. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WIE-3935-OE

Signature Control No: 693132-125436920

(DNE -WT)

Earl Newalu
Specialist



Issued Date: 05/03/2010

Scott Scovill
NextEra Energy - Oliver III Wind
700 Universe Blvd.
Juno Beach, FL 33408-2683

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Wind Turbine ALT 1
Location: Mandan, ND
Latitude: 46-56-18.60N NAD 83
Longitude: 101-09-00.48W
Heights: 398 feet above ground level (AGL)
2601 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, white paint only - Chapters 12&13(Turbines).

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part I)
- Within 5 days after the construction reaches its greatest height (7460-2, Part II)

This determination expires on 05/03/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

Additional wind turbines or met towers proposed in the future may cause a cumulative effect on the national airspace system. This determination is based, in part, on the foregoing description which includes specific coordinates and heights . Any changes in coordinates will void this determination. Any future construction or alteration requires separate notice to the FAA

This determination does include temporary construction equipment such as cranes, derricks, etc , which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body

If we can be of further assistance, please contact our office at (404) 305-7082 On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-WTE-3955-OE.

Signature Control No: 693152-125437278

(DNE -WT)

Earl Newalu
Specialist



September 19, 2011

Mr. Jim Hopfauf
Chair
Morton County Soil Conservation District
2540 Overlook Lane
Mandan, ND 58554

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Hopfauf:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the Morton County Soil Conservation District for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Larry Taborsky
Director
North Dakota Aeronautics Commission
P. O. Box 5020
Bismarck, North Dakota 58502-5020

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Taborsky:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Aeronautics Commission for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Doug Goehring
Agriculture Commissioner
North Dakota Department of Agriculture
600 East Boulevard Avenue, Department 602
Bismarck, North Dakota 58505-0020

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Goehring:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Department of Agriculture for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Dr. Terry Dwelle, M.D., M.P.H.T.M.
State Health Officer
North Dakota Department of Health
600 East Boulevard Avenue
Bismarck, North Dakota 58505-0200

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Dr. Dwelle:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Department of Health for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Kevin Levi
District Engineer
North Dakota Department of Transportation, Bismarck District
218 South Airport Road
Bismarck, ND 58504-6003

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Levi:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Department of Transportation for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Gary D. Preszler
Commissioner
North Dakota State Land Department
P. O. Box 5523
Bismarck, North Dakota 58506-5523

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Preszler:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota State Land Department for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Todd Sando
State Engineer
North Dakota State Water Commission
900 East Boulevard, Dept. 770
Bismarck, North Dakota 58505-0850

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Sando:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota State Water Commission for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Terry Steinwand
Director
North Dakota Game and Fish Department
100 N. Bismarck Expressway
Bismarck, ND 58501-5095

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Steinwand:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Game and Fish Department for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and State Historical Society of North Dakota.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Edward C. Murphy
State Geologist
North Dakota Geological Survey
1016 East Calgary Ave
Bismarck, North Dakota 58503

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Murphy:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Geological Survey for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Scott Davis
Executive Director
North Dakota Indian Affairs Commission
600 East Boulevard Avenue, 1st Floor – Judicial Wing, Room #117
Bismarck, North Dakota 58505

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Davis:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Indian Affairs Commission for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Mark Zimmerman
Director
North Dakota Parks and Recreation Department
1600 E. Century Ave, Suite 3
Bismarck, North Dakota 58503

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Zimmerman:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the North Dakota Parks and Recreation Department for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Merlan E. Paaverud, Jr.
Director
State Historical Society of North Dakota
612 East Boulevard Avenue
Bismarck, ND 58505

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Paaverud:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the State Historical Society of North Dakota for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, US Army Corps of Engineers, and North Dakota Game and Fish Department.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Daniel Cimarosti
Regulatory Program Manager
U.S. Army Corps of Engineers Omaha District, North Dakota Regulatory Office
1513 South 12th Street
Bismarck, ND 58504

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Cimarosti:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the U.S. Army Corps of Engineers for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Fish and Wildlife Service, the State Historical Society of North Dakota, and North Dakota Game and Fish Department.



We realize that the current nationwide permits expire on March 18, 2012, and that there is a new nationwide permit for land-based renewable energy that will likely require pre-construction notification for any impacts. As proposed, NWP A would authorize up to 1/2 acre of impacts, including the loss of no more than 300 linear feet of stream bed (unless for ephemeral and intermittent stream beds the Corps waives the 300 linear foot limit by making a written determination concluding that the discharge will result in minimal adverse effects). Any additional information regarding NWP A that you can provide would be very helpful.

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions. Thank you for your assistance.

Respectfully submitted,

A handwritten signature in blue ink that reads 'AnneMarie Griger'.

Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757



September 19, 2011

Mr. Terry Ellsworth
USFWS North Dakota Field Office
3425 Miriam Avenue
Bismarck, North Dakota 58501-7926

RE: Application to North Dakota Public Services Commission for Certificate of Site Compatibility for Oliver III Wind Energy Center in Morton County, North Dakota

Dear Mr. Ellsworth:

Tetra Tech has been contracted by NextEra Energy Resources, LLC to prepare an application for a Certificate of Site Compatibility, in accordance with Section 49-22-07 NDCC. As part of that application, we are conducting an investigation of property in Morton County, southeast of Center, North Dakota as a potential location for the proposed Oliver III Wind Energy Center. This proposed project would consist of 48 megawatts (MW). The proposed project area is shown in the attached figure is the primary focus of our investigation.

Per Section 69-06-01-05 of the North Dakota Public Service Commission (PSC)'s administrative rules, we are consulting the U.S. Fish and Wildlife Service for assistance in identifying concerns or issues within the boundaries of the tracts listed below that would influence a decision regarding the use of the land, as well as applicable permits that may be required from your office.

The wind energy center would include portions of the following tracts:

County	Township	Range	Sections
Morton	140N	82W	7, 18, 19, 30
		83W	1-29, 35
		84W	1, 2, 11, 12, 13
	141N	83W	32-36

This information will be used as an initial step to help guide project development in a manner that identifies and avoids impacts to sensitive resources where practicable. We have sent similar query letters to other agencies including, but not limited to, the US Army Corps of Engineers, the State Historical Society of North Dakota, and North Dakota Game and Fish Department.

We have already been in communication with the USFWS Habitat and Population Evaluation Team (HAPET) to identify waterfowl production areas (WPAs) and grassland, wetland, and conservation easements within the Project boundary; none were identified.

Various biological surveys have been completed in or near this Project Area (see Appendix 1).

Those studies include the following:

- Spring and Fall Avian Surveys
- Native Prairie Survey
- Whooping Crane Likelihood Assessment
- Bat Likelihood Assessment

We would appreciate a response by October 21, 2011. Please contact me at (512) 338-1667 if you have any questions.

Thank you for your assistance.

Respectfully submitted,



Anne-Marie Griger, AICP
Tetra Tech, EC Inc
7800 Shoal Creek Blvd, Suite 253 East
Austin, Texas 78757

Appendix 1: Summary of Surveys Conducted to Date

The avian and native prairie surveys described below were conducted for a larger area in Morton and Oliver counties that encompasses the Oliver III Wind Energy Center; a separate analysis for just the Oliver III Project Area was completed for the whooping crane and bat likelihood of occurrence studies.

2008 Spring Avian Surveys

NextEra Energy Resources contracted Tetra Tech to conduct spring avian surveys for the Oliver Expansion Project in Oliver and Morton Counties, North Dakota. The following summarizes results for fixed-point bird use surveys, raptor nest surveys, and grouse lek surveys.

The objective of the fixed-point bird use surveys was to estimate the seasonal, spatial, and temporal use of the Project Area by birds. Fixed-point surveys were conducted from March 28 to June 11, 2008 at 36 locations established throughout the Project Area. A total of 432 20-minute fixed-point surveys were completed and 68 bird species were identified.

Songbirds had the highest mean use out of all species groups observed. The most commonly observed species, the western meadowlark, redwinged blackbird, ring-necked pheasant, and horned lark are all widespread species and have relatively stable populations. Thus, local mortality is not expected to have population-level consequences for the most commonly observed species. Red-tailed hawks and northern harriers were the most commonly observed raptors in the Project Area, however, these species were not regularly encountered and were observed only in 5.8 percent and 6.3 percent, of all surveys, respectively. Red-tailed hawks have a propensity to fly within the rotor swept area (RSA) and, as a result, are at risk of being killed by turbines. However, red-tailed hawks are widespread throughout North America, and populations appear to be relatively stable and mortalities are not anticipated to have population-level impacts. Northern harriers have a propensity to fly low to the ground and below the RSA. Northern harriers are also widespread and relatively stable; therefore, this species is not expected to experience population-level impacts.

There were no federally listed species observed during the Spring 2008 point count surveys. North Dakota does not have a state list of threatened and endangered species; however, it lists 100 Species of Conservation Priority. These species are ranked in three priority levels based on such factors as known status, funding availability, and presence of breeding habitat within North Dakota. There were thirteen of these species observed during the point count surveys.

During the early spring, biologists identified 28 nests while trees were still without leaves. Biologists revisited all nests at the end of the spring survey during the raptor nesting period. Fourteen of the 28 nests were active. Red-tailed hawks were the most common nesting species, accounting for seven of the active nests. Great-horned owls occupied five nests and Swainson's hawks occupied the remaining two nests. Nests were most commonly located in central portion of the Project Area.

During grouse lek surveys, biologists documented 15 sharp-tailed grouse leks. All leks were located throughout the Project Area. Biologists encountered 125 individuals during the first round of surveys. During the second round of surveys, two of the leks observed in the first survey were inactive. All the other leks remained active during the duration of the surveys.

2008 Fall Avian Surveys

NextEra Energy Resources contracted Tetra Tech to conduct fall avian surveys for the Oliver Expansion Project in Oliver and Morton Counties, North Dakota. The following summarizes results for fixed-point bird use surveys.

Weekly surveys were performed at the Oliver Expansion Project Area between August 14 and November 4, 2008, which included the late-summer through mid-fall seasons. Fixed point count surveys (800-meter [m] radius) were conducted at the same 36 points as the 2008 spring avian surveys. Mean use for non-raptors very similar in the spring as in the fall; in contrast, mean use for raptors was nearly twice as high in the fall as it was in the spring. Songbirds had the highest mean use out of all species groups observed. The most commonly observed species were the European starling, Brewer's blackbird, and horned lark.

Red-tailed hawks were the most commonly observed raptor in the Project Area. There were no federally listed species observed during the fall 2008 point count surveys in the Project Area. A total of four sandhill crane surveys were conducted at weekly intervals from October 16 to November 6, 2004 within the Project Area. There were no sandhill or whooping cranes observed during these surveys.

Native Prairie Surveys

NextEra Energy contracted Tetra Tech EC, Inc. (Tetra Tech) to conduct a survey for native prairie and to evaluate the potential presence of Dakota skipper (*Hesperia dacotae*) habitat. A field biologist conducted ground surveys in 2008 and for an expanded project area in 2009. The habitat types typically found within the Project Area are agricultural croplands and grasslands (including native prairie and tame grasslands). The field biologist classified 60,645 acres (34% of the total Project Area) as native prairie and 1,741 acres (1% of the total Project Area) as tame grasslands; the remaining acreage consists primarily of agricultural croplands. The Dakota skipper, a species of butterfly which is currently classified as a federal candidate species, may occur within the Project Area. The field biologist classified 15,162 acres of native prairie within the Project Area as excellent and 32,463 acres as good Dakota skipper habitat. This is approximately 76% of the total grassland habitat identified by the biologist.


Whooping Crane Likelihood Assessment

NextEra Energy contracted Tetra Tech to conduct a desktop likelihood assessment for the Oliver III Project Area. This included the Oliver III Project Area, as well as a larger area. The analysis is based on three factors: (1) the location of the Project in the crane migration corridor; (2) the attractiveness of the landscape; and (3) historical observations of whooping cranes. The likelihood of whooping cranes occurring in the Oliver III Project Area is low, despite the Project Area's position in the central portion of the whooping crane migration corridor. The major factor that contributed to this assessment was the lower proportion of suitable wetland habitat within the Project Area than the surrounding area. There were no recorded observations of whooping cranes within the Project Area. Three historical observations of whooping cranes have occurred within 10 miles of the Project Area.

Bat Likelihood Assessment

NextEra Energy contracted Tetra Tech to conduct a desktop likelihood assessment for the Oliver Project. Tetra Tech developed a likelihood index based on habitat-based variables and species-based variables. Habitat-based variables include the amount of suitable foraging and roosting habitat, the number of natural areas, number of perennial streams, and number of human developments. Species-based variables included bat species known to occur in the region and behavioral characteristics. The likelihood index does not predict how many bats will occur or the anticipated bat mortality level, rather it scores a site based on a suite of variables that are related to bats.

Of the 46 bat species in the United States, 10 occur in North Dakota. Of these 10 species, 6 potentially occur within the Project Area based on current known distribution ranges. None of these species are federally listed as threatened or endangered or listed as a state species of conservation concern. Limited suitable roosting and foraging habitat exists within the project area that may provide a marginal attractiveness for migrating bats. Tetra Tech calculates a moderate likelihood of occurrence for the Oliver III Project Area, which contains more suitable habitat than the surrounding landscape (much of which is located within the two potential transmission corridors). Although bats are not known to be a risk of collision with transmission lines, construction of the transmission lines could result in the direct loss of bat foraging and roosting habitat.



Oliver III Wind Energy Center

Morton, North Dakota

- Oliver III Project Boundary
- Oliver III Proposed Turbines
- Counties



**STATE
HISTORICAL
SOCIETY
OF NORTH DAKOTA**

Jack Dalrymple
Governor of North Dakota

North Dakota
State Historical Board

Gereld Gertholz
Valley City - President

Calvin Grinnell
New Town - Vice President

A. Ruric Todd III
Jamestown - Secretary

Albert I. Berger
Grand Forks

Richard Kloubec
Fargo

Diane K. Larson
Bismarck

Chester E Nelson, Jr.
Bismarck

Sara Otte Coleman
*Director
Tourism Division*

Kelly Schmidt
State Treasurer

Alvin A. Jaeger
Secretary of State

Mark Zimmerman
*Director
Parks and Recreation
Department*

Francis Ziegler
*Director
Department of Transportation*

Merlan E. Paaverud, Jr.
Director

Accredited by the
American Association
of Museums since 1986

September 26, 2011

Ms. Ann-Marie Griger AICP
Tetra Tech EC, Inc.
7800 Shoal Creek Blvd, Suite 253 East
Austin TX 78757

ND SHPO REF: 11-1281 PSC/NextEra Energy Resources, LLC Oliver III Wind Energy Center in Morton County, North Dakota

Dear Ms. Griger,

We reviewed your preliminary information regarding ND SHPO REF: 11-1281 PSC/NextEra Energy Resources, LLC Oliver III Wind Energy Center in Morton County, North Dakota. There is potential for unrecorded and recorded cultural resource properties in a variety of physiographic settings in the overall project area. If the project requires permits issued by a federal and/or state agency (e.g., WAPA, RUS, COE, USFWS, BOR, PSC) then the respective agencies are to be consulted regarding their recommendations on the project. As a potential federal undertaking, we encourage agency consultation as part of the review process. Consultation should also include tribal nations, North Dakota Indian Affairs, ND DOT regarding any Scenic Byways, and managers or owners of properties maintained for recreational or scenic value.

We recommend a Class I Cultural Resource Inventory (file and records search with project maps) be submitted to this office. A Class II (reconnaissance) survey is warranted for standing structures in the visual Area of Potential Effect (APE). **ND SHPO requests a map of the actual placement areas of wind turbines to determine the visual Area of Potential Effect, as we don't use a set distance for visual effects.** Class III (pedestrian) surveys will be warranted for all areas directly impacted by the project, including crane paths, access roads, transmissions lines and turbine pads. We encourage that tribal monitors be invited to survey the APE. As part of the Class III Inventory, NDCRS site updates should be submitted on all sites resurveyed.

Thank you for the opportunity to review this project to date. We look forward to further review of cultural resource surveys and site forms. If you have any questions please contact Paul Picha, Chief Archaeologist (701) 328-3574 or Susan Quinnell, Review and Compliance Coordinator at (701) 328-3576, e-mail squinnell@nd.gov

Sincerely,


Merlan E. Paaverud, Jr.
State Historic Preservation Officer (North Dakota) and
Director, State Historical Society of North Dakota

C: Patrick Fahn, PSC



September 29, 2011

Anne-Marie Griger, AICP
Tetra Tech EC, Inc.
7800 Shoal Creek Blvd., Ste 253 East
Austin, TX 78757

Re: Oliver III Wind Energy Center Potential Location, Morton County

Dear Ms. Griger:

This department has reviewed the information concerning the above-referenced project submitted under date of September 19, 2011, with respect to possible environmental impacts.

This department believes that environmental impacts from the proposed construction will be minor and can be controlled by proper construction methods. With respect to construction, we have the following comments:

1. All necessary measures must be taken to minimize fugitive dust emissions created during construction activities. Any complaints that may arise are to be dealt with in an efficient and effective manner.
2. Care is to be taken during construction activity near any water of the state to minimize adverse effects on a water body. This includes minimal disturbance of stream beds and banks to prevent excess siltation, and the replacement and revegetation of any disturbed area as soon as possible after work has been completed. Caution must also be taken to prevent spills of oil and grease that may reach the receiving water from equipment maintenance, and/or the handling of fuels on the site. Guidelines for minimizing degradation to waterways during construction are attached.
3. Projects disturbing one or more acres are required to have a permit to discharge storm water runoff until the site is stabilized by the reestablishment of vegetation or other permanent cover. Further information on the storm water permit may be obtained from the Department's website or by calling the Division of Water Quality (701-328-5210). Also, cities or counties may impose additional requirements and/or specific best management practices for construction affecting their storm drainage system. Check with the local officials to be sure any local storm water management considerations are addressed.
4. Noise from construction activities may have adverse effects on persons who live near the construction area. Noise levels can be minimized by ensuring that construction equipment is


equipped with a recommended muffler in good working order. Noise effects can also be minimized by ensuring that construction activities are not conducted during early morning or late evening hours.

The department owns no land in or adjacent to the proposed improvements, nor does it have any projects scheduled in the area. In addition, we believe the proposed activities are consistent with the State Implementation Plan for the Control of Air Pollution for the State of North Dakota.

These comments are based on the information provided about the project in the above-referenced submittal. The U.S. Army Corps of Engineers may require a water quality certification from this department for the project if the project is subject to their Section 404 permitting process. Any additional information which may be required by the U.S. Army Corps of Engineers under the process will be considered by this department in our determination regarding the issuance of such a certification.

If you have any questions regarding our comments, please feel free to contact this office.

Sincerely,

A handwritten signature in blue ink, appearing to read "L. David Glatt". The signature is stylized and cursive.

L. David Glatt, P.E., Chief
Environmental Health Section

LDG:cc
Attach.



Construction and Environmental Disturbance Requirements

These represent the minimum requirements of the North Dakota Department of Health. They ensure that minimal environmental degradation occurs as a result of construction or related work which has the potential to affect the waters of the State of North Dakota. All projects will be designed and implemented to restrict the losses or disturbances of soil, vegetative cover, and pollutants (chemical or biological) from a site.

Soils

Prevent the erosion of exposed soil surfaces and trapping sediments being transported. Examples include, but are not restricted to, sediment dams or berms, diversion dikes, hay bales as erosion checks, riprap, mesh or burlap blankets to hold soil during construction, and immediately establishing vegetative cover on disturbed areas after construction is completed. Fragile and sensitive areas such as wetlands, riparian zones, delicate flora, or land resources will be protected against compaction, vegetation loss, and unnecessary damage.

Surface Waters

All construction which directly or indirectly impacts aquatic systems will be managed to minimize impacts. All attempts will be made to prevent the contamination of water at construction sites from fuel spillage, lubricants, and chemicals, by following safe storage and handling procedures. Stream bank and stream bed disturbances will be controlled to minimize and/or prevent silt movement, nutrient upsurges, plant dislocation, and any physical, chemical, or biological disruption. The use of pesticides or herbicides in or near these systems is forbidden without approval from this Department.

Fill Material

Any fill material placed below the high water mark must be free of top soils, decomposable materials, and persistent synthetic organic compounds (in toxic concentrations). This includes, but is not limited to, asphalt, tires, treated lumber, and construction debris. The Department may require testing of fill materials. All temporary fills must be removed. Debris and solid wastes will be removed from the site and the impacted areas restored as nearly as possible to the original condition.