


Brian R. Bjella
400 East Broadway, Suite 600
P.O. Box 2798
Bismarck, ND 58502-2798
701.223.6585
bbjella@crowleyfleck.com

March 19, 2013

Mr. Darrell Nitschke
Executive Director
North Dakota Public
Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480



Dear Mr. Nitschke:

In re: Enbridge Pipelines (North Dakota) LLC
Grenora Pump Station Upgrades
Docket No. PU-11-605
Our File No. 31-411-006

Enclosed herewith for filing please find 11 copies of environmental permits for the Grenora Pump Station Upgrades Project.

Please feel free to call should you have any questions.

Very truly yours,

A handwritten signature in black ink, appearing to be "BR Bjella".

Brian R. Bjella

bw
Enc.



NORTH DAKOTA
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov



August 6, 2012

Sara Ploetz
Enbridge Pipelines (North Dakota) LLC
1409 Hammond Avenue
Superior, WI 54880

Re: NDPDES Permit No. NDG070342

We have received your "Application for Permit to Discharge - NDPDES Industrial-Short Form C" and have granted authority to discharge under the General Permit for Temporary Dewatering/Hydrostatic Testing Permit NDG070000. Your facility has been assigned permit no. **NDG070342**. This permit has been issued by the North Dakota Department of Health (NDDoH) with the understanding that all other applicable permits and permissions have been obtained for the start of the following project. The application indicates that the discharge(s) will consist of ground, surface, or potable water from the hydrostatic test of an existing fifty-three (53) mile pipeline between the Grenora and Beaver Lodge Stations:

Discharge Point	Volume (Gallons)	Location
001H	≈ 1,230,000	Beaver Lodge Station
TWN 156N, RNG 95W, Section 32; Williams County		

All discharge points shall be inspected daily. On a daily basis record the total volume of discharge and make a visual inspection for Oil and Grease. Analytical parameter for Total Suspended Solids (TSS) shall be waived for this project. Parameters to be added for this discharge are pH, biological oxygen demand (BOD5), and Benzene. The parameter for Chlorine shall be tested only if the water source has been chlorinated. The parameter of Oil and/or Grease is waived unless sheen is observed in the discharge; if observed then collect a sample for Total Petroleum Hydrocarbon (TPH). The department shall be contacted on all findings of Oil and Grease. No discharge shall be made directly to a surface water body or wetland. Best Management Practices (BMPs) must be used to minimize the impact of the discharge.

ADDITIVES: The Department reviewed two additives:

- Tracer Fluoro Yellow Liquid Dye
- Sulphur hexafluoride

Enclosed are Discharge Monitoring Report (DMR) forms for your use. If someone else is responsible for the submittal of the DMRs, please forward this letter and the enclosed forms to them. The reports cover three months; the dates and location have been filled out. If no discharge occurs during the reporting period, check "No" in section one. The reports must be post-marked by the last day of the month following the end of each reporting period. All original DMR forms should be sent to NDDoH and a copy should be kept for your files. **EPA no longer requires a copy of the DMR form.**

If any other testing is conducted during this project, copies of the results of any such test should be forwarded to the Department. **Should you wish to no longer be covered under this permit, you must submit a written request to terminate and cite the reasons for termination.** Coverage shall be maintained until a written notification to release has been issued to the permittee by NDDoH. Should you have any questions about your permit or how to complete the DMRs, please contact me at (701) 328-5234.

Sincerely,

Marty Haroldson
Environmental Scientist
Division of Water Quality

Enc.
Cc: EPA

Environmental Health
Section Chief's Office
701.328.5150

Division of
Air Quality
701.328.5188

Division of
Municipal Facilities
701.328.5211

Division of
Waste Management
701.328.5166

Division of
Water Quality
701.328.5210

NDG070342 Enbridge Pipelines (North)
1409 Hammond Avenue Superior WI 54880

001H
For Official Use

Reporting Period: 07/01/2012-09/30/2012

Due By: 10/31/2012

Section 1: (Beaver Lodge Station)

Section 2: Length of Discharge

Did any discharges occur from this discharge point from 07/01/2012-09/30/2012?

Yes If 'Yes' then complete all blank non-gray items in sections 2,3 and 4. Mail to the address below by 10/31/2012.
 No If 'No' then complete section 4 and mail to the address below by 10/31/2012.

	Cell/Site	Start Date	End Date	# of Days	Total Days
#1					
#2					
#3					

Section 3: Parameter Data

Parameter		Quantity or Loading			Quality or Concentration			No. of	Frequency of	Sample	
		Average	Maximum	Units	Minimum	Average	Maximum	Units	Exceedances	Analysis	Type
Total Suspended Solids 00530	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						100 DAILY MX	mg/L		Weekly	Grab
Biochemical Oxygen Demand 00310	Result Value	XXXXX	XXXXX	XXXXX				mg/L			
Effluent	Permit Value				DAILY MN	30DA AVG	MX 7D AV	mg/L		Weekly	Grab
Benzene ug/l 78124	Result Value	XXXXX	XXXXX	XXXXX				ug/L			
Effluent	Permit Value				DAILY MN	DAILY AV	DAILY MX	ug/L		Weekly	Grab
pH 00400	Result Value	XXXXX	XXXXX	XXXXX		XXXXX		S.U.			
Effluent	Permit Value				6 MINIMUM		9 MAXIMUM	S.U.		Weekly	Grab
Total Residual Chlorine 50060	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						.1 DAILY MX	mg/L		Conditional	Instantaneous
Oil and Grease Visual 84066	Result Value	XXXXX		Yes 1/No 0	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value		TOTAL	Yes 1/No 0						Daily	Visual
Total Petroleum Hydrocarbon	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						1 DAILY MX	mg/L		Conditional	Grab
Discharge Flow in Million Gals 50050	Result Value			Mgal/d	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value	30DA AVG	DAILY MX	Mgal/d						Daily	Calculated

NDG070342 Enbridge Pipelines (North
1409 Hammond Avenue Superior WI 54880

001H
For Official Use

Reporting Period: 07/01/2012-09/30/2012

Due By: 10/31/2012 Beaver Lodge Station

Section 3: Parameter Data (cont)

Parameter		Quantity or Loading			Quality or Concentration			No. of	Frequency of	Sample	
		Average	Maximum	Units	Minimum	Average	Maximum	Units	Exceedances	Analysis	Type
Drain in Million Gallons 82220	Result Value	XXXXX		Mgal	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value		TOTAL	Mgal						Quarterly	Calculated

Section 4 Certification:

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name: (Print)	Signature:	Date:	Telephone:
Title	Make a copy for your records	For Office Use: Rec'd: ___ Initials: ___	Entered on: ___ Initials: ___

Mail to: North Dakota Dept of Health, Division of Water Quality, 918 East Divide Ave, Bismarck ND 58501-1947 Telephone 701.328.5210

NDG070342 Enbridge Pipelines (North
1409 Hammond Avenue Superior WI 54880

001H
For Official Use

Reporting Period: 10/01/2012-12/31/2012
Due By: 01/31/2013

Section 1: (Beaver Lodge Station) Section 2: Length of Discharge

Did any discharges occur from this discharge point from 10/01/2012-12/31/2012?

Yes If 'Yes' then complete all blank non-gray items in sections 2,3 and 4. Mail to the address below by 01/31/2013.
 No If 'No' then complete section 4 and mail to the address below by 01/31/2013.

	Cell/Site	Start Date	End Date	# of Days	Total Days
#1					
#2					
#3					

Section 3: Parameter Data

Parameter		Quantity or Loading			Quality or Concentration			No. of	Frequency of	Sample	
		Average	Maximum	Units	Minimum	Average	Maximum	Units	Exceedances	Analysis	Type
Total Suspended Solids 00530	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						100 DAILY MX	mg/L		Weekly	Grab
Biochemical Oxygen Demand 00310	Result Value	XXXXX	XXXXX	XXXXX				mg/L			
Effluent	Permit Value				DAILY MN	30DA AVG	MX 7D AV	mg/L		Weekly	Grab
Benzene ug/l 78124	Result Value	XXXXX	XXXXX	XXXXX				ug/L			
Effluent	Permit Value				DAILY MN	DAILY AV	DAILY MX	ug/L		Weekly	Grab
pH 00400	Result Value	XXXXX	XXXXX	XXXXX		XXXXX		S.U.			
Effluent	Permit Value				6 MINIMUM		9 MAXIMUM	S.U.		Weekly	Grab
Total Residual Chlorine 50060	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						.1 DAILY MX	mg/L		Conditional	Instantaneous
Oil and Grease Visual 84066	Result Value	XXXXX		Yes 1/No 0	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value		TOTAL	Yes 1/No 0						Daily	Visual
Total Petroleum Hydrocarbon	Result Value	XXXXX	XXXXX	XXXXX	XXXXX	XXXXX		mg/L			
Effluent	Permit Value						1 DAILY MX	mg/L		Conditional	Grab
Discharge Flow in Million Gals 50050	Result Value			Mgal/d	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value	30DA AVG	DAILY MX	Mgal/d						Daily	Calculated

NDG070342 Enbridge Pipelines (North
1409 Hammond Avenue Superior WI 54880

001H
For Official Use

Reporting Period: 10/01/2012-12/31/2012

Due By: 01/31/2013 Beaver Lodge Station

Section 3: Parameter Data (cont)

Parameter		Quantity or Loading			Quality or Concentration			No. of	Frequency of	Sample	
		Average	Maximum	Units	Minimum	Average	Maximum	Units	Exceedances	Analysis	Type
Drain in Million Gallons 82220	Result Value	XXXXX		Mgal	XXXXX	XXXXX	XXXXX	XXXXX			
Effluent	Permit Value		TOTAL	Mgal						Quarterly	Calculated

Section 4 Certification:

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name: (Print)	Signature:	Date:	Telephone:
Title	Make a copy for your records	For Office Use: Rec'd: ___ Initials: ___	Entered on: ___ Initials: ___

Mail to: North Dakota Dept of Health, Division of Water Quality, 918 East Divide Ave, Bismarck ND 58501-1947 Telephone 701.328.5210

Permit Number - ND2012-14323

**State of North Dakota
Temporary Water Permit
SWC Project No. 1400A**

In response to an application for a temporary water permit dated Jun 4, 2012 as received in this office Jun 11, 2012, authority is hereby granted to:

Enbridge Pipeline-North Dakota-LLC
1409 Hammond Avenue

Superior, WI 54880-1674

Contact Person: Sara Ploetz

Telephone (715) 398-4730

A Temporary Water Permit as follows:

Source: Unnamed slough

Point of Diversion: NE1/4 Sec. 12 Twp. 159 Rng. 103

Nature of Use: Hydrostatic testing

Total Quantity of Water: 70,000.0 Barrels

Maximum Withdrawal Rate: 700.0 gpm

Period of authorized useage: Jul 1, 2012 through Jun 30, 2013

Conditions

This temporary water permit is granted subject to use from the source by senior appropriators. Permission for access to the source must be obtained from all affected landowners. Failure to comply with any order of the State Engineer may result in forfeiture of this permit. The granting of a temporary water permit does not create a water right.

Dated: Jun 11, 2012



Todd Sando, P.E.
State Engineer
ND State Water Commission
900 East Boulevard
Bismarck, ND 58505

cc: Williams WRD