

Exam Date:06/26/2012

Stone Mill, Inc.

Page: 1

Examiner: 1

PO Box 253

Richardton , ND

County:

Phone: 701-974-2106

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
140	A	4,018
141	A	4,018
142	A	4,018
143	A	4,018
144	A	4,018
145	A	4,018
146	A	4,018
147	A	4,018
148	A	4,018
149	A	4,018
150	A	4,018
151	A	4,018
152	A	4,018
153	A	4,018
154	A	4,018
155	A	4,018
156	A	4,018
157	A	4,018
	Total:	72,324
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
	Total:	0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	411,000
	Total:	411,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Richardton 1007	A	411,000
	Total:	411,000

NDPSC Bin Capacity Chart

Exam Date:06/26/2012

Stone Mill, Inc.
PO Box 253
Richardton , ND
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	Section: A															
	A	001	Peaked	2.5 top & 4.5 bot. hoppers	10.000	0.000	0.000	20.00	1.80	0.00	21.800	0.600	22.4	63.1	4.80	1,481
	A	002	Peaked	2.5 top & 4.5 bot. hoppers	9.500	0.000	0.000	20.00	1.70	0.00	21.700	0.600	22.3	57.0	4.80	1,332
	A	003	Peaked	2.5 top & 4.5 bot. hoppers	9.500	0.000	0.000	20.00	1.70	0.00	21.700	0.600	22.3	57.0	4.80	1,332
	A	004	Peaked	2.5 top & 3' bot. hoppers	8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
	A	005	Peaked	2.5 top & 3' bot. hoppers	8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
	A	006	Peaked	2.5' top & 3' bot hoppers	8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
	A	007	Peaked	2.5' top & 3' bit hoppers	8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
	A	008	Peaked		11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
	A	009	Peaked		8.500	0.000	0.000	20.00	1.50	0.00	21.500	0.500	22.0	45.6	4.80	1,051
	A	010	Peaked		11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
	A	011	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
	A	012	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
	A	013	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
	A	014	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
	A	015	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	016	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	017	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	018	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	019	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	020	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	021	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	022	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
	A	025	Peaked		11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395

NDPSC Bin Capacity Chart

Exam Date:06/26/2012

Stone Mill, Inc.
PO Box 253
Richardton , ND
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
Section: A																
	A	026	Peaked		11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
	A	034	Peaked		15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	035	Peaked	6' top & bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	036	Peaked	6' top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	037	Peaked	6' top & bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	038	Peaked	6' top & 6.5 bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	039	Peaked		14.000	0.000	0.000	15.00	2.90	0.00	17.900	0.800	18.7	123.7	5.50	2,440
	A	040	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	041	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	042	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	043	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	044	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	045	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	046	Peaked	5.5 top & 6' bot. hoppers	15.000	0.000	0.000	20.00	2.90	0.00	22.900	0.900	23.8	142.1	5.50	3,568
	A	047	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	048	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	049	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	050	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	051	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	052	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	053	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	054	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	055	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018

NDPSC Bin Capacity Chart

Exam Date:06/26/2012

Stone Mill, Inc.
PO Box 253
Richardton , ND
County:

Page: 3

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	056	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	057	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	061	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	062	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	063	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	064	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	065	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	066	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	067	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	068	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	069	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	070	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	071	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	072	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	073	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	15.00	3.20	0.00	18.200	0.900	19.1	157.6	5.80	3,185
	A	074	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	075	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	076	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	077	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	078	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	079	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	080	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	089	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018

Section: A

NDPSC Bin Capacity Chart

Exam Date:06/26/2012

Stone Mill, Inc.
PO Box 253
Richardton , ND
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	090	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	091	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	092	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	093	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	094	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	095	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	096	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	097	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	098	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	099	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	100	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	101	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	102	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	103	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	104	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	105	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	106	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	107	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	108	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	109	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	110	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	111	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	112	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018

Section: A

NDPSC Bin Capacity Chart

Exam Date:06/26/2012

Stone Mill, Inc.
PO Box 253
Richardton , ND
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side	Add	Ded.	Effective	Add	Depth	Bushels	Base	Bushel Capacity	
					Length	Width	wall	for	for	Depth	for	for	per	Pack%	with Pack	
								Hopper	Obst.		Peak	Capac.	Foot			
	A	113	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	140	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	141	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	142	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	143	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	144	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	145	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	146	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	147	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	148	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	149	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	150	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	151	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	152	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	153	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	154	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	155	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	156	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
Added	A	157	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	A	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	B	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	C	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018
	A	D	Peaked	5.5 top & 6' bot. hoppers	15.800	0.000	0.000	20.00	3.20	0.00	23.200	0.900	24.1	157.6	5.80	4,018

Section: A

Client ID: 1950

NDPSC Bin Capacity Chart

11/14/2012 12:14:00 PM

Exam Date: 06/26/2012

Stone Mill, Inc.
 PO Box 253
 Richardton, ND
 County:

Page: 6

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Section: A

A	W-1	Flat	Bagged Warehouse		1.300	125.2	60.20	1.000	0.00	0.00	1.000	1.300	2.3	6058.7	10.0	15,329
A	W-2	Flat	Bagged Warehouse		0.700	123.0	59.50	0.100	0.00	0.00	0.100	0.700	0.8	5883.0	10.0	5,177

Bin count: 117

Facility: Richardton Section: A Total: 410,967

To Even: 411,000

Overall Licensed Bin Capacity for:

Stone Mill, Inc.

Bin count: 117







Licensed Capacity:
 (includes pack)

410,967 Bu.

Licensed Capacity (to even):
 (includes pack and section totals are
 rounded up to next highest 1000)





411,000 Bu.

Stone Mill
Richarton, North Dakota





1950

Stone Mill
East



office

Stone Mill
West



Stone Mill
Richarton, North Dakota
West of Road

Hwy 8

