

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
 PO Box 447
 Lidgerwood , ND
 County:
 Phone: 701-538-4551
 CCC Number:

Examiner: 1

| Location/Container Numbers/Comments | Section | Capacity |
|-------------------------------------|---------|----------|
|-------------------------------------|---------|----------|

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

<NO BINS ADDED>

| | |
|---------------|----------|
| Total: | 0 |
|---------------|----------|

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

| | |
|---------------|----------|
| Total: | 0 |
|---------------|----------|

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

| | |
|---------------|------------------|
| A | 932,000 |
| B | 19,000 |
| C | 3,372,000 |
| D | 9,000 |
| E | 461,000 |
| G | 0 |
| Total: | 4,793,000 |

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

| | | |
|----------------|---------------|------------------|
| Geneseo 996 | E | 461,000 |
| Lidgerwood 244 | A B C D G | 4,332,000 |
| | Total: | 4,793,000 |

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood, ND
County:

Page: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Geneseo

Section: E

| | | | | | | | | | | | | | | | | |
|---|-----|--------|------------------------------|--|--------|-------|-------|-------|------|-------|--------|-------|------|--------|------|--------|
| E | 001 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 002 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 003 | Peaked | eave | | 12.000 | 0.000 | 0.000 | 22.00 | 0.00 | 0.00 | 22.000 | 0.700 | 22.7 | 90.9 | 5.00 | 2,166 |
| E | 004 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 005 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 007 | Peaked | eave | | 12.000 | 0.000 | 0.000 | 22.00 | 0.00 | 0.00 | 22.000 | 0.700 | 22.7 | 90.9 | 5.00 | 2,166 |
| E | 008 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 009 | Square | binfloor (T12' of bin is all | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 12.00 | 34.500 | 0.000 | 34.5 | 51.4 | 4.50 | 1,853 |
| E | 010 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 011 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 012 | Square | binfloor | | 0.000 | 8.000 | 8.000 | 46.50 | 0.00 | 0.00 | 46.500 | 0.000 | 46.5 | 51.4 | 4.50 | 2,498 |
| E | 014 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 015 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 016 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 017 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 018 | Peaked | eave | | 18.000 | 0.000 | 0.000 | 44.00 | 0.00 | 0.00 | 44.000 | 1.100 | 45.1 | 204.6 | 6.00 | 9,781 |
| E | 019 | Peaked | eave | | 41.800 | 0.000 | 0.000 | 64.50 | 0.00 | 0.00 | 64.500 | 2.500 | 67.0 | 1103.1 | 10.0 | 81,299 |
| E | 101 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 66.50 | 0.00 | 0.00 | 66.500 | 2.200 | 68.7 | 818.2 | 10.0 | 61,831 |
| E | 102 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 66.50 | 0.00 | 0.00 | 66.500 | 2.200 | 68.7 | 818.2 | 10.0 | 61,831 |
| E | 103 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 66.50 | 0.00 | 0.00 | 66.500 | 2.200 | 68.7 | 818.2 | 10.0 | 61,831 |

Exam Date:04/23/2013

Examiner: 1

Farmers Cooperative Elevator Company of
 PO Box 447
 Lidgerwood , ND
 County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Geneseo

Section: E

| | | | | | | | | | | | | | | | | |
|---|-----|--------|------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
| E | 104 | Peaked | eave | | 48.000 | 0.000 | 0.000 | 66.50 | 0.00 | 0.00 | 66.500 | 3.400 | 69.9 | 1454.6 | 10.0 | 111,845 |
|---|-----|--------|------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|

Bin count: 21

Facility: Geneseo Section: E Total: **460,994**

To Even: **461,000**

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood, ND
County:

Page: 3

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
| | | | | | Length | Width | | | | | | | | | |

Facility: Lidgerwood

Section: A

| | | | | | | | | | | | | | | | | |
|---|-------|--------|--------------------|--|-------|-------|-------|-------|------|------|--------|-------|------|------|------|-------|
| A | 001 | Square | binfloor | | 0.000 | 10.90 | 3.700 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 32.4 | 2.50 | 1,594 |
| A | 002 T | Square | binfloor | | 0.000 | 6.000 | 4.700 | 26.00 | 0.00 | 0.00 | 26.000 | 0.000 | 26.0 | 22.7 | 2.00 | 602 |
| A | 002B | Square | binfloor T26' | | 0.000 | 5.900 | 5.800 | 22.00 | 0.00 | 0.00 | 22.000 | 0.000 | 22.0 | 27.5 | 2.50 | 620 |
| A | 003 T | Square | binfloor | | 0.000 | 6.000 | 3.200 | 26.00 | 0.00 | 0.00 | 26.000 | 0.000 | 26.0 | 15.4 | 2.00 | 408 |
| A | 003B | Square | binfloor T26' | | 0.000 | 5.900 | 6.200 | 22.00 | 0.00 | 0.00 | 22.000 | 0.000 | 22.0 | 29.4 | 2.50 | 663 |
| A | 004 | Square | binfloor | | 0.000 | 10.90 | 3.300 | 20.00 | 0.00 | 0.00 | 20.000 | 0.000 | 20.0 | 28.9 | 2.50 | 592 |
| A | 005 T | Square | binfloor | | 0.000 | 4.500 | 8.300 | 20.00 | 0.00 | 0.00 | 20.000 | 0.000 | 20.0 | 30.0 | 2.50 | 615 |
| A | 005 M | Square | binfloor T20' | | 0.000 | 4.400 | 11.80 | 28.00 | 0.00 | 0.00 | 28.000 | 0.000 | 28.0 | 41.7 | 3.50 | 1,209 |
| A | 005B | Square | binfloor T20' M28' | | 0.000 | 10.60 | 11.50 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 98.0 | 6.00 | 1,974 |
| A | 006 | Square | binfloor | | 0.000 | 6.000 | 5.900 | 20.00 | 0.00 | 0.00 | 20.000 | 0.000 | 20.0 | 28.5 | 2.50 | 584 |
| A | 007 | Square | binfloor | | 0.000 | 5.500 | 6.100 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 27.0 | 2.50 | 1,328 |
| A | 008 | Square | binfloor | | 0.000 | 10.50 | 5.900 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 49.8 | 4.20 | 2,490 |
| A | 009 T | Square | binfloor | | 0.000 | 4.400 | 5.900 | 20.00 | 0.00 | 0.00 | 20.000 | 0.000 | 20.0 | 20.9 | 2.00 | 426 |
| A | 009B | Square | binfloor T20' | | 0.000 | 10.40 | 5.800 | 28.00 | 0.00 | 0.00 | 28.000 | 0.000 | 28.0 | 48.5 | 4.20 | 1,415 |
| A | 010 T | Square | binfloor | | 0.000 | 10.90 | 5.900 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 51.7 | 4.50 | 2,485 |
| A | 010B | Square | binfloor T46' | | 0.000 | 10.40 | 11.50 | 21.00 | 0.00 | 0.00 | 21.000 | 0.000 | 21.0 | 96.1 | 6.00 | 2,139 |
| A | 011 | Square | binfloor | | 0.000 | 10.90 | 5.900 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 51.7 | 4.50 | 2,485 |
| A | 013 | Square | binfloor | | 0.000 | 10.90 | 6.100 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 53.4 | 4.50 | 2,567 |
| A | 014 T | Square | binfloor | | 0.000 | 5.600 | 6.200 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 27.9 | 2.50 | 315 |
| A | 014B | Square | binfloor T11' | | 0.000 | 4.600 | 6.100 | 37.00 | 0.00 | 0.00 | 37.000 | 0.000 | 37.0 | 22.6 | 2.00 | 853 |

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood , ND
County:

Page: 4

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
| | | | | | Length | Width | | | | | | | | | |

Facility: Lidgerwood

Section: A

| | | | | | | | | | | | | | | | | |
|---|-------|--------|---------------|--|-------|-------|-------|-------|------|------|--------|-------|------|-------|------|--------|
| A | 015 | Square | binfloor | | 0.000 | 10.80 | 7.100 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 61.6 | 4.80 | 2,970 |
| A | 017 | Square | binfloor | | 0.000 | 10.80 | 5.900 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 51.2 | 4.50 | 2,461 |
| A | 018 T | Square | binfloor | | 0.000 | 10.80 | 5.900 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 51.2 | 4.50 | 2,461 |
| A | 018B | Square | binfloor T46' | | 0.000 | 10.40 | 11.50 | 21.00 | 0.00 | 0.00 | 21.000 | 0.000 | 21.0 | 96.1 | 6.00 | 2,139 |
| A | 021 | Square | binfloor | | 0.000 | 10.50 | 5.900 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 49.8 | 4.20 | 2,490 |
| A | 022 | Square | binfloor | | 0.000 | 10.50 | 5.900 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 49.8 | 4.20 | 2,490 |
| A | 023 T | Square | binfloor | | 0.000 | 5.600 | 12.00 | 12.00 | 0.00 | 0.00 | 12.000 | 0.000 | 12.0 | 54.0 | 4.50 | 677 |
| A | 023B | Square | binfloor T12' | | 0.000 | 5.100 | 7.100 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 29.1 | 2.50 | 1,074 |
| A | 024 T | Square | binfloor | | 0.000 | 10.90 | 11.90 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 104.3 | 6.00 | 5,086 |
| A | 024B | Square | binfloor T46' | | 0.000 | 10.50 | 11.50 | 21.00 | 0.00 | 0.00 | 21.000 | 0.000 | 21.0 | 97.1 | 6.00 | 2,161 |
| A | 025 | Square | binfloor | | 0.000 | 5.500 | 7.100 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 31.4 | 2.50 | 1,545 |
| A | 026 | Square | binfloor | | 0.000 | 10.90 | 3.700 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 32.4 | 2.50 | 1,594 |
| A | 101 T | Square | binfloor | | 0.000 | 14.40 | 13.90 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 160.9 | 7.00 | 10,330 |
| A | 101B | Square | binfloor T60' | | 0.000 | 9.400 | 13.60 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 102.8 | 6.00 | 871 |
| A | 102 | Square | binfloor | | 0.000 | 14.40 | 14.00 | 68.00 | 0.00 | 0.00 | 68.000 | 0.000 | 68.0 | 162.1 | 7.00 | 11,795 |
| A | 103 T | Square | binfloor | | 0.000 | 14.40 | 14.10 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 163.2 | 7.00 | 10,477 |
| A | 103B | Square | binfloor T60' | | 0.000 | 9.400 | 14.00 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 105.8 | 6.20 | 898 |
| A | 104 | Square | binfloor | | 0.000 | 14.40 | 14.10 | 68.00 | 0.00 | 0.00 | 68.000 | 0.000 | 68.0 | 163.2 | 7.00 | 11,875 |
| A | 105 T | Square | binfloor | | 0.000 | 14.40 | 13.90 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 160.9 | 7.00 | 10,330 |
| A | 105B | Square | binfloor T60' | | 0.000 | 9.400 | 13.60 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 102.8 | 6.00 | 871 |

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood , ND
County:

Page: 5

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Lidgerwood

Section: A

| | | | | | | | | | | | | | | | | |
|---|-----|--------|----------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
| A | 106 | Square | binfloor | | 0.000 | 14.40 | 14.00 | 68.00 | 0.00 | 0.00 | 68.000 | 0.000 | 68.0 | 162.1 | 7.00 | 11,795 |
| A | 207 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 208 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 209 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 210 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 211 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 212 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 213 | Peaked | eave | | 15.000 | 0.000 | 0.000 | 13.30 | 2.30 | 0.00 | 15.600 | 0.900 | 16.5 | 142.1 | 5.50 | 2,474 |
| A | 214 | Peaked | eave | | 15.000 | 0.000 | 0.000 | 13.30 | 2.30 | 0.00 | 15.600 | 0.900 | 16.5 | 142.1 | 5.50 | 2,474 |
| A | 215 | Peaked | eave | | 15.000 | 0.000 | 0.000 | 13.30 | 2.30 | 0.00 | 15.600 | 0.900 | 16.5 | 142.1 | 5.50 | 2,474 |
| A | 216 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 33.00 | 0.00 | 0.00 | 33.000 | 1.800 | 34.8 | 568.2 | 9.00 | 21,553 |
| A | 217 | Peaked | eave | | 30.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 1.800 | 67.8 | 568.2 | 9.00 | 41,991 |
| A | 218 | Peaked | eave | | 33.000 | 0.000 | 0.000 | 70.30 | 0.00 | 0.00 | 70.300 | 2.000 | 72.3 | 687.5 | 9.50 | 54,428 |
| A | 219 | Peaked | eave | | 43.000 | 0.000 | 0.000 | 65.00 | 0.00 | 0.00 | 65.000 | 2.600 | 67.6 | 1167.4 | 10.0 | 86,808 |
| A | 220 | Peaked | eave | | 59.800 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 4.200 | 70.2 | 2257.7 | 10.0 | 174,340 |
| A | 221 | Peaked | eave | | 75.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 5.300 | 75.3 | 3551.3 | 10.0 | 294,154 |

Bin count: 56

Facility: Lidgerwood Section: A Total: 931,768

To Even: 932,000

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood , ND
County:

Page: 6

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Lidgerwood

Section: B

| | | | | | | | | | | | | | | | | | |
|-------------------|-----|-----------|-----------------|--|--------|-------|-------|-------|------|------|-------|-------|-----|--------|-----------------|---|---------------|
| B | 301 | Irregular | need dimensions | | 2075.6 | 50.81 | 50.81 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 2075.6 | 10.0 | 18,266 | |
| Bin count: | | 1 | | | | | | | | | | | | | | Facility: Lidgerwood Section: B Total: | 18,266 |
| | | | | | | | | | | | | | | | To Even: | 19,000 | |

Section: C

| | | | | | | | | | | | | | | | | |
|---|-------|--------|---------------|--|-------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| C | 001 | Square | binfloor | | 0.000 | 7.500 | 12.00 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 72.3 | 5.20 | 3,879 |
| C | 002 | Square | binfloor | | 0.000 | 7.500 | 4.000 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 24.1 | 2.50 | 1,235 |
| C | 004 | Square | binfloor | | 0.000 | 10.50 | 4.000 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 33.8 | 2.50 | 1,732 |
| C | 005 T | Square | binfloor | | 0.000 | 10.50 | 7.000 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 59.1 | 4.80 | 3,097 |
| C | 005B | Square | binfloor T50' | | 0.000 | 10.50 | 11.00 | 18.00 | 0.00 | 0.00 | 18.000 | 0.000 | 18.0 | 92.8 | 5.80 | 1,767 |
| C | 006 | Square | binfloor | | 0.000 | 14.00 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 123.8 | 6.50 | 9,031 |
| C | 007 | Square | binfloor | | 0.000 | 14.00 | 12.00 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 135.0 | 6.50 | 7,189 |
| C | 008 | Square | binfloor | | 0.000 | 10.50 | 12.00 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 101.3 | 6.00 | 5,369 |
| C | 010 | Square | binfloor | | 0.000 | 14.00 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 123.8 | 6.50 | 9,031 |
| C | 011 | Square | binfloor | | 0.000 | 10.50 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 92.8 | 5.80 | 6,726 |
| C | 012 | Square | binfloor | | 0.000 | 7.500 | 11.00 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 66.3 | 5.00 | 3,550 |
| C | 015 T | Square | binfloor | | 0.000 | 7.500 | 5.000 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 30.1 | 2.50 | 401 |
| C | 015B | Square | binfloor T13' | | 0.000 | 7.500 | 11.00 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 66.3 | 5.00 | 2,645 |
| C | 016 | Square | binfloor | | 0.000 | 10.50 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 92.8 | 5.80 | 6,726 |
| C | 017 | Square | binfloor | | 0.000 | 14.00 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 123.8 | 6.50 | 9,031 |

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
PO Box 447
Lidgerwood , ND
County:

Page: 7

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Lidgerwood

Section: C

| | | | | | | | | | | | | | | | | |
|---|---------|--------|----------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
| C | 018 | Square | binfloor | | 0.000 | 5.000 | 6.000 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 24.1 | 2.50 | 1,260 |
| C | 019 | Square | binfloor | | 0.000 | 14.00 | 12.00 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 135.0 | 6.50 | 7,189 |
| C | 020 | Square | binfloor | | 0.000 | 5.000 | 12.00 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 48.2 | 4.20 | 2,561 |
| C | 021 | Square | binfloor | | 0.000 | 5.500 | 5.000 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 22.1 | 2.00 | 1,150 |
| C | 022 | Square | binfloor | | 0.000 | 14.00 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 123.8 | 6.50 | 9,031 |
| C | 023 | Square | binfloor | | 0.000 | 10.50 | 11.00 | 68.50 | 0.00 | 0.00 | 68.500 | 0.000 | 68.5 | 92.8 | 5.80 | 6,726 |
| C | 024 | Square | binfloor | | 0.000 | 7.500 | 4.000 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 24.1 | 2.50 | 1,235 |
| C | 026 | Square | binfloor | | 0.000 | 7.500 | 11.00 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 66.3 | 5.00 | 3,550 |
| C | 100 SCR | Peaked | eave | | 18.000 | 0.000 | 0.000 | 28.40 | 0.00 | 0.00 | 28.400 | 1.100 | 29.5 | 204.6 | 6.00 | 6,398 |
| C | 101 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 59.50 | 0.00 | 0.00 | 59.500 | 2.200 | 61.7 | 818.2 | 10.0 | 55,531 |
| C | 102 | Peaked | eave | | 48.000 | 0.000 | 0.000 | 59.40 | 0.00 | 0.00 | 59.400 | 3.400 | 62.8 | 1454.6 | 10.0 | 100,484 |
| C | 103 | Peaked | eave | | 48.000 | 0.000 | 0.000 | 59.40 | 0.00 | 0.00 | 59.400 | 3.400 | 62.8 | 1454.6 | 10.0 | 100,484 |
| C | 104 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 105 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 106 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 107 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 108 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 109 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |
| C | 110 | Peaked | eave | | 90.000 | 0.000 | 0.000 | 70.00 | 0.00 | 0.00 | 70.000 | 6.300 | 76.3 | 5113.9 | 10.0 | 429,210 |

Exam Date:04/23/2013

Farmers Cooperative Elevator Company of
 PO Box 447
 Lidgerwood , ND
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Bin count: 34

Facility: Lidgerwood Section: C Total: 3,371,478

To Even: 3,372,000

Section: D

| | | | | | | | | | | | | | | | | |
|---|-----|--------|------|--|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| D | 001 | Peaked | eave | | 19.000 | 0.000 | 0.000 | 15.50 | 0.00 | 0.00 | 15.500 | 1.100 | 16.6 | 227.9 | 6.20 | 4,018 |
| D | 002 | Peaked | eave | | 19.000 | 0.000 | 0.000 | 15.50 | 0.00 | 0.00 | 15.500 | 1.100 | 16.6 | 227.9 | 6.20 | 4,018 |

Bin count: 2

Facility: Lidgerwood Section: D Total: 8,036

To Even: 9,000

| | | |
|---|--|----------------------|
| Overall Licensed Bin Capacity for: | Licensed Capacity: | 4,790,542 Bu. |
| Farmers Cooperative Elevator Company of | (includes pack) | |
| Bin count: 114 | Licensed Capacity (to even): | 4,793,000 Bu. |
| | (includes pack and section totals are rounded up to next highest 1000) | |

FARMERS COOP ELEV CO LIDGERWOOD
GENESEO ND
SECTION E

