

Exam Date:10/02/2012

Central Valley Bean Cooperative

Page: 1

Examiner: 2

PO Box 162

Buxton, ND

County:

Phone: 701-847-2622

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

604	F	46,371
005	REH	4,787
103	M	18,040
609-2	F	27,575
208	FR	4,958
209	FR	4,958
210	FR	4,958
803	J	59,275
802	J	101,979
801	J	67,859
006	REH	4,787
007	REH	4,787
008	REH	4,787
001	REL	31,860
002	REL	31,860
003	REL	31,860
011	REL	69,923
B-001	REL	11,410
B-002	REL	11,410
B-014	REL	69,923
102	RES	3,933
103	RES	3,933
101	RES	61,861
100	REL	40,510
004	REL	14,926
005	REL	14,926
Total:		753,456

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	86,000
B	816,000
D	676,000
E	127,000
F	278,000
FR	15,000
J	230,000
K	104,000
M	19,000

Location/Container Numbers/Comments	Section	Capacity
	N	17,000
	P	123,000
	REH	20,000
	REL	329,000
	RES	70,000
	REW	36,000
	Total:	2,946,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Location/Container Numbers/Comments	A	B	D	E	F	J	K	REH	REL	RES	REW	Capacity	
Buxton 126												2,772,000	
Devils Lake 1211												19,000	
Fairdale 1215												15,000	
Lankin 1213												17,000	
Pisek 1214												123,000	
												Total:	2,946,000

NDPSC Bin Capacity Chart

Exam Date: 10/02/2012

Central Valley Bean Cooperative
PO Box 162
Buxton, ND
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Buxton

Section: A

A	001	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50		3,393
A	002	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50		3,393
A	003	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50		3,393
A	004	Square	top of bin at side wall	0.000	10.00	6.500	38.00	2.00	0.00	40.000	0.000	40.0	52.3	4.50		2,186
A	005	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50		3,393
A	006	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50		3,393
A	007	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50		2,434
A	008	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50		2,434
A	009	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50		2,434
A	010	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50		2,434
A	111	Flat	bag storage	0.000	214.0	60.00	5.000	0.00	0.00	5.000	0.000	5.0	10321.5	10.0		56,769

Bin count: 11

Facility: Buxton Section: A Total: 85,656

To Even: 86,000

Section: B

B	201	Peaked	eave at sidewall	33.000	0.000	0.000	47.70	0.00	0.00	47.700	2.000	49.7	687.5	9.50		37,415
B	202	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0		44,911
B	203	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0		44,911
B	204	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0		44,911
B	205	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0		108,513

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date:10/02/2012

Central Valley Bean Cooperative

Page: 2

Examiner: 2

PO Box 162

Buxton , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Buxton**Section: B**

B	206	Peaked	eave at sidewall		53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B	207	Peaked	eave at sidewall		53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B	208	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948
B	209	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948
B	210	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948

Bin count: 10

Facility: Buxton Section: B Total: **815,531**To Even: **816,000****Section: D**

D	001	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	002	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	003	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	004	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	005	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101

Bin count: 5

Facility: Buxton Section: D Total: **675,505**To Even: **676,000****Section: E**

E	501	Flat			0.000	120.0	60.00	18.00	0.00	0.00	18.000	0.000	18.0	5787.8	10.0	114,598
E	502	Peaked	top of sidewall new navy		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date:10/02/2012

Central Valley Bean Cooperative

Page: 3

Examiner: 2

PO Box 162

Buxton , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Buxton**Section: E**

E	503		Peaked	top of sidewall new navy	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
E	504		Peaked	top of sidewall new navy	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Bin count: 4

Facility: Buxton Section: E Total: **126,397**To Even: **127,000****Section: F**

F	601	R-no	Quonset	sidewall brace to floor 10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309
F	602	R-sou	Quonset	sidewall brace to floor 10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309
Added	F	604	Flat	kuster west warehouse	0.000	95.00	46.00	12.00	0.00	0.00	12.000	0.000	12.0	3512.9	10.0	46,371
Added	F	609-2	Flat	Reynolds Galegher north	0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575
F	609-3		Flat	Reynolds Galegher north	0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575
F	609-4		Flat	Reynolds Galegher north	0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575

Bin count: 6

Facility: Buxton Section: F Total: **277,714**To Even: **278,000****Section: J**

Added	J	801	Quonset	Moen quonset	0.000	119.0	60.00	11.00	0.00	0.00	11.000	0.000	11.0	5608.2	10.0	67,859
Added	J	802	Quonset	Lazur quonset-west	0.000	148.0	58.00	14.00	0.00	0.00	14.000	0.000	14.0	6622.0	10.0	101,979
Added	J	803	Quonset	Lazur quonset-east foam	0.000	141.0	41.00	12.40	0.00	0.00	12.400	0.000	12.4	4345.6	10.0	59,275

NDPSC Bin Capacity Chart

Exam Date:10/02/2012

Central Valley Bean Cooperative

Examiner: 2

PO Box 162
Buxton , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
Bin count:		3											Facility: Buxton Section: J Total:	229,113		
															To Even:	230,000

Section: K

<i>Added</i>	K	903	Quonset	clem moger east	0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730
	K	904	Quonset	clem moger west	0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730
Bin count:		2											Facility: Buxton Section: K Total:	103,460		
															To Even:	104,000

Section: REH

Added	REH	005	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
Added	REH	006	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
Added	REH	007	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
Added	REH	008	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
Bin count:		4											Facility: Buxton Section: REH Total:	19,148		
															To Even:	20,000

Section: REL

Added	REL	001	Peaked	Alliance Vly Lrmre- top of	36.000	0.000	0.000	33.20	0.00	0.00	33.200	2.200	35.4	818.2	10.0	31,860
Added	REL	002	Peaked	Alliance Vly Lrmre- top of	36.000	0.000	0.000	33.20	0.00	0.00	33.200	2.200	35.4	818.2	10.0	31,860
Added	REL	003	Peaked	Alliance Vly Lrmre- top of	36.000	0.000	0.000	33.20	0.00	0.00	33.200	2.200	35.4	818.2	10.0	31,860
Added	REL	004	Peaked	Alliance Vly Lrmre- top of	30.000	0.000	0.000	22.30	0.00	0.00	22.300	1.800	24.1	568.2	9.00	14,926
Added	REL	005	Peaked	Alliance Vly Lrmre- top of	30.000	0.000	0.000	22.30	0.00	0.00	22.300	1.800	24.1	568.2	9.00	14,926
Added	REL	011	Peaked	Alliance Vly Lrmre- top of	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date: 10/02/2012

Central Valley Bean Cooperative

Page: 5

Examiner: 2

PO Box 162

Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Buxton**Section: REL**

Added	REL	100	Quonset	North Larimore B. Trosen	0.000	72.30	67.60	9.500	0.00	0.00	9.500	0.000	9.5	3876.4	10.0	40,510
Added	REL	B-001	Peaked	Alliance Vlly Lrmre- top of	24.000	0.000	0.000	24.00	3.70	0.00	27.700	1.400	29.1	363.7	7.80	11,410
Added	REL	B-002	Peaked	Alliance Vlly Lrmre- top of	24.000	0.000	0.000	24.00	3.70	0.00	27.700	1.400	29.1	363.7	7.80	11,410
Added	REL	B-014	Peaked	Alliance Vlly Lrmre- top of	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923

Bin count: 10

Facility: Buxton Section: REL Total: **328,608**To Even: **329,000****Section: RES**

Added	RES	101	Flat	Alliance Vlly Shrn- flat	0.000	198.8	39.10	9.000	0.00	0.00	9.000	0.000	9.0	6248.5	10.0	61,861
Added	RES	102	Peaked	Alliance Vlly Shrn- top of	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Added	RES	103	Peaked	Alliance Vlly Shrn- top of	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Bin count: 3

Facility: Buxton Section: RES Total: **69,727**To Even: **70,000****Section: REW**

REW	105	Flat	Washburn receiving flat	0.000	40.00	100.0	9.900	0.00	0.00	9.900	0.000	9.9	3215.4	10.0	35,015
-----	-----	------	-------------------------	-------	-------	-------	-------	------	------	-------	-------	-----	--------	------	--------

Bin count: 1

Facility: Buxton Section: REW Total: **35,015**To Even: **36,000**

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date: 10/02/2012

Examiner: 2

Central Valley Bean Cooperative
PO Box 162
Buxton, ND
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Devils Lake

Section: M

Added	M	103	Irregular	Devils Lake Receiving-4	1000.0	35.27	35.27	16.40	0.00	0.00	16.400	0.000	16.4	1000.0	10.0	18,040
-------	---	-----	-----------	-------------------------	--------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Bin count: 1

Facility: Devils Lake Section: M Total: 18,040

To Even: 19,000

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date: 10/02/2012

Central Valley Bean Cooperative

Page: 7

Examiner: 2

PO Box 162

Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Fairdale

Section: FR

Added	FR	208	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
Added	FR	209	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
Added	FR	210	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958

Bin count: 3

Facility: Fairdale Section: FR Total: 14,874

To Even: 15,000

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date:10/02/2012

Central Valley Bean Cooperative

Page: 8

Examiner: 2

PO Box 162

Buxton , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Lankin

Section: N

N	100		Irregular	Lankin receiving-4 tanks	1000.0	35.27	35.27	14.60	0.00	0.00	14.600	0.000	14.6	1000.0	10.0	16,060
---	-----	--	-----------	--------------------------	--------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Bin count: 1

Facility: Lankin Section: N Total: **16,060**

To Even: **17,000**

Client ID: 257

NDPSC Bin Capacity Chart

10/02/2012 11:03:32 AM

Exam Date: 10/02/2012

Central Valley Bean Cooperative

Page: 9

Examiner: 2

PO Box 162

Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Pisek**Section: P**

P	100	Irregular	pisek receiving tanks-4		1500.0	43.20	43.20	11.00	0.00	0.00	11.000	0.000	11.0	1500.0	10.0	18,150	
P	101	Quonset	Pisek quonset		0.000	199.0	60.30	10.00	0.00	0.00	10.000	0.000	10.0	9466.1	10.0	104,127	
Bin count:		2														Facility: Pisek Section: P Total:	122,277
															To Even:	123,000	

Overall Licensed Bin Capacity for:

Central Valley Bean Cooperative

Bin count: 66

Licensed Capacity:

(includes pack)

2,937,125 Bu.**Licensed Capacity (to even):**

(includes pack and section totals are rounded up to next highest 1000)

2,946,000 Bu.