

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.

Page: 1

Examiner: 2

6131 57th Ave NE

Leeds, ND

County:

Phone: 701-466-2398

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
301	T	7,315
302	T	7,315
303	T	7,315
304	T	7,315
001	T	29,757
305	T	3,991
306	T	3,991
307	T	3,991
006	M	62,242
201	B-P	124,138
202	B-P	124,138
		<b>Total:</b> 381,508

**PART B - SPACE TO BE DELETED UNDER LICENSE**

&lt;NO BINS DELETED&gt;

**Total:** 0**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	704,000
A-P	336,000
B	10,000
B-P	258,000
G	66,000
M	125,000
T	71,000
<b>Total:</b> 1,570,000	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Cando 1106	G	66,000
Grace City (P) 1002	T	71,000
Leeds 1076	A B	714,000
Maddock (L) 1001	M	125,000
Petersburg 1163	A-P B-P	594,000
<b>Total:</b>		<b>1,570,000</b>

Client ID: 2586

### NDPSC Bin Capacity Chart

08/06/2012 02:35:45 PM

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 1

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Cando

### Section: G

G	001	Peaked	top of sidewall		48.000	0.000	0.000	17.20	0.00	0.00	17.200	3.400	20.6	1454.6	10.0	32,962	
G	002	Peaked	top of sidewall		48.000	0.000	0.000	17.20	0.00	0.00	17.200	3.400	20.6	1454.6	10.0	32,962	
<b>Bin count:</b>		<b>2</b>														<b>Facility: Cando Section: G Total:</b>	<b>65,924</b>
															<b>To Even:</b>	<b>66,000</b>	

Client ID: 2586

## NDPSC Bin Capacity Chart

08/06/2012 02:35:45 PM

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.

Page: 2

Examiner: 2

6131 57th Ave NE

Leeds , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Grace City****Section: T**

Added	T	001	Quonset	not licensed by Grace City	0.000	51.00	83.00	8.000	0.00	0.00	8.000	0.000	8.0	3381.5	10.0	29,757
Added	T	301	Peaked	top of sidewall at Grace City	21.000	0.000	0.000	21.30	2.00	0.00	23.300	1.300	24.6	278.4	6.80	7,315
Added	T	302	Peaked	top of sidewall at Grace City	21.000	0.000	0.000	21.30	2.00	0.00	23.300	1.300	24.6	278.4	6.80	7,315
Added	T	303	Peaked	top of sidewall at Grace City	21.000	0.000	0.000	21.30	2.00	0.00	23.300	1.300	24.6	278.4	6.80	7,315
Added	T	304	Peaked	top of sidewall at Grace City	21.000	0.000	0.000	21.30	2.00	0.00	23.300	1.300	24.6	278.4	6.80	7,315
Added	T	305	Peaked	farm bin silte	18.000	0.000	0.000	15.30	2.00	0.00	17.300	1.100	18.4	204.6	6.00	3,991
Added	T	306	Peaked	farm bin site	18.000	0.000	0.000	15.30	2.00	0.00	17.300	1.100	18.4	204.6	6.00	3,991
Added	T	307	Peaked	farm bin site	18.000	0.000	0.000	15.30	2.00	0.00	17.300	1.100	18.4	204.6	6.00	3,991

Bin count: 8

Facility: Grace City Section: T Total: 70,990

To Even: 71,000

### NDPSC Bin Capacity Chart

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds, ND  
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Leeds

### Section: A

A	001	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.20	0.00	22.200	1.000	23.2	161.6	5.80	3,966
A	002	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.20	0.00	22.200	1.000	23.2	161.6	5.80	3,966
A	007	Peaked	top of sidewall		21.000	0.000	0.000	22.00	2.70	0.00	24.700	1.300	26.0	278.4	6.80	7,730
A	008	Peaked	top of sidewall		41.900	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1108.4	10.0	33,163
A	009	Peaked	top of sidewall		41.900	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1108.4	10.0	33,163
A	010	Peaked	top of sidewall		41.900	0.000	0.000	24.70	0.00	0.00	24.700	2.500	27.2	1108.4	10.0	33,163
A	011	Peaked	top of sidewall		30.000	0.000	0.000	18.30	3.50	0.00	21.800	1.800	23.6	568.2	9.00	14,617
A	012	Peaked	top of sidewall		30.000	0.000	0.000	18.30	3.50	0.00	21.800	1.800	23.6	568.2	9.00	14,617
A	016	Peaked	top of sidewall		47.800	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1442.5	10.0	55,061
A	017	Peaked	top of sidewall		47.800	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1442.5	10.0	55,061
A	018	Peaked	top of sidewall		47.800	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1442.5	10.0	55,061
A	019	Peaked	top of sidewall		47.800	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1442.5	10.0	55,061
A	020	Peaked	top of sidewall		47.800	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1442.5	10.0	55,061
A	021	Peaked	top of sidewall		47.800	0.000	0.000	28.20	0.00	0.00	28.200	2.900	31.1	1442.5	10.0	49,348
A	022	Peaked	top of sidewall		47.800	0.000	0.000	28.20	0.00	0.00	28.200	2.900	31.1	1442.5	10.0	49,348
A	023	Peaked	top of sidewall		47.800	0.000	0.000	28.20	0.00	0.00	28.200	2.900	31.1	1442.5	10.0	49,348
A	024	Peaked	top of sidewall		47.800	0.000	0.000	28.20	0.00	0.00	28.200	2.900	31.1	1442.5	10.0	49,348
A	025	Peaked	top of sidewall		47.800	0.000	0.000	28.20	0.00	0.00	28.200	2.900	31.1	1442.5	10.0	49,348
A	032	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
A	033	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
A	034	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

## NDPSC Bin Capacity Chart

Exam Date: 08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds, ND  
County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Leeds

### Section: A

A	035	Peaked	top of sidewall	14.800	0.000	0.000	12.00	2.00	0.00	14.000	0.900	14.9	138.3	5.50	2,174
A	036	Peaked	top of sidewall	14.000	0.000	0.000	12.00	2.00	0.00	14.000	0.800	14.8	123.7	5.50	1,932
A	037	Peaked	top of sidewall	14.000	0.000	0.000	12.00	2.00	0.00	14.000	0.800	14.8	123.7	5.50	1,932
A	038	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	039	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	040	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	041	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	042	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	043	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Bin count: 30

**Facility: Leeds Section: A Total: 703,590**

To Even: 704,000

### Section: B

B	001	Flat	flat warehouse	0.000	60.00	50.00	3.500	0.00	0.00	3.500	0.000	3.5	2411.6	10.0	9,285
---	-----	------	----------------	-------	-------	-------	-------	------	------	-------	-------	-----	--------	------	-------

Bin count: 1

**Facility: Leeds Section: B Total: 9,285**

To Even: 10,000

Client ID: 2586

### NDPSC Bin Capacity Chart

08/06/2012 02:35:45 PM

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 5

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Maddock

### Section: M

	M	005	Peaked	top of sidewall	48.000	0.000	0.000	35.50	0.00	0.00	35.500	3.400	38.9	1454.6	10.0	62,242
Added	M	006	Peaked	top of sidewall	48.000	0.000	0.000	35.50	0.00	0.00	35.500	3.400	38.9	1454.6	10.0	62,242

Bin count: 2

Facility: Maddock Section: M Total: **124,484**

To Even: **125,000**

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 6

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A-P

A-P	001	Square	work floor		0.000	6.900	6.500	53.50	0.00	0.00	53.500	0.000	53.5	36.1	3.00	1,989
A-P	002	Square	work floor		0.000	6.900	6.400	53.50	0.00	0.00	53.500	0.000	53.5	35.5	3.00	1,956
A-P	003	Square	work floor		0.000	6.900	4.000	53.50	0.00	0.00	53.500	0.000	53.5	22.2	2.00	1,212
A-P	004 T	Square	work floor		0.000	6.900	4.100	8.000	0.00	0.00	8.000	0.000	8.0	22.7	2.00	186
A-P	004 B	Square	work floor - top 8'		0.000	10.90	4.100	43.50	0.00	0.00	43.500	0.000	43.5	35.9	3.00	1,609
A-P	005	Square	work floor		0.000	6.900	6.600	53.50	0.00	0.00	53.500	0.000	53.5	36.6	3.00	2,017
A-P	006	Square	work floor		0.000	6.900	6.700	53.50	0.00	0.00	53.500	0.000	53.5	37.2	3.00	2,050
A-P	007 T	Square	work floor		0.000	13.10	3.600	53.00	0.00	0.00	53.000	0.000	53.0	37.9	3.00	2,069
A-P	007 B	Square	work floor - top 53'		0.000	12.70	10.70	21.80	0.00	0.00	21.800	0.000	21.8	109.2	6.20	2,529
A-P	008 T	Square	scale well floor		0.000	4.100	3.700	12.50	0.00	0.00	12.500	0.000	12.5	12.2	2.00	156
A-P	008 B	Square	scale well floor - top 12.5'		0.000	10.30	3.700	35.50	0.00	0.00	35.500	0.000	35.5	30.6	2.50	1,113
A-P	009 T	Square	work floor		0.000	13.10	3.600	53.00	0.00	0.00	53.000	0.000	53.0	37.9	3.00	2,069
A-P	009 B	Square	work floor - top 53'		0.000	12.70	10.70	21.80	0.00	0.00	21.800	0.000	21.8	109.2	6.20	2,529
A-P	010	Square	work floor		0.000	6.800	6.500	53.00	0.00	0.00	53.000	0.000	53.0	35.5	3.00	1,938
A-P	011	Square	work floor		0.000	6.800	6.400	56.00	0.00	0.00	56.000	0.000	56.0	35.0	3.00	2,019
A-P	012	Square	scale well floor		0.000	7.200	6.800	47.50	0.00	0.00	47.500	0.000	47.5	39.4	3.00	1,928
A-P	013	Square	scale well floor		0.000	7.200	6.800	47.50	0.00	0.00	47.500	0.000	47.5	39.4	3.00	1,928
A-P	014	Square	work floor		0.000	6.800	6.600	56.00	0.00	0.00	56.000	0.000	56.0	36.1	3.00	2,083
A-P	015	Square	work floor		0.000	6.800	6.700	56.00	0.00	0.00	56.000	0.000	56.0	36.6	3.00	2,112
A-P	016	Square	work floor		0.000	7.200	6.500	53.00	0.00	0.00	53.000	0.000	53.0	37.6	3.00	2,053
A-P	017	Square	work floor		0.000	7.200	6.400	56.00	0.00	0.00	56.000	0.000	56.0	37.0	3.00	2,134

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 7

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A-P

A-P	018	Square	work floor		0.000	7.200	7.200	56.00	0.00	0.00	56.000	0.000	56.0	41.7	3.50	2,417
A-P	019	Square	work floor		0.000	7.200	7.200	56.00	0.00	0.00	56.000	0.000	56.0	41.7	3.50	2,417
A-P	020	Square	work floor		0.000	7.200	6.600	56.00	0.00	0.00	56.000	0.000	56.0	38.2	3.00	2,203
A-P	021	Square	work floor		0.000	7.200	6.700	56.00	0.00	0.00	56.000	0.000	56.0	38.8	3.00	2,238
A-P	022	Square	work floor		0.000	10.50	7.000	25.50	0.00	0.00	25.500	0.000	25.5	59.1	4.80	1,579
A-P	023 T	Square	work floor		0.000	10.90	2.100	25.50	0.00	0.00	25.500	0.000	25.5	18.4	2.00	478
A-P	023 B	Square	work floor		0.000	12.70	10.60	49.30	0.00	0.00	49.300	0.000	49.3	108.2	6.20	5,665
A-P	024 T	Square	work floor		0.000	13.00	2.000	54.00	0.00	0.00	54.000	0.000	54.0	20.9	2.00	1,152
A-P	024 B	Square	work floor - top 54'		0.000	12.70	10.60	20.80	0.00	0.00	20.800	0.000	20.8	108.2	6.20	2,391
A-P	025	Square	work floor		0.000	10.50	3.600	24.00	0.00	0.00	24.000	0.000	24.0	30.4	2.50	748
A-P	026	Square	work floor		0.000	7.200	3.800	55.50	0.00	0.00	55.500	0.000	55.5	22.0	2.00	1,245
A-P	027	Square	work floor		0.000	7.200	3.800	55.50	0.00	0.00	55.500	0.000	55.5	22.0	2.00	1,245
A-P	028	Square	work floor		0.000	9.300	6.600	52.50	0.00	0.00	52.500	0.000	52.5	49.3	4.20	2,697
A-P	029	Square	work floor		0.000	9.300	6.700	52.50	0.00	0.00	52.500	0.000	52.5	50.1	4.50	2,748
A-P	031	Square	work floor		0.000	12.00	11.00	44.00	0.00	0.00	44.000	0.000	44.0	106.1	6.20	4,957
A-P	032 T	Square	work floor		0.000	12.00	2.600	44.00	0.00	0.00	44.000	0.000	44.0	25.1	2.50	1,132
A-P	032 B	Square	work floor - top 44'		0.000	13.90	12.00	28.00	0.00	0.00	28.000	0.000	28.0	134.1	6.50	3,999
A-P	033 T	Square	work floor		0.000	14.20	12.00	61.70	0.00	0.00	61.700	0.000	61.7	137.0	6.50	9,002
A-P	033 B	Square	work floor - top 61.7'		0.000	11.90	9.100	11.50	0.00	0.00	11.500	0.000	11.5	87.0	5.80	1,059
A-P	034 T	Square	work floor		0.000	14.90	12.00	61.70	0.00	0.00	61.700	0.000	61.7	143.7	6.80	9,469
A-P	034 B	Square	work floor - top 61.7'		0.000	11.90	9.100	11.50	0.00	0.00	11.500	0.000	11.5	87.0	5.80	1,059

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 8

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A-P

A-P	035	Square	work floor		0.000	14.10	12.00	72.00	0.00	0.00	72.000	0.000	72.0	136.0	6.50	10,428
A-P	036	Square	work floor		0.000	12.60	11.00	44.00	0.00	0.00	44.000	0.000	44.0	111.4	6.20	5,206
A-P	037 T	Square	work floor		0.000	12.60	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.3	2.50	1,186
A-P	037 B	Square	work floor - top 44'		0.000	13.90	12.60	28.00	0.00	0.00	28.000	0.000	28.0	140.8	6.80	4,210
A-P	038 T	Square	work floor		0.000	14.20	12.60	61.70	0.00	0.00	61.700	0.000	61.7	143.8	6.80	9,475
A-P	038 B	Square	work floor - top 61.7'		0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A-P	039 T	Square	work floor		0.000	14.90	12.60	61.70	0.00	0.00	61.700	0.000	61.7	150.9	6.80	9,944
A-P	039 B	Square	work floor - top 61.7'		0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A-P	040	Square	work floor		0.000	14.10	12.60	72.00	0.00	0.00	72.000	0.000	72.0	142.8	6.80	10,981
A-P	041	Square	work floor		0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A-P	042 T	Square	work floor		0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A-P	042 B	Square	work floor -top 44'		0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A-P	043 T	Square	work floor		0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404
A-P	043 B	Square	work floor - top 61.7'		0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A-P	044 T	Square	work floor		0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A-P	044 B	Square	work floor - top 61.7'		0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A-P	045	Square	work floor		0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A-P	046	Square	work floor		0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A-P	047 T	Square	work floor		0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A-P	047 B	Square	work floor - top 44'		0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A-P	048 T	Square	work floor		0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.

Page: 9

Examiner: 2

6131 57th Ave NE

Leeds, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A-P

A-P	048 B	Square	work floor - top 61.7'	0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A-P	049 T	Square	work floor	0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A-P	049 B	Square	work floor - top 61.7	0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A-P	050	Square	work floor	0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A-P	051	Square	work floor	0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A-P	052 T	Square	work floor	0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A-P	052 B	Square	work floor - top 44'	0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A-P	053 T	Square	work floor	0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404
A-P	053 B	Square	work floor - top 61.7'	0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A-P	054 T	Square	work floor	0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A-P	054 B	Square	work floor - top 61.7'	0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A-P	055	Square	work floor	0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A-P	056	Square	work floor	0.000	12.30	11.00	44.00	0.00	0.00	44.000	0.000	44.0	108.8	6.20	5,084
A-P	057 T	Square	work floor	0.000	12.30	2.600	44.00	0.00	0.00	44.000	0.000	44.0	25.7	2.50	1,159
A-P	057 B	Square	work floor - top 44'	0.000	13.90	12.30	27.00	0.00	0.00	27.000	0.000	27.0	137.4	6.50	3,951
A-P	058 T	Square	work floor	0.000	14.20	12.30	61.70	0.00	0.00	61.700	0.000	61.7	140.4	6.80	9,252
A-P	058 B	Square	work floor - top 61.7'	0.000	12.00	9.100	10.00	0.00	0.00	10.000	0.000	10.0	87.8	5.80	929
A-P	059 T	Square	work floor	0.000	14.90	12.30	61.70	0.00	0.00	61.700	0.000	61.7	147.3	6.80	9,706
A-P	059 B	Square	work floor - top 61.7'	0.000	12.00	9.100	10.00	0.00	0.00	10.000	0.000	10.0	87.8	5.80	929
A-P	060	Square	work floor	0.000	14.10	12.30	71.00	0.00	0.00	71.000	0.000	71.0	139.4	6.80	10,570
A-P	101	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078

Client ID: 2586

## NDPSC Bin Capacity Chart

08/06/2012 02:35:45 PM

Exam Date:08/06/2012

Engstrom Bean and Seed, Inc.  
6131 57th Ave NE  
Leeds , ND  
County:

Page: 10

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A-P

A-P	102	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078	
A-P	103	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933	
A-P	104	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933	
<b>Bin count:</b>		<b>87</b>													<b>Facility: Petersburg Section: A-P Total:</b>	<b>335,449</b>
														<b>To Even:</b>	<b>336,000</b>	

### Section: B-P

B-P	100	Flat	bag storage area	0.000	50.00	50.00	4.000	0.00	0.00	4.000	0.000	4.0	2009.6	10.0	8,842	
Added	B-P	201	Peaked	top of sidewall	54.000	0.000	0.000	57.50	0.00	0.00	57.500	3.800	61.3	1841.0	10.0	124,138
Added	B-P	202	Peaked	top of sidewall	54.000	0.000	0.000	57.50	0.00	0.00	57.500	3.800	61.3	1841.0	10.0	124,138
<b>Bin count:</b>		<b>3</b>													<b>Facility: Petersburg Section: B-P Total:</b>	<b>257,118</b>
														<b>To Even:</b>	<b>258,000</b>	

**Overall Licensed Bin Capacity for:**

**Engstrom Bean and Seed, Inc.**

**Bin count: 133**


**Licensed Capacity:**  
(includes pack)

**1,566,840 Bu.**

**Licensed Capacity (to even):**  
(includes pack and section totals are rounded up to next highest 1000)


**1,570,000 Bu.**

LONE PRAIRIE GRAIN, INC.  
TUNBRIDGE ND.  
Maddock location  
SECTION M  
NW corner of town along Hwy 30



FARMERS ELEVATOR INC. OF GRACE CITY  
GRACE CITY N.D.

BNSF RAIL



SECTION A

tanks located 150'  
SE of main Elev.

Dahlgren Office


Frmrs Elev. Office

Scale


ENGSTROM SEED & BEAN  
LEEDS N.D.

CANDO/GIBBENS SITE  
SECTION G


located from hwy 281 Cando  
5 miles east on Hwy 17 & 1/2 mile north  
by the Sky-Can feed mill




tanks 01 & 02 - 48' dia. x 17.2' sidewall = 32,970 bu. packed capacity  
tanks 03 & 04 - 48' dia x 20.8' sidewall = 38,730 bu. packed capacity  
tanks 05 & 06 - 48' dia. x 31.8' sidewall = 56,330 bu. packed capacity




ENGSTROM SEED & BEAN  
LEEDS ND  
SECTION B  
located west of north water tower in Leeds by rail service






north  
 ↑  
 continued on page 2

ENGSTROM SEED & BEAN  
 LEEDS N.D.  
 located from airstrip east of town on hwy 2  
 1.5 miles north on east side of road




ENGSTROM SEED & BEAN  
LEEDS N.D.

located from airstrip east of town on hwy 2  
1.5 miles north on east side of road





ENGSTROM SEED & BEAN  
LEEDS N.D.  
PETERSBURG LOCATION

##### Burlington Northern Railroad #####



Driveway & Scale



**SECTION A-P**

