

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.  
 4666 Faries Parkway  
 Decatur, IL  
 County:  
 Phone: 217-451-4387  
 CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
003	H <i>&gt; Hoopli</i>	26,527
004	H	9,173
		<b>Total:</b> 35,700

**PART B - SPACE TO BE DELETED UNDER LICENSE**

001-C	H <i>&gt; Hoopli</i>	33,235
002-D	H	33,235
		<b>Total:</b> 66,470

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	149,000	
A-C	41,000	
A-G	437,000	
A-N	749,000	
A-S	308,000	
A-V	39,000	
B	14,000	
B-C	7,000	
B-N	153,000	
B-S	152,000	
B-V	243,000	
C-C	586,000	
C-S	229,000	
C-V	260,000	
D	386,000	
D-C	40,000	
E	68,000	
E-C	10,000	
G	66,000	
H	36,000	
I	31,000	
J	67,000	
L	74,000	
P	314,000	
		<b>Total:</b> 4,459,000

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Casselton 105	A-C B-C C-C D-C E-C	684,000
Cavalier 942	A-V B-V C-V	542,000
Galesburg 927	A-G	437,000
Grafton 940	A B D E G H J L P	1,174,000
Inkster 941	I	31,000

Location/Container Numbers/Comments		Section	Capacity
Northwood	106	A-N B-N	902,000
St. Thomas	107	A-S B-S C-S	689,000
Total:			4,459,000

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 1

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Casselton****Section: A-C**

A-C	001	Square	floor over bins		0.000	11.00	8.000	52.00	0.00	0.00	52.000	0.000	52.0	70.7	5.20	3,867
A-C	002	Square	floor over bins		0.000	11.00	10.90	71.00	0.00	0.00	71.000	0.000	71.0	96.4	6.00	7,255
A-C	003	Square	floor over bins		0.000	11.00	8.000	71.00	0.00	0.00	71.000	0.000	71.0	70.7	5.20	5,281
A-C	005	Square	floor over bins		0.000	8.000	5.000	51.00	0.00	0.00	51.000	0.000	51.0	32.2	2.50	1,683
A-C	007	Square	floor over bins		0.000	8.000	5.000	51.00	0.00	0.00	51.000	0.000	51.0	32.2	2.50	1,683
A-C	008	Square	floor over bins		0.000	8.000	5.000	51.00	0.00	0.00	51.000	0.000	51.0	32.2	2.50	1,683
A-C	010	Square	floor over bins		0.000	8.000	5.000	51.00	0.00	0.00	51.000	0.000	51.0	32.2	2.50	1,683
A-C	011	Square	floor over bins		0.000	10.90	3.000	51.00	0.00	0.00	51.000	0.000	51.0	26.3	2.50	1,375
A-C	013	Square	floor over bins		0.000	11.00	10.90	71.00	0.00	0.00	71.000	0.000	71.0	96.4	6.00	7,255
A-C	014	Square	floor over bins		0.000	11.00	8.000	71.00	0.00	0.00	71.000	0.000	71.0	70.7	5.20	5,281
A-C	015	Square	floor over bins		0.000	11.00	8.000	52.00	0.00	0.00	52.000	0.000	52.0	70.7	5.20	3,867

Bin count: 11

Facility: Casselton Section: A-C Total: **40,913**To Even: **41,000****Section: B-C**

B-C	101	Square	flat roof over bins		0.000	8.000	8.000	30.00	2.00	0.00	32.000	0.000	32.0	51.4	4.50	1,719
B-C	102	Square	flat roof over bins		0.000	8.000	8.000	30.00	2.00	0.00	32.000	0.000	32.0	51.4	4.50	1,719
B-C	103	Square	flat roof over bins		0.000	8.000	8.000	30.00	2.00	0.00	32.000	0.000	32.0	51.4	4.50	1,719
B-C	104	Square	flat roof over bins		0.000	8.000	8.000	30.00	2.00	0.00	32.000	0.000	32.0	51.4	4.50	1,719

## NDPSC Bin Capacity Chart

Exam Date:11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 2

Examiner: 1

4666 Faries Parkway

Decatur , IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
Bin count:		4											Facility: Casselton Section: B-C Total:	<b>6,876</b>	
													To Even:	<b>7,000</b>	

**Section: C-C**

C-C	201	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	202	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	203	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	204	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	205	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	206	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	207	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	208	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	209	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
C-C	210	Peaked	eave at sidewall	48.000	0.000	0.000	33.20	0.00	0.00	33.200	3.400	36.6	1454.6	10.0	58,562
Bin count:		10											Facility: Casselton Section: C-C Total:	<b>585,620</b>	
													To Even:	<b>586,000</b>	

**Section: D-C**

D-C	301	Square	flat roof over bins	0.000	10.00	10.00	44.20	3.30	0.00	47.500	0.000	47.5	80.4	5.50	4,029
D-C	302	Square	flat roof over bins	0.000	10.00	10.00	44.20	3.30	0.00	47.500	0.000	47.5	80.4	5.50	4,029
D-C	303	Square	flat roof over bins	0.000	10.00	10.00	44.20	3.30	0.00	47.500	0.000	47.5	80.4	5.50	4,029
D-C	304	Square	flat roof over bins	0.000	10.00	10.00	44.20	3.30	0.00	47.500	0.000	47.5	80.4	5.50	4,029
D-C	305	Flat	bag storage	0.000	70.00	40.00	9.500	0.00	0.00	9.500	0.000	9.5	2250.8	10.0	23,521

Client ID: 262

### NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 3

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
Bin count:		5													<b>Facility: Casselton Section: D-C Total:</b>	<b>39,637</b>
														To Even:	<b>40,000</b>	

## Section: E-C

E-C	001	Peaked	Enderlin site	16.000	0.000	0.000	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787	
E-C	002	Peaked	Enderlin site	16.000	0.000	0.000	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787	
Bin count:		2													<b>Facility: Casselton Section: E-C Total:</b>	<b>9,574</b>
														To Even:	<b>10,000</b>	

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 4

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Cavalier****Section: A-V**

A-V	001	Square	top of bin at side wall	0.000	10.40	10.30	12.80	1.40	0.00	14.200	0.000	14.2	86.1	5.80	1,294	
A-V	002	Square	top of bin at side wall	0.000	10.40	10.30	12.80	1.40	0.00	14.200	0.000	14.2	86.1	5.80	1,294	
A-V	003	Square	top of bin at side wall	0.000	10.40	8.300	15.80	1.40	0.00	17.200	0.000	17.2	69.4	5.20	1,256	
A-V	004	Square	top of bin at side wall	0.000	10.30	10.30	15.80	1.40	0.00	17.200	0.000	17.2	85.3	5.80	1,552	
A-V	005	Square	top of bin at side wall	0.000	10.30	6.100	15.80	1.40	0.00	17.200	0.000	17.2	50.5	4.50	908	
A-V	006	Square	top of bin at side wall	0.000	10.30	10.30	15.80	1.40	0.00	17.200	0.000	17.2	85.3	5.80	1,552	
A-V	007	Square	top of bin at side wall	0.000	10.00	10.30	15.80	1.40	0.00	17.200	0.000	17.2	82.8	5.50	1,502	
A-V	008	Square	top of bin at side wall	0.000	10.30	8.200	15.80	1.40	0.00	17.200	0.000	17.2	67.9	5.20	1,229	
A-V	009	Square	top of bin at side wall	0.000	10.40	10.30	15.80	1.40	0.00	17.200	0.000	17.2	86.1	5.80	1,567	
A-V	010	Square	top of bin at side wall	0.000	10.40	10.30	15.80	1.40	0.00	17.200	0.000	17.2	86.1	5.80	1,567	
A-V	011	Square	top of bin at side wall	0.000	10.30	10.20	15.80	1.40	3.90	13.300	0.000	13.3	84.5	5.80	1,189	
A-V	012	Square	top of bin at side wall	0.000	10.30	10.20	15.80	1.40	0.00	17.200	0.000	17.2	84.5	5.80	1,537	
A-V	013	Flat	bag storage	0.000	100.0	20.00	6.000	0.00	0.00	6.000	0.000	6.0	1607.7	10.0	10,611	
A-V	014	Flat	bag storage	0.000	50.00	50.00	5.000	0.00	0.00	5.000	0.000	5.0	2009.6	10.0	11,053	
Bin count:		14													<b>Facility: Cavalier Section: A-V Total:</b>	<b>38,111</b>
															To Even:	<b>39,000</b>

**Section: B-V**

B-V	101	Flat	catwalk to floor 36.0' bttm	0.000	60.20	25.40	30.00	0.00	0.00	30.000	0.000	30.0	1229.2	10.0	40,564
B-V	102	Flat	catwalk to floor 36.' bttm	0.000	60.20	25.40	30.00	0.00	0.00	30.000	0.000	30.0	1229.2	10.0	40,564

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 5

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Cavalier****Section: B-V**

B-V	103	Flat	catwalk to floor 36.' bttm	0.000	60.20	25.40	30.00	0.00	0.00	30.000	0.000	30.0	1229.2	10.0	40,564
B-V	104	Flat	catwalk to floor 36.' bttm	0.000	60.20	25.40	30.00	0.00	0.00	30.000	0.000	30.0	1229.2	10.0	40,564
B-V	105	Flat	catwalk to floor 36.' bttm	0.000	60.20	50.00	30.00	0.00	0.00	30.000	0.000	30.0	2419.6	10.0	79,847

Bin count: 5

Facility: Cavalier Section: B-V Total: **242,103**To Even: **243,000****Section: C-V**

C-V	201	Peaked	eave at sidewall	48.000	0.000	0.000	50.60	0.00	0.00	50.600	3.400	54.0	1454.6	10.0	86,403
C-V	202	Peaked	eave at sidewall	48.000	0.000	0.000	50.60	0.00	0.00	50.600	3.400	54.0	1454.6	10.0	86,403
C-V	203	Peaked	eave at sidewall	48.000	0.000	0.000	50.60	0.00	0.00	50.600	3.400	54.0	1454.6	10.0	86,403

Bin count: 3

Facility: Cavalier Section: C-V Total: **259,209**To Even: **260,000**

Exam Date:11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 6

Examiner: 1

4666 Faries Parkway  
Decatur, IL  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Galesburg

### Section: A-G

A-G	001	Flat	bag storage		0.000	78.00	50.00	2.500	0.00	0.00	2.500	0.000	2.5	3135.0	10.0	8,622
A-G	002	Square	top of bin at side wall -bag		0.000	11.70	9.800	4.000	1.70	0.00	5.700	0.000	5.7	92.2	5.80	557
A-G	002 A	Square	top of bin at side wall -bag		0.000	11.70	9.800	7.500	1.70	0.00	9.200	0.000	9.2	92.2	5.80	897
A-G	003	Square	top of bin at side wall		0.000	9.800	8.000	7.500	1.50	0.00	9.000	0.000	9.0	63.0	5.00	595
A-G	004	Square	top of bin at side wall		0.000	9.800	8.000	7.500	1.50	0.00	9.000	0.000	9.0	63.0	5.00	595
A-G	005	Peaked	top of bin at side wall		12.500	0.000	0.000	10.00	2.00	0.00	12.000	0.800	12.8	98.6	5.00	1,325
A-G	006	Peaked	top of bin at side wall		12.500	0.000	0.000	10.00	2.00	0.00	12.000	0.800	12.8	98.6	5.00	1,325
A-G	007	Square	top of bin at side wall		0.000	8.000	8.000	13.00	3.00	0.00	16.000	0.000	16.0	51.4	4.50	859
A-G	008	Square	top of bin at side wall		0.000	8.000	8.000	13.00	3.00	0.00	16.000	0.000	16.0	51.4	4.50	859
A-G	101	Peaked	eave at side wall		36.000	0.000	0.000	22.40	0.00	0.00	22.400	2.200	24.6	818.2	10.0	22,141
A-G	102	Peaked	eave at side wall		36.000	0.000	0.000	22.40	0.00	0.00	22.400	2.200	24.6	818.2	10.0	22,141
A-G	103	Peaked	eave at side wall		36.000	0.000	0.000	22.40	0.00	0.00	22.400	2.200	24.6	818.2	10.0	22,141
A-G	104	Peaked	eave at side wall		36.000	0.000	0.000	22.40	0.00	0.00	22.400	2.200	24.6	818.2	10.0	22,141
A-G	105	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	106	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	107	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	108	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	109	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	110	Peaked	eave at side wall		36.000	0.000	0.000	23.25	0.00	0.00	23.250	2.200	25.5	818.2	10.0	22,950
A-G	201	Quonset	16.8' light fixtures west wall		0.000	150.0	60.00	12.20	0.00	0.00	12.200	0.000	12.2	7030.0	10.0	94,343
A-G	202	Flat	grain wall ht. 12'		0.000	140.0	60.00	13.50	0.00	0.00	13.500	0.000	13.5	6752.4	10.0	100,273

Client ID: 262

### NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 7

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------------------------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 21

Facility: Galesburg Section: A-G Total: **436,514**

To Even: **437,000**

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date:11/13/2012

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 8

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Grafton****Section: A**

A	001	Square	top of sidewall		0.000	10.00	10.00	31.00	2.70	0.00	33.700	0.000	33.7	80.4	5.50	2,858
A	002	Square	top of sidewall		0.000	10.00	10.00	31.00	2.70	0.00	33.700	0.000	33.7	80.4	5.50	2,858
A	003	Square	top of sidewall		0.000	10.00	8.000	31.00	2.70	0.00	33.700	0.000	33.7	64.3	5.00	2,275
A	004	Square	top of sidewall		0.000	10.00	10.00	31.00	2.70	0.00	33.700	0.000	33.7	80.4	5.50	2,858
A	005	Square	top of sidewall		0.000	10.00	10.00	31.00	2.70	0.00	33.700	0.000	33.7	80.4	5.50	2,858
A	006	Square	top of sidewall		0.000	10.00	8.000	31.00	2.70	0.00	33.700	0.000	33.7	64.3	5.00	2,275
A	007 Cull	Square	top of sidewall		0.000	10.00	10.00	22.50	2.30	0.00	24.800	0.000	24.8	80.4	5.50	2,104
A	008 Splts	Square	top of sidewall		0.000	10.00	10.00	22.50	2.30	0.00	24.800	0.000	24.8	80.4	5.50	2,104
A	009 Blndr	Square	blender bin top of sidewall		0.000	7.500	6.500	19.75	2.00	0.00	21.750	0.000	21.8	39.2	3.00	881
A	013	Flat	catwalk grate to floor 24.2'		0.000	100.0	46.30	20.00	0.00	0.00	20.000	0.000	20.0	3721.9	10.0	81,882
A	014	Flat	catwalk grate to floor 24.2'		0.000	49.40	46.30	20.00	0.00	0.00	20.000	0.000	20.0	1838.6	10.0	40,449
A	015	Flat	bag storage 5000 bus.		0.000	100.0	38.80	1.500	0.00	0.00	1.500	0.000	1.5	3119.0	10.0	5,147

Bin count: 12

Facility: Grafton Section: A Total: **148,549**To Even: **149,000****Section: B**

B	102	Square	floor over bins		0.000	11.70	10.00	28.60	2.00	0.00	30.600	0.000	30.6	94.1	6.00	3,052
B	103	Square	floor over bins		0.000	11.70	10.00	28.60	2.00	0.00	30.600	0.000	30.6	94.1	6.00	3,052
B	105	Square	floor over bins		0.000	9.500	6.700	28.60	2.00	0.00	30.600	0.000	30.6	51.2	4.50	1,638
B	106	Square	floor over bins		0.000	11.70	10.00	28.60	2.00	0.00	30.600	0.000	30.6	94.1	6.00	3,052

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 9

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Grafton

### Section: B

B	107	Square	floor over bins	0.000	11.70	10.00	28.60	2.00	0.00	30.600	0.000	30.6	94.1	6.00	3,052
<b>Bin count:</b>		<b>5</b>												<b>Facility: Grafton Section: B Total:</b>	<b>13,846</b>
														<b>To Even:</b>	<b>14,000</b>

### Section: D

D	301	Flat	center drag 30.8' sidewall	0.000	200.0	80.00	13.40	0.00	0.00	13.400	0.000	13.4	12861.7	10.0	189,582
D	302	Peaked	top of sidewall at eave	55.000	0.000	0.000	42.80	0.00	0.00	42.800	3.900	46.7	1909.8	10.0	98,107
D	303	Peaked	top of sidewall at eave	55.000	0.000	0.000	42.80	0.00	0.00	42.800	3.900	46.7	1909.8	10.0	98,107
<b>Bin count:</b>		<b>3</b>												<b>Facility: Grafton Section: D Total:</b>	<b>385,796</b>
														<b>To Even:</b>	<b>386,000</b>

### Section: E

E	401	Flat	foundation of quonset	0.000	147.0	50.50	3.800	0.00	0.00	3.800	0.000	3.8	5967.4	10.0	24,944
E	402	Quonset	center auger 19.4'	0.000	147.0	50.00	6.600	0.00	0.00	6.600	0.000	6.6	5838.9	10.0	42,391
<b>Bin count:</b>		<b>2</b>												<b>Facility: Grafton Section: E Total:</b>	<b>67,335</b>
														<b>To Even:</b>	<b>68,000</b>

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 10

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-----------------------------------------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Grafton****Section: G**

G	601	Nash	Quonset	center drag	16.2'	red paint	0.000	199.0	47.50	8.000	0.00	0.00	8.000	0.000	8.0	7452.2	10.0	65,580
---	-----	------	---------	-------------	-------	-----------	-------	-------	-------	-------	------	------	-------	-------	-----	--------	------	--------

Bin count: 1

Facility: Grafton Section: G Total: **65,580**To Even: **66,000****Section: H**

Added	H	003	Flat	Hoople Swanson Farms	0.000	100.0	25.00	12.00	0.00	0.00	12.000	0.000	12.0	2009.6	10.0	26,527
-------	---	-----	------	----------------------	-------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Added	H	004	Flat	Hoople Olson Wrhse East	0.000	78.00	19.00	7.000	0.00	0.00	7.000	0.000	7.0	1191.3	10.0	9,173
-------	---	-----	------	-------------------------	-------	-------	-------	-------	------	------	-------	-------	-----	--------	------	-------

Bin count: 2

Facility: Grafton Section: H Total: **35,700**To Even: **36,000****Section: J**

J	901	T Ga	Square	floor over bin	0.000	14.40	11.50	39.00	0.00	0.00	39.000	0.000	39.0	133.1	6.50	5,528
---	-----	------	--------	----------------	-------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

J	901	B	Square	bottom of 901T 39'	0.000	10.00	11.10	8.500	0.00	0.00	8.500	0.000	8.5	89.2	5.80	802
---	-----	---	--------	--------------------	-------	-------	-------	-------	------	------	-------	-------	-----	------	------	-----

J	902	T	Square	floor over bins	0.000	14.40	11.90	39.00	0.00	0.00	39.000	0.000	39.0	137.7	6.50	5,719
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

J	902	B	Square	bottom 902T 39'	0.000	10.00	11.50	8.500	0.00	0.00	8.500	0.000	8.5	92.4	5.80	831
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	-------	-------	-----	------	------	-----

J	903	T	Square	floor over bins	0.000	14.40	11.90	39.00	0.00	0.00	39.000	0.000	39.0	137.7	6.50	5,719
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

J	903	B	Square	bottom 903T 39'	0.000	10.00	11.50	8.500	0.00	0.00	8.500	0.000	8.5	92.4	5.80	831
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	-------	-------	-----	------	------	-----

J	904	T	Square	floor over bins	0.000	14.40	11.90	39.00	0.00	0.00	39.000	0.000	39.0	137.7	6.50	5,719
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

J	904	B	Square	bottom 904T 39'	0.000	10.00	11.50	8.500	0.00	0.00	8.500	0.000	8.5	92.4	5.80	831
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	-------	-------	-----	------	------	-----

J	905	T	Square	floor over bins	0.000	14.40	11.80	39.00	0.00	0.00	39.000	0.000	39.0	136.6	6.50	5,673
---	-----	---	--------	-----------------	-------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

Client ID: 262

## NDPSC Bin Capacity Chart

11/13/2012 03:53:00 PM

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 11

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Grafton****Section: J**

J	905 B	Square	bottom 905T 39'	0.000	10.00	11.40	8.500	0.00	0.00	8.500	0.000	8.5	91.6	5.80	824
J	906	Square	floor over bins	0.000	14.30	11.60	47.50	0.00	0.00	47.500	0.000	47.5	133.3	6.50	6,744
J	907	Square	floor over bins	0.000	14.30	11.70	47.50	0.00	0.00	47.500	0.000	47.5	134.5	6.50	6,804
J	908	Square	floor over bins	0.000	14.30	11.70	47.50	0.00	0.00	47.500	0.000	47.5	134.5	6.50	6,804
J	909	Square	floor over bins	0.000	14.30	11.70	47.50	0.00	0.00	47.500	0.000	47.5	134.5	6.50	6,804
J	910	Square	floor over bins	0.000	14.30	11.40	47.50	0.00	0.00	47.500	0.000	47.5	131.0	6.50	6,627

Bin count: 15

Facility: Grafton Section: J Total: **66,260**To Even: **67,000****Section: L**

L	001 Lankin	Flat	grainwall 12' drag 21.3'	0.000	118.0	59.00	12.00	0.00	0.00	12.000	0.000	12.0	5596.5	10.0	73,874
---	------------	------	--------------------------	-------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Bin count: 1

Facility: Grafton Section: L Total: **73,874**To Even: **74,000****Section: P**

P	001S-offt	Flat	ceiling ht. 18.4'	0.000	93.00	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1270.9	10.0	15,378
P	002S-offt	Flat	ceiling ht. 18.4'	0.000	93.00	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1270.9	10.0	15,378
P	003S-offt	Flat	ceiling ht. 18.4'	0.000	93.00	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1270.9	10.0	15,378
P	004S-offt	Flat	ceiling ht. 18.4'	0.000	107.0	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1462.2	10.0	17,692
P	005S-offt	Flat	ceiling ht. 18.4'	0.000	107.0	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1462.2	10.0	17,692

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 12

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Grafton

### Section: P

	P	006S-offt	Flat	ceiling ht. 18.4'	0.000	107.0	17.00	11.00	0.00	0.00	11.000	0.000	11.0	1462.2	10.0	17,692
	P	007S-mrtn	Flat	ceiling ht. 18.5'	0.000	102.0	33.50	12.00	0.00	0.00	12.000	0.000	12.0	2746.8	10.0	36,258
	✓ P	101DSTL	Flat	bttm rafter 19'	0.000	129.5	27.00	13.00	0.00	0.00	13.000	0.000	13.0	2810.7	10.0	40,193
	✓ P	102DSTL	Flat	bttm rafter 19'	0.000	113.0	27.00	13.00	0.00	0.00	13.000	0.000	13.0	2452.6	10.0	35,072
	✓ P	201-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	202-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	203-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	204-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	205-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	206-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	207-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	208-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453
	✓ P	209-81	Flat	ceiling ht. 19.3'	0.000	64.25	19.20	10.50	0.00	0.00	10.500	0.000	10.5	991.6	10.0	11,453

Bin count: 18

Facility: Grafton Section: P Total: 313,810

To Even: 314,000

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 13

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Inkster

### Section: I

I	701	Inks	Peaked	lorrich 17.0 side & 6.5	15.000	0.000	0.000	17.00	2.20	0.00	19.200	0.900	20.1	142.1	5.50	3,013
I	702		Peaked	lorrich 17.0 side & 6.5	15.000	0.000	0.000	17.00	2.20	0.00	19.200	0.900	20.1	142.1	5.50	3,013
I	703		Quonset	center drag 15.5- grainwall	0.000	81.00	50.00	7.000	0.00	0.00	7.000	0.000	7.0	3212.5	10.0	24,737

Bin count: 3

Facility: Inkster Section: I Total: 30,763To Even: 31,000

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 14

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-----------------------------------------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Northwood

### Section: A-N

A-N	001	Square	side wall at top of bin	0.000	8.000	2.700	50.50	2.00	0.00	52.500	0.000	52.5	17.4	2.00	932
A-N	002	Square	side wall at top of bin	0.000	11.60	8.000	53.00	2.00	0.00	55.000	0.000	55.0	74.6	5.50	4,329
A-N	003	Square	side wall at top of bin	0.000	11.60	8.000	53.00	2.00	0.00	55.000	0.000	55.0	74.6	5.50	4,329
A-N	006	Square	side wall at top of bin	0.000	11.60	3.400	34.00	2.00	0.00	36.000	0.000	36.0	31.7	2.50	1,170
A-N	007	Square	side wall at top of bin	0.000	11.60	4.600	56.50	2.00	0.00	58.500	0.000	58.5	42.9	3.50	2,598
A-N	008	Square	side wall at top of bin	0.000	11.60	8.000	56.50	2.00	0.00	58.500	0.000	58.5	74.6	5.50	4,604
A-N	009	Square	side wall at top of bin	0.000	8.000	2.700	50.50	2.00	0.00	52.500	0.000	52.5	17.4	2.00	932
A-N	010	Square	side wall at top of bin	0.000	11.60	8.000	56.50	2.00	0.00	58.500	0.000	58.5	74.6	5.50	4,604
A-N	011 T	Square	side wall at top of bin or	0.000	17.60	13.40	60.00	0.00	0.00	60.000	0.000	60.0	189.6	7.00	12,172
A-N	011 B	Square	bottom of 11T 60'	0.000	15.40	13.40	1.700	3.30	0.00	5.000	0.000	5.0	165.9	7.00	888
A-N	012 T	Square	top of sidewall or walk floor	0.000	17.60	13.40	60.00	0.00	0.00	60.000	0.000	60.0	189.6	7.00	12,172
A-N	012 B	Square	bottom of 012T 60'	0.000	15.40	13.40	1.700	3.30	0.00	5.000	0.000	5.0	165.9	7.00	888
A-N	013 T	Square	top of sidewall or floor over	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	013 B	Square	bottom of 13T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	014 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	014 B	Square	bottom of 14T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	015 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	015 B	Square	bottom of 15T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	016 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	016 B	Square	bottom of 16T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	017 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 15

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-----------------------------------------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Northwood

### Section: A-N

A-N	017 B	Square	bottom of 17T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	018 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	018 B	Square	bottom of 18T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	019 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	019 B	Square	bottom of 19T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	020 T	Square	top of bin at side wall or	0.000	17.20	13.70	60.00	0.00	0.00	60.000	0.000	60.0	189.4	7.00	12,159
A-N	020 B	Square	bottom of 20T 60'	0.000	15.10	13.70	1.700	3.30	0.00	5.000	0.000	5.0	166.3	7.00	890
A-N	021 T	Square	top of bin at side wall or	0.000	17.60	13.40	60.00	0.00	0.00	60.000	0.000	60.0	189.6	7.00	12,172
A-N	021 B	Square	bottom of 21T 60'	0.000	15.40	13.40	1.700	3.30	0.00	5.000	0.000	5.0	165.9	7.00	888
A-N	022 T	Square	top of bin at side wall or	0.000	17.60	13.40	60.00	0.00	0.00	60.000	0.000	60.0	189.6	7.00	12,172
A-N	022 B	Square	bottom of 22T 60'	0.000	15.40	13.40	1.700	3.30	0.00	5.000	0.000	5.0	165.9	7.00	888
A-N	023	Peaked	eave at side wall	30.000	0.000	0.000	59.30	0.00	0.00	59.300	1.800	61.1	568.2	9.00	37,842
A-N	024	Peaked	eave at side wall	30.000	0.000	0.000	59.30	0.00	0.00	59.300	1.800	61.1	568.2	9.00	37,842
A-N	025	Peaked	eave at side wall	42.000	0.000	0.000	59.00	0.00	0.00	59.000	2.500	61.5	1113.7	10.0	75,342
A-N	026	Peaked	eave at side wall	42.000	0.000	0.000	59.00	0.00	0.00	59.000	2.500	61.5	1113.7	10.0	75,342
A-N	027	Peaked	eave at side wall	48.000	0.000	0.000	50.00	0.00	0.00	50.000	3.400	53.4	1454.6	10.0	85,444
A-N	028	Peaked	eave at side wall	48.000	0.000	0.000	50.00	0.00	0.00	50.000	3.400	53.4	1454.6	10.0	85,444
A-N	029	Peaked	eave at side wall	48.000	0.000	0.000	50.00	0.00	0.00	50.000	3.400	53.4	1454.6	10.0	85,444
A-N	030	Peaked	eave at side wall	48.000	0.000	0.000	50.00	0.00	0.00	50.000	3.400	53.4	1454.6	10.0	85,444

# NDPSC Bin Capacity Chart

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.  
 4666 Faries Parkway  
 Decatur, IL  
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
		<b>Bin count:</b>	<b>40</b>													<b>Facility: Northwood Section: A-N Total:</b>	<b>748,274</b>
															<b>To Even:</b>	<b>749,000</b>	

## Section: B-N

B-N	101	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	102	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	103	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	104	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	105	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	106	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	107	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	108	Square	floor over bins at access	0.000	8.000	8.000	27.00	4.00	0.00	31.000	0.000	31.0	51.4	4.50	1,665		
B-N	109	Flat	35'x75' south end & 48' x	0.000	100.0	48.00	5.000	0.00	0.00	5.000	0.000	5.0	3858.5	10.0	21,222		
B-N	110	Flat	grain wall ht 8.0' drag auger	0.000	124.2	48.60	10.00	0.00	0.00	10.000	0.000	10.0	4852.2	10.0	53,374		
B-N	111	Flat	grain wall ht 12.2' overhead	0.000	126.0	48.60	12.00	0.00	0.00	12.000	0.000	12.0	4922.5	10.0	64,977		
		<b>Bin count:</b>	<b>11</b>													<b>Facility: Northwood Section: B-N Total:</b>	<b>152,893</b>
															<b>To Even:</b>	<b>153,000</b>	

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 17

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: A-S

	A-S	001	Square	floor over bins	0.000	6.700	3.000	46.00	0.00	0.00	46.000	0.000	46.0	16.2	2.00	760
	A-S	002	Square	floor over bins	0.000	11.00	3.600	45.00	0.00	0.00	45.000	0.000	45.0	31.8	2.50	1,467
	A-S	004 T	Square	floor over bins	0.000	11.20	5.500	49.00	0.00	0.00	49.000	0.000	49.0	49.5	4.20	2,528
	A-S	004 B	Square	bleow 4T 49.0'	0.000	11.20	11.00	17.00	0.00	0.00	17.000	0.000	17.0	99.0	6.00	1,784
	A-S	005	Square	floor over bins	0.000	5.500	5.000	48.00	0.00	0.00	48.000	0.000	48.0	22.1	2.00	1,082
	A-S	006	Square	floor over bins	0.000	5.200	5.000	48.00	0.00	0.00	48.000	0.000	48.0	20.9	2.00	1,023
	A-S	009	Square	floor over bins	0.000	12.00	11.20	44.00	0.00	0.00	44.000	0.000	44.0	108.0	6.20	5,047
	A-S	010	Square	floor over bins	0.000	11.20	11.00	65.00	0.00	0.00	65.000	0.000	65.0	99.0	6.00	6,821
	A-S	011 T	Square	floor over bins obstruct in	0.000	11.00	4.750	13.00	0.00	0.00	13.000	0.000	13.0	42.0	3.50	565
	A-S	011 B	Square	floor over bins	0.000	11.00	6.700	31.00	0.00	0.00	31.000	0.000	31.0	59.2	4.80	1,923
	A-S	013	Square	floor over bins	0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
	A-S	014	Square	floor over bins	0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
	A-S	015	Square	floor over bins	0.000	11.50	11.00	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
	A-S	016	Square	floor over bins	0.000	12.00	11.50	44.00	0.00	0.00	44.000	0.000	44.0	110.9	6.20	5,183
	A-S	019	Square	floor over bins	0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
	A-S	020	Square	floor over bins	0.000	8.000	3.600	16.00	0.00	0.00	16.000	0.000	16.0	23.2	2.00	378
	A-S	021	Square	floor over bins	0.000	5.700	5.600	45.00	0.00	0.00	45.000	0.000	45.0	25.7	2.50	1,186
	A-S	022	Square	floor over bins	0.000	5.700	5.500	45.00	0.00	0.00	45.000	0.000	45.0	25.2	2.50	1,162
	A-S	023 T	Square	floor over bins	0.000	11.50	5.500	45.00	0.00	0.00	45.000	0.000	45.0	50.8	4.50	2,389
	A-S	023 B	Square	bottom of 23T 45- depth	0.000	11.50	11.00	21.00	0.00	0.00	21.000	0.000	21.0	101.7	6.00	2,264
	A-S	024 T	Square	floor over bins	0.000	3.600	2.700	14.00	0.00	0.00	14.000	0.000	14.0	7.8	2.00	111

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 18

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: St. Thomas

### Section: A-S

A-S	024 B	Square	bottom of 24T	14.0'	0.000	11.00	3.600	31.00	0.00	0.00	31.000	0.000	31.0	31.8	2.50	1,011
A-S	028	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	029	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	030	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	031	Square	floor over bins		0.000	12.50	11.40	54.50	0.00	0.00	54.500	0.000	54.5	114.5	6.20	6,627
A-S	032 T	Square	floor over bins		0.000	11.40	11.00	54.00	0.00	0.00	54.000	0.000	54.0	100.8	6.00	5,770
A-S	032 B	Square	bottom of 32T	54.0'	0.000	14.80	11.40	11.00	0.00	0.00	11.000	0.000	11.0	135.6	6.50	1,589
A-S	033 T	Square	floor over bins		0.000	11.40	11.00	54.00	0.00	0.00	54.000	0.000	54.0	100.8	6.00	5,770
A-S	033 B	Square	bottom of 33T	54.0'	0.000	14.80	11.40	11.00	0.00	0.00	11.000	0.000	11.0	135.6	6.50	1,589
A-S	034	Square	floor over bins		0.000	12.50	11.60	54.50	0.00	0.00	54.500	0.000	54.5	116.6	6.20	6,749
A-S	035 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	035 B	Square	bottom of 35T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	036 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	036 B	Square	bottom of 36T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	037 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	037 B	Square	bottom of 37T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	038 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	038 B	Square	bottom of 38T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	039	Square	floor over bins		0.000	12.50	11.60	54.50	0.00	0.00	54.500	0.000	54.5	116.6	6.20	6,749
A-S	040	Square	floor over bins		0.000	10.50	4.000	9.000	0.00	0.00	9.000	0.000	9.0	33.8	2.50	312
A-S	041	Square	floor over bins		0.000	10.50	10.50	37.00	0.00	0.00	37.000	0.000	37.0	88.6	5.80	3,468

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 19

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: A-S

A-S	042	Square	floor over bins		0.000	10.50	10.50	37.00	0.00	0.00	37.000	0.000	37.0	88.6	5.80	3,468
A-S	043	Square	floor over bins		0.000	9.500	10.50	37.00	0.00	0.00	37.000	0.000	37.0	80.2	5.50	3,130
A-S	044	Square	floor over bins		0.000	10.50	10.50	38.00	0.00	0.00	38.000	0.000	38.0	88.6	5.80	3,562
A-S	045	Square	floor over bins		0.000	9.500	4.500	21.00	0.00	0.00	21.000	0.000	21.0	34.4	3.00	744
A-S	046	Square	floor over bins		0.000	9.500	4.500	21.00	0.00	0.00	21.000	0.000	21.0	34.4	3.00	744
A-S	047	Square	floor over bins		0.000	10.50	9.500	14.00	0.00	0.00	14.000	0.000	14.0	80.2	5.50	1,185
A-S	048	Square	floor over bins		0.000	10.50	10.50	38.00	0.00	0.00	38.000	0.000	38.0	88.6	5.80	3,562
A-S	049	Square	floor over bins		0.000	9.500	10.50	37.00	0.00	0.00	37.000	0.000	37.0	80.2	5.50	3,130
A-S	050	Square	floor over bins		0.000	10.50	4.000	25.00	0.00	0.00	25.000	0.000	25.0	33.8	2.50	866
A-S	051	Peaked	eave at side wall		48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443
A-S	052	Peaked	eave at side wall		48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443
A-S	053	Flat	bag storage		0.000	75.00	36.00	7.000	0.00	0.00	7.000	0.000	7.0	2170.4	10.0	16,712

Bin count: 54

Facility: St. Thomas Section: A-S Total: **307,952**To Even: **308,000**

### Section: B-S

B-S	101 T	Square	floor over bins		0.000	6.300	4.800	9.000	0.00	0.00	9.000	0.000	9.0	24.3	2.50	224
B-S	101 B	Square	bottom of bin 101T 9.0'		0.000	5.900	4.600	37.00	0.00	0.00	37.000	0.000	37.0	21.8	2.00	823
B-S	102 T	Square	floor over bins		0.000	10.50	10.10	9.000	0.00	0.00	9.000	0.000	9.0	85.2	5.80	811
B-S	102 M	Square	bleow 101T 9.0'		0.000	10.10	9.700	41.00	0.00	0.00	41.000	0.000	41.0	78.8	5.50	3,409

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 20

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: B-S

B-S	102B	Square	bottom of 102M 41 + 9	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
B-S	104 T	Square	floor over bins	0.000	14.00	10.10	9.000	0.00	0.00	9.000	0.000	9.0	113.7	6.20	1,086
B-S	104 B	Square	bottom of 104T 9.0'	0.000	14.00	9.700	9.000	0.00	0.00	9.000	0.000	9.0	109.2	6.20	1,044
B-S	105	Square	floor over bins	0.000	8.600	6.800	18.00	0.00	0.00	18.000	0.000	18.0	47.0	4.00	880
B-S	106	Square	floor over bins deduct	0.000	6.900	4.600	18.00	0.00	0.00	18.000	0.000	18.0	25.5	2.50	470
B-S	108 T	Square	floor over bins	0.000	10.10	4.800	9.000	0.00	0.00	9.000	0.000	9.0	39.0	3.00	362
B-S	108 B	Square	bottom of 108T 9.0'	0.000	9.900	4.600	37.00	0.00	0.00	37.000	0.000	37.0	36.6	3.00	1,395
B-S	109 T	Square	floor over bins	0.000	17.30	13.60	9.000	0.00	0.00	9.000	0.000	9.0	189.1	7.00	1,821
B-S	109 M	Square	below 109T 9.0'	0.000	17.00	13.20	41.00	0.00	0.00	41.000	0.000	41.0	180.4	7.00	7,914
B-S	109B	Square	bottom of 109T & 109M	0.000	16.70	12.80	22.10	0.00	0.00	22.100	0.000	22.1	171.8	7.00	4,063
B-S	110 T	Square	floor over bins	0.000	17.10	13.60	9.000	0.00	0.00	9.000	0.000	9.0	186.9	7.00	1,800
B-S	110 M	Square	below 110T 9.0'	0.000	16.80	13.20	41.00	0.00	0.00	41.000	0.000	41.0	178.3	7.00	7,822
B-S	110B	Square	bottom of 110T & 110M	0.000	16.50	12.80	22.10	0.00	0.00	22.100	0.000	22.1	169.8	7.00	4,016
B-S	111 T	Square	floor over bins	0.000	10.10	5.200	9.000	0.00	0.00	9.000	0.000	9.0	42.2	3.50	393
B-S	111 B	Square	bottom of 111T 9.0'	0.000	9.900	5.000	37.00	0.00	0.00	37.000	0.000	37.0	39.8	3.00	1,517
B-S	113 T	Square	floor over bins	0.000	10.10	10.10	9.000	0.00	0.00	9.000	0.000	9.0	82.0	5.50	779
B-S	113 M	Square	below 113T 9.0'	0.000	9.900	9.700	41.00	0.00	0.00	41.000	0.000	41.0	77.2	5.50	3,339
B-S	113B	Square	bottom of 113T & 113M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
B-S	114 T	Square	floor over bins	0.000	10.10	10.10	9.000	0.00	0.00	9.000	0.000	9.0	82.0	5.50	779
B-S	114 M	Square	below 114T 9.0'	0.000	9.900	9.700	41.00	0.00	0.00	41.000	0.000	41.0	77.2	5.50	3,339
B-S	114B	Square	bottom of 114T & 114M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 21

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: St. Thomas

### Section: B-S

B-S	115 T	Square	floor over bins	0.000	14.00	10.10	9.000	0.00	0.00	9.000	0.000	9.0	113.7	6.20	1,086
B-S	115 B	Square	bottom of 115T 9.0'	0.000	14.00	9.700	35.00	0.00	0.00	35.000	0.000	35.0	109.2	6.20	4,059
B-S	116 T	Square	floor over bins	0.000	10.50	10.10	9.000	0.00	0.00	9.000	0.000	9.0	85.2	5.80	811
B-S	116 M	Square	below 116T 9.0'	0.000	10.10	9.700	41.00	0.00	0.00	41.000	0.000	41.0	78.8	5.50	3,409
B-S	116B	Square	bottom of 116T & 116M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
B-S	117	Peaked	eave at sidewall	30.000	0.000	0.000	58.80	0.00	0.00	58.800	1.800	60.6	568.2	9.00	37,532
B-S	118 T	Square	floor over bins	0.000	14.00	5.200	9.000	0.00	0.00	9.000	0.000	9.0	58.5	4.80	552
B-S	118 B	Square	bottom of 118T 9.0'	0.000	14.00	5.000	37.00	0.00	0.00	37.000	0.000	37.0	56.3	4.80	2,183
B-S	119 T	Square	floor over bins	0.000	10.50	5.200	9.000	0.00	0.00	9.000	0.000	9.0	43.9	3.50	409
B-S	119 B	Square	bottom of 119T 9.0'	0.000	10.10	5.000	35.00	0.00	0.00	35.000	0.000	35.0	40.6	3.00	1,464
B-S	120	Square	dist. bin	0.000	10.50	9.600	9.000	0.00	0.00	9.000	0.000	9.0	81.0	5.50	769
B-S	121	Square	gravity floor bins	0.000	14.00	9.700	20.00	0.00	0.00	20.000	0.000	20.0	109.2	6.20	2,319
B-S	122	Square	gravity floor bins	0.000	8.600	6.900	12.00	0.00	0.00	12.000	0.000	12.0	47.7	4.00	595
B-S	123	Square	gravity floor bins	0.000	8.600	6.800	12.00	0.00	0.00	12.000	0.000	12.0	47.0	4.00	587
B-S	124	Flat	bag storage	0.000	99.00	49.20	6.500	0.00	0.00	6.500	0.000	6.5	3915.4	10.0	27,995
B-S	125	Flat	bag storage	0.000	80.00	40.00	5.200	0.00	0.00	5.200	0.000	5.2	2572.3	10.0	14,714

Bin count: 41

Facility: St. Thomas Section: B-S Total: 151,910

To Even: 152,000

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.

Page: 22

Examiner: 1

4666 Faries Parkway

Decatur, IL

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: St. Thomas

### Section: C-S

C-S	211	Flat	end grain wall 14.1' high	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	212	Flat	end grain wall 14.1' high	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	213	Flat	sidewall 14.2' end wall ht.	0.000	83.50	19.50	6.000	0.00	0.00	6.000	0.000	6.0	1308.9	10.0	8,638
C-S	214	Flat	sidewall 14.2' end wall ht.	0.000	83.50	19.50	6.000	0.00	0.00	6.000	0.000	6.0	1308.9	10.0	8,638
C-S	215	Flat	end wall 14.1' high 13.8' low	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	216	Flat	end wall 14.1' high 13.8' low	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	217	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	218	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	219	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	220	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	221	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	222	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	223	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	224	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	225	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	226	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	227	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	228	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	229	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	230	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	231	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059

Exam Date: 11/13/2012

ADM Edible Bean Specialties, Inc.  
 4666 Faries Parkway  
 Decatur, IL  
 County:

Page: 23

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: C-S

C-S	232	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	233	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	234	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	235	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	236	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	237	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	238	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059

Bin count: 28

Facility: St. Thomas Section: C-S Total: 228,242

To Even: 229,000

**Overall Licensed Bin Capacity for:**

ADM Edible Bean Specialties, Inc.

Bin count: 311

**Licensed Capacity:**  
(includes pack)

4,449,341 Bu.

**Licensed Capacity (to even):**  
(includes pack and section totals are rounded up to next highest 1000)

4,459,000 Bu.