




Please find scale calibration/service/test results from Prairie Scale Co, for Our Blaisdell, ND Terminal site. Please accept this letter as a request for a permanent Variance request for this site, Technisand Blaisdell Terminal, 6350 67th Ave NW, Blaisdell, ND 58718.



Tom Bonno
Terminal - Field Service Manager

Mobile: 281-777-0616

Fairmount Santrol – FMSA, Technisand, Santrol, Fairmount Minerals
3 Sugar Creek Center Blvd., Suite # 550, Sugar Land, TX 77478



PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: CR-100839
Scale ID: 007396

Date 03/08/2016	PSC Device Code 3V6	No. of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail			Y Variance Permit Posted; Expiration Date:	
Device Contact/Manager Bryan			<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Email Address bryan@cctransload.com			<input checked="" type="checkbox"/> Software is NTEP Approved	
Telephone Number 701-313-0218			<input checked="" type="checkbox"/> Built-In Standards; Date Certified:	
Cell Number			<input type="checkbox"/> Multiple Decks/Single Indicator	
			<input checked="" type="checkbox"/> Customer Has Clear View	
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	
			<input checked="" type="checkbox"/> Video Camera Working	
			<input checked="" type="checkbox"/> Approach Requirements Met	
			<input type="checkbox"/> View Distance > 200'	
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	
			<input checked="" type="checkbox"/> Two-Way Audio Working	
			<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection	

Scale Information - South Cardinal - 007396

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E10515-0015	Weighing Elements 12 Cell 75K- DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y _ N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 11' x 120'	Clearance (inches) 5"	Approach - 12' Concrete Level	Printer Serial No. Page Printer
SR or Discrimination Test Zero Load = NA Loaded = NA		Motion Detection Range = 3d	Hard Surface Approach (Length/Slope/Condition) 10', OK
		AZSM (Auto Zero) Range = 3d	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description: Section Test				
1	10,000 lbs			0	1	20,000 lbs			0
2	"		+20	0	2	"			0
3	"			0	3	"			0
4	"			0	4	"			0/-
5	"		-20	0	5	"			0
6	"		-40	0	6	20,000 lbs			0
7	"			0					
8	"			0		BC=0			
9	"			0					
10	"			0					
11	"			0					
12	10,000 lbs			0					
	BC=0								

Strain Load Test

Section (Increasing or Decreasing)	Increasing 4	Increasing 6	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Had recently been at location and found South Cardinal truck scale to be fluctuating weight. Tested electronics and found corner six load cell (Digital lay out) to have a -Mvolt reading direct to indicator. Returned back to location with new load cell, replaced load cell as needed. Found Mvolts to be about +15 Molts coming from corner six reading through expansion board. Removed wires from expansion board and ohmed out, found mag ohm readings between signal wires indicated wires are starting to short. Also found +15 Mvolts coming from cell six terminal on expansion board. Removed load cell from expansion board and wired directly into summing board. Tried to protect cable and ran through conduit. Terminated as needed, when testing scale, found sections to be plus about 500 lbs on sections. Found that corner 11 +sig was not making connection due to sheathing. Terminated wire as needed, found weight to be much closer. Adjusted corners as needed, found scale to work well at this time. Scale was left "non commercial" as it had been red tagged by state and Bryan did not have
Full Truck Weight	59,820	59,820	
Test Weight	20,000	20,000	
Empty Truck Weight	39,820	39,820	
Errors	0	0	
Physical Seal <input checked="" type="checkbox"/> Y _ N	Electronic Audit Trail: _ Y _ N		
Seal Date: 03/08/2016	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? _ Maintenance_ Acceptance _ Approved _ Rejected _ Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Cody Bennett	1718	Permit Number	
Permit Holder Signature	03/08/2016	Date	
Operator Signature			

Date 03/08/2016	PSC Device Code 3V7	No. of Sections 7	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail			NA Variance Permit Posted; Expiration Date:	
Telephone Number 701-313-0218			NA Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Bryan			NA Software is NTEP Approved	
Cell Number			NA Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input type="checkbox"/> Multiple Decks/Single Indicator	<input type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input type="checkbox"/> Two-Way Audio Working
			NA In response to PSC Quality Assurance Inspection	

Scale Information - North Cardinal - 007397

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E19714-0098	Weighing Elements 14 Cell 75K DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class III	Printer Manufacturer/Model Computer System
Deck Size 11' x 130'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'	Printer Serial No. Page Printer
SR or Discrimination Test Zero Load = NA Loaded = NA		Motion Detection Range = 3d	Hard Surface Approach (Length/Slope/Condition) 10' OK
			AZSM (Auto Zero) Range = 3d

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test									
1	10,000 lbs		0/+	0	14	10,000 lbs		+20	0
2	"		0/+	0		BC=0			
3	"		0/+	0		Section			
4	"		0/+	0	1	20,000 lbs		+20	0
5	"		0/+	0	2	"		+20	0
6	"		+60	0	3	"		+80	0
7	"		+20	0	4	"		+20	0
8	"		+20	0	5	"		+20	0
9	"		+20	0	6	"		+20	0
10	"		+20	0	7	20,000 lbs		+20	0
11	"		+20	0					
12	"		+20	0		BC=0			
13	"		+20	0					

Strain Load Test

Section (Increasing or Decreasing)	Increasing 4	Increasing 6	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Inspected and tested North Cardinal truck scale, found scale to be running plus on all sections. Adjusted and calibrated scale as needed. Scale was also left "Non Commercial" and will be left up to the state is scale will be "Legal For Trade".
Full Truck Weight	59,840	59,820	
Test Weight	20,000	20,000	
Empty Truck Weight	39,820	39,820	
Errors	+20	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N		
Seal Date: 03/08/2016	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance <input type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Cody Banick	1718		
Permit Holder Signature	Permit Number		
	03/08/2016		
Operator Signature	Date		



PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: RA-101929
Scale ID: 007396

Date 12/20/2016	PSC Device Code 3V6	No. of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input type="checkbox"/> Scale Indoors	
County Mountrail			Y Variance Permit Posted; Expiration Date: 10/31/2017	
Telephone Number 701-313-0218			Y Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Bryan			NA Software is NTEP Approved	
Cell Number			N Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input type="checkbox"/> Multiple Decks/Single Indicator	<input type="checkbox"/> Customer Has Clear View
			<input type="checkbox"/> Clearance Below Scale Clear	<input type="checkbox"/> Video Camera Working
			<input type="checkbox"/> Approach Requirements Met	<input type="checkbox"/> View Distance > 200'
			<input type="checkbox"/> Pit Coping and Crush Strip Good	<input type="checkbox"/> Two-Way Audio Working
Y In response to PSC Quality Assurance Inspection				

Scale Information - South Cardinal - 007396

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E10515-0015	Weighing Elements 12 Cell 75K- DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Printer Serial No. Page Printer	Deck Size 11' x 120'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'
Hard Surface Approach (Length/Slope/Condition) 10', OK	SR or Discrimination Test Zero Load = NA Loaded = NA	Motion Detection Range = 60 lbs.	AZSM (Auto Zero) Range = 60 lbs.

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description: Section Test				
1	10,000 lbs		0	0	1	20,000 lbs		0/-	0/-
2	"		0	0	2	"		0	0
3	"		0/+	0/+	3	"		0	0
4	"		0	0	4	"		0	0
5	"		0	0	5	"		0/+	0/+
6	"		0	0	6	20,000 lbs		0	0
7	"		0	0					
8	"		0	0		BC=0			
9	"		0	0					
10	"		0	0					
11	"		0	0					
12	10,000 lbs		0	0					
	BC=0								

Strain Load Test

Section (Increasing or Decreasing)	Section #3	Section #5	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Inspected scale to find material packed in approach ends. Removed material as needed. Tested to find no adjustments needing to be made at this time. Found approved variance for scale. Placed scale into service.
Full Truck Weight	59,640 lbs.	59,640 lbs.	
Test Weight	20,000 lbs.	20,000 lbs.	
Empty Truck Weight	39,640 lbs.	39,640 lbs.	
Errors	0	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		
Seal Date: 12/20/2016	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
	1640	Permit Number	
Permit Holder Signature	12/20/2016	Date	
Operator Signature			



PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: RA-101929
Scale ID: 007397

Date 12/20/2016	PSC Device Code 3V7	No. of Sections 7	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial <input checked="" type="checkbox"/> Scale Indoors
City Blaisdell	State ND	Zip Code 58718	Y Variance Permit Posted; Expiration Date: 11/01/0017	
County Mountrail			Y Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Telephone Number 701-313-0218		Cell Number	NA Software is NTEP Approved	
Device Contact/Manager Bryan			Y Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			Y In response to PSC Quality Assurance Inspection	

Scale Information - North Cardinal - 007397

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E19714-0098	Weighing Elements 14 Cell 75K DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label X Y _ N	Class III	Printer Manufacturer/Model Computer System
Deck Size 11' x 130'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'	Printer Serial No. Page Printer
SR or Discrimination Test Zero Load = NA Loaded = NA		Motion Detection Range = 60 lbs.	Hard Surface Approach (Length/Slope/Condition) 10' OK
			AZSM (Auto Zero) Range = 60 lbs.

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner					Description: Corner				
1	10,000 lbs			0	14	10,000 lbs			0/+
2	"			0		BC=0			
3	"			0/+	Section				
4	"			0	1	20,000 lbs		-20	0
5	"			0	2	"		-60	0
6	"			0	3	"		-20	0
7	"			0	4	"		0	0
8	"			0	5	"		+20	0
9	"			0	6	"		+40	0
10	"			0	7	20,000 lbs		+20	0
11	"			0					
12	"			0		BC=0			
13	"			0					

Strain Load Test

Section (Increasing or Decreasing)	Section #4	Section #6	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.
Full Truck Weight	59,640 lbs.	59,640 lbs.	
Test Weight	20,000 lbs.	20,000 lbs.	
Empty Truck Weight	39,640 lbs.	39,640 lbs.	
Errors	0	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Inspected scale to find material packed into approach ends. Removed material as needed. Tested to find minor errors on sections. Made adjustments as needed. Found scale to have a approved variance. Placed scale into service.
Seal Date: 12/20/2016	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature		1640	Permit Number
Operator Signature		12/20/2016	Date

Date 08/22/2017	PSC Device Code 3V6	No. of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail			Y Variance Permit Posted; Expiration Date: 10/31/2017	
Telephone Number 701-313-0218			<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Bryan			Y Software is NTEP Approved	
Cell Number			<input checked="" type="checkbox"/> Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection	

Scale Information - South Cardinal - 007396

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E10515-0015	Weighing Elements 12 Cell 75K- DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 11' x 120'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'	Printer Serial No. Page Printer
SR or Discrimination Test Zero Load = NA Loaded = NA		Motion Detection Range = 60 lbs.	Hard Surface Approach (Length/Slope/Condition) 10', OK
		AZSM (Auto Zero) Range = 60 lbs.	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description: Section Test				
1	10,000 lbs		-	0	1	20,000 lbs		+40	0
2	10,000 lbs		-	0	2	20,000 lbs		-20	0
3	10,000 lbs		-	0	3	20,000 lbs		-20	0
4	10,000 lbs		-	0	4	20,000 lbs		-40	0
5	10,000 lbs		-	0	5	20,000 lbs		-20	0
6	10,000 lbs		-	0	6	20,000 lbs		-20/40	0
7	10,000 lbs		-	0					
8	10,000 lbs		-	0		BC=0			
9	10,000 lbs		-	0					
10	10,000 lbs		-	0/-					
11	10,000 lbs		-	0					
12	10,000 lbs		-	0					
	BC=0								

Strain Load Test

Section (Increasing or Decreasing)	1 Increasing	4 Increasing	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Performed service and test of scale per Variance. found scale running minus. calibrated and adjusted corners and sections as needed. scale approved.
Full Truck Weight	60,460 lbs	60,460 lbs	
Test Weight	20,000 lbs	20,000 lbs	
Empty Truck Weight	40,460 lbs	40,460 lbs	
Errors	0	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Seal Date: 08/22/2017 Seal Type: Lead/Software	Electronic Audit Trail: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Audit Trail Information:		
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature		1768	Permit Number
Operator Signature		08/22/2017	Date



PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: GT-100543
Scale ID: 007397

Date 08/22/2017	PSC Device Code 3V7	No. of Sections 7	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail			Y Variance Permit Posted; Expiration Date: 10/31/2017	
Telephone Number 701-313-0218			NA Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Bryan			Y Software is NTEP Approved	
Cell Number			NA Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input type="checkbox"/> In response to PSC Quality Assurance Inspection	

Scale Information - North Cardinal - 007397

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E19714-0098	Weighing Elements 14 Cell 75K DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class III L	Printer Manufacturer/Model Computer System
Deck Size 11' x 130'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'	Printer Serial No. Page Printer
SR or Discrimination Test Zero Load = NA Loaded = NA		Motion Detection Range = 60 lbs.	Hard Surface Approach (Length/Slope/Condition) 10' OK
			AZSM (Auto Zero) Range = 60 lbs.

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test									
1	10,000 lbs		-	0	14	10,000 lbs		-	0
2	10,000 lbs		-	0		BC=0			
3	10,000 lbs		-	0	Section				
4	10,000 lbs		-	0	1	20,000 lbs		+20	0
5	10,000 lbs		-	0	2	20,000 lbs		-20	0
6	10,000 lbs		-	0	3	20,000 lbs		-20	0
7	10,000 lbs		-	0	4	20,000 lbs		-20	0
8	10,000 lbs		-	0	5	20,000 lbs		-20	0
9	10,000 lbs		-	0	6	20,000 lbs		-20/40	0
10	10,000 lbs		-	0	7	20,000 lbs		-40	0
11	10,000 lbs		-	0					
12	10,000 lbs		-	0		BC=0			
13	10,000 lbs		-	0					

Strain Load Test

Section (Increasing or Decreasing)	4 Increasing	7 Increasing	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.
Full Truck Weight	60,480 lbs	60,460 lbs	
Test Weight	20,000 lbs	20,000 lbs	
Empty Truck Weight	40,480/60 lbs	40,460 lbs	
Errors	0/-	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N		Performed service and test of scale per posted variance permit. Found scale running slightly minus. calibrated and adjusted sections and corners as needed. Wind had picked up by the time we strained scale. about a 15 mph blowing in the west door. east door was calm.
Seal Date: 08/22/2017	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature		1768	Permit Number
Operator Signature		08/22/2017	Date



PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: CR-101427
Scale ID: 007396

Date 10/24/2017	PSC Device Code 3V6	No. of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail	Telephone Number 701-313-0218		<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: 10/31/2017	
Device Contact/Manager Bryan	Cell Number		<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Email Address bryan@cctransload.com			<input checked="" type="checkbox"/> Software is NTEP Approved	
			<input checked="" type="checkbox"/> Built-In Standards; Date Certified:	
			<input type="checkbox"/> Multiple Decks/Single Indicator	<input type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection				

Scale Information - South Cardinal - 007396

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E10515-0015	Weighing Elements 12 Cell 75K-DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label X Y _ N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 11' x 120'	Clearance (inches) 5"	Printer Serial No. Page Printer	Hard Surface Approach (Length/Slope/Condition) 10', OK
SR or Discrimination Test Zero Load = NA Loaded = NA	Motion Detection Range = 60 lbs.	AZSM (Auto Zero) Range = 60 lbs.	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description: Section Test				
1	10,000 lbs		0	0	1	20,000 lbs		0	0
2	10,000 lbs		0	0	2	20,000 lbs		0	0
3	10,000 lbs		0	0	3	20,000 lbs		0	0
4	10,000 lbs		0/+	0/+	4	20,000 lbs		0/+	0/+
5	10,000 lbs		0	0	5	20,000 lbs		0	0
6	10,000 lbs		0	0	6	20,000 lbs		0	0
7	10,000 lbs		0	0					
8	10,000 lbs		0	0		BC=0			
9	10,000 lbs		0	0					
10	10,000 lbs		0	0					
11	10,000 lbs		0	0					
12	10,000 lbs		0	0					
	BC=0								

Strain Load Test

Section (Increasing or Decreasing)	Increasing One	Increasing Four	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Performed quarterly inspection and test on Cardinal truck scale. Tested scale and found no adjustments needed at this time. State inspector had tested scale earlier this month.
Full Truck Weight	60,520	60,540	
Test Weight	20,000	20,000	
Empty Truck Weight	40,520	40,520/540	
Errors	0	0/+	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N	Audit Trail Information:		
Seal Date: 10/24/2017	Seal Type: Lead		
Meets tolerances in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Cody Bennett		1718	
Permit Holder Signature		Permit Number	
Operator Signature		10/24/2017	
		Date	

PRAIRIE SCALE SYSTEMS, INC.
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

Invoice: CR-101427
Scale ID: 007397

Date 10/24/2017	PSC Device Code 3V7	No. of Sections 7	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business C & C Transload, LLC			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 404 N Street Suite 306 Rock Springs WY 82901			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
Device Location Blaisdell-Fairmount Minerals 6350 67th Ave NW			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City Blaisdell	State ND	Zip Code 58718	<input checked="" type="checkbox"/> Scale Indoors	
County Mountrail			Y Variance Permit Posted; Expiration Date: 10/31/2017	
Telephone Number 701-313-0218			NA Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Bryan			NA Software is NTEP Approved	
Cell Number			NA Built-In Standards; Date Certified:	
Email Address bryan@cctransload.com			<input type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	NA View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	NA Two-Way Audio Working
NA In response to PSC Quality Assurance Inspection				

Scale Information - North Cardinal - 007397

Scale Manufacturer Cardinal EPR	Indicator Manufacturer/Model Cardinal 225	Indicator Serial No. E19714-0098	Weighing Elements 14 Cell 75K DB-75000S
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label X Y _ N	Class III	Printer Manufacturer/Model Page Printer
Deck Size 11' x 130'	Clearance (inches) 5"	Approach - 12' Concrete Level 10'	Hard Surface Approach (Length/Slope/Condition) 10' OK
SR or Discrimination Test Zero Load = NA Loaded = NA	Motion Detection Range = 60 lbs.	AZSM (Auto Zero) Range = 60 lbs.	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description:				
1	10,000 lbs		0	0	14	10,000 lbs		0	0
2	10,000 lbs		+20	0	0	BC=0			
3	10,000 lbs		+20	0	Section				
4	10,000 lbs		+20	0	1	20,000 lbs		-20	0
5	10,000 lbs		0	0	2	20,000 lbs		+20	0
6	10,000 lbs		0/+	0/+	3	20,000 lbs		+40	0
7	10,000 lbs		0	0	4	20,000 lbs		+20	0
8	10,000 lbs		0	0	5	20,000 lbs		0/+	0/+
9	10,000 lbs		0	0	6	20,000 lbs		0	0
10	10,000 lbs		0/+	0/+	7	20,000 lbs		0	0
11	10,000 lbs		+20	0					
12	10,000 lbs		+20	0		BC=0			
13	10,000 lbs		0	0					

Strain Load Test

Section (Increasing or Decreasing)	Increasing Five	Increasing Seven	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Found material build up on approach ends, cleaned out as needed. Tested scale and made adjustments as needed.
Full Truck Weight	60,520	60,520	
Test Weight	20,000	20,000	
Empty Truck Weight	40,520	40,420	
Errors	0	0	
Physical Seal _ Y _ N Electronic Audit Trail: _ Y _ N	Seal Date: 10/24/2017 Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? _ Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved _ Rejected _ Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature		1718	Permit Number
Operator Signature		10/24/2017	Date