

Date 03.21.2017	PSC Device Code 3V4	No. of Sections 4	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business ENVIRONMENTAL MATERIAL			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 357 102x AVE			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City KILLDEER	State ND	Zip Code 58640	<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
County DUNN	Telephone Number 406-672-0251		Y Variance Permit Posted; Expiration Date: 10.31.2017	
Device Contact/Manager CORE HOLT	Cell Number 406-672-0251		Y Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
Email Address KDISPATCH@EMI-ASH.COM			NA Software is NTEP Approved	
Device Location 357 102x AVE KILLDEER, ND 58640 MAIN TRUCK			NA Built-In Standards; Date Certified:	
			<input type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input type="checkbox"/> Video Camera Working
			<input type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input type="checkbox"/> Two-Way Audio Working
			NA In Response to PSC Quality Assurance Inspection	

Scale Information SCALE			
Scale Manufacturer AVERY WEIGH TRONIX	Indicator Manufacturer/Model AVERY WEIGH TRONIX	Indicator Serial No. 1412 151661	Weighing Elements
Capacity/Divisions/Units 120,000LB X20LB	Legible Label Y	Class III L	Printer Manufacturer/Model EPSON TM-U2
Deck Size 70'	Clearance (inches) VARIANCE POSTED 7"	Approach - 12' Concrete Level	Printer Serial No. J9 KF 09 1964
SR or Discrimination Test Zero Load = _____ lb. Loaded = _____ lb.	Motion Detection Range = 60 lb.	Hard Surface Approach (Length/Slope/Condition) 10' FLAT / GOOD CONDITION	
		AZSM (Auto Zero) Range = 60 lb.	

LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
7	0	0	0	2	0	0	0
C1	10,500	10,500	10,500	S1	20,500	20,500	20,500
2	"	10,500	10,500	2	"	"	"
3	"	10,500	10,500	3	"	"	"
4	"	10,500	10,500	4	"	"	"
5	"	-20	-20	BC	0	0	0
6	"	10,500	10,500				
7	"	-20	-20				
8	"	+20	+20				
BC	0	0	0				

Strain Load Test		Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. <input checked="" type="checkbox"/> VARIANCE FOR CLEARANCE APPROACH/EXIT RAMP POSTED <input type="checkbox"/> ELECTRONICALLY ADDED SCALE <input type="checkbox"/> ALL SCALE EQUIPMENT IN GOOD ORDER <input checked="" type="checkbox"/> SLIGHT WIND <input type="checkbox"/> MOST STABLE WEIGHT RECORDED
Section (Increasing or Decreasing)	170 4/I	
Full Truck Weight	50,000 50,000	
Test Weight	20,500 20,500	
Empty Truck Weight	29,500 29,500	
Errors	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Seal Date: 03.21.2017 Seal Type: SEAL/STICKER	Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N Audit Trail Information:	
Meets tolerances in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance		
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied		
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.		
Permit Holder Signature 	Permit No. 1724	
Operator Signature	Date	