

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co  
 PO Box 68  
 Clifford, ND  
 County:  
 Phone: 701-488-2513  
 CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
301	A	2,653
302	A	2,653
303	A	130,447
304	A	130,447
305	A	403,106
		<b>Total:</b> 669,306

**PART B - SPACE TO BE DELETED UNDER LICENSE**

014	C	3,179
		<b>Total:</b> 3,179

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	1,300,000
A-1	269,000
A-2	6,803,000
B-1	73,000
C	245,000
C-1	109,000
D-1	131,000
F	837,000
<b>Total:</b> 9,767,000	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Casselton 2000	A-2	6,803,000
Clifford 1	A C F	2,382,000
Hope 1075	A-1 B-1 C-1 D-1	582,000
		<b>Total:</b> 9,767,000

Exam Date:10/09/2013

Clifford Farmers Cooperative Elevator Co  
 PO Box 68  
 Clifford , ND  
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Casselton

### Section: A-2

A-2	1101	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	1102	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2001	Peaked	Eave of Bin		72.000	0.000	0.000	67.50	0.00	0.00	67.500	5.000	72.5	3272.9	10.0	261,014
A-2	2002	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2003	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2004	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2005	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2006	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2007	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2008	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2009	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2010	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155
A-2	2011	Peaked	Eave of Bin		105.00	0.000	0.000	63.75	0.00	0.00	63.750	7.400	71.2	6960.6	10.0	545,155

Bin count: 13

Facility: Casselton Section: A-2 Total: **6,802,874**

To Even: **6,803,000**

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co  
PO Box 68  
Clifford, ND  
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Clifford

### Section: A

A	002	Square	work floor		0.000	7.400	3.600	49.00	0.00	0.00	49.000	0.000	49.0	21.4	2.00	1,070
A	004	Square	work floor		0.000	11.00	3.600	20.50	0.00	0.00	20.500	0.000	20.5	31.8	2.50	668
A	005 T	Square	work floor		0.000	11.00	7.300	21.00	0.00	0.00	21.000	0.000	21.0	64.5	5.00	1,423
A	005 B	Square	work floor - top 21'		0.000	11.00	11.20	48.50	0.00	0.00	48.500	0.000	48.5	99.0	6.00	5,090
A	006	Square	work floor		0.000	13.70	11.20	66.50	0.00	0.00	66.500	0.000	66.5	123.3	6.50	8,732
A	007	Square	work floor		0.000	7.000	5.700	51.50	0.00	0.00	51.500	0.000	51.5	32.1	2.50	1,694
A	008	Square	work floor		0.000	12.40	3.500	50.50	0.00	0.00	50.500	0.000	50.5	34.9	3.00	1,815
A	009	Square	work floor		0.000	13.70	12.40	47.50	0.00	0.00	47.500	0.000	47.5	136.6	6.50	6,911
A	010	Square	work floor		0.000	7.000	5.700	51.50	0.00	0.00	51.500	0.000	51.5	32.1	2.50	1,694
A	011	Square	work floor		0.000	13.70	11.40	66.50	0.00	0.00	66.500	0.000	66.5	125.5	6.50	8,888
A	012	Square	work floor		0.000	11.40	11.00	69.50	0.00	0.00	69.500	0.000	69.5	100.8	6.00	7,426
A	013	Square	work floor		0.000	11.40	7.400	51.50	0.00	0.00	51.500	0.000	51.5	67.8	5.20	3,674
A	014 T	Square	work floor		0.000	7.400	5.500	15.00	0.00	0.00	15.000	0.000	15.0	32.7	2.50	503
A	014 B	Square	work floor - top 15'		0.000	11.40	7.400	36.50	0.00	0.00	36.500	0.000	36.5	67.8	5.20	2,604
A	016	Square	work floor		0.000	11.40	11.00	69.50	0.00	0.00	69.500	0.000	69.5	100.8	6.00	7,426
A	017	Square	work floor		0.000	12.40	7.400	51.50	0.00	0.00	51.500	0.000	51.5	73.8	5.50	4,010
A	018 T	Square	work floor		0.000	13.50	11.40	62.50	0.00	0.00	62.500	0.000	62.5	123.7	6.50	8,234
A	018 M	Square	work floor - top 62.5		0.000	13.50	12.20	3.000	0.00	0.00	3.000	0.000	3.0	132.4	6.50	423
A	018B	Square	work floor - top & middle		0.000	14.00	13.50	2.000	0.00	0.00	2.000	0.000	2.0	151.9	6.80	325
A	019	Square	work floor		0.000	12.40	11.00	48.50	0.00	0.00	48.500	0.000	48.5	109.6	6.20	5,646
A	020 T	Square	work floor		0.000	13.50	12.40	62.50	0.00	0.00	62.500	0.000	62.5	134.6	6.50	8,960

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co

Page: 3

Examiner: 1

PO Box 68  
Clifford, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Clifford

### Section: A

	A	020 M	Square	work floor - top 62.5'	0.000	13.50	9.000	3.000	0.00	0.00	3.000	0.000	3.0	97.7	6.00	311
	A	020B	Square	work floor - top & middle	0.000	13.50	6.200	2.500	0.00	0.00	2.500	0.000	2.5	67.3	5.20	177
	A	022 T	Square	work floor	0.000	13.50	11.20	62.50	0.00	0.00	62.500	0.000	62.5	121.5	6.50	8,088
	A	022 M	Square	work floor - top 62.5'	0.000	13.50	12.20	3.000	0.00	0.00	3.000	0.000	3.0	132.4	6.50	423
	A	022B	Square	work floor - top & middle	0.000	14.00	13.50	2.000	0.00	0.00	2.000	0.000	2.0	151.9	6.80	325
	A	023	Square	work floor	0.000	11.20	11.00	69.50	0.00	0.00	69.500	0.000	69.5	99.0	6.00	7,294
	A	024	Square	work floor	0.000	7.400	3.600	49.00	0.00	0.00	49.000	0.000	49.0	21.4	2.00	1,070
	A	025	Square	work floor	0.000	12.40	7.400	51.50	0.00	0.00	51.500	0.000	51.5	73.8	5.50	4,010
	A	101	Peaked	top of sidewall	30.000	0.000	0.000	25.80	0.00	0.00	25.800	1.800	27.6	568.2	9.00	17,093
	A	102	Peaked	top of sidewall	30.000	0.000	0.000	25.80	0.00	0.00	25.800	1.800	27.6	568.2	9.00	17,093
	A	103	Peaked	top of sidewall	36.000	0.000	0.000	25.80	0.00	0.00	25.800	2.200	28.0	818.2	10.0	25,201
	A	104	Peaked	top of sidewall	36.000	0.000	0.000	25.80	0.00	0.00	25.800	2.200	28.0	818.2	10.0	25,201
	A	105	Peaked	top of sidewall	36.000	0.000	0.000	25.80	0.00	0.00	25.800	2.200	28.0	818.2	10.0	25,201
	A	106	Peaked	top of sidewall	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
	A	107	Peaked	top of sidewall	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
	A	201	Peaked	top of sidewall	36.000	0.000	0.000	58.70	0.00	0.00	58.700	2.200	60.9	818.2	10.0	54,811
	A	202	Peaked	top of sidewall	36.000	0.000	0.000	58.70	0.00	0.00	58.700	2.200	60.9	818.2	10.0	54,811
	A	203	Peaked	top of sidewall	36.000	0.000	0.000	58.70	0.00	0.00	58.700	2.200	60.9	818.2	10.0	54,811
	A	204	Peaked	top of sidewall	36.000	0.000	0.000	58.70	0.00	0.00	58.700	2.200	60.9	818.2	10.0	54,811
	A	205	Peaked	top of sidewall	36.000	0.000	0.000	58.70	0.00	0.00	58.700	2.200	60.9	818.2	10.0	54,811
Added	A	301	Square	top of sidewall	0.000	17.00	8.500	18.00	3.50	0.00	21.500	0.000	21.5	116.2	6.20	2,653

Client ID: 142

## NDPSC Bin Capacity Chart

10/09/2013 10:39:48 AM

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co

Page: 4

Examiner: 1

PO Box 68  
Clifford, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Clifford****Section: A**

Added	A	302	Square	top of sidewall	0.000	17.00	8.500	18.00	3.50	0.00	21.500	0.000	21.5	116.2	6.20	2,653
Added	A	303	Peaked	top of sidewall	47.600	0.000	0.000	80.00	0.00	0.00	80.000	2.900	82.9	1430.5	10.0	130,447
Added	A	304	Peaked	top of sidewall	47.600	0.000	0.000	80.00	0.00	0.00	80.000	2.900	82.9	1430.5	10.0	130,447
Added	A	305	Peaked	top of sidewall	89.600	0.000	0.000	66.00	0.00	0.00	66.000	6.300	72.3	5068.6	10.0	403,106
	A	306	Peaked	top of sidewall	36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880

Bin count: 47

Facility: Clifford Section: A Total: **1,299,428**To Even: **1,300,000****Section: C**

C	001	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
C	002	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
C	003	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
C	004	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
C	005	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
C	006	Peaked	top of sidewall	24.000	0.000	0.000	24.00	0.00	0.00	24.000	1.400	25.4	363.7	7.80	9,959
C	007	Peaked	top of sidewall	24.000	0.000	0.000	22.00	0.00	0.00	22.000	1.400	23.4	363.7	7.80	9,175
C	008	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
C	009	Peaked	top of sidewall	42.000	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1113.7	10.0	30,015
C	010	Peaked	top of sidewall	42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
C	011	Peaked	top of sidewall	36.000	0.000	0.000	21.00	0.00	0.00	21.000	2.200	23.2	818.2	10.0	20,880

Client ID: 142

## NDPSC Bin Capacity Chart

10/09/2013 10:39:48 AM

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co  
PO Box 68  
Clifford, ND  
County:

Page: 5

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Clifford

### Section: C

C	015	Peaked	top of sidewall	18.000	0.000	0.000	22.00	2.50	0.00	24.500	1.100	25.6	204.6	6.00	5,552
---	-----	--------	-----------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

Bin count: 12

**Facility: Clifford Section: C Total: 244,755**

To Even: 245,000

### Section: F

F	101 bunker	Peaked	bunker	225.00	0.000	0.000	8.000	0.00	0.00	8.000	15.80	23.8	31962.0	10.0	836,766
---	------------	--------	--------	--------	-------	-------	-------	------	------	-------	-------	------	---------	------	---------

Bin count: 1

**Facility: Clifford Section: F Total: 836,766**

To Even: 837,000

## NDPSC Bin Capacity Chart

Exam Date:10/09/2013

Clifford Farmers Cooperative Elevator Co

Page: 6

Examiner: 1

PO Box 68  
Clifford , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

**Facility: Hope****Section: A-1**

A-1	001	Square	floor over bins	0.000	6.900	4.000	41.00	0.00	0.00	41.000	0.000	41.0	22.2	2.00	928
A-1	002	Square	floor over bins	0.000	7.700	6.900	37.00	0.00	0.00	37.000	0.000	37.0	42.7	3.50	1,635
A-1	003	Square	floor over bins	0.000	9.500	4.000	10.00	0.00	0.00	10.000	0.000	10.0	30.5	2.50	313
A-1	005 T	Square	floor over bins	0.000	9.500	6.500	10.00	0.00	0.00	10.000	0.000	10.0	49.6	4.20	517
A-1	005 B	Square	floor over bins top 10'	0.000	11.20	9.500	44.00	0.00	0.00	44.000	0.000	44.0	85.5	5.80	3,980
A-1	006	Square	floor over bins	0.000	11.20	7.700	53.50	0.00	0.00	53.500	0.000	53.5	69.3	5.20	3,901
A-1	009	Square	floor over bins	0.000	11.20	7.700	53.50	0.00	0.00	53.500	0.000	53.5	69.3	5.20	3,901
A-1	010	Square	floor over bins	0.000	11.20	9.500	54.00	0.00	0.00	54.000	0.000	54.0	85.5	5.80	4,885
A-1	011	Square	floor over bins	0.000	7.700	6.900	37.00	0.00	0.00	37.000	0.000	37.0	42.7	3.50	1,635
A-1	012	Square	floor over bins	0.000	9.500	6.900	37.00	0.00	0.00	37.000	0.000	37.0	52.7	4.50	2,038
A-1	013	Square	floor over bins	0.000	9.500	6.900	37.00	0.00	0.00	37.000	0.000	37.0	52.7	4.50	2,038
A-1	014 T	Square	floor over bins	0.000	7.700	6.900	9.000	0.00	0.00	9.000	0.000	9.0	42.7	3.50	397
A-1	014 B	Square	floor over bins top 9'	0.000	7.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	42.7	3.50	1,238
A-1	015	Square	floor over bins	0.000	11.20	9.500	53.00	0.00	0.00	53.000	0.000	53.0	85.5	5.80	4,795
A-1	016	Square	floor over bins	0.000	11.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	69.3	5.20	3,937
A-1	018	Square	floor over bins	0.000	11.20	7.700	54.00	0.00	0.00	54.000	0.000	54.0	69.3	5.20	3,937
A-1	019	Square	floor over bins	0.000	11.20	9.500	54.00	0.00	0.00	54.000	0.000	54.0	85.5	5.80	4,885
A-1	020	Square	floor over bins	0.000	5.300	3.000	41.00	0.00	0.00	41.000	0.000	41.0	12.8	2.00	536
A-1	022	Square	floor over bins	0.000	6.900	4.000	41.00	0.00	0.00	41.000	0.000	41.0	22.2	2.00	928
A-1	023 T	Square	floor over bins	0.000	7.700	6.900	9.000	0.00	0.00	9.000	0.000	9.0	42.7	3.50	397
A-1	023 B	Square	floor over bins top 9'	0.000	7.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	42.7	3.50	1,238

Client ID: 142

**NDPSC Bin Capacity Chart**

10/09/2013 10:39:48 AM

Exam Date:10/09/2013

Clifford Farmers Cooperative Elevator Co

Page: 7

Examiner: 1

PO Box 68  
Clifford , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

**Facility: Hope****Section: A-1**

A-1	201	Peaked	top of sidewall	42.000	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1113.7	10.0	74,974
A-1	202	Peaked	top of sidewall	33.000	0.000	0.000	55.00	0.00	0.00	55.000	2.000	57.0	687.5	9.50	42,911
A-1	203	Peaked	top of sidewall	36.000	0.000	0.000	55.00	0.00	0.00	55.000	2.200	57.2	818.2	10.0	51,481
A-1	204	Peaked	top of sidewall	33.000	0.000	0.000	66.00	0.00	0.00	66.000	2.000	68.0	687.5	9.50	51,191
<b>Bin count: 25</b>													<b>Facility: Hope Section: A-1 Total: 268,616</b>		
													<b>To Even: 269,000</b>		

**Section: B-1**

B-1	101	Flat	grain wall ht. 9.2' btm cntr	0.000	148.0	48.00	11.60	0.00	0.00	11.600	0.000	11.6	5710.6	10.0	72,867
<b>Bin count: 1</b>													<b>Facility: Hope Section: B-1 Total: 72,867</b>		
													<b>To Even: 73,000</b>		

**Section: C-1**

C-1	001	Peaked	top of sidewall	18.000	0.000	0.000	18.70	2.30	0.00	21.000	1.100	22.1	204.6	6.00	4,793
C-1	002	Peaked	top of sidewall	18.000	0.000	0.000	18.70	2.30	0.00	21.000	1.100	22.1	204.6	6.00	4,793
C-1	003	Peaked	top of sidewall	18.000	0.000	0.000	18.70	2.30	0.00	21.000	1.100	22.1	204.6	6.00	4,793
C-1	004	Peaked	top of sidewall	18.000	0.000	0.000	18.70	2.30	0.00	21.000	1.100	22.1	204.6	6.00	4,793
C-1	101	Peaked	top of sidewall	41.800	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1103.1	10.0	29,729
C-1	102	Peaked	top of sidewall	41.800	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1103.1	10.0	29,729
C-1	103	Peaked	top of sidewall	41.800	0.000	0.000	22.00	0.00	0.00	22.000	2.500	24.5	1103.1	10.0	29,729



Client ID: 142

## NDPSC Bin Capacity Chart

10/09/2013 10:39:48 AM

Exam Date: 10/09/2013

Clifford Farmers Cooperative Elevator Co  
PO Box 68  
Clifford, ND  
County:

Page: 8

Examiner: 1


Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
Bin count:		7												<b>Facility: Hope Section: C-1 Total:</b>	<b>108,359</b>
														To Even:	<b>109,000</b>

### Section: D-1

D-1	001	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
D-1	002	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
D-1	003	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
D-1	004	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
D-1	006	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
D-1	008	Peaked	top of sidewall	36.000	0.000	0.000	22.00	0.00	0.00	22.000	2.200	24.2	818.2	10.0	21,780
Bin count:		6												<b>Facility: Hope Section: D-1 Total:</b>	<b>130,680</b>
														To Even:	<b>131,000</b>


<p><b><u>Overall Licensed Bin Capacity for:</u></b> Clifford Farmers Cooperative Elevator Co  Bin count: 112</p>	<p><b>Licensed Capacity:</b> (includes pack) <span style="float: right;"><b>9,764,345 Bu.</b></span></p> <hr style="width: 80%; margin-left: auto; margin-right: 0;"/> <p><b>Licensed Capacity (to even):</b> (includes pack and section totals are rounded up to next highest 1000) <span style="float: right;"><b>9,767,000 Bu.</b></span></p> <hr style="width: 80%; margin-left: auto; margin-right: 0;"/>
--	--

CLIFFORD FARMERS CO-OP ELEV. CO.  
 CLIFFORD N.D.  
 SECTION A





SECTION A


BNSE RAIL




SECTION A




driveway & scale





Driveway & Scale




XX  
XX



SECTION A



Bunker- Section F 101  
 225' Diameter - 8.0' sidewall



BNSF RAIL

