



# CAPITAL SCALE

Box 2021  
Bismarck, North Dakota 58502-2021  
(701) 255-1556

Invoice Number

Operator No.	Date 10/28/13	Date Last Tested (P&S Only)	Check All That Apply	
Name of Business Brenntag			<input type="checkbox"/> Self-Certification <input checked="" type="checkbox"/> <del>Non-Commercial</del> <input type="checkbox"/> Equipment Repair <input type="checkbox"/> New Installation <input checked="" type="checkbox"/> Routine Service <input type="checkbox"/> Annual <input checked="" type="checkbox"/> Semi-Annual <input type="checkbox"/> Rejected Equipment Tag # (Attach) _____ <input type="checkbox"/> Service Contract? Expires _____	
Location of Device				
Mailing Address				
City Dickinson	State ND	Zip Code	Variance Posted <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Date of Variance 5-14-13 ~ 10-31-13
County	Telephone Number	PSC Device Code 3V5	Quantity (of like devices) only	

Make(s) Toledo	Regulating Element(s) IND 560	Serial Number(s) B21381865B	Lever System FLC (10)
No. of Sections 5	<input type="checkbox"/> Monorail/Track <input type="checkbox"/> MTD <input type="checkbox"/> Hopper <input type="checkbox"/> Livestock <input type="checkbox"/> Platform <input type="checkbox"/> Axle Load <input type="checkbox"/> Aux. Beam <input checked="" type="checkbox"/> MT <input type="checkbox"/> Hanging <input type="checkbox"/> Counter Scale <input type="checkbox"/> Dormant/Deck <input type="checkbox"/> Other	Multiple	Pit Depth 3'
Capacity & Min. Grad. 200,000 x 20#	Class III	Size of Platform 80'	Approaches (Length/Condition) OK - NC specs
Printer Model TM-4295	Printer Serial Number J9K5092604	Wind 5-15	Temperature 50
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = _____ lb. LOADED = _____ lb.		Motion Detection Range = 600 lb.	AZSM (auto zero) Range = 60 lb.

Device/ Load Position	Amount of Test Equipment Used	Actual Readings		Device/ Load Position	Amount of Test Equipment Used	Actual Readings	
		As Found	As Left			As Found	As Left
Sect 1	20000 #		0	TRUCK 1	48260		20 #
2			0	5			
3			0				
4			0				
5			-20	5			
BC	0		0	BC	0		0
LBP 1	10000 #		0	LBP 6	10000 #		0
2			0	7			0
3			0	8			0
4			0	9			0
5			0	10			0
				BC	0		0

STRAIN LOAD TEST	Section # 4	Section #	Section #	Section #
Empty Truck Weight	28260			
Total Test Weight Added	20000			
Truck Plus Weights	48260			
Error on Added Test Weights	0			

I hereby declare the statements made here are correct:

### REMARKS & ADJUSTMENTS MADE

Are there any other jurisdictional devices at this location that require testing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No adjustments made.
HAS SECURITY SEAL AND STICKER BEEN APPLIED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected Service Agency (Print) Capital Scale	
Inspector/Permit Holder Signature 	
Permit No. 1670	7 WM-13-316 Filed: 10/28/2013 Pages: 1 Test report
Owner - Operator Signature 	