



# CAPITAL SCALE

PO BOX 2021 · Bismarck, ND 58502-2021  
Phone: 701-255-1556

Date: <u>8/5/14</u>	PSC Device Code: <u>3V5</u>	No. of Sections: _____	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business: <u>Brenntag Pacific</u>			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address: <u>2752 E Villard St.</u>			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
City: <u>Dickinson</u> State: <u>ND</u> Zip Code: <u>58601</u>			<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
County: <u>Stark</u> Telephone Number: <u>225-8760</u>			<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: _____	
Device Contact/Manager: <u>Mark / Jeff</u> Cell Number: _____			<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
Email Address: _____			<input checked="" type="checkbox"/> Software is NTEP Approved	
Device Location: <u>Dickinson</u>			<input checked="" type="checkbox"/> Built-In Standards; Date Certified: _____	
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In Response to PSC Quality Assurance Inspection	

### Scale Information

Scale Manufacturer: <u>Toledo</u>	Indicator Manufacturer/Model: <u>Toledo IWS60</u>	Indicator Serial No.: <u>U213818658</u>	Weighing Elements: <u>Digital</u>
Capacity/Divisions/Units: <u>200000x 20 1bs</u>	Legible Label: <u>X</u> Y <u>N</u> Class: <u>III</u>	Printer Manufacturer/Model: <u>TM 295</u>	Printer Serial No.: <u>79KF092604</u>
Deck Size: <u>10' X 80'</u>	Clearance (inches): <u>48"</u>	Approach - 12' Concrete Level: <u>Yes</u>	Hard Surface Approach (Length/Slope/Condition): <u>OR</u>
SR or Discrimination Test: <u>NTD</u>	Zero Load = <u>NA</u> lb. Loaded = <u>NA</u> lb.	Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

### Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
<u>BL</u>	<u>0</u>		<u>0</u>	<u>BL</u>	<u>0</u>		<u>0</u>
<u>TRUCK 1</u>	<u>48440</u>		<u>20 1bs</u>	<u>LSP 1</u>	<u>10000 1bs</u>		
<u>2</u>				<u>2</u>			
<u>3</u>				<u>3</u>			
<u>4</u>				<u>4</u>			
<u>5</u>				<u>5</u>			
<u>TRUCK</u>	<u>0</u>		<u>0</u>	<u>6</u>			
<u>2</u>				<u>7</u>			
<u>3</u>				<u>8</u>			
<u>4</u>				<u>9</u>			
<u>5</u>				<u>10</u>			

### Strain Load Test

Section (Increasing or Decreasing): <u>2 D 3 I</u>	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.
Full Truck Weight: <u>48460</u> <u>48440</u>	<u>70° 5-15 mph</u> <u>Outside</u>
Test Weight: <u>20000</u> <u>20000</u>	
Empty Truck Weight: <u>28460</u> <u>28440</u>	
Errors: <u>0</u> <u>0</u>	
Physical Seal: <u>X</u> Y <u>N</u> Seal Date: <u>2013</u> Seal Type: <u>Lead</u>	
Electronic Audit Trail: <u>Y</u> <u>X</u> N Audit Trail Information: _____	
Meets tolerances in PSC adopted NIST Handbook 44? <u>X</u> Maintenance <u>X</u> Acceptance	
<u>X</u> Approved <u>___</u> Rejected <u>___</u> Taken out of Service <u>X</u> Sticker Applied	
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.	

Jeff 1540  
 Permit Holder Signature Permit No.  
Jeff 8-4-14  
 Operator Signature Date

10

WM-13-316  
Test report

Filed: 8/5/2014

Pages: 3

**Bauske, Shelly A.**

---

**From:** Jeff Thompson/Pacific/Brenntag <JAThompson@brenntag.com>  
**Sent:** Monday, September 15, 2014 2:47 PM  
**To:** Bauske, Shelly A.  
**Subject:** Variance posting at brenntag  
**Attachments:** photo.JPG; ATT00001.txt

As we discussed on the phone the variance is posted on the front counter right next to the sign in sheet. It is the opposite side of the indoor read out. Thanks for your help.

PUBLIC SERVICE COMMISSION  
STATE OF NORTH DAKOTA  
EXTENDED TEMPORARY VARIANCE PERMIT

EXPIRES: Midnight on October 31, 2014

**Issued To:**  
Brenntag Pacific, Inc.  
2152 East Viland  
Dickinson ND 58501

**Scale Location:**  
Brenntag Pacific, Inc.  
2152 East Viland  
Dickinson ND 58501

**Scale Information:**  
Tolado Truck Scale, 10' x 30', 3 bays, 200,000 lb., Scale Number 0213718000

This temporary variance permit allows the above referenced truck scale to be operated at the above referenced location with the following deviation from North Dakota Weights and Measures rules:

- 1) Greater slope than allowed (1/3" per foot) for a scale approach.

This temporary variance permit must be posted near the scale in a place conspicuous to the public and is dependent upon Brenntag Pacific, Inc. adhering to the conditions presented to them under separate cover.

Dated October 28, 2013



Patrick Fahn, Director  
Compliance and Competitive Markets Division