

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 1

Examiner: 2

PO Box 145  
 Arthur , ND  
 County:  
 Phone: 701-967-8312  
 CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
<NO BINS ADDED>		
		<b>Total: 0</b>

<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
<NO BINS DELETED>		
		<b>Total: 0</b>

<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
A		357,000
A-1		203,000
B		531,000
C		497,000
D		3,966,000
H		104,000
I		124,000
J		300,000
K		182,000
L		540,000
M		100,000
N		18,000
P		509,000
Q		3,212,000
R		848,000
S		462,000
T		250,000
W		497,000
XT1		2,235,000
		<b>Total: 14,935,000</b>

<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Anamoose 1077	K L M	822,000
Arthur 328	A B C P	1,894,000
Ayr 331	N Q XT1	5,465,000
Buffalo 459	S T	712,000
Harvey 332	A-1 D H I J	4,697,000
Page 1157	R W	1,345,000
		<b>Total: 14,935,000</b>

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 1

Examiner: 2

PO Box 145  
Arthur, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Anamoose

### Section: K

K	001 T		Irregular	top of sidewall	14.100	4.188	4.188	21.00	0.00	0.00	21.000	0.000	21.0	14.1	2.00	302
K	001 B		Irregular	top of sidewall	29.300	6.037	6.037	23.00	0.00	0.00	23.000	0.000	23.0	29.3	2.50	691
K	002		Irregular	top of sidewall	14.100	4.188	4.188	22.00	0.00	0.00	22.000	0.000	22.0	14.1	2.00	316
K	003		Irregular	top of sidewall	99.500	11.13	11.13	64.00	0.00	0.00	64.000	0.000	64.0	99.5	6.00	6,750
K	005		Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K	006		Irregular	top of sidewall	50.700	7.942	7.942	43.00	0.00	0.00	43.000	0.000	43.0	50.7	4.50	2,278
K	007		Irregular	top of sidewall	50.700	7.942	7.942	43.00	0.00	0.00	43.000	0.000	43.0	50.7	4.50	2,278
K	008		Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K	009		Irregular	top of sidewall	99.500	11.13	11.13	64.00	0.00	0.00	64.000	0.000	64.0	99.5	6.00	6,750
K	010		Irregular	top of sidewall	52.700	8.097	8.097	43.00	0.00	0.00	43.000	0.000	43.0	52.7	4.50	2,368
K	013		Irregular	top of sidewall	52.700	8.097	8.097	43.00	0.00	0.00	43.000	0.000	43.0	52.7	4.50	2,368
K	014		Irregular	top of sidewall	98.600	11.08	11.08	64.00	0.00	0.00	64.000	0.000	64.0	98.6	6.00	6,689
K	015		Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K	017 T		Irregular	top of sidewall	51.300	7.989	7.989	44.00	0.00	0.00	44.000	0.000	44.0	51.3	4.50	2,359
K	017 B		Irregular	top of sidewall	104.30	11.39	11.39	20.00	0.00	0.00	20.000	0.000	20.0	104.3	6.00	2,211
K	018		Irregular	top of sidewall	51.300	7.989	7.989	44.00	0.00	0.00	44.000	0.000	44.0	51.3	4.50	2,359
K	019		Irregular	top of sidewall	26.800	5.774	5.774	44.00	0.00	0.00	44.000	0.000	44.0	26.8	2.50	1,208
K	020		Irregular	top of sidewall	98.600	11.08	11.08	64.00	0.00	0.00	64.000	0.000	64.0	98.6	6.00	6,689
K	021		Irregular	top of sidewall	17.000	4.599	4.599	44.00	0.00	0.00	44.000	0.000	44.0	17.0	2.00	763
K	201		Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
K	202		Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 2

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Anamoose

### Section: K

K	301	Peaked	top of sidewall		30.000	30.00	0.000	59.00	0.00	0.00	59.000	1.800	60.8	568.2	9.00	37,656
K	302	Peaked	top of sidewall		36.000	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	818.2	10.0	55,081
K	303	Peaked	top of sidewall		30.000	0.000	0.000	48.00	0.00	0.00	48.000	1.800	49.8	568.2	9.00	30,843

Bin count: 24

Facility: Anamoose Section: K Total: **181,449**To Even: **182,000**

### Section: L

L	001	Peaked	top of sidewall		35.900	35.90	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	002	Peaked	top of sidewall		35.900	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	003	Peaked	top of sidewall		35.900	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	004	Peaked	top of sidewall		35.900	0.000	0.000	59.00	0.00	0.00	59.000	2.200	61.2	813.7	10.0	54,778
L	005	Peaked	top of sidewall		71.800	71.80	0.000	58.90	0.00	0.00	58.900	5.000	63.9	3254.8	10.0	228,780
L	006	Peaked	top of sidewall		18.000	0.000	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
L	007	Peaked	top of sidewall		48.000	0.000	0.000	47.80	0.00	0.00	47.800	3.400	51.2	1454.6	10.0	81,924

Bin count: 7

Facility: Anamoose Section: L Total: **539,380**To Even: **540,000**

### Section: M

M	ground	Temporary	100,000 bushels of ground		21.000	60.00	198.0	0.100	0.00	0.00	0.100	9.400	9.5	9549.8	10.0	99,795
---	--------	-----------	---------------------------	--	--------	-------	-------	-------	------	------	-------	-------	-----	--------	------	--------

### NDPSC Bin Capacity Chart

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 1**

**Facility: Anamoose Section: M Total: 99,795**

**To Even: 100,000**

Exam Date: 10/07/2013

The Arthur Companies, Inc.

Page: 4

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Arthur

### Section: A

A	001	Square	bin floor		0.000	7.000	4.000	44.00	0.00	0.00	44.000	0.000	44.0	22.5	2.00	1,010
A	002	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	003	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	004B T	Square	bin floor		0.000	6.500	3.000	18.00	0.00	0.00	18.000	0.000	18.0	15.7	2.00	289
A	004B B	Square	bin floor - top 18'		0.000	6.500	3.000	26.00	0.00	0.00	26.000	0.000	26.0	15.7	2.00	416
A	005	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	006	Square	bin floor		0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A	007	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	008	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	010	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	011	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	012	Square	bin floor		0.000	6.500	4.000	44.00	0.00	0.00	44.000	0.000	44.0	20.9	2.00	938
A	013	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	014	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	015	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	016	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	017	Square	bin floor		0.000	7.000	6.500	44.00	0.00	0.00	44.000	0.000	44.0	36.6	3.00	1,658
A	018	Square	bin floor		0.000	7.500	7.000	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	019A T	Square	bin floor		0.000	7.000	3.500	20.00	0.00	0.00	20.000	0.000	20.0	19.7	2.00	402
A	019A B	Square	bin floor - top 20'		0.000	7.500	7.000	24.00	0.00	0.00	24.000	0.000	24.0	42.2	3.50	1,048
A	020	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 5

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Arthur

### Section: A

A	021	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	022	Square	bin floor		0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A	023A	Square	bin floor		0.000	8.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	025	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	026	Square	bin floor		0.000	14.00	7.000	44.00	0.00	0.00	44.000	0.000	44.0	78.8	5.50	3,658
A	027	Square	bin floor		0.000	7.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	39.4	3.00	1,786
A	028	Square	bin floor		0.000	7.000	4.000	44.00	0.00	0.00	44.000	0.000	44.0	22.5	2.00	1,010
A	029	Square	bin floor		0.000	13.50	7.000	44.00	0.00	0.00	44.000	0.000	44.0	76.0	5.50	3,528
A	030	Square	bin floor		0.000	7.000	7.000	44.00	0.00	0.00	44.000	0.000	44.0	39.4	3.00	1,786
A	038	Square	bin floor		0.000	15.10	14.50	45.00	0.00	0.00	45.000	0.000	45.0	176.0	7.00	8,474
A	039	Square	bin floor		0.000	14.50	14.10	45.00	0.00	0.00	45.000	0.000	45.0	164.3	7.00	7,912
A	040 T	Square	bin floor		0.000	15.10	14.50	12.00	0.00	0.00	12.000	0.000	12.0	176.0	7.00	2,260
A	040 B	Square	bin floor top 12'		0.000	14.50	10.50	9.000	0.00	0.00	9.000	0.000	9.0	122.4	6.50	1,174
A	041	Square	bin floor		0.000	14.50	14.10	21.00	0.00	0.00	21.000	0.000	21.0	164.3	7.00	3,692
A	042 T	Square	bin floor		0.000	15.10	14.90	60.00	0.00	0.00	60.000	0.000	60.0	180.9	7.00	11,614
A	042 B	Square	bin floor - top 60'		0.000	14.90	10.50	9.000	0.00	0.00	9.000	0.000	9.0	125.8	6.50	1,206
A	043	Square	bin floor		0.000	14.90	14.10	69.00	0.00	0.00	69.000	0.000	69.0	168.9	7.00	12,470
A	044 T	Square	bin floor		0.000	15.10	14.80	60.00	0.00	0.00	60.000	0.000	60.0	179.6	7.00	11,530
A	044 B	Square	bin floor - top 60'		0.000	14.80	10.50	9.000	0.00	0.00	9.000	0.000	9.0	124.9	6.50	1,197
A	045	Square	bin floor		0.000	14.80	14.10	69.00	0.00	0.00	69.000	0.000	69.0	167.7	7.00	12,381
A	046 T	Square	bin floor		0.000	15.10	14.50	60.00	0.00	0.00	60.000	0.000	60.0	176.0	7.00	11,299

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 6

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Arthur

### Section: A

A	046 B	Square	bin floor- top 60'	0.000	14.50	10.50	9.000	0.00	0.00	9.000	0.000	9.0	122.4	6.50	1,174
A	047	Square	bin floor	0.000	14.50	14.10	69.00	0.00	0.00	69.000	0.000	69.0	164.3	7.00	12,131
A	050 T	Square	bin floor	0.000	14.50	11.30	56.00	0.00	0.00	56.000	0.000	56.0	131.7	6.50	7,854
A	050 B	Square	bin floor - top 56'	0.000	11.30	10.00	8.000	0.00	0.00	8.000	0.000	8.0	90.8	5.80	768
A	051	Square	bin floor	0.000	14.00	11.30	62.00	0.00	0.00	62.000	0.000	62.0	127.2	6.50	8,399
A	052 T	Square	bin floor	0.000	14.50	9.600	56.00	0.00	0.00	56.000	0.000	56.0	111.9	6.20	6,654
A	052 B	Square	bin floor - top 56'	0.000	10.00	9.600	8.000	0.00	0.00	8.000	0.000	8.0	77.2	5.50	652
A	053	Square	bin floor	0.000	14.00	9.600	62.00	0.00	0.00	62.000	0.000	62.0	108.0	6.20	7,111
A	054 T	Square	bin floor	0.000	14.50	9.500	56.00	0.00	0.00	56.000	0.000	56.0	110.7	6.20	6,583
A	054 B	Square	bin floor - top 56'	0.000	10.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	76.4	5.50	645
A	055	Square	bin floor	0.000	14.00	9.500	62.00	0.00	0.00	62.000	0.000	62.0	106.9	6.20	7,039
A	056	Square	bin floor	0.000	12.00	10.00	65.00	0.00	0.00	65.000	0.000	65.0	96.5	6.00	6,649
A	057A	Square	bin floor	0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
A	057B T	Square	bin floor	0.000	12.00	4.900	9.000	0.00	0.00	9.000	0.000	9.0	47.3	4.00	443
A	057B B	Square	bin floor - top 9'	0.000	12.00	7.000	43.00	0.00	0.00	43.000	0.000	43.0	67.5	5.20	3,054
A	058 T	Square	bin floor	0.000	14.50	9.500	56.00	0.00	0.00	56.000	0.000	56.0	110.7	6.20	6,583
A	058 B	Square	bin floor - top 56'	0.000	10.00	9.500	8.000	0.00	0.00	8.000	0.000	8.0	76.4	5.50	645
A	059	Square	bin floor	0.000	14.00	9.500	62.00	0.00	0.00	62.000	0.000	62.0	106.9	6.20	7,039
A	060 T	Square	bin floor	0.000	14.50	9.700	56.00	0.00	0.00	56.000	0.000	56.0	113.1	6.20	6,727
A	060 B	Square	bin floor - top 56'	0.000	10.00	9.700	8.000	0.00	0.00	8.000	0.000	8.0	78.0	5.50	658
A	061	Square	bin floor	0.000	14.00	9.700	62.00	0.00	0.00	62.000	0.000	62.0	109.2	6.20	7,190

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 7

Examiner: 2

PO Box 145  
Arthur, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Arthur

### Section: A

A	062 T	Irregular	bin floor - 14.5' x 11.5'	132.90	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	132.9	6.50	7,926
A	062 B	Square	bin floor - top 56'	0.000	11.40	10.00	8.000	0.00	0.00	8.000	0.000	8.0	91.6	5.80	776
A	063	Square	bin floor	0.000	14.00	11.40	62.00	0.00	0.00	62.000	0.000	62.0	128.3	6.50	8,472
A	071 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	071 B	Square	bin floor - top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	072 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	072 B	Square	bin floor top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	073 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	073 B	Square	bin floor - top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	074 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	074 B	Square	bin floor- top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	075 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	075 B	Square	bin floor top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	076 T	Square	bin floor	0.000	14.50	9.700	27.00	0.00	0.00	27.000	0.000	27.0	113.1	6.20	3,243
A	076 B	Square	bin floor - top 27'	0.000	12.00	9.700	7.000	0.00	0.00	7.000	0.000	7.0	93.6	5.80	693
A	077 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	077 B	Square	bin floor- top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	078 T	Square	bin floor	0.000	14.50	9.500	27.00	0.00	0.00	27.000	0.000	27.0	110.7	6.20	3,174
A	078 B	Square	bin floor - top 27'	0.000	12.00	9.500	7.000	0.00	0.00	7.000	0.000	7.0	91.6	5.80	678
A	101	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A	102	Square	bin floor	0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265

Exam Date:10/07/2013

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Arthur

### Section: A

A	103	Square	bin floor		0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A	104	Square	bin floor		0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A	105	Square	bin floor		0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A	106	Square	bin floor		0.000	10.00	10.00	38.50	0.00	0.00	38.500	0.000	38.5	80.4	5.50	3,265
A	107	Round	top of roof		21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A	108	Round	top of roof		21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A	109	Round	top of roof		21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322
A	110	Round	top of roof		21.500	0.000	0.000	33.00	0.00	0.00	33.000	0.000	33.0	291.8	7.20	10,322

Bin count: 92

Facility: Arthur Section: A Total: **356,883**

To Even: 357,000

### Section: B

B	XT1	Temporary Bunker			21.000	295.3	115.3	8.500	0.00	0.00	8.500	9.200	17.7	27253.2	10.0	530,620
---	-----	------------------	--	--	--------	-------	-------	-------	------	------	-------	-------	------	---------	------	---------

Bin count: 1

Facility: Arthur Section: B Total: **530,620**

To Even: 531,000

### Section: C

C	ground	Temporary ground 500,000 bu.			22.000	463.0	120.0	0.100	0.00	0.00	0.100	10.00	10.1	44662.4	10.0	496,199
---	--------	------------------------------	--	--	--------	-------	-------	-------	------	------	-------	-------	------	---------	------	---------

### NDPSC Bin Capacity Chart

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
<b>Bin count:</b>		<b>1</b>														<b>Facility: Arthur Section: C Total:</b>	<b>496,199</b>
															<b>To Even:</b>	<b>497,000</b>	

### Section: P

P	101	Peaked	eaves		30.000	0.000	0.000	48.00	0.00	0.00	48.000	1.800	49.8	568.2	9.00	30,843	
P	102	Peaked	eaves		42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866	
P	103	Peaked	eaves		42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866	
P	104	Peaked	eaves		14.000	0.000	0.000	18.30	2.00	0.00	20.300	0.800	21.1	123.7	5.50	2,754	
P	105	Peaked	eaves		14.000	0.000	0.000	18.30	2.00	0.00	20.300	0.800	21.1	123.7	5.50	2,754	
P	106	Peaked	eaves		42.000	0.000	0.000	48.00	0.00	0.00	48.000	2.500	50.5	1113.7	10.0	61,866	
P	108	Peaked	75' to peak		59.700	0.000	0.000	55.50	0.00	0.00	55.500	4.200	59.7	2250.2	10.0	147,771	
P	109	Peaked	eaves		42.000	0.000	0.000	54.00	0.00	0.00	54.000	2.500	56.5	1113.7	10.0	69,216	
P	110	Peaked	eaves		42.000	0.000	0.000	54.00	0.00	0.00	54.000	2.500	56.5	1113.7	10.0	69,216	
<b>Bin count:</b>		<b>9</b>														<b>Facility: Arthur Section: P Total:</b>	<b>508,152</b>
															<b>To Even:</b>	<b>509,000</b>	

Exam Date: 10/07/2013

The Arthur Companies, Inc.

Page: 10

Examiner: 2

PO Box 145  
Arthur, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Ayr

### Section: N

N	301	Peaked	top of sidewall		14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N	302	Peaked	top of sidewall		14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N	303	Peaked	top of sidewall		14.600	0.000	0.000	19.00	0.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
N	304	Peaked	top of sidewall		15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897
N	305	Peaked	top of sidewall		15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897
N	306	Peaked	top of sidewall		15.500	0.000	0.000	17.20	0.00	0.00	17.200	0.900	18.1	151.7	5.50	2,897

Bin count: 6

Facility: Ayr Section: N Total: 17,169To Even: 18,000

### Section: Q

Q	002	Peaked	top of sidewall		42.000	0.000	0.000	61.30	0.00	0.00	61.300	2.500	63.8	1113.7	10.0	78,159
Q	003	Peaked	top of sidewall		42.000	0.000	0.000	61.30	0.00	0.00	61.300	2.500	63.8	1113.7	10.0	78,159
Q	005	Peaked	top of sidewall		14.000	0.000	0.000	20.00	0.00	0.00	20.000	0.800	20.8	123.7	5.50	2,715
Q	007	Peaked	top of sidewall		48.000	0.000	0.000	74.80	0.00	0.00	74.800	3.400	78.2	1454.6	10.0	125,125
Q	008	Peaked	top of sidewall		48.000	0.000	0.000	74.80	0.00	0.00	74.800	3.400	78.2	1454.6	10.0	125,125
Q	009	Peaked	top of sidewall		60.000	0.000	0.000	72.20	0.00	0.00	72.200	4.200	76.4	2272.9	10.0	191,015
Q	010	Peaked	top of sidewall		48.000	0.000	0.000	82.70	0.00	0.00	82.700	3.400	86.1	1454.6	10.0	137,765
Q	011	Peaked	top of sidewall		48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q	012	Peaked	top of sidewall		48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q	013	Peaked	top of sidewall		48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925

Exam Date: 10/07/2013

The Arthur Companies, Inc.

Page: 11

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Ayr

### Section: Q

Q	014	Peaked	top of sidewall		48.000	0.000	0.000	85.30	0.00	0.00	85.300	3.400	88.7	1454.6	10.0	141,925
Q	015	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	016	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	017	Peaked	top of sidewall		33.000	0.000	0.000	54.00	0.00	0.00	54.000	2.000	56.0	687.5	9.50	42,158
Q	018	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	019	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	020	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	021	Square	eaves		0.000	10.20	10.20	34.00	0.00	0.00	34.000	0.000	34.0	83.6	5.80	3,007
Q	022	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	023	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	024	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	025	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	026	Square	eaves		0.000	10.20	10.20	31.00	0.00	0.00	31.000	0.000	31.0	83.6	5.80	2,742
Q	027	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	028	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	029	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	030	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	031	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	032	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	033	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800
Q	034	Peaked	eaves		18.000	0.000	0.000	46.00	2.70	0.00	48.700	1.100	49.8	204.6	6.00	10,800

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Page: 12

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Ayr

### Section: Q

Q	035	Peaked	eaves		104.50	0.000	0.000	77.40	0.00	0.00	77.400	7.300	84.7	6894.5	10.0	642,360
Q	036	Peaked	eaves		134.30	0.000	0.000	72.00	0.00	0.00	72.000	9.400	81.4	11387.3	10.0	1,019,619
Q	ne001	Peaked	top of sidewall		16.000	0.000	0.000	30.00	2.00	0.00	32.000	1.000	33.0	161.6	5.80	5,642

Bin count: 34

Facility: Ayr Section: Q Total: **3,211,996**

To Even: 3,212,000

### Section: XT1

XT1	00T-1	Peaked	top of sidewall .4' deduct for		260.00	0.000	0.000	6.000	0.00	0.40	5.600	18.20	23.8	42679.2	10.0	1,117,342
XT1	00T-2	Peaked	top of sidewall .4' deduct for		260.00	0.000	0.000	6.000	0.00	0.40	5.600	18.20	23.8	42679.2	10.0	1,117,342

Bin count: 2

Facility: Ayr Section: XT1 Total: **2,234,684**

To Even: 2,235,000

Exam Date: 10/07/2013

Examiner: 2

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Buffalo

### Section: S

S	001	Peaked	top of sidewall		35.800	0.000	0.000	62.80	0.00	0.00	62.800	2.100	64.9	809.2	10.0	57,769
S	002	Peaked	top of sidewall		35.800	0.000	0.000	66.00	0.00	0.00	66.000	2.100	68.1	809.2	10.0	60,618
S	003	Peaked	top of sidewall		35.800	0.000	0.000	66.00	0.00	0.00	66.000	2.100	68.1	809.2	10.0	60,618
S	004	Peaked	top of sidewall		35.800	0.000	0.000	66.00	0.00	0.00	66.000	2.100	68.1	809.2	10.0	60,618
S	005	Peaked	top of sidewall		16.000	0.000	0.000	24.00	2.00	0.00	26.000	1.000	27.0	161.6	5.80	4,616
S	006	Peaked	top of sidewall		29.800	0.000	0.000	35.50	0.00	0.00	35.500	1.800	37.3	560.7	9.00	22,796
S	101	Peaked	top of sidewall		41.900	0.000	0.000	39.15	0.00	0.00	39.150	2.500	41.7	1108.4	10.0	50,842
S	102	Peaked	top of sidewall		41.900	0.000	0.000	31.80	0.00	0.00	31.800	2.500	34.3	1108.4	10.0	41,820
S	201	Peaked	top of sidewall		41.900	0.000	0.000	39.15	0.00	0.00	39.150	2.500	41.7	1108.4	10.0	50,842
S	202	Peaked	top of sidewall		41.900	0.000	0.000	39.15	0.00	0.00	39.150	2.500	41.7	1108.4	10.0	50,842

Bin count: 10

Facility: Buffalo Section: S Total: **461,381**

To Even: **462,000**

### Section: T

T	ground	Temporary	250,000 bu. of ground		19.000	328.0	100.0	0.100	0.00	0.00	0.100	8.500	8.6	26366.6	10.0	249,428
---	--------	-----------	-----------------------	--	--------	-------	-------	-------	------	------	-------	-------	-----	---------	------	---------

Bin count: 1

Facility: Buffalo Section: T Total: **249,428**

To Even: **250,000**

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 14

Examiner: 2

PO Box 145  
Arthur, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Harvey

### Section: A-1

A-1	002	Square	floor over bins	0.000	9.400	3.600	38.00	0.00	0.00	38.000	0.000	38.0	27.2	2.50	1,060
A-1	004	Square	floor over bins	0.000	9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50	1,766
A-1	005 T	Square	floor over bins	0.000	9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50	1,106
A-1	005 B	Square	work floor - top 38'	0.000	9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20	1,297
A-1	006	Square	floor over bins	0.000	9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20	3,981
A-1	007 T	Irregular	2.3 x 6.5 with obstruct 2.5 x	7.400	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	7.4	2.00	91
A-1	007 B	Square	work floor - top 12'	0.000	2.300	6.500	26.00	0.00	0.00	26.000	0.000	26.0	12.0	2.00	318
A-1	008 T	Irregular	9.3 x 6.5 with obstruct 2.5 x	42.000	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	42.0	3.50	522
A-1	008 B	Square	work floor - top 12'	0.000	9.300	6.500	23.00	0.00	0.00	23.000	0.000	23.0	48.6	4.20	1,165
A-1	010 T	Irregular	9.3 x 6.4 with obstruct 3 x 3.3	39.800	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	39.8	3.00	492
A-1	010 B	Square	work floor - top 12'	0.000	9.300	6.400	23.00	0.00	0.00	23.000	0.000	23.0	47.8	4.00	1,143
A-1	011	Square	floor over bins	0.000	9.300	9.200	55.00	0.00	0.00	55.000	0.000	55.0	68.8	5.20	3,981
A-1	012	Square	floor over bins	0.000	7.400	6.500	38.00	0.00	0.00	38.000	0.000	38.0	38.7	3.00	1,515
A-1	013	Square	floor over bins	0.000	9.800	5.700	38.00	0.00	0.00	38.000	0.000	38.0	44.9	3.50	1,766
A-1	014 T	Square	floor over bins	0.000	9.800	3.600	38.00	0.00	0.00	38.000	0.000	38.0	28.4	2.50	1,106
A-1	014 B	Square	work floor - top 38'	0.000	9.800	9.200	17.00	0.00	0.00	17.000	0.000	17.0	72.5	5.20	1,297
A-1	015	Square	floor over bins	0.000	9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20	4,022
A-1	016	Square	floor over bins	0.000	5.000	4.000	36.00	0.00	0.00	36.000	0.000	36.0	16.1	2.00	592
A-1	017	Square	floor over bins	0.000	9.400	9.200	55.00	0.00	0.00	55.000	0.000	55.0	69.5	5.20	4,022
A-1	018 T	Irregular	9.8 x 6.4 with obstruct 2.5 x	43.800	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	43.8	3.50	544
A-1	018 B	Square	work floor-- top 12'	0.000	9.800	6.400	26.00	0.00	0.00	26.000	0.000	26.0	50.4	4.50	1,369

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 15

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Harvey

### Section: A-1

A-1	101 T	Square	floor over bins		0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A-1	101 B	Square	work floor - top 50'		0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A-1	102 T	Square	floor over bins		0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A-1	102 B	Square	work floor-- top 50'		0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A-1	103 T	Square	floor over bins		0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A-1	103 B	Square	work floor-- top 50'		0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A-1	104 T	Square	floor over bins		0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A-1	104 B	Square	work floor - top 50'		0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A-1	105 T	Square	floor over bins		0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A-1	105 B	Square	work floor - top 50'		0.000	12.20	10.60	7.000	0.00	0.00	7.000	0.000	7.0	104.0	6.00	772
A-1	106 T	Square	floor over bins		0.000	9.400	10.60	50.00	0.00	0.00	50.000	0.000	50.0	80.1	5.50	4,225
A-1	106 B	Square	work floor - top 50'		0.000	10.20	10.60	12.00	0.00	0.00	12.000	0.000	12.0	86.9	5.80	1,103
A-1	107 T	Square	floor over bins		0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A-1	107 B	Square	work floor - top 50'		0.000	12.20	10.40	7.000	0.00	0.00	7.000	0.000	7.0	102.0	6.00	757
A-1	108 T	Square	floor over bins		0.000	9.400	10.40	50.00	0.00	0.00	50.000	0.000	50.0	78.6	5.50	4,146
A-1	108 B	Square	work floor - top 50'		0.000	10.20	10.40	12.00	0.00	0.00	12.000	0.000	12.0	85.3	5.80	1,083
A-1	109	Square	floor over bins		0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A-1	110	Square	floor over bins		0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A-1	111	Square	floor over bins		0.000	10.00	10.60	50.00	0.00	0.00	50.000	0.000	50.0	85.2	5.80	4,507
A-1	112	Square	floor over bins		0.000	10.00	10.40	50.00	0.00	0.00	50.000	0.000	50.0	83.6	5.80	4,422
A-1	202	Square	floor over bins		0.000	5.200	3.100	27.00	0.00	0.00	27.000	0.000	27.0	13.0	2.00	358

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
PO Box 145  
Arthur, ND  
County:

Page: 16

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
<b><u>Facility: Harvey</u></b>																
<b><u>Section: A-1</u></b>																
	A-1	203 T	Square	floor over bins	0.000	4.000	3.100	27.00	0.00	0.00	27.000	0.000	27.0	10.0	2.00	275
	A-1	203 B	Square	work floor - top 27'	0.000	9.500	3.100	36.00	0.00	0.00	36.000	0.000	36.0	23.7	2.00	870
	A-1	204 T	Square	floor over bins	0.000	9.500	10.30	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
	A-1	204 B	Square	work floor - top 71'	0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
	A-1	205	Square	floor over bins	0.000	9.500	11.00	75.00	0.00	0.00	75.000	0.000	75.0	84.0	5.80	6,665
	A-1	207	Square	floor over bins	0.000	11.00	11.00	75.00	0.00	0.00	75.000	0.000	75.0	97.3	6.00	7,736
	A-1	208	Square	floor over bins	0.000	11.00	10.30	71.00	0.00	0.00	71.000	0.000	71.0	91.1	5.80	6,843
	A-1	209	Square	floor over bins	0.000	11.00	9.600	75.00	0.00	0.00	75.000	0.000	75.0	84.9	5.80	6,737
	A-1	210 T	Square	floor over bins	0.000	10.30	9.600	71.00	0.00	0.00	71.000	0.000	71.0	79.5	5.50	5,955
	A-1	210 B	Square	work floor - top 71'	0.000	12.90	10.30	9.000	0.00	0.00	9.000	0.000	9.0	106.8	6.20	1,021
	A-1	211	Square	floor over bins	0.000	13.10	9.600	63.00	0.00	0.00	63.000	0.000	63.0	101.1	6.00	6,751
	A-1	213 T	Square	floor over bins	0.000	10.20	9.600	71.00	0.00	0.00	71.000	0.000	71.0	78.7	5.50	5,895
	A-1	213 B	Square	work floor - top 71'	0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
	A-1	214	Square	floor over bins	0.000	11.20	9.600	75.00	0.00	0.00	75.000	0.000	75.0	86.4	5.80	6,856
	A-1	216 T	Irregular	check this bin	91.500	0.000	0.000	11.00	0.00	0.00	11.000	0.000	11.0	91.5	5.80	1,065
	A-1	216 B	Irregular	work floor - top 11'	110.60	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	110.6	6.20	6,108
	A-1	217	Square	floor over bins	0.000	11.00	11.20	75.00	0.00	0.00	75.000	0.000	75.0	99.0	6.00	7,871
	A-1	218	Square	floor over bins	0.000	11.00	10.20	71.00	0.00	0.00	71.000	0.000	71.0	90.2	5.80	6,775
	A-1	219 T	Square	floor over bins	0.000	10.20	9.500	71.00	0.00	0.00	71.000	0.000	71.0	77.9	5.50	5,835
	A-1	219 B	Square	work floor - top 71'	0.000	12.90	10.20	9.000	0.00	0.00	9.000	0.000	9.0	105.8	6.20	1,011
	A-1	220	Square	floor over bins	0.000	11.20	9.500	75.00	0.00	0.00	75.000	0.000	75.0	85.5	5.80	6,785

Exam Date:10/07/2013

The Arthur Companies, Inc.  
PO Box 145  
Arthur, ND  
County:

Page: 17

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Harvey

### Section: A-1

A-1	221	Square	floor over bins		0.000	9.500	3.500	63.00	0.00	0.00	63.000	0.000	63.0	26.7	2.50	1,724
A-1	300 A	Flat	bag storage		0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775
A-1	300B	Flat	bag storage		0.000	24.00	45.00	5.000	0.00	0.00	5.000	0.000	5.0	868.2	10.0	4,775

Bin count: 66

Facility: Harvey Section: A-1 Total: **202,540**To Even: **203,000**

### Section: D

D	001	Peaked	eave at sidewall		41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D	002	Peaked	eave at sidewall roof 26.4'		89.600	0.000	0.000	48.40	0.00	0.00	48.400	6.300	54.7	5068.6	10.0	304,977
D	003	Peaked	eave at sidewall		41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D	007	Peaked	eave at sidewall		14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D	008	Peaked	eave at sidewall		23.900	0.000	0.000	40.40	0.00	0.00	40.400	1.400	41.8	360.6	7.80	16,249
D	009	Peaked	eave at sidewall		14.000	0.000	0.000	19.80	0.00	0.00	19.800	0.800	20.6	123.7	5.50	2,688
D	010	Peaked	eave at sidewall		41.900	0.000	0.000	51.00	0.00	0.00	51.000	2.500	53.5	1108.4	10.0	65,229
D	011	Peaked	eave at sidewall		41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
D	012	Peaked	eave at sidewall		41.900	0.000	0.000	58.70	0.00	0.00	58.700	2.500	61.2	1108.4	10.0	74,617
D	101 S	Peaked	eave at sidewall		77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
D	102 S	Peaked	eave at sidewall		77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
D	103 S	Peaked	eave at sidewall		77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484
D	104 S	Peaked	eave at sidewall		77.600	0.000	0.000	58.75	0.00	0.00	58.750	5.400	64.2	3801.8	10.0	268,484

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
PO Box 145  
Arthur, ND  
County:

Page: 18

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Harvey

### Section: D

D	200	Flat	top of sidewall & bttm	15.000	406.7	133.5	10.00	0.00	0.00	10.000	15.00	25.0	43645.1	10.0	1,200,241	
D	201	Peaked	eave at sidewall	134.30	0.000	0.000	72.00	0.00	0.00	72.000	9.400	81.4	11387.3	10.0	1,019,619	
<b>Bin count:</b>		<b>15</b>													<b>Facility: Harvey Section: D Total:</b>	<b>3,965,319</b>
														<b>To Even:</b>	<b>3,966,000</b>	

### Section: H

H	001	Peaked	eave at side wall	47.800	0.000	0.000	29.80	0.00	0.00	29.800	2.900	32.7	1442.5	10.0	51,887	
H	002	Peaked	eave at side wall	47.800	0.000	0.000	29.80	0.00	0.00	29.800	2.900	32.7	1442.5	10.0	51,887	
<b>Bin count:</b>		<b>2</b>													<b>Facility: Harvey Section: H Total:</b>	<b>103,774</b>
														<b>To Even:</b>	<b>104,000</b>	

### Section: I

I	001	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	002	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	004	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	005	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	006	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	007	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	008	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933
I	010	Square	floor over bins	0.000	8.000	8.000	36.00	0.00	0.00	36.000	0.000	36.0	51.4	4.50	1,933

Exam Date: 10/07/2013

The Arthur Companies, Inc.

Page: 19

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Harvey

### Section: I

I	011	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I	012	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I	013	Peaked	top side wall		15.000	0.000	0.000	47.70	2.30	0.00	50.000	0.900	50.9	142.1	5.50	7,631
I	014	Peaked	top side wall		24.000	0.000	0.000	51.30	0.00	0.00	51.300	1.400	52.7	363.7	7.80	20,662
I	015	Peaked	top side wall		24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
I	016	Peaked	top side wall		24.000	0.000	0.000	50.70	0.00	0.00	50.700	1.400	52.1	363.7	7.80	20,427
I	040	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
I	041	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
I	042	Peaked	top side wall-seed hopper		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
I	043	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
I	044	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
I	045	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713
I	046	Peaked	top side wall-seed hopper		15.500	0.000	0.000	20.00	2.30	0.00	22.300	0.900	23.2	151.7	5.50	3,713

Bin count: 21

Facility: Harvey Section: I Total: **123,959**To Even: **124,000**

### Section: J

J	ground	Temporary	300,000 bushels of ground		19.000	385.0	100.0	0.100	0.00	0.00	0.100	8.700	8.8	30948.6	10.0	299,583
---	--------	-----------	---------------------------	--	--------	-------	-------	-------	------	------	-------	-------	-----	---------	------	---------

Bin count: 1

Facility: Harvey Section: J Total: **299,583**To Even: **300,000**

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 20

Examiner: 2

PO Box 145  
Arthur, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Page

### Section: R

R	001		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	002		Square	floor over bins	0.000	7.900	5.100	55.00	0.00	0.00	55.000	0.000	55.0	32.4	2.50	1,827
R	003		Square	floor over bins	0.000	4.600	6.200	55.00	0.00	0.00	55.000	0.000	55.0	22.9	2.00	1,285
R	004	T	Square	floor over bins	0.000	9.200	6.700	8.000	0.00	0.00	8.000	0.000	8.0	49.5	4.20	413
R	004	C	Square	floor over bins - top 8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	004B		Square	floor over bins - t 8' c 47'	0.000	8.900	10.70	19.00	0.00	0.00	19.000	0.000	19.0	76.6	5.50	1,535
R	005	T	Square	floor over bins	0.000	9.200	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.0	2.50	279
R	005B		Square	floor over bins - top 8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	006	T	Square	floor over bins	0.000	7.900	4.600	8.000	0.00	0.00	8.000	0.000	8.0	29.2	2.50	240
R	006B		Square	floor over bins - top 8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	007	T	Square	floor over bins	0.000	7.900	6.700	8.000	0.00	0.00	8.000	0.000	8.0	42.5	3.50	352
R	007	C	Square	floor over bins- top 8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	007B		Square	floor over bins- top 8' C 47'	0.000	7.500	10.70	19.00	0.00	0.00	19.000	0.000	19.0	64.5	5.00	1,287
R	008		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	009		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	010	T	Square	floor over bins	0.000	8.100	4.600	8.000	0.00	0.00	8.000	0.000	8.0	30.0	2.50	246
R	010B		Square	floor over bins- T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	012	T	Square	floor over bins	0.000	8.100	6.700	8.000	0.00	0.00	8.000	0.000	8.0	43.6	3.50	361
R	012	C	Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	012B		Square	floor over bins T8'-C47'	0.000	7.400	10.70	19.00	0.00	0.00	19.000	0.000	19.0	63.6	5.00	1,268
R	013	T	Square	floor over bins	0.000	9.400	6.700	8.000	0.00	0.00	8.000	0.000	8.0	50.6	4.50	423

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 21

Examiner: 2

PO Box 145

Arthur , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Page

### Section: R

R	013 C		Square	floor over bins T8'	0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	013B		Square	floor over bins T8'-C47'	0.000	9.100	10.70	19.00	0.00	0.00	19.000	0.000	19.0	78.3	5.50	1,570
R	014 T		Square	floor over bins	0.000	9.400	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.8	3.00	286
R	014B		Square	floor over bins T8'	0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	015		Square	floor over bins	0.000	9.400	5.900	55.00	0.00	0.00	55.000	0.000	55.0	44.6	3.50	2,539
R	017 T		Square	floor over bins	0.000	9.400	9.600	11.00	0.00	0.00	11.000	0.000	11.0	72.5	5.20	839
R	017B		Square	floor over bins T11'	0.000	9.400	9.500	44.00	0.00	0.00	44.000	0.000	44.0	71.8	5.20	3,323
R	018 T		Square	floor over bins	0.000	9.400	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.8	3.00	286
R	018B		Square	floor over bins T8'	0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	019 T		Square	floor over bins	0.000	9.400	6.700	8.000	0.00	0.00	8.000	0.000	8.0	50.6	4.50	423
R	019 C		Square	floor over bins T8'	0.000	9.400	5.400	47.00	0.00	0.00	47.000	0.000	47.0	40.8	3.00	1,976
R	019B		Square	floor over bins T8' -C47'	0.000	9.100	10.70	19.00	0.00	0.00	19.000	0.000	19.0	78.3	5.50	1,570
R	020		Square	floor over bins	0.000	7.900	5.100	55.00	0.00	0.00	55.000	0.000	55.0	32.4	2.50	1,827
R	021		Square	floor over bins	0.000	7.900	6.100	55.00	0.00	0.00	55.000	0.000	55.0	38.7	3.00	2,193
R	022 T		Square	floor over bins	0.000	8.100	6.700	8.000	0.00	0.00	8.000	0.000	8.0	43.6	3.50	361
R	022 C		Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	022B		Square	floor over bins T8'-C47'	0.000	7.400	10.70	19.00	0.00	0.00	19.000	0.000	19.0	63.6	5.00	1,268
R	023 T		Square	floor over bins	0.000	8.100	4.600	8.000	0.00	0.00	8.000	0.000	8.0	30.0	2.50	246
R	023B		Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	024 T		Square	floor over bins	0.000	7.900	6.700	8.000	0.00	0.00	8.000	0.000	8.0	42.5	3.50	352
R	024 C		Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660

Exam Date:10/07/2013

The Arthur Companies, Inc.

Page: 22

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Page

### Section: R

R	024B	Square	floor over bins T8' -C47'	0.000	7.500	10.70	19.00	0.00	0.00	19.000	0.000	19.0	64.5	5.00	1,287
R	025 T	Square	floor over bins	0.000	7.900	4.600	8.000	0.00	0.00	8.000	0.000	8.0	29.2	2.50	240
R	025B	Square	floor over bins T8'	0.000	7.900	5.400	47.00	0.00	0.00	47.000	0.000	47.0	34.3	3.00	1,660
R	026 T	Square	floor over bins	0.000	9.200	4.600	8.000	0.00	0.00	8.000	0.000	8.0	34.0	2.50	279
R	026B	Square	floor over bins T8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	027 T	Square	floor over bins	0.000	9.200	6.700	8.000	0.00	0.00	8.000	0.000	8.0	49.5	4.20	413
R	027 C	Square	floor over bins T8'	0.000	9.200	5.400	47.00	0.00	0.00	47.000	0.000	47.0	39.9	3.00	1,931
R	027B	Square	floor over bins T8' C47'	0.000	8.900	10.70	19.00	0.00	0.00	19.000	0.000	19.0	76.6	5.50	1,535
R	028	Square	floor over bins	0.000	7.400	8.700	51.00	0.00	0.00	51.000	0.000	51.0	51.8	4.50	2,761
R	029	Square	floor over bins	0.000	8.200	8.700	51.00	0.00	0.00	51.000	0.000	51.0	57.3	4.80	3,062
R	030	Square	floor over bins	0.000	9.200	6.100	55.00	0.00	0.00	55.000	0.000	55.0	45.1	4.00	2,580
R	101	Peaked	top of sidewall	36.000	0.000	0.000	67.50	0.00	0.00	67.500	2.200	69.7	818.2	10.0	62,732
R	102	Peaked	top of sidewall	36.000	0.000	0.000	73.00	0.00	0.00	73.000	2.200	75.2	818.2	10.0	67,682
R	103	Peaked	top of sidewall	42.000	0.000	0.000	81.00	0.00	0.00	81.000	2.500	83.5	1113.7	10.0	102,293
R	104	Peaked	top of sidewall	53.800	0.000	0.000	77.40	0.00	0.00	77.400	3.800	81.2	1827.4	10.0	163,224
R	105	Peaked	top of sidewall	53.800	0.000	0.000	77.40	0.00	0.00	77.400	3.800	81.2	1827.4	10.0	163,224
R	201	Square	floor over bins	0.000	7.500	4.100	30.50	0.00	0.00	30.500	0.000	30.5	24.7	2.50	772
R	202	Square	floor over bins	0.000	4.900	6.400	33.00	0.00	0.00	33.000	0.000	33.0	25.2	2.50	853
R	203	Square	floor over bins	0.000	8.800	6.400	34.00	0.00	0.00	34.000	0.000	34.0	45.3	4.00	1,602
R	204	Square	floor over bins	0.000	7.500	4.000	30.50	0.00	0.00	30.500	0.000	30.5	24.1	2.50	753
R	206	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628

Exam Date: 10/07/2013

The Arthur Companies, Inc.

Page: 23

Examiner: 2

PO Box 145

Arthur, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Page

### Section: R

R	208	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R	209	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R	210	Square	floor over bins	0.000	8.600	9.400	38.50	0.00	0.00	38.500	0.000	38.5	65.0	5.00	2,628
R	212	Square	floor over bins	0.000	7.500	6.300	34.00	0.00	0.00	34.000	0.000	34.0	38.0	3.00	1,331
R	213	Square	floor over bins	0.000	4.800	6.300	34.00	0.00	0.00	34.000	0.000	34.0	24.3	2.50	847
R	214	Square	floor over bins	0.000	4.900	6.300	33.00	0.00	0.00	33.000	0.000	33.0	24.8	2.50	838
R	215	Square	floor over bins	0.000	4.900	6.500	34.00	0.00	0.00	34.000	0.000	34.0	25.6	2.50	892
R	216	Square	floor over bins	0.000	4.300	7.500	30.50	0.00	0.00	30.500	0.000	30.5	25.9	2.50	810
R	301	Peaked	top of sidewall	42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857
R	302	Peaked	top of sidewall	42.000	0.000	0.000	33.30	0.00	0.00	33.300	2.500	35.8	1113.7	10.0	43,857
R	303	Peaked	top of sidewall	42.000	0.000	0.000	32.10	0.00	0.00	32.100	2.500	34.6	1113.7	10.0	42,387
R	304	Peaked	top of sidewall	42.000	0.000	0.000	32.10	0.00	0.00	32.100	2.500	34.6	1113.7	10.0	42,387
R	306	Peaked	top of sidewall	14.000	0.000	0.000	23.80	0.00	0.00	23.800	0.800	24.6	123.7	5.50	3,210
R	307	Peaked	top of sidewall	14.000	0.000	0.000	23.80	0.00	0.00	23.800	0.800	24.6	123.7	5.50	3,210
R	401	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R	402	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R	403	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R	404	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.00	0.00	19.000	0.900	19.9	134.6	5.50	2,826
R	405	Peaked	top of sidewall	14.600	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	134.6	5.50	2,541
R	406	Peaked	top of sidewall	14.600	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	134.6	5.50	2,541

Exam Date: 10/07/2013

The Arthur Companies, Inc.  
 PO Box 145  
 Arthur, ND  
 County:

Page: 24

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 83

Facility: Page Section: R Total: 847,902

To Even: 848,000

## Section: W

W	ground		Temporary	500,000 bushels of ground	22.000	463.0	120.0	0.100	0.00	0.00	0.100	10.00	10.1	44662.4	10.0	496,199
---	--------	--	-----------	---------------------------	--------	-------	-------	-------	------	------	-------	-------	------	---------	------	---------

Bin count: 1

Facility: Page Section: W Total: 496,199

To Even: 497,000

Overall Licensed Bin Capacity for:

The Arthur Companies, Inc.

Bin count: 377

**Licensed Capacity:**  
 (includes pack)




14,926,412 Bu.

**Licensed Capacity (to even):**  
 (includes pack and section totals are  
 rounded up to next highest 1000)

14,935,000 Bu.







SECTION R




THE ARTHUR COMPANIES INC.  
Harvey ND  
Anamoose location

CP RAIL

Section K




Hopper bins  
300' east



Section L 400'







scale & driveway



office



dryer



XX XX

scle & driveway

section L



east

ARTHUR COMPANIES INC  
ARTHUR STATION  
SECTION A



BNSF RAIL

MAIN ELEVATOR

South Annex #1



SEED PLANT







WEST ANNEX

Zero points -- floor over bins

ARTHUR SECTION A

ARTHUR COMPANIES INC.  
ARTHUR STATION  
SECTION A-- Seed plant & West Annex

east




Seed Plant Section A

Zero Points -- Top of bin floor, tanks 7-8-9-10 top of roof

ARTHUR COMPANIES INC.  
 ARTHUR STATION  
 SECTION A -- South Annex 1&2


BNSF RAIL



Zero Points -- floor over bins  
 bins #40 & 41 are blind


SECTION A -- South Annex 1 & 2

ARTHUR COMPANIES INC.  
AYR STATION  
SECTION N & Q



ARTHUR COMPANIES INC.  
ARTHUR STATION  
SECTION P

east



Zero Points -- Eaves at top of sidewall


SECTION P at Arthur

ARTHUR COMPANIES INC.  
ARTHUR STATION

SECTION P  
Bunker XT1

east

BNSF RAIL




base dimensions




at 4.25' ht. grain wall 115.3' W x 295.3' L

at ground 110' W x 290' L

at top of grain wall (8.5' ht.) 120.6' W x 300.6' L


capacity calculated at 4.25' ht on grain wall = 115.3'W x 295.3'L x 8.5' sidewall ht x 16.2' center grain depth  
x 57.6' offset minus 4-13' radius corners








DRIVEWAY

office 330' west






bunkers T-1 & T-2  
north of office



THE ARTHUR COMPANIES INC.  
 ARTHUR ND  
 PAGE LOCATION

SECTION R



Section R  
 continued

HARVEY FARMERS ELEVATOR

Section A


C P RAIL

214	213	211	210	209	006	008	010	011	101		
217	218	216	208	207	005	004	007	018	013	014	109
							012				
220	219	21	203	204	205	015	002	016	017	102	
		X						XXX			
		X	202					XXX			
								MI			

Driveway & Scales

Main Office	
-------------	--

ARTHUR COMPANIES INC  
BUFFALO LOCATION  
SECTION S





HARVEY FARMERS ELEVATOR  
Section A

CP Rail


011	101	103	105	107
014	109	110	111	112
017	102	104	106	108

200' east



Section A (part 2 of 2)

Harvey, ND  
section D  
North of tracks



large tank located west side  
of flat 200

