





Equity Elevator & Trading
 Turtle Lake
 Section A - west






09		10		14		16	
08		05		15		17	
07						19	
01						20	
06	04	03			23	22	21



Equity Elevator and Trading
 Turtle Lake
 Section A - east



Driveway



Driveway

Exam Date:11/13/2013

Equity Elevator & Trading Co.

Page: 1

Examiner: 1

PO Box 340
Turtle Lake , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Turtle Lake

Section: A

A	001 T	Square	work floor		0.000	5.200	13.50	48.00	0.00	0.00	48.000	0.000	48.0	56.4	4.80	2,837
A	001B	Square	work floor T48'		0.000	11.10	13.50	20.50	0.00	0.00	20.500	0.000	20.5	120.5	6.50	2,631
A	003 T	Irregular	work floor (scale in bin)		6.500	0.000	0.000	14.00	0.00	0.00	14.000	0.000	14.0	6.5	2.00	93
A	003B	Square	work floor (scale in bin)		0.000	5.400	6.800	34.00	0.00	0.00	34.000	0.000	34.0	29.5	2.50	1,028
A	004 T	Square	work floor		0.000	5.400	3.400	30.00	0.00	0.00	30.000	0.000	30.0	14.8	2.00	453
A	004B	Square	work floor T30'		0.000	5.400	6.700	18.00	0.00	0.00	18.000	0.000	18.0	29.1	2.50	537
A	005	Square	workfloor		0.000	12.50	7.000	48.00	0.00	0.00	48.000	0.000	48.0	70.3	5.20	3,549
A	006	Square	workfloor		0.000	5.400	3.000	30.00	0.00	0.00	30.000	0.000	30.0	13.0	2.00	398
A	007	Square	workfloor		0.000	5.800	13.50	48.00	0.00	0.00	48.000	0.000	48.0	62.9	5.00	3,170
A	008	Square	workfloor		0.000	5.900	13.50	48.00	0.00	0.00	48.000	0.000	48.0	64.0	5.00	3,226
A	009	Square	workfloor		0.000	11.10	13.50	68.00	0.00	0.00	68.000	0.000	68.0	120.5	6.50	8,727
A	010 T	Irregular	workfloor (scale in bin)		49.000	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	49.0	4.20	766
A	010B	Square	workfloor (scale in bin) T15'		0.000	11.10	7.000	33.00	0.00	0.00	33.000	0.000	33.0	62.5	5.00	2,166
A	014 T	Irregular	workfloor (scale in bin)		30.700	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	30.7	2.50	473
A	014B	Square	workfloor (scale in bin) T15'		0.000	11.10	6.700	33.00	0.00	0.00	33.000	0.000	33.0	59.8	4.80	2,068
A	015	Square	workfloor		0.000	12.50	6.700	48.00	0.00	0.00	48.000	0.000	48.0	67.3	5.20	3,398
A	016	Square	workfloor		0.000	11.10	13.50	68.00	0.00	0.00	68.000	0.000	68.0	120.5	6.50	8,727
A	017	Square	workfloor		0.000	5.900	13.50	48.00	0.00	0.00	48.000	0.000	48.0	64.0	5.00	3,226
A	019	Square	workfloor		0.000	5.800	13.50	48.00	0.00	0.00	48.000	0.000	48.0	62.9	5.00	3,170
A	020 T	Square	workfloor		0.000	5.200	13.50	48.00	0.00	0.00	48.000	0.000	48.0	56.4	4.80	2,837
A	020B	Square	workfloor T48'		0.000	11.10	13.50	20.50	0.00	0.00	20.500	0.000	20.5	120.5	6.50	2,631

Exam Date:11/13/2013

Equity Elevator & Trading Co.

Page: 2

Examiner: 1

PO Box 340
Turtle Lake , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Turtle Lake

Section: A

A	021	Square	workfloor		0.000	5.500	6.200	48.00	0.00	0.00	48.000	0.000	48.0	27.4	2.50	1,348
A	022	Square	workfloor		0.000	5.500	6.800	48.00	0.00	0.00	48.000	0.000	48.0	30.1	2.50	1,481
A	023	Square	workfloor		0.000	11.10	3.600	47.00	0.00	0.00	47.000	0.000	47.0	32.1	2.50	1,547
A	101	Peaked	eave		29.900	0.000	0.000	53.50	0.00	0.00	53.500	1.800	55.3	564.4	9.00	34,020
A	102	Peaked	eave		29.900	0.000	0.000	53.50	0.00	0.00	53.500	1.800	55.3	564.4	9.00	34,020
A	104	Peaked	eave		48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
A	105	Peaked	eave		48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
A	200 east	Square	workfloor		0.000	11.70	9.000	23.00	0.00	0.00	23.000	0.000	23.0	84.6	5.80	2,059
A	200 west	Square	workfloor		0.000	11.70	9.800	23.00	0.00	0.00	23.000	0.000	23.0	92.2	5.80	2,244
A	203	Square	workfloor		0.000	10.20	3.400	44.00	0.00	0.00	44.000	0.000	44.0	27.9	2.50	1,259
A	205	Square	workfloor		0.000	10.00	5.900	44.00	0.00	0.00	44.000	0.000	44.0	47.4	4.00	2,169
A	206	Square	workfloor		0.000	10.20	3.600	44.00	0.00	0.00	44.000	0.000	44.0	29.5	2.50	1,330
A	207 T	Square	workfloor		0.000	10.00	5.100	44.00	0.00	0.00	44.000	0.000	44.0	41.0	3.00	1,858
A	207B	Square	workfloor T44'		0.000	10.00	11.20	11.00	0.00	0.00	11.000	0.000	11.0	90.0	5.80	1,047
A	208	Square	workfloor		0.000	10.00	5.400	44.00	0.00	0.00	44.000	0.000	44.0	43.4	3.50	1,977
A	209 T	Irregular	workfloor (scale in bin)		47.900	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	47.9	4.00	423
A	209B	Square	workfloor (scale in bin)		0.000	10.40	6.100	36.50	0.00	0.00	36.500	0.000	36.5	51.0	4.50	1,946
A	210 T	Square	workfloor		0.000	10.00	5.600	44.00	0.00	0.00	44.000	0.000	44.0	45.0	3.50	2,049
A	210B	Square	workfloor T44'		0.000	10.00	11.20	11.00	0.00	0.00	11.000	0.000	11.0	90.0	5.80	1,047
A	211 T	Square	workfloor		0.000	10.30	5.100	44.00	0.00	0.00	44.000	0.000	44.0	42.2	3.50	1,922
A	211B	Square	workfloor T44'		0.000	10.30	11.20	11.00	0.00	0.00	11.000	0.000	11.0	92.7	5.80	1,079

Exam Date:11/13/2013

Equity Elevator & Trading Co.

Page: 3

Examiner: 1

PO Box 340
Turtle Lake , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Turtle Lake

Section: A

	A	212	Square	workfloor	0.000	10.30	5.400	44.00	0.00	0.00	44.000	0.000	44.0	44.7	3.50	2,036
	A	213	Square	workfloor	0.000	10.30	5.900	44.00	0.00	0.00	44.000	0.000	44.0	48.9	4.20	2,242
	A	214 T	Square	workfloor	0.000	10.30	5.600	44.00	0.00	0.00	44.000	0.000	44.0	46.4	4.00	2,124
	A	214B	Square	workfloor T44'	0.000	10.30	11.20	11.00	0.00	0.00	11.000	0.000	11.0	92.7	5.80	1,079
	A	215 T	Irregular	workfloor (scale in bin)	50.400	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	50.4	4.50	447
	A	215B	Square	workfloor (scale in bin)	0.000	10.40	6.300	36.50	0.00	0.00	36.500	0.000	36.5	52.7	4.50	2,011
	A	216	Square	workfloor	0.000	10.10	11.20	55.00	0.00	0.00	55.000	0.000	55.0	90.9	5.80	5,290
	A	217	Square	workfloor	0.000	10.10	11.20	55.00	0.00	0.00	55.000	0.000	55.0	90.9	5.80	5,290
	A	218 T	Irregular	workfloor	47.700	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	47.7	4.00	421
	A	218B	Square	workfloor T8.5'	0.000	10.10	6.300	33.50	0.00	0.00	33.500	0.000	33.5	51.1	4.50	1,789
	A	221 T	Irregular	workfloor (scale in bin)	43.600	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	43.6	3.50	384
	A	221B	Square	workfloor (scale in bin)	0.000	10.10	6.100	33.50	0.00	0.00	33.500	0.000	33.5	49.5	4.20	1,728
Added	A	301	Peaked	workfloor (scale in bin)	47.750	0.000	0.000	32.00	0.00	0.00	32.000	2.900	34.9	1439.5	10.0	55,263
Added	A	314	Peaked	workfloor	47.750	0.000	0.000	32.00	0.00	0.00	32.000	2.900	34.9	1439.5	10.0	55,263
	A	401	Square	workfloor	0.000	10.10	6.100	20.00	0.00	0.00	20.000	0.000	20.0	49.5	4.20	1,032
	A	402	Square	workfloor	0.000	10.10	6.100	20.00	0.00	0.00	20.000	0.000	20.0	49.5	4.20	1,032
	A	403	Square	workfloor	0.000	5.100	6.100	21.00	0.00	0.00	21.000	0.000	21.0	25.0	2.50	538
	A	404	Square	workfloor	0.000	10.10	6.100	20.00	0.00	0.00	20.000	0.000	20.0	49.5	4.20	1,032
	A	405	Square	workfloor	0.000	4.500	6.100	21.00	0.00	0.00	21.000	0.000	21.0	22.1	2.00	473
	A	406	Square	workfloor	0.000	4.500	6.100	21.00	0.00	0.00	21.000	0.000	21.0	22.1	2.00	473
	A	407	Square	workfloor	0.000	5.100	4.000	21.00	0.00	0.00	21.000	0.000	21.0	16.4	2.00	351

Exam Date: 11/13/2013

Equity Elevator & Trading Co.

Examiner: 1

PO Box 340
Turtle Lake, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Turtle Lake

Section: A

	A	408	Square	workfloor	0.000	5.100	4.000	18.00	0.00	0.00	18.000	0.000	18.0	16.4	2.00	301
	A	409	Square	workfloor	0.000	5.100	4.000	18.00	0.00	0.00	18.000	0.000	18.0	16.4	2.00	301
	A	501	Peaked	eave	15.500	0.000	0.000	30.00	2.20	0.00	32.200	0.900	33.1	151.7	5.50	5,297
	A	502	Peaked	eave	15.500	0.000	0.000	30.00	2.20	0.00	32.200	0.900	33.1	151.7	5.50	5,297
	A	503	Peaked	eave	15.500	0.000	0.000	30.00	2.20	0.00	32.200	0.900	33.1	151.7	5.50	5,297
	A	504	Peaked	eave	15.500	0.000	0.000	30.00	2.20	0.00	32.200	0.900	33.1	151.7	5.50	5,297
	A	505	Peaked	eave	12.500	0.000	0.000	11.90	2.00	0.00	13.900	0.800	14.7	98.6	5.00	1,521
Added	A	601	Peaked	eave	47.750	0.000	0.000	32.00	0.00	0.00	32.000	2.900	34.9	1439.5	10.0	55,263
Added	A	602	Peaked	eave	47.750	0.000	0.000	31.80	0.00	0.00	31.800	2.900	34.7	1439.5	10.0	54,946

Bin count: 72

Facility: Turtle Lake Section: A Total: **537,398**

To Even: **538,000**

Overall Licensed Bin Capacity for:

Equity Elevator & Trading Co.

Bin count: 72

Licensed Capacity:

(includes pack)

537,398 Bu.

Licensed Capacity (to even):

(includes pack and section totals are rounded up to next highest 1000)

538,000 Bu.