

Exam Date:11/20/2013

Safflower Technologies International LLC

Page: 1

Examiner: 1

PO Box 485
 Fairview , MT
 County:
 Phone: 701-844-5972
 CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
		Total: 0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	250,000
	B	110,000
		Total: 360,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
East Fairview 1189	A B	360,000
		Total: 360,000

Exam Date:11/20/2013

Safflower Technologies International LLC

Page: 1

Examiner: 1

PO Box 485
Fairview, MT
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	001	Irregular	Zero point - eave of bin	23.400	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	23.4	2.00	1,170
	A	002	Irregular	Zero point - Floor of bins	91.200	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	91.2	5.80	6,272
	A	004	Irregular	Zero point - Floor of bins	52.700	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	52.7	4.50	2,698
	A	006	Irregular	Zero point - Floor of bins	50.800	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	50.8	4.50	2,601
	A	007	Irregular	Zero point - Floor of bins	27.800	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	27.8	2.50	1,396
	A	008	Irregular	Zero point - Floor of bins	91.200	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	91.2	5.80	6,272
	A	009	Irregular	Zero point - Floor of bins	49.900	0.000	0.000	47.00	0.00	0.00	47.000	0.000	47.0	49.9	4.20	2,443
	A	011 T	Irregular	Zero point - Floor of bins	33.700	0.000	0.000	13.00	0.00	0.00	13.000	0.000	13.0	33.7	2.50	449
	A	011B	Irregular	Zero point - Floor of bins	49.900	0.000	0.000	34.00	0.00	0.00	34.000	0.000	34.0	49.9	4.20	1,768
	A	013	Irregular	Zero point - Floor of bins	91.200	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	91.2	5.80	6,272
	A	014 T	Irregular	Zero point - Floor of bins	14.700	0.000	0.000	13.00	0.00	0.00	13.000	0.000	13.0	14.7	2.00	195
	A	014B	Irregular	Zero point - Floor of bins	27.800	0.000	0.000	36.00	0.00	0.00	36.000	0.000	36.0	27.8	2.50	1,026
	A	015	Irregular	Zero point - Floor of bins	51.300	0.000	0.000	48.00	0.00	0.00	48.000	0.000	48.0	51.3	4.50	2,573
	A	016	Irregular	Zero point - Floor of bins	51.300	0.000	0.000	48.00	0.00	0.00	48.000	0.000	48.0	51.3	4.50	2,573
	A	018	Irregular	Zero point - Floor of bins	28.800	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	28.8	2.50	1,446
	A	019	Irregular	Zero point - Floor of bins	91.200	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	91.2	5.80	6,272
	A	020	Irregular	Zero point - Floor of bins	9.600	0.000	0.000	27.00	0.00	0.00	27.000	0.000	27.0	9.6	2.00	264
	A	021 T	Irregular	Zero point - Floor of bins	9.600	0.000	0.000	27.00	0.00	0.00	27.000	0.000	27.0	9.6	2.00	264
	A	021B	Irregular	Zero point - Floor of bins	23.400	0.000	0.000	22.00	0.00	0.00	22.000	0.000	22.0	23.4	2.00	525
	A	022	Irregular	Zero point - Floor of bins	28.800	0.000	0.000	49.00	0.00	0.00	49.000	0.000	49.0	28.8	2.50	1,446
	A	101 T	Irregular	Zero point - Floor of bins	145.80	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	145.8	6.80	8,720
	A	101B	Irregular	Zero point - Floor of bins	98.800	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	98.8	6.00	837
	A	102	Irregular	Zero point - Floor of bins	145.80	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	145.8	6.80	9,966

Section: A

Exam Date:11/20/2013

Safflower Technologies International LLC

Page: 2

Examiner: 1

PO Box 485

Fairview , MT

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	103 T	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	144.5	6.80	8,642
	A	103B	Irregular	Zero point - Floor of bins	97.900	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	97.9	6.00	830
	A	104	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	144.5	6.80	9,877
	A	105 T	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	144.5	6.80	8,642
	A	105B	Irregular	Zero point - Floor of bins	97.900	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	97.9	6.00	830
	A	106	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	144.5	6.80	9,877
	A	107 T	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	144.5	6.80	8,642
	A	107B	Irregular	Zero point - Floor of bins	97.900	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	97.9	6.00	830
	A	108	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	144.5	6.80	9,877
	A	109 T	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	144.5	6.80	8,642
	A	109B	Irregular	Zero point - Floor of bins	97.900	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	97.9	6.00	830
	A	110	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	144.5	6.80	9,877
	A	111 T	Irregular	Zero point - Floor of bins	144.50	0.000	0.000	56.00	0.00	0.00	56.000	0.000	56.0	144.5	6.80	8,642
	A	111B	Irregular	Zero point - Floor of bins	98.800	0.000	0.000	8.000	0.00	0.00	8.000	0.000	8.0	98.8	6.00	837
	A	112	Irregular	Zero point - Floor of bins	145.80	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	145.8	6.80	9,966
	A	201 T	Irregular	Zero point - Floor of bins	141.40	0.000	0.000	55.50	0.00	0.00	55.500	0.000	55.5	141.4	6.80	8,382
	A	201B	Irregular	Zero point - Floor of bins	98.000	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	98.0	6.00	883
	A	202	Irregular	Zero point - Floor of bins	140.50	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	140.5	6.80	9,603
	A	203 T	Irregular	Zero point - Floor of bins	143.90	0.000	0.000	55.50	0.00	0.00	55.500	0.000	55.5	143.9	6.80	8,529
	A	203B	Irregular	Zero point - Floor of bins	99.700	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	99.7	6.00	898
	A	204	Irregular	Zero point - Floor of bins	143.00	0.000	0.000	64.00	0.00	0.00	64.000	0.000	64.0	143.0	6.80	9,774
	A	205 T	Irregular	Zero point - Floor of bins	143.90	0.000	0.000	55.50	0.00	0.00	55.500	0.000	55.5	143.9	6.80	8,529
	A	205B	Irregular	Zero point - Floor of bins	99.700	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	99.7	6.00	898

Section: A

Exam Date:11/20/2013

Safflower Technologies International LLC

Page: 3

Examiner: 1

PO Box 485
Fairview , MT
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	A	206 T	Irregular	Zero point - Floor of bins	33.900	0.000	0.000	42.00	0.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
	A	206B	Irregular	Zero point - Floor of bins	143.00	0.000	0.000	22.00	0.00	0.00	22.000	0.000	22.0	143.0	6.80	3,360
	A	207 T	Irregular	Zero point - Floor of bins	141.40	0.000	0.000	55.50	0.00	0.00	55.500	0.000	55.5	141.4	6.80	8,382
	A	207B	Irregular	Zero point - Floor of bins	98.000	0.000	0.000	8.500	0.00	0.00	8.500	0.000	8.5	98.0	6.00	883
	A	208 T	Irregular	Zero point - Floor of bins	33.300	0.000	0.000	42.00	0.00	0.00	42.000	0.000	42.0	33.3	2.50	1,434
	A	208B	Irregular	Zero point - Floor of bins	140.50	0.000	0.000	22.00	0.00	0.00	22.000	0.000	22.0	140.5	6.80	3,301
	A	P201	Irregular	Zero point - Floor of bins	105.40	0.000	0.000	42.00	0.00	0.00	42.000	0.000	42.0	105.4	6.20	4,701
	A	P202	Irregular	Zero point - Floor of bins	107.20	0.000	0.000	42.00	0.00	0.00	42.000	0.000	42.0	107.2	6.20	4,781
	A	Warehouse	Flat	Zero point - Floor of bins	1.200	50.00	100.0	1.000	0.00	0.00	1.000	1.200	2.2	4019.3	10.0	9,726

Bin count: 55

Facility: East Fairview Section: A Total: 249,813

To Even: 250,000

Section: B

B	001	Square	Zero point - eave of bin	0.000	13.00	6.500	13.50	1.33	0.00	14.830	0.000	14.8	67.9	5.20	1,057
B	002	Square	Zero point - eave of bin	0.000	13.00	6.500	13.50	1.33	0.00	14.830	0.000	14.8	67.9	5.20	1,057
B	003	Peaked	Zero point - eave of bin	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
B	004	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	005	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	006	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	007	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	008	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	009	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Exam Date:11/20/2013

Safflower Technologies International LLC

Page: 4

Examiner: 1

PO Box 485
Fairview , MT
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width				Depth						
	Section: B															
	B	010	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
	B	011	Peaked	Zero point - eave of bin	13.000	0.000	0.000	10.00	1.66	0.00	11.660	0.800	12.5	106.7	5.20	1,403
	B	012	Peaked	Zero point - eave of bin	13.000	0.000	0.000	10.00	1.66	0.00	11.660	0.800	12.5	106.7	5.20	1,403
	B	013	Peaked	Zero point - eave of bin	13.000	0.000	0.000	10.00	1.66	0.00	11.660	0.800	12.5	106.7	5.20	1,403
	B	014	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
	B	015	Peaked	Zero point - eave of bin	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
	B	016	Peaked	Zero point - eave of bin	41.420	0.000	0.000	24.50	0.00	0.00	24.500	2.500	27.0	1083.2	10.0	32,171
	B	017	Peaked	Zero point - eave of bin	41.420	0.000	0.000	24.50	0.00	0.00	24.500	2.500	27.0	1083.2	10.0	32,171

Bin count: 17

Facility: East Fairview Section: B Total: 109,240

To Even: 110,000

Overall Licensed Bin Capacity for:

Safflower Technologies International LLC

Bin count: 72

Licensed Capacity:
(includes pack)


359,053 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

360,000 Bu.

Safflower Technologies International LLC

Easr Fairview, North Dakota



Driveway

Office

Scale

Section A

Interstate Ave. (State Line)

Safflower Technologies
Section B

