

Exam Date:07/10/2013

O'Brien Seed, Inc.

Page: 1

Examiner: 1

PO Box 505

Mayville , ND

County:

Phone: 701-788-9118

CCC Number:

Location/Container Numbers/Comments	Section	Capacity	
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE			
101	G	69,923	
102	G	69,923	
103	G	1,799	
104	G	1,799	
105	G	1,799	
106	G	1,799	
	Total:	147,042	
PART B - SPACE TO BE DELETED UNDER LICENSE			
001	H	25,219	
002	H	25,219	
003	H	25,219	
	Total:	75,657	
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE			
	A	14,000	
	B	15,000	
	C	11,000	
	D	41,000	
	E	17,000	
	F	89,000	
	G	148,000	
	Total:	335,000	
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT			
Mayville	946	A B C D E F G	335,000
		Total:	335,000

Exam Date:07/10/2013

O'Brien Seed, Inc.

Page: 1

Examiner: 1

PO Box 505
Mayville, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-----------------------------------------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: A

A	001	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	002	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	003	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	004	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	101	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	102	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	103	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	104	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	105	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	106	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	107	Square	floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	108	Square	floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	109	Round	floor over bins		7.500	0.000	0.000	7.700	1.00	0.00	8.700	0.000	8.7	35.5	4.50	323
A	110	Flat	bag storage		0.000	30.50	19.00	6.500	0.00	0.00	6.500	0.000	6.5	465.8	8.50	3,285

Bin count: 14

Facility: Mayville Section: A Total: **13,276**To Even: **14,000**

Section: B

B	201	Peaked	sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
B	202	Peaked	sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
B	203	Peaked	sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838

NDPSC Bin Capacity Chart

Exam Date:07/10/2013

O'Brien Seed, Inc.
PO Box 505
Mayville , ND
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
Bin count:		3													Facility: Mayville Section: B Total:	14,514
														To Even:	15,000	

Section: C

C	301	Peaked	top of sidewall at access	12.000	0.000	0.000	15.00	1.80	0.00	16.800	0.700	17.5	90.9	5.00	1,671	
C	302	Peaked	top of sidewall at access	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934	
C	303	Peaked	top of sidewall at access	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934	
C	304	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00	1,512	
C	305	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00	1,512	
C	306	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00	1,512	
Bin count:		6													Facility: Mayville Section: C Total:	10,075
														To Even:	11,000	

Section: D

D	401	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037	
D	402	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037	
D	403	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037	
D	404	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037	
Bin count:		4													Facility: Mayville Section: D Total:	40,148
														To Even:	41,000	

Section: E

E	503	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186
E	504	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186
E	505	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186

NDPSC Bin Capacity Chart

Exam Date: 07/10/2013

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Mayville

Section: E

E	506	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186
Bin count:		4													
													Facility: Mayville Section: E Total:		16,744
													To Even:		17,000

Section: F

F	003 T	Square	floor over bins - extreme =	0.000	9.000	6.700	44.00	1.30	0.00	45.300	0.000	45.3	48.5	4.20	2,289
F	003 B	Square	blind bin extrme = 22' --top	0.000	9.000	12.75	12.00	2.00	0.00	14.000	0.000	14.0	92.2	5.80	1,366
F	004 T	Square	floor over bins	0.000	8.800	6.700	53.00	0.00	0.00	53.000	0.000	53.0	47.4	4.00	2,612
F	004 B	Square	top 53' extreme depth = 13'	0.000	8.800	12.75	7.000	2.00	0.00	9.000	0.000	9.0	90.2	5.80	859
F	005 T	Square	floor over bins need	0.000	10.50	7.000	53.00	0.00	0.00	53.000	0.000	53.0	59.1	4.80	3,282
F	005 B	Square	floor over bins- top 53'	0.000	14.60	4.800	7.000	2.00	0.00	9.000	0.000	9.0	56.3	4.80	531
F	006 T	Square	floor over bins	0.000	8.800	7.000	53.00	0.00	0.00	53.000	0.000	53.0	49.5	4.20	2,734
F	006 B	Square	top 53' extreme = 13	0.000	8.800	12.90	7.000	2.00	0.00	9.000	0.000	9.0	91.3	5.80	870
F	007 T	Square	floor over bins	0.000	8.000	6.750	53.00	0.00	0.00	53.000	0.000	53.0	43.4	3.50	2,381
F	007 B	Square	top 53' extrme = 13	0.000	8.000	12.75	7.000	2.00	0.00	9.000	0.000	9.0	82.0	5.50	779
F	008	Square	bin floor -- xtrme 51'	0.000	8.800	6.000	48.00	1.00	0.00	49.000	0.000	49.0	42.4	3.50	2,151
F	009	Square	bin floor extrme 51'	0.000	9.580	6.800	48.00	1.00	0.00	49.000	0.000	49.0	52.4	4.50	2,684
F	011	Square	bin floor xrtme 51'	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	012	Square	bin floor -- extrme 51'	0.000	9.600	6.000	48.00	1.00	0.00	49.000	0.000	49.0	46.3	4.00	2,360
F	013 T	Square	floor over bins	0.000	9.700	4.500	12.00	0.00	0.00	12.000	0.000	12.0	35.1	3.00	434
F	013 B	Square	floor over bins - top 12' -	0.000	9.700	6.000	36.00	1.00	0.00	37.000	0.000	37.0	46.8	4.00	1,801
F	014 T	Square	floor over bins	0.000	6.200	4.800	21.00	0.00	0.00	21.000	0.000	21.0	23.9	2.00	512

NDPSC Bin Capacity Chart

Exam Date:07/10/2013

O'Brien Seed, Inc.

Page: 4

Examiner: 1

PO Box 505
Mayville, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville**Section: F**

F	014 B	Square	floor over bins - top 21' -	0.000	6.200	9.000	27.00	1.00	0.00	28.000	0.000	28.0	44.9	3.50	1,301
F	015	Square	bin floor - xtrme 51'	0.000	10.60	4.000	48.00	1.00	0.00	49.000	0.000	49.0	34.1	3.00	1,721
F	016	Square	bin floor - extrme	0.000	8.000	6.750	48.00	1.00	0.00	49.000	0.000	49.0	43.4	3.50	2,201
F	017	Square	bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	018	Square	bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	019	Square	bin floor - extrme 51'	0.000	8.000	7.500	48.00	1.00	0.00	49.000	0.000	49.0	48.2	4.20	2,461
F	020	Square	bin floor - extrme 51'	0.000	5.600	3.300	48.00	1.00	0.00	49.000	0.000	49.0	14.9	2.00	745
F	021	Square	bin floor - extrme 51'	0.000	8.000	6.700	48.00	1.00	0.00	49.000	0.000	49.0	43.1	3.50	2,186
F	101	Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	102 T	Square	floor over bins	0.000	13.70	10.80	54.00	0.00	0.00	54.000	0.000	54.0	118.9	6.20	6,819
F	102 M	Square	floor over bins - top 54'	0.000	11.30	10.80	4.500	0.00	0.00	4.500	0.000	4.5	98.1	6.00	467
F	102B	Square	top & mddle 58.5' extrme =	0.000	9.000	10.80	4.000	1.75	0.00	5.750	0.000	5.8	78.1	5.50	478
F	103 T	Square	floor over bins	0.000	13.70	10.50	54.00	0.00	0.00	54.000	0.000	54.0	115.6	6.20	6,629
F	103 M	Square	floor over bins- top 54'	0.000	11.30	10.50	4.500	0.00	0.00	4.500	0.000	4.5	95.4	6.00	455
F	103B	Square	top & mddle 58.5' extrme =	0.000	9.000	10.50	4.000	1.75	0.00	5.750	0.000	5.8	76.0	5.50	465
F	104	Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	105	Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	106 T	Square	floor over bins	0.000	13.70	10.10	54.00	0.00	0.00	54.000	0.000	54.0	111.2	6.20	6,377
F	106 M	Square	floor over bins- top 54'	0.000	11.30	10.10	4.500	0.00	0.00	4.500	0.000	4.5	91.7	5.80	437
F	106B	Square	top & mddle 58.5' extreme =	0.000	9.000	10.10	4.000	1.75	0.00	5.750	0.000	5.8	73.1	5.50	447

Bin count: 37

Facility: Mayville Section: F Total: 88,818

To Even: 89,000

Client ID: 1632

NDPSC Bin Capacity Chart

07/10/2013 03:03:35 PM

Exam Date: 07/10/2013

O'Brien Seed, Inc.
 PO Box 505
 Mayville, ND
 County:

Page: 5

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Mayville

Section: G

Added	G	101	Peaked	top of sidewall-	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923
Added	G	102	Peaked	top of sidewall	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923
Added	G	103	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
Added	G	104	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
Added	G	105	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
Added	G	106	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799

Bin count: 6

Facility: Mayville Section: G Total: 147,042

To Even: **148,000**

Overall Licensed Bin Capacity for:

O'Brien Seed, Inc.

Bin count: 74




Licensed Capacity:
 (includes pack)

330,617 Bu.

Licensed Capacity (to even):
 (includes pack and section totals are rounded up to next highest 1000)

335,000 Bu.


O'BRIEN SEED INC.
MAYVILLE N.D.
SECTION G



Section G
located 2 blocks south of Mayport Farmers Mayville concrete complex

O'BRIEN SEED INC. MAYVILLE N.D.

section A





section B



section B

106	103	102	001	002
105	104	101	004	003




bag storage
Section B
208

BAG STORAGE


207

O'BRIEN SEED INC. MAYVILLE N.D.


section E



section C




section D



O'BRIEN SEED INC.
MAYVILLE N.D.
SECTION F - (old ASI plant)

Rail Siding



SECTION G

located 1/4 mile south of dairy queen

N/L EXCLUDED 9-19-11

