



Qwest Corporation (Qwest or CTL-Q) Performance Results

North Dakota

February 2013 - February 2014

Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.

| | | | |
|---------------|----|---------------------------------|--------------|
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2014 | ND | Pre-Ordering | PO-2A |
| February 2014 | ND | Pre-Ordering | PO-2A |
| February 2014 | ND | Pre-Ordering | PO-2A |
| February 2014 | ND | Pre-Ordering | PO-2B |
| February 2014 | ND | Pre-Ordering | PO-2B |
| February 2014 | ND | Pre-Ordering | PO-2B |
| February 2014 | ND | Pre-Ordering | PO-2B |
| February 2014 | ND | Pre-Ordering | PO-3X |
| February 2014 | ND | Pre-Ordering | PO-5A-(a) |
| February 2014 | ND | Pre-Ordering | PO-5A-(c) |
| February 2014 | ND | Pre-Ordering | PO-5B-(b) |
| February 2014 | ND | Pre-Ordering | PO-5B-(c) |
| February 2014 | ND | Pre-Ordering | PO-5D |
| January 2014 | ND | Billing | BI-2 |
| January 2014 | ND | Billing | BI-3A |
| January 2014 | ND | Billing | BI-3B |
| January 2014 | ND | Billing | BI-4A |
| January 2014 | ND | Billing | BI-4B |
| January 2014 | ND | Database Updates | DB-1B |
| January 2014 | ND | Database Updates | DB-1C-1 |
| January 2014 | ND | Electronic Gateway Availability | GA-1 |
| January 2014 | ND | Electronic Gateway Availability | GA-1 |
| January 2014 | ND | Electronic Gateway Availability | GA-1 |
| January 2014 | ND | Electronic Gateway Availability | GA-3 |
| January 2014 | ND | Electronic Gateway Availability | GA-3 |
| January 2014 | ND | Electronic Gateway Availability | GA-4 |
| January 2014 | ND | Electronic Gateway Availability | GA-7 |
| January 2014 | ND | Maintenance and Repair | MR-5B |
| January 2014 | ND | Maintenance and Repair | MR-5B |
| January 2014 | ND | Maintenance and Repair | MR-5X |
| January 2014 | ND | Maintenance and Repair | MR-6E |
| January 2014 | ND | Maintenance and Repair | MR-6E |
| January 2014 | ND | Maintenance and Repair | MR-6E |
| January 2014 | ND | Maintenance and Repair | MR-7E |
| January 2014 | ND | Maintenance and Repair | MR-7E |

| | | | |
|---------------|----|---------------------------------|--------------|
| January 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| January 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| January 2014 | ND | Pre-Ordering | PO-1-IMA GUI |
| January 2014 | ND | Pre-Ordering | PO-2A |
| January 2014 | ND | Pre-Ordering | PO-2A |
| January 2014 | ND | Pre-Ordering | PO-2A |
| January 2014 | ND | Pre-Ordering | PO-2B |
| January 2014 | ND | Pre-Ordering | PO-2B |
| January 2014 | ND | Pre-Ordering | PO-2B |
| January 2014 | ND | Pre-Ordering | PO-3X |
| January 2014 | ND | Pre-Ordering | PO-5A-(a) |
| January 2014 | ND | Pre-Ordering | PO-5A-(c) |
| January 2014 | ND | Pre-Ordering | PO-5B-(a) |
| January 2014 | ND | Pre-Ordering | PO-5B-(b) |
| January 2014 | ND | Pre-Ordering | PO-5B-(c) |
| January 2014 | ND | Pre-Ordering | PO-5C-(a) |
| January 2014 | ND | Pre-Ordering | PO-5C-(c) |
| December 2013 | ND | Billing | BI-1A |
| December 2013 | ND | Billing | BI-1B |
| December 2013 | ND | Billing | BI-1C-1 |
| December 2013 | ND | Billing | BI-1C-2 |
| December 2013 | ND | Billing | BI-2 |
| December 2013 | ND | Billing | BI-3A |
| December 2013 | ND | Billing | BI-3B |
| December 2013 | ND | Billing | BI-4A |
| December 2013 | ND | Billing | BI-4B |
| December 2013 | ND | Collocation | CP-1C |
| December 2013 | ND | Collocation | CP-2C |
| December 2013 | ND | Directory Assistance | DA-1 |
| December 2013 | ND | Database Updates | DB-1A |
| December 2013 | ND | Electronic Gateway Availability | GA-1 |
| December 2013 | ND | Electronic Gateway Availability | GA-1 |
| December 2013 | ND | Electronic Gateway Availability | GA-3 |
| December 2013 | ND | Electronic Gateway Availability | GA-4 |
| December 2013 | ND | Electronic Gateway Availability | GA-6 |
| December 2013 | ND | Electronic Gateway Availability | GA-7 |
| December 2013 | ND | Maintenance and Repair | MR-10 |
| December 2013 | ND | Maintenance and Repair | MR-10 |
| December 2013 | ND | Maintenance and Repair | MR-2 |
| December 2013 | ND | Maintenance and Repair | MR-3A |
| December 2013 | ND | Maintenance and Repair | MR-3E |
| December 2013 | ND | Maintenance and Repair | MR-3E |
| December 2013 | ND | Maintenance and Repair | MR-4A |
| December 2013 | ND | Maintenance and Repair | MR-4E |
| December 2013 | ND | Maintenance and Repair | MR-4E |
| December 2013 | ND | Maintenance and Repair | MR-5B |
| December 2013 | ND | Maintenance and Repair | MR-5B |
| December 2013 | ND | Maintenance and Repair | MR-5B |
| December 2013 | ND | Maintenance and Repair | MR-6A |
| December 2013 | ND | Maintenance and Repair | MR-6E |
| December 2013 | ND | Maintenance and Repair | MR-6E |
| December 2013 | ND | Maintenance and Repair | MR-6E |
| December 2013 | ND | Maintenance and Repair | MR-6E |

| | | | |
|---------------|----|---------------------------|--------------|
| December 2013 | ND | Maintenance and Repair | MR-6E |
| December 2013 | ND | Maintenance and Repair | MR-6E |
| December 2013 | ND | Maintenance and Repair | MR-7A |
| December 2013 | ND | Maintenance and Repair | MR-7E |
| December 2013 | ND | Maintenance and Repair | MR-7E |
| December 2013 | ND | Maintenance and Repair | MR-7E |
| December 2013 | ND | Maintenance and Repair | MR-7E |
| December 2013 | ND | Maintenance and Repair | MR-7E |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-8 |
| December 2013 | ND | Maintenance and Repair | MR-9A |
| December 2013 | ND | Network Performance | NI-1A |
| December 2013 | ND | Network Performance | NI-1B |
| December 2013 | ND | Network Performance | NI-1C |
| December 2013 | ND | Network Performance | NI-1D |
| December 2013 | ND | Ordering and Provisioning | OP-15A |
| December 2013 | ND | Ordering and Provisioning | OP-15B |
| December 2013 | ND | Ordering and Provisioning | OP-17A |
| December 2013 | ND | Ordering and Provisioning | OP-17B |
| December 2013 | ND | Ordering and Provisioning | OP-2 |
| December 2013 | ND | Ordering and Provisioning | OP-3E |
| December 2013 | ND | Ordering and Provisioning | OP-3E |
| December 2013 | ND | Ordering and Provisioning | OP-3E |
| December 2013 | ND | Ordering and Provisioning | OP-4E |
| December 2013 | ND | Ordering and Provisioning | OP-4E |
| December 2013 | ND | Ordering and Provisioning | OP-4E |
| December 2013 | ND | Ordering and Provisioning | OP-5A |
| December 2013 | ND | Ordering and Provisioning | OP-5A |
| December 2013 | ND | Ordering and Provisioning | OP-5A |
| December 2013 | ND | Ordering and Provisioning | OP-5B |
| December 2013 | ND | Ordering and Provisioning | OP-5B |
| December 2013 | ND | Ordering and Provisioning | OP-5B |
| December 2013 | ND | Ordering and Provisioning | OP-5R |
| December 2013 | ND | Ordering and Provisioning | OP-5T |
| December 2013 | ND | Ordering and Provisioning | OP-5T |
| December 2013 | ND | Ordering and Provisioning | OP-5T |
| December 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| December 2013 | ND | Ordering and Provisioning | OP-6B-5 |
| December 2013 | ND | Ordering and Provisioning | OP-8C |
| December 2013 | ND | Operator Services | OS-1 |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |

| | | | |
|---------------|----|--------------|--------------|
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| December 2013 | ND | Pre-Ordering | PO-15 |
| December 2013 | ND | Pre-Ordering | PO-16 |
| December 2013 | ND | Pre-Ordering | PO-20P4 |
| December 2013 | ND | Pre-Ordering | PO-20P4 |
| December 2013 | ND | Pre-Ordering | PO-2A-1 |
| December 2013 | ND | Pre-Ordering | PO-2A-1 |
| December 2013 | ND | Pre-Ordering | PO-2A-1 |
| December 2013 | ND | Pre-Ordering | PO-2B-1 |
| December 2013 | ND | Pre-Ordering | PO-2B-1 |
| December 2013 | ND | Pre-Ordering | PO-2B-1 |
| December 2013 | ND | Pre-Ordering | PO-3A-1 |
| December 2013 | ND | Pre-Ordering | PO-3A-2 |
| December 2013 | ND | Pre-Ordering | PO-3C |
| December 2013 | ND | Pre-Ordering | PO-4A-1 |
| December 2013 | ND | Pre-Ordering | PO-4A-2 |
| December 2013 | ND | Pre-Ordering | PO-4C |
| December 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| December 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| December 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| December 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| December 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| December 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| December 2013 | ND | Pre-Ordering | PO-5D |
| December 2013 | ND | Pre-Ordering | PO-6A |
| December 2013 | ND | Pre-Ordering | PO-7A,C |
| December 2013 | ND | Pre-Ordering | PO-8A |
| December 2013 | ND | Pre-Ordering | PO-8B |
| December 2013 | ND | Pre-Ordering | PO-9B |
| November 2013 | ND | Billing | BI-1A |

| | | | |
|---------------|----|---------------------------------|---------|
| November 2013 | ND | Billing | BI-1B |
| November 2013 | ND | Billing | BI-1C-1 |
| November 2013 | ND | Billing | BI-1C-2 |
| November 2013 | ND | Billing | BI-2 |
| November 2013 | ND | Billing | BI-3A |
| November 2013 | ND | Billing | BI-3B |
| November 2013 | ND | Billing | BI-4A |
| November 2013 | ND | Billing | BI-4B |
| November 2013 | ND | Directory Assistance | DA-1 |
| November 2013 | ND | Database Updates | DB-1A |
| November 2013 | ND | Database Updates | DB-1B |
| November 2013 | ND | Database Updates | DB-1C-1 |
| November 2013 | ND | Database Updates | DB-2C-1 |
| November 2013 | ND | Electronic Gateway Availability | GA-1 |
| November 2013 | ND | Electronic Gateway Availability | GA-1 |
| November 2013 | ND | Electronic Gateway Availability | GA-3 |
| November 2013 | ND | Electronic Gateway Availability | GA-4 |
| November 2013 | ND | Electronic Gateway Availability | GA-6 |
| November 2013 | ND | Electronic Gateway Availability | GA-7 |
| November 2013 | ND | Maintenance and Repair | MR-10 |
| November 2013 | ND | Maintenance and Repair | MR-10 |
| November 2013 | ND | Maintenance and Repair | MR-2 |
| November 2013 | ND | Maintenance and Repair | MR-3A |
| November 2013 | ND | Maintenance and Repair | MR-3B |
| November 2013 | ND | Maintenance and Repair | MR-3E |
| November 2013 | ND | Maintenance and Repair | MR-3E |
| November 2013 | ND | Maintenance and Repair | MR-4A |
| November 2013 | ND | Maintenance and Repair | MR-4B |
| November 2013 | ND | Maintenance and Repair | MR-4E |
| November 2013 | ND | Maintenance and Repair | MR-4E |
| November 2013 | ND | Maintenance and Repair | MR-4E |
| November 2013 | ND | Maintenance and Repair | MR-4E |
| November 2013 | ND | Maintenance and Repair | MR-5B |
| November 2013 | ND | Maintenance and Repair | MR-5B |
| November 2013 | ND | Maintenance and Repair | MR-5B |
| November 2013 | ND | Maintenance and Repair | MR-6A |
| November 2013 | ND | Maintenance and Repair | MR-6B |
| November 2013 | ND | Maintenance and Repair | MR-6B |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-6E |
| November 2013 | ND | Maintenance and Repair | MR-7A |
| November 2013 | ND | Maintenance and Repair | MR-7B |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-7E |
| November 2013 | ND | Maintenance and Repair | MR-8 |
| November 2013 | ND | Maintenance and Repair | MR-8 |

| | | | |
|---------------|----|----------------------|--------------|
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| November 2013 | ND | Pre-Ordering | PO-15 |
| November 2013 | ND | Pre-Ordering | PO-16 |
| November 2013 | ND | Pre-Ordering | PO-20P4 |
| November 2013 | ND | Pre-Ordering | PO-20P4 |
| November 2013 | ND | Pre-Ordering | PO-2A-1 |
| November 2013 | ND | Pre-Ordering | PO-2A-1 |
| November 2013 | ND | Pre-Ordering | PO-2A-1 |
| November 2013 | ND | Pre-Ordering | PO-2B-1 |
| November 2013 | ND | Pre-Ordering | PO-2B-1 |
| November 2013 | ND | Pre-Ordering | PO-2B-1 |
| November 2013 | ND | Pre-Ordering | PO-2B-1 |
| November 2013 | ND | Pre-Ordering | PO-3A-1 |
| November 2013 | ND | Pre-Ordering | PO-3A-2 |
| November 2013 | ND | Pre-Ordering | PO-3C |
| November 2013 | ND | Pre-Ordering | PO-4A-1 |
| November 2013 | ND | Pre-Ordering | PO-4A-2 |
| November 2013 | ND | Pre-Ordering | PO-4C |
| November 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| November 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| November 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| November 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| November 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| November 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| November 2013 | ND | Pre-Ordering | PO-5C-(c) |
| November 2013 | ND | Pre-Ordering | PO-5D |
| November 2013 | ND | Pre-Ordering | PO-6A |
| November 2013 | ND | Pre-Ordering | PO-7A,C |
| November 2013 | ND | Pre-Ordering | PO-8B |
| November 2013 | ND | Pre-Ordering | PO-9B |
| October 2013 | ND | Billing | BI-1A |
| October 2013 | ND | Billing | BI-1B |
| October 2013 | ND | Billing | BI-1C-1 |
| October 2013 | ND | Billing | BI-1C-2 |
| October 2013 | ND | Billing | BI-2 |
| October 2013 | ND | Billing | BI-3A |
| October 2013 | ND | Billing | BI-3B |
| October 2013 | ND | Billing | BI-4A |
| October 2013 | ND | Billing | BI-4B |
| October 2013 | ND | Directory Assistance | DA-1 |
| October 2013 | ND | Database Updates | DB-1A |

| | | | |
|--------------|----|-------------------|--------------|
| October 2013 | ND | Operator Services | OS-1 |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| October 2013 | ND | Pre-Ordering | PO-15 |
| October 2013 | ND | Pre-Ordering | PO-16 |
| October 2013 | ND | Pre-Ordering | PO-20P4 |
| October 2013 | ND | Pre-Ordering | PO-20P4 |
| October 2013 | ND | Pre-Ordering | PO-2A-1 |
| October 2013 | ND | Pre-Ordering | PO-2A-1 |
| October 2013 | ND | Pre-Ordering | PO-2A-1 |
| October 2013 | ND | Pre-Ordering | PO-2B-1 |
| October 2013 | ND | Pre-Ordering | PO-2B-1 |
| October 2013 | ND | Pre-Ordering | PO-2B-1 |
| October 2013 | ND | Pre-Ordering | PO-3A-1 |
| October 2013 | ND | Pre-Ordering | PO-3A-2 |
| October 2013 | ND | Pre-Ordering | PO-4A-1 |
| October 2013 | ND | Pre-Ordering | PO-4A-2 |
| October 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| October 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| October 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| October 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| October 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| October 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| October 2013 | ND | Pre-Ordering | PO-5D |
| October 2013 | ND | Pre-Ordering | PO-6A |
| October 2013 | ND | Pre-Ordering | PO-7A,C |
| October 2013 | ND | Pre-Ordering | PO-8B |
| October 2013 | ND | Pre-Ordering | PO-9A |

| | | | |
|----------------|----|---------------------------------|------------|
| September 2013 | ND | Pre-Ordering | PO-4A-1 |
| September 2013 | ND | Pre-Ordering | PO-4A-2 |
| September 2013 | ND | Pre-Ordering | PO-4C |
| September 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| September 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| September 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| September 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| September 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| September 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| September 2013 | ND | Pre-Ordering | PO-5C-(c) |
| September 2013 | ND | Pre-Ordering | PO-6A |
| September 2013 | ND | Pre-Ordering | PO-7A,C |
| September 2013 | ND | Pre-Ordering | PO-9B |
| August 2013 | ND | Billing | BI-1A |
| August 2013 | ND | Billing | BI-1B |
| August 2013 | ND | Billing | BI-1C-1 |
| August 2013 | ND | Billing | BI-1C-2 |
| August 2013 | ND | Billing | BI-2 |
| August 2013 | ND | Billing | BI-3A |
| August 2013 | ND | Billing | BI-3B |
| August 2013 | ND | Billing | BI-4A |
| August 2013 | ND | Billing | BI-4B |
| August 2013 | ND | Collocation | CP-1C |
| August 2013 | ND | Collocation | CP-2C |
| August 2013 | ND | Collocation | CP-3 |
| August 2013 | ND | Collocation | CP-4 |
| August 2013 | ND | Directory Assistance | DA-1 |
| August 2013 | ND | Database Updates | DB-1A |
| August 2013 | ND | Database Updates | DB-1B |
| August 2013 | ND | Database Updates | DB-1C-1 |
| August 2013 | ND | Database Updates | DB-2C-1 |
| August 2013 | ND | Electronic Gateway Availability | GA-1 |
| August 2013 | ND | Electronic Gateway Availability | GA-1 |
| August 2013 | ND | Electronic Gateway Availability | GA-3 |
| August 2013 | ND | Electronic Gateway Availability | GA-4 |
| August 2013 | ND | Electronic Gateway Availability | GA-6 |
| August 2013 | ND | Electronic Gateway Availability | GA-7 |
| August 2013 | ND | Maintenance and Repair | MR-10 |
| August 2013 | ND | Maintenance and Repair | MR-2 |
| August 2013 | ND | Maintenance and Repair | MR-3A |
| August 2013 | ND | Maintenance and Repair | MR-3E |
| August 2013 | ND | Maintenance and Repair | MR-3E |
| August 2013 | ND | Maintenance and Repair | MR-3E |
| August 2013 | ND | Maintenance and Repair | MR-4A |
| August 2013 | ND | Maintenance and Repair | MR-4B |
| August 2013 | ND | Maintenance and Repair | MR-4E |
| August 2013 | ND | Maintenance and Repair | MR-4E |
| August 2013 | ND | Maintenance and Repair | MR-4E |
| August 2013 | ND | Maintenance and Repair | MR-5B |
| August 2013 | ND | Maintenance and Repair | MR-6A |
| August 2013 | ND | Maintenance and Repair | MR-6B |
| August 2013 | ND | Maintenance and Repair | MR-6B |
| August 2013 | ND | Maintenance and Repair | MR-6E |

| | | | |
|-------------|----|---------------------------|--------------|
| August 2013 | ND | Ordering and Provisioning | OP-5A |
| August 2013 | ND | Ordering and Provisioning | OP-5A |
| August 2013 | ND | Ordering and Provisioning | OP-5B |
| August 2013 | ND | Ordering and Provisioning | OP-5B |
| August 2013 | ND | Ordering and Provisioning | OP-5B |
| August 2013 | ND | Ordering and Provisioning | OP-5B |
| August 2013 | ND | Ordering and Provisioning | OP-5B |
| August 2013 | ND | Ordering and Provisioning | OP-5R |
| August 2013 | ND | Ordering and Provisioning | OP-5T |
| August 2013 | ND | Ordering and Provisioning | OP-5T |
| August 2013 | ND | Ordering and Provisioning | OP-5T |
| August 2013 | ND | Ordering and Provisioning | OP-5T |
| August 2013 | ND | Ordering and Provisioning | OP-5T |
| August 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| August 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| August 2013 | ND | Ordering and Provisioning | OP-7 |
| August 2013 | ND | Ordering and Provisioning | OP-8B |
| August 2013 | ND | Ordering and Provisioning | OP-8C |
| August 2013 | ND | Operator Services | OS-1 |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| August 2013 | ND | Pre-Ordering | PO-15 |
| August 2013 | ND | Pre-Ordering | PO-16 |
| August 2013 | ND | Pre-Ordering | PO-20P4 |
| August 2013 | ND | Pre-Ordering | PO-2A-1 |
| August 2013 | ND | Pre-Ordering | PO-2A-1 |
| August 2013 | ND | Pre-Ordering | PO-2A-1 |
| August 2013 | ND | Pre-Ordering | PO-2A-1 |
| August 2013 | ND | Pre-Ordering | PO-2B-1 |

| | | | |
|-------------|----|---------------------------------|------------|
| August 2013 | ND | Pre-Ordering | PO-2B-1 |
| August 2013 | ND | Pre-Ordering | PO-2B-1 |
| August 2013 | ND | Pre-Ordering | PO-3A-1 |
| August 2013 | ND | Pre-Ordering | PO-3A-2 |
| August 2013 | ND | Pre-Ordering | PO-4A-1 |
| August 2013 | ND | Pre-Ordering | PO-4A-2 |
| August 2013 | ND | Pre-Ordering | PO-4C |
| August 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| August 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| August 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| August 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| August 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| August 2013 | ND | Pre-Ordering | PO-5C-(a) |
| August 2013 | ND | Pre-Ordering | PO-5D |
| August 2013 | ND | Pre-Ordering | PO-6A |
| August 2013 | ND | Pre-Ordering | PO-7A,C |
| August 2013 | ND | Pre-Ordering | PO-9A |
| August 2013 | ND | Pre-Ordering | PO-9B |
| July 2013 | ND | Billing | BI-1A |
| July 2013 | ND | Billing | BI-1B |
| July 2013 | ND | Billing | BI-1C-2 |
| July 2013 | ND | Billing | BI-2 |
| July 2013 | ND | Billing | BI-3A |
| July 2013 | ND | Billing | BI-3B |
| July 2013 | ND | Billing | BI-4A |
| July 2013 | ND | Billing | BI-4B |
| July 2013 | ND | Collocation | CP-1A |
| July 2013 | ND | Collocation | CP-2B |
| July 2013 | ND | Collocation | CP-3 |
| July 2013 | ND | Collocation | CP-4 |
| July 2013 | ND | Directory Assistance | DA-1 |
| July 2013 | ND | Database Updates | DB-1A |
| July 2013 | ND | Database Updates | DB-1B |
| July 2013 | ND | Database Updates | DB-1C-1 |
| July 2013 | ND | Database Updates | DB-2C-1 |
| July 2013 | ND | Electronic Gateway Availability | GA-1 |
| July 2013 | ND | Electronic Gateway Availability | GA-1 |
| July 2013 | ND | Electronic Gateway Availability | GA-3 |
| July 2013 | ND | Electronic Gateway Availability | GA-4 |
| July 2013 | ND | Electronic Gateway Availability | GA-6 |
| July 2013 | ND | Electronic Gateway Availability | GA-7 |
| July 2013 | ND | Maintenance and Repair | MR-10 |
| July 2013 | ND | Maintenance and Repair | MR-10 |
| July 2013 | ND | Maintenance and Repair | MR-2 |
| July 2013 | ND | Maintenance and Repair | MR-3B |
| July 2013 | ND | Maintenance and Repair | MR-3E |
| July 2013 | ND | Maintenance and Repair | MR-3E |
| July 2013 | ND | Maintenance and Repair | MR-3E |
| July 2013 | ND | Maintenance and Repair | MR-4A |
| July 2013 | ND | Maintenance and Repair | MR-4B |
| July 2013 | ND | Maintenance and Repair | MR-4B |
| July 2013 | ND | Maintenance and Repair | MR-4C |
| July 2013 | ND | Maintenance and Repair | MR-4E |

| | | | |
|-----------|----|---------------------------------|--------------|
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| July 2013 | ND | Pre-Ordering | PO-15 |
| July 2013 | ND | Pre-Ordering | PO-16 |
| July 2013 | ND | Pre-Ordering | PO-20P4 |
| July 2013 | ND | Pre-Ordering | PO-20P4 |
| July 2013 | ND | Pre-Ordering | PO-2A-1 |
| July 2013 | ND | Pre-Ordering | PO-2A-1 |
| July 2013 | ND | Pre-Ordering | PO-2A-1 |
| July 2013 | ND | Pre-Ordering | PO-2B-1 |
| July 2013 | ND | Pre-Ordering | PO-2B-1 |
| July 2013 | ND | Pre-Ordering | PO-2B-1 |
| July 2013 | ND | Pre-Ordering | PO-3A-1 |
| July 2013 | ND | Pre-Ordering | PO-3A-2 |
| July 2013 | ND | Pre-Ordering | PO-4A-1 |
| July 2013 | ND | Pre-Ordering | PO-4A-2 |
| July 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| July 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| July 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| July 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| July 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| July 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| July 2013 | ND | Pre-Ordering | PO-5D |
| July 2013 | ND | Pre-Ordering | PO-6A |
| July 2013 | ND | Pre-Ordering | PO-7A,C |
| July 2013 | ND | Pre-Ordering | PO-9A |
| July 2013 | ND | Pre-Ordering | PO-9B |
| June 2013 | ND | Billing | BI-1A |
| June 2013 | ND | Billing | BI-1B |
| June 2013 | ND | Billing | BI-1C-1 |
| June 2013 | ND | Billing | BI-1C-2 |
| June 2013 | ND | Billing | BI-2 |
| June 2013 | ND | Billing | BI-3A |
| June 2013 | ND | Billing | BI-3B |
| June 2013 | ND | Billing | BI-4A |
| June 2013 | ND | Billing | BI-4B |
| June 2013 | ND | Collocation | CP-1C |
| June 2013 | ND | Collocation | CP-2C |
| June 2013 | ND | Directory Assistance | DA-1 |
| June 2013 | ND | Database Updates | DB-1A |
| June 2013 | ND | Database Updates | DB-1B |
| June 2013 | ND | Database Updates | DB-1C-1 |
| June 2013 | ND | Database Updates | DB-2C-1 |
| June 2013 | ND | Electronic Gateway Availability | GA-1 |
| June 2013 | ND | Electronic Gateway Availability | GA-1 |

| | | | |
|-----------|----|---------------------------------|--------|
| June 2013 | ND | Electronic Gateway Availability | GA-3 |
| June 2013 | ND | Electronic Gateway Availability | GA-4 |
| June 2013 | ND | Electronic Gateway Availability | GA-6 |
| June 2013 | ND | Electronic Gateway Availability | GA-7 |
| June 2013 | ND | Maintenance and Repair | MR-10 |
| June 2013 | ND | Maintenance and Repair | MR-2 |
| June 2013 | ND | Maintenance and Repair | MR-3E |
| June 2013 | ND | Maintenance and Repair | MR-3E |
| June 2013 | ND | Maintenance and Repair | MR-3E |
| June 2013 | ND | Maintenance and Repair | MR-4A |
| June 2013 | ND | Maintenance and Repair | MR-4B |
| June 2013 | ND | Maintenance and Repair | MR-4E |
| June 2013 | ND | Maintenance and Repair | MR-4E |
| June 2013 | ND | Maintenance and Repair | MR-4E |
| June 2013 | ND | Maintenance and Repair | MR-5B |
| June 2013 | ND | Maintenance and Repair | MR-5B |
| June 2013 | ND | Maintenance and Repair | MR-5B |
| June 2013 | ND | Maintenance and Repair | MR-6A |
| June 2013 | ND | Maintenance and Repair | MR-6B |
| June 2013 | ND | Maintenance and Repair | MR-6B |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-6E |
| June 2013 | ND | Maintenance and Repair | MR-7A |
| June 2013 | ND | Maintenance and Repair | MR-7B |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-7E |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-8 |
| June 2013 | ND | Maintenance and Repair | MR-9A |
| June 2013 | ND | Maintenance and Repair | MR-9B |
| June 2013 | ND | Network Performance | NI-1A |
| June 2013 | ND | Network Performance | NI-1B |
| June 2013 | ND | Network Performance | NI-1C |
| June 2013 | ND | Network Performance | NI-1D |
| June 2013 | ND | Ordering and Provisioning | OP-13A |

| | | | |
|-----------|----|----------------------|--------------|
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| June 2013 | ND | Pre-Ordering | PO-15 |
| June 2013 | ND | Pre-Ordering | PO-16 |
| June 2013 | ND | Pre-Ordering | PO-20P4 |
| June 2013 | ND | Pre-Ordering | PO-20P4 |
| June 2013 | ND | Pre-Ordering | PO-2A-1 |
| June 2013 | ND | Pre-Ordering | PO-2A-1 |
| June 2013 | ND | Pre-Ordering | PO-2A-1 |
| June 2013 | ND | Pre-Ordering | PO-2B-1 |
| June 2013 | ND | Pre-Ordering | PO-2B-1 |
| June 2013 | ND | Pre-Ordering | PO-2B-1 |
| June 2013 | ND | Pre-Ordering | PO-2B-1 |
| June 2013 | ND | Pre-Ordering | PO-3A-1 |
| June 2013 | ND | Pre-Ordering | PO-3A-2 |
| June 2013 | ND | Pre-Ordering | PO-4A-1 |
| June 2013 | ND | Pre-Ordering | PO-4A-2 |
| June 2013 | ND | Pre-Ordering | PO-4C |
| June 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| June 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| June 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| June 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| June 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| June 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| June 2013 | ND | Pre-Ordering | PO-5C-(b) |
| June 2013 | ND | Pre-Ordering | PO-5D |
| June 2013 | ND | Pre-Ordering | PO-6A |
| June 2013 | ND | Pre-Ordering | PO-7A,C |
| June 2013 | ND | Pre-Ordering | PO-9A |
| June 2013 | ND | Pre-Ordering | PO-9B |
| May 2013 | ND | Billing | BI-1A |
| May 2013 | ND | Billing | BI-1B |
| May 2013 | ND | Billing | BI-1C-1 |
| May 2013 | ND | Billing | BI-1C-2 |
| May 2013 | ND | Billing | BI-2 |
| May 2013 | ND | Billing | BI-3A |
| May 2013 | ND | Billing | BI-3B |
| May 2013 | ND | Billing | BI-4A |
| May 2013 | ND | Billing | BI-4B |
| May 2013 | ND | Collocation | CP-3 |
| May 2013 | ND | Collocation | CP-4 |
| May 2013 | ND | Directory Assistance | DA-1 |

| | | | |
|----------|----|---------------------------|--------------|
| May 2013 | ND | Network Performance | NI-1C |
| May 2013 | ND | Network Performance | NI-1D |
| May 2013 | ND | Ordering and Provisioning | OP-13A |
| May 2013 | ND | Ordering and Provisioning | OP-13B |
| May 2013 | ND | Ordering and Provisioning | OP-15A |
| May 2013 | ND | Ordering and Provisioning | OP-15A |
| May 2013 | ND | Ordering and Provisioning | OP-15B |
| May 2013 | ND | Ordering and Provisioning | OP-17A |
| May 2013 | ND | Ordering and Provisioning | OP-17B |
| May 2013 | ND | Ordering and Provisioning | OP-2 |
| May 2013 | ND | Ordering and Provisioning | OP-3A |
| May 2013 | ND | Ordering and Provisioning | OP-3E |
| May 2013 | ND | Ordering and Provisioning | OP-3E |
| May 2013 | ND | Ordering and Provisioning | OP-3E |
| May 2013 | ND | Ordering and Provisioning | OP-3E |
| May 2013 | ND | Ordering and Provisioning | OP-3E |
| May 2013 | ND | Ordering and Provisioning | OP-4A |
| May 2013 | ND | Ordering and Provisioning | OP-4E |
| May 2013 | ND | Ordering and Provisioning | OP-4E |
| May 2013 | ND | Ordering and Provisioning | OP-4E |
| May 2013 | ND | Ordering and Provisioning | OP-4E |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5A |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5B |
| May 2013 | ND | Ordering and Provisioning | OP-5R |
| May 2013 | ND | Ordering and Provisioning | OP-5R |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-5T |
| May 2013 | ND | Ordering and Provisioning | OP-6A-1 |
| May 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| May 2013 | ND | Ordering and Provisioning | OP-6B-5 |
| May 2013 | ND | Ordering and Provisioning | OP-6B-5 |
| May 2013 | ND | Ordering and Provisioning | OP-7 |
| May 2013 | ND | Ordering and Provisioning | OP-8B |
| May 2013 | ND | Ordering and Provisioning | OP-8C |
| May 2013 | ND | Operator Services | OS-1 |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |

| | | | |
|------------|----|--------------|--------------|
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| May 2013 | ND | Pre-Ordering | PO-15 |
| May 2013 | ND | Pre-Ordering | PO-16 |
| May 2013 | ND | Pre-Ordering | PO-20P4 |
| May 2013 | ND | Pre-Ordering | PO-2A-1 |
| May 2013 | ND | Pre-Ordering | PO-2A-1 |
| May 2013 | ND | Pre-Ordering | PO-2A-1 |
| May 2013 | ND | Pre-Ordering | PO-2B-1 |
| May 2013 | ND | Pre-Ordering | PO-2B-1 |
| May 2013 | ND | Pre-Ordering | PO-3A-1 |
| May 2013 | ND | Pre-Ordering | PO-3A-2 |
| May 2013 | ND | Pre-Ordering | PO-4A-1 |
| May 2013 | ND | Pre-Ordering | PO-4A-2 |
| May 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| May 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| May 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| May 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| May 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| May 2013 | ND | Pre-Ordering | PO-6A |
| May 2013 | ND | Pre-Ordering | PO-7A,C |
| May 2013 | ND | Pre-Ordering | PO-8B |
| May 2013 | ND | Pre-Ordering | PO-9A |
| May 2013 | ND | Pre-Ordering | PO-9B |
| April 2013 | ND | Billing | BI-1A |
| April 2013 | ND | Billing | BI-1B |
| April 2013 | ND | Billing | BI-1C-1 |
| April 2013 | ND | Billing | BI-1C-2 |
| April 2013 | ND | Billing | BI-2 |
| April 2013 | ND | Billing | BI-3A |
| April 2013 | ND | Billing | BI-3B |
| April 2013 | ND | Billing | BI-4A |

| | | | |
|------------|----|-------------------|--------------|
| April 2013 | ND | Operator Services | OS-1 |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| April 2013 | ND | Pre-Ordering | PO-15 |
| April 2013 | ND | Pre-Ordering | PO-16 |
| April 2013 | ND | Pre-Ordering | PO-20P4 |
| April 2013 | ND | Pre-Ordering | PO-20P4 |
| April 2013 | ND | Pre-Ordering | PO-2A-1 |
| April 2013 | ND | Pre-Ordering | PO-2A-1 |
| April 2013 | ND | Pre-Ordering | PO-2A-1 |
| April 2013 | ND | Pre-Ordering | PO-2B-1 |
| April 2013 | ND | Pre-Ordering | PO-2B-1 |
| April 2013 | ND | Pre-Ordering | PO-2B-1 |
| April 2013 | ND | Pre-Ordering | PO-2B-1 |
| April 2013 | ND | Pre-Ordering | PO-3A-1 |
| April 2013 | ND | Pre-Ordering | PO-3A-2 |
| April 2013 | ND | Pre-Ordering | PO-3C |
| April 2013 | ND | Pre-Ordering | PO-4A-1 |
| April 2013 | ND | Pre-Ordering | PO-4A-2 |
| April 2013 | ND | Pre-Ordering | PO-4C |
| April 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| April 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| April 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| April 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| April 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| April 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| April 2013 | ND | Pre-Ordering | PO-5C-(c) |
| April 2013 | ND | Pre-Ordering | PO-5D |
| April 2013 | ND | Pre-Ordering | PO-6A |

| | | | |
|------------|----|---------------------------------|---------|
| April 2013 | ND | Pre-Ordering | PO-7A,C |
| April 2013 | ND | Pre-Ordering | PO-8B |
| April 2013 | ND | Pre-Ordering | PO-9A |
| April 2013 | ND | Pre-Ordering | PO-9B |
| March 2013 | ND | Billing | BI-1A |
| March 2013 | ND | Billing | BI-1B |
| March 2013 | ND | Billing | BI-1C-1 |
| March 2013 | ND | Billing | BI-1C-2 |
| March 2013 | ND | Billing | BI-2 |
| March 2013 | ND | Billing | BI-3A |
| March 2013 | ND | Billing | BI-3B |
| March 2013 | ND | Billing | BI-4A |
| March 2013 | ND | Billing | BI-4B |
| March 2013 | ND | Collocation | CP-3 |
| March 2013 | ND | Collocation | CP-4 |
| March 2013 | ND | Directory Assistance | DA-1 |
| March 2013 | ND | Database Updates | DB-1A |
| March 2013 | ND | Database Updates | DB-1B |
| March 2013 | ND | Database Updates | DB-1C-1 |
| March 2013 | ND | Database Updates | DB-2C-1 |
| March 2013 | ND | Electronic Gateway Availability | GA-1 |
| March 2013 | ND | Electronic Gateway Availability | GA-1 |
| March 2013 | ND | Electronic Gateway Availability | GA-3 |
| March 2013 | ND | Electronic Gateway Availability | GA-4 |
| March 2013 | ND | Electronic Gateway Availability | GA-6 |
| March 2013 | ND | Electronic Gateway Availability | GA-7 |
| March 2013 | ND | Maintenance and Repair | MR-10 |
| March 2013 | ND | Maintenance and Repair | MR-10 |
| March 2013 | ND | Maintenance and Repair | MR-2 |
| March 2013 | ND | Maintenance and Repair | MR-3A |
| March 2013 | ND | Maintenance and Repair | MR-3B |
| March 2013 | ND | Maintenance and Repair | MR-3E |
| March 2013 | ND | Maintenance and Repair | MR-3E |
| March 2013 | ND | Maintenance and Repair | MR-3E |
| March 2013 | ND | Maintenance and Repair | MR-4A |
| March 2013 | ND | Maintenance and Repair | MR-4B |
| March 2013 | ND | Maintenance and Repair | MR-4C |
| March 2013 | ND | Maintenance and Repair | MR-4E |
| March 2013 | ND | Maintenance and Repair | MR-4E |
| March 2013 | ND | Maintenance and Repair | MR-4E |
| March 2013 | ND | Maintenance and Repair | MR-5B |
| March 2013 | ND | Maintenance and Repair | MR-5B |
| March 2013 | ND | Maintenance and Repair | MR-6A |
| March 2013 | ND | Maintenance and Repair | MR-6B |
| March 2013 | ND | Maintenance and Repair | MR-6C |
| March 2013 | ND | Maintenance and Repair | MR-6C |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-6E |
| March 2013 | ND | Maintenance and Repair | MR-7A |
| March 2013 | ND | Maintenance and Repair | MR-7B |

| | | | |
|------------|----|---------------------------|--------------|
| March 2013 | ND | Ordering and Provisioning | OP-5T |
| March 2013 | ND | Ordering and Provisioning | OP-5T |
| March 2013 | ND | Ordering and Provisioning | OP-5T |
| March 2013 | ND | Ordering and Provisioning | OP-5T |
| March 2013 | ND | Ordering and Provisioning | OP-5T |
| March 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| March 2013 | ND | Ordering and Provisioning | OP-6A-5 |
| March 2013 | ND | Ordering and Provisioning | OP-8C |
| March 2013 | ND | Operator Services | OS-1 |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| March 2013 | ND | Pre-Ordering | PO-15 |
| March 2013 | ND | Pre-Ordering | PO-16 |
| March 2013 | ND | Pre-Ordering | PO-20P4 |
| March 2013 | ND | Pre-Ordering | PO-20P4 |
| March 2013 | ND | Pre-Ordering | PO-2A-1 |
| March 2013 | ND | Pre-Ordering | PO-2A-1 |
| March 2013 | ND | Pre-Ordering | PO-2A-1 |
| March 2013 | ND | Pre-Ordering | PO-2B-1 |
| March 2013 | ND | Pre-Ordering | PO-2B-1 |
| March 2013 | ND | Pre-Ordering | PO-2B-1 |
| March 2013 | ND | Pre-Ordering | PO-3A-1 |
| March 2013 | ND | Pre-Ordering | PO-3A-2 |
| March 2013 | ND | Pre-Ordering | PO-3C |
| March 2013 | ND | Pre-Ordering | PO-4A-1 |
| March 2013 | ND | Pre-Ordering | PO-4A-2 |
| March 2013 | ND | Pre-Ordering | PO-4C |
| March 2013 | ND | Pre-Ordering | PO-5A-1(a) |

| | | | |
|---------------|----|---------------------------------|------------|
| March 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| March 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| March 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| March 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| March 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| March 2013 | ND | Pre-Ordering | PO-5C(c) |
| March 2013 | ND | Pre-Ordering | PO-5D |
| March 2013 | ND | Pre-Ordering | PO-6A |
| March 2013 | ND | Pre-Ordering | PO-7A,C |
| March 2013 | ND | Pre-Ordering | PO-8A |
| March 2013 | ND | Pre-Ordering | PO-9A |
| March 2013 | ND | Pre-Ordering | PO-9B |
| February 2013 | ND | Billing | BI-1A |
| February 2013 | ND | Billing | BI-1B |
| February 2013 | ND | Billing | BI-1C-2 |
| February 2013 | ND | Billing | BI-2 |
| February 2013 | ND | Billing | BI-3A |
| February 2013 | ND | Billing | BI-3B |
| February 2013 | ND | Billing | BI-4A |
| February 2013 | ND | Billing | BI-4B |
| February 2013 | ND | Directory Assistance | DA-1 |
| February 2013 | ND | Database Updates | DB-1A |
| February 2013 | ND | Database Updates | DB-1B |
| February 2013 | ND | Database Updates | DB-1C-1 |
| February 2013 | ND | Database Updates | DB-2C-1 |
| February 2013 | ND | Electronic Gateway Availability | GA-1 |
| February 2013 | ND | Electronic Gateway Availability | GA-1 |
| February 2013 | ND | Electronic Gateway Availability | GA-3 |
| February 2013 | ND | Electronic Gateway Availability | GA-4 |
| February 2013 | ND | Electronic Gateway Availability | GA-6 |
| February 2013 | ND | Electronic Gateway Availability | GA-7 |
| February 2013 | ND | Maintenance and Repair | MR-10 |
| February 2013 | ND | Maintenance and Repair | MR-10 |
| February 2013 | ND | Maintenance and Repair | MR-2 |
| February 2013 | ND | Maintenance and Repair | MR-3A |
| February 2013 | ND | Maintenance and Repair | MR-3E |
| February 2013 | ND | Maintenance and Repair | MR-3E |
| February 2013 | ND | Maintenance and Repair | MR-3E |
| February 2013 | ND | Maintenance and Repair | MR-4A |
| February 2013 | ND | Maintenance and Repair | MR-4A |
| February 2013 | ND | Maintenance and Repair | MR-4E |
| February 2013 | ND | Maintenance and Repair | MR-4E |
| February 2013 | ND | Maintenance and Repair | MR-4E |
| February 2013 | ND | Maintenance and Repair | MR-5B |
| February 2013 | ND | Maintenance and Repair | MR-5B |
| February 2013 | ND | Maintenance and Repair | MR-5B |
| February 2013 | ND | Maintenance and Repair | MR-6A |
| February 2013 | ND | Maintenance and Repair | MR-6A |
| February 2013 | ND | Maintenance and Repair | MR-6E |
| February 2013 | ND | Maintenance and Repair | MR-6E |
| February 2013 | ND | Maintenance and Repair | MR-6E |
| February 2013 | ND | Maintenance and Repair | MR-6E |
| February 2013 | ND | Maintenance and Repair | MR-6E |

| | | | |
|---------------|----|--------------|--------------|
| February 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2013 | ND | Pre-Ordering | PO-1-IMA GUI |
| February 2013 | ND | Pre-Ordering | PO-15 |
| February 2013 | ND | Pre-Ordering | PO-16 |
| February 2013 | ND | Pre-Ordering | PO-20P4 |
| February 2013 | ND | Pre-Ordering | PO-20P4 |
| February 2013 | ND | Pre-Ordering | PO-2A-1 |
| February 2013 | ND | Pre-Ordering | PO-2A-1 |
| February 2013 | ND | Pre-Ordering | PO-2A-1 |
| February 2013 | ND | Pre-Ordering | PO-2B-1 |
| February 2013 | ND | Pre-Ordering | PO-2B-1 |
| February 2013 | ND | Pre-Ordering | PO-2B-1 |
| February 2013 | ND | Pre-Ordering | PO-3A-1 |
| February 2013 | ND | Pre-Ordering | PO-3A-2 |
| February 2013 | ND | Pre-Ordering | PO-4A-1 |
| February 2013 | ND | Pre-Ordering | PO-4A-2 |
| February 2013 | ND | Pre-Ordering | PO-4C |
| February 2013 | ND | Pre-Ordering | PO-5A-1(a) |
| February 2013 | ND | Pre-Ordering | PO-5A-1(b) |
| February 2013 | ND | Pre-Ordering | PO-5A-1(c) |
| February 2013 | ND | Pre-Ordering | PO-5B-1(a) |
| February 2013 | ND | Pre-Ordering | PO-5B-1(b) |
| February 2013 | ND | Pre-Ordering | PO-5B-1(c) |
| February 2013 | ND | Pre-Ordering | PO-5C-(c) |
| February 2013 | ND | Pre-Ordering | PO-5D |
| February 2013 | ND | Pre-Ordering | PO-6A |
| February 2013 | ND | Pre-Ordering | PO-7A,C |
| February 2013 | ND | Pre-Ordering | PO-8A |
| February 2013 | ND | Pre-Ordering | PO-8B |
| February 2013 | ND | Pre-Ordering | PO-9B |

| PID Title | Product Category | Standard |
|---------------------------------------------------|---------------------------------------|------------------|
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Diagnostic |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Diagnostic |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Diagnostic |
| All | LIDB | Diagnostic |
| All | Directory Listing | Diagnostic |
| Gateway Availability - LSR | XML | Diagnostic |
| Gateway Availability - LSR | IMAGUI | Diagnostic |
| Gateway Availability - LSR | SIA | Diagnostic |
| Gateway Availability - Repair | RepairGUI | Diagnostic |
| Gateway Availability - Repair | EBTA | Diagnostic |
| System Availability - ASR | EXACT | Diagnostic |
| Timely Outage Resolution after Software Releases | ALL | Diagnostic |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| All Troubles Cleared w/i 4 Hours-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | SUB-LOOP UNBUNDLING | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Enhanced Extended Loops - DS1 Capable | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Enhanced Extended Loops - DS1 Capable | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Diagnostic |

| | | |
|--------------------------------------------------|------------------------------------|------------------|
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | TOTAL | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | TOTAL | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | TOTAL | Diagnostic |
| Pre-Order Response Times (Get CSR) | TOTAL | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | TOTAL | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| All Electronic LSRs | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| All Electronic LSRs | Unbundled Loop Aggregate | Diagnostic |
| All Electronic LSRs | LNP | Diagnostic |
| All Flow-through Eligible LSRs | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| All Flow-through Eligible LSRs | Unbundled Loop Aggregate | Diagnostic |
| All Flow-through Eligible LSRs | LNP | Diagnostic |
| Electronic LSRs Rejected Manually | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Diagnostic |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Diagnostic |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Diagnostic |
| All | LIDB | Diagnostic |
| All | Directory Listing | Diagnostic |
| Gateway Availability - LSR | IMAGUI | Diagnostic |
| Gateway Availability - LSR | SIA | Diagnostic |
| Gateway Availability - LSR | XML | Diagnostic |
| Gateway Availability - Repair | RepairGUI | Diagnostic |
| Gateway Availability - Repair | EBTA | Diagnostic |
| System Availability - ASR | EXACT | Diagnostic |
| Timely Outage Resolution after Software Releases | ALL | Diagnostic |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Out of Service cleared w/i 24 hours | Business | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | SUB-LOOP UNBUNDLING | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | LIS Trunk | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| New Service Installation Quality | LIS Trunk | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Diagnostic |
| Pre-Order Response Times (TN Reservation) | TOTAL | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | TOTAL | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | TOTAL | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | TOTAL | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | TOTAL | Diagnostic |

| | | |
|--------------------------------------------------|---------------------------------------|------------------|
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| All Electronic LSRs | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| All Electronic LSRs | LNP | Diagnostic |
| All Electronic LSRs | Unbundled Loop Aggregate | Diagnostic |
| All Flow-through Eligible LSRs | LNP | Diagnostic |
| All Flow-through Eligible LSRs | Unbundled Loop Aggregate | Diagnostic |
| All Flow-through Eligible LSRs | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| Electronic LSRs Rejected Manually | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs on Time for manual LSRs via Facsimile | Resale Aggregate | Benchmark |
| FOCs on Time for manual LSRs via Facsimile | LNP | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Scheduled Interval 121 to 150 Calendar Days | All | Benchmark |
| Collocations with Intervals Longer than 120 Days | All | Benchmark |
| Speed of Answer - Directory Assistance | ALL | Parity by Design |
| All | E911 | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS0 | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore - Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------------|
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | DS0 | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| Calls Answered w/i 20 seconds - IPC | ALL | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Speed of Answer - Operator Services | ALL | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |

| | | |
|-------------------------------------------------|----------------------------------------|------------|
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Number of Due Date Changes per Order | All | Parity |
| Timely Release Notifications | ALL | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| All Flow-Through Eligible LSRs | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| All Flow-Through Eligible LSRs | Unbundled Loop Aggregate | Diagnostic |
| All Flow-Through Eligible LSRs | LNP | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| Electronic Flow-through | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via facsimile | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |

| | | |
|--------------------------------------------------|---------------------------------------|------------------|
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Speed of Answer - Directory Assistance | ALL | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Basic Rate ISDN | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Basic Rate ISDN | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Basic Rate ISDN | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | LIS Trunk | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | Basic Rate ISDN | Parity |
| Mean Time to Restore-Disp out MSA | Basic Rate ISDN | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | LIS Trunk | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Rprt Rate-Disp w/ MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Basic Rate ISDN | Parity |
| Repair Repeat Report Rate-Zone 2 | LIS Trunk | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------------|
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| NXX Code Activation | All | Parity |
| NXX Code Activation - Facility Delays | All | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| Calls Answered w/i 20 seconds - IPC | ALL | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Speed of Answer - Operator Services | ALL | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |

| | | |
|-------------------------------------------------|----------------------------------------|------------------|
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Number of Due Date Changes per Order | All | Parity |
| Timely Release Notifications | ALL | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| Electronic Flow-through | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via facsimile | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs on Time for manual LSRs via Facsimile | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Speed of Answer - Directory Assistance | ALL | Parity by Design |
| All | E911 | Parity by Design |

| | | |
|--------------------------------------------------|------------------------------------|------------------|
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Centrex 21 | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Basic Rate ISDN | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Residence | Parity |
| Dispatches outside MSAs | Basic Rate ISDN | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Dispatches within MSAs | Centrex 21 | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Residence | Parity |
| Dispatches outside MSAs | Basic Rate ISDN | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | LIS Trunk | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS0 | Parity |
| Mean Time to Restore-Disp w/i MSA | Centrex 21 | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | Basic Rate ISDN | Parity |
| Mean Time to Restore-Disp out MSA | Basic Rate ISDN | Parity |
| Mean Time to Restore disp out MSA | Residence | Parity |
| Mean Time to Restore Interval Zone 2 | LIS Trunk | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore - Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/i MSA | Centrex 21 | Parity |
| Repair Repeat Rprt Rate-Disp w/i MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Residence | Parity |
| Repair Repeat Report Rate-Disp out MSA | Basic Rate ISDN | Parity |
| Repair Repeat Report Rate-Zone 2 | LIS Trunk | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | DS0 | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Centrex 21 | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Repair Appointments Met-Disp out MSA | Residence | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| Calls Answered w/i 20 seconds - IPC | ALL | Parity |
| No dispatches | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |

| | | |
|-------------------------------------------------|----------------------------------------|------------------|
| Speed of Answer - Operator Services | ALL | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Number of Due Date Changes per Order | All | Parity |
| Timely Release Notifications | ALL | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| Electronic Flow-through | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Non-Designed Services | Non-Designed Services | Parity |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Speed of Answer - Directory Assistance | | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Residence | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS0 | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Residence | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore Interval Zone 2 | DS0 | Parity |
| Mean Time to Restore - Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Rprt Rate-Disp w/l MSA | Residence | Parity |
| Repair Repeat Rprt Rate-Disp w/l MSA | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | DS0 | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Repair Appointments Met-Disp w/I MSA | Residence | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| Calls Answered w/i 20 seconds - IPC | | Parity |
| No dispatches | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Enhanced Extended Loops - DS1 Capable | Benchmark |
| Interval Zone 2 Areas | Frame Relay | Parity |
| Interval Zone 2 Areas | LIS Trunk | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| No dispatches | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Enhanced Extended Loops - DS1 Capable | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | LIS Trunk | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | Frame Relay | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | Enhanced Extended Loops - DS1 Capable | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | Enhanced Extended Loops - DS1 Capable | Benchmark |
| New Service Quality | Frame Relay | Diagnostic |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |

| | | |
|--------------------------------------------------|---------------------------------------|------------------|
| New Service Installation Quality Total | Frame Relay | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Enhanced Extended Loops - DS1 Capable | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Frame Relay | Parity |
| Interval Zone 2 Areas | Enhanced Extended Loops - DS1 Capable | Diagnostic |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Speed of Answer - Operator Services | | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Number of Due Date Changes per Order | All | Parity |
| Timely Release Notifications | | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| Electronic Flow-through | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs on Time for manual LSRs via Facsimile | LNP | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Invoices Delivered within 10 Days | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Scheduled Interval 121 to 150 Calendar Days | All | Benchmark |
| Collocations with Intervals Longer than 120 Days | All | Benchmark |
| Collocations Feasibility Study Interval | All | Benchmark |
| Collocation Feasibility Study Commitments Met | All | Benchmark |
| Speed of Answer - Directory Assistance | ALL | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | Business | Parity |
| Mean Time to Restore-Disp out MSA | Business | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Repair Appointments Met-Disp out MSA | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Offices | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Offices | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Offices | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Offices | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop Other | Benchmark |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop Other | Diagnostic |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Enhanced Extended Loops (EELs) | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop - ADSL Qualified | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Enhanced Extended Loops (EELs) | Diagnostic |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| Calls Answered w/i 20 seconds - IPC | | Parity |
| No dispatches | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - ADSL Qualified | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | LIS Trunk | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - ADSL Qualified | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | LIS Trunk | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |

| | | |
|--------------------------------------------------|------------------------------------|------------------|
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | Unbundled Loop - ADSL Qualified | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Speed of Answer - Operator Services | ALL | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Number of Due Date Changes per Order | All | Parity |
| Timely Release Notifications | | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| Electronic Flow-through | LNP | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs on Time for manual LSRs via Facsimile | Resale Aggregate | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Scheduled Interval 90 Calendar Days or Less | All | Benchmark |
| Non-Forecasted and Late Forecasted Collocations | All | Benchmark |
| Collocations Feasibility Study Interval | All | Benchmark |
| Collocation Feasibility Study Commitments Met | All | Benchmark |
| Speed of Answer - Directory Assistance | ALL | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | PBX | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches outside MSAs | PBX | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Business | Parity |
| Dispatches outside MSAs | PBX | Parity |
| No dispatches | PBX | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | LIS Trunk | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS1 | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | PBX | Parity |
| Mean Time to Restore-Disp out MSA | PBX | Parity |
| Mean Time to Restore disp out MSA | Business | Parity |
| Mean Time to Restore-Disp out MSA | Business | Parity |
| Mean Time to Restore-No Dispatch | PBX | Parity |
| Mean Time to Restore Interval Zone 2 | LIS Trunk | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | DS1 | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | PBX | Parity |
| Repair Repeat Report Rate-no dispatch | PBX | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | LIS Trunk | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | DS1 | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Repair Appointments Met-Disp out MSA | PBX | Parity |
| Repair Appointments Met-Disp out MSA | Business | Parity |
| Repair Appointments Met-No Dispatch | PBX | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |

| | | |
|---------------------------------------------------|------------------------------------|------------------|
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| Dispatches outside MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Dispatches outside MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Quality Multiple Report Rate | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| Speed of Answer - Operator Services | ALL | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| Electronic Flow-through | Unbundled Loop Aggregate | Benchmark |
| Electronic Flow-through | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| Electronic Flow-through | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| FOCs on Time for Fully Electronic LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | Unbundled Loop Aggregate | Benchmark |
| FOCs on Time for Fully Electronic LSRs | LNP | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Resale Aggregate | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs on Time for Electronic/Manual LSRs | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Scheduled Interval 121 to 150 Calendar Days | All | Benchmark |
| Collocations with Intervals Longer than 120 Days | All | Benchmark |
| All | | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |

| | | |
|--------------------------------------------------|---------------------------------------|------------|
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | LIS Trunk | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | Business | Parity |
| Mean Time to Restore-Disp out MSA | Business | Parity |
| Mean Time to Restore Interval Zone 2 | LIS Trunk | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | LIS Trunk | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Repair Appointments Met-Disp w/I MSA | Business | Parity |
| Repair Appointments Met-Disp out MSA | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop Other | Benchmark |

| | | |
|---------------------------------------------------|------------------------------------|------------------|
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop Other | Diagnostic |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | PBX | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | PBX | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | PBX | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Quality | PBX | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | PBX | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| All | | Parity by Design |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |

| | | |
|-------------------------------------------------|----------------------------------------|------------------|
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| All Eligible LSRs received via IMA-GUI | Unbundled Loop Aggregate | Benchmark |
| All Eligible LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| All Eligible LSRs received via IMA-GUI | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop Aggregate | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Collocations Feasibility Study Interval | All | Benchmark |
| Collocation Feasibility Study Commitments Met | All | Benchmark |
| All | | Parity by Design |

| | | |
|--------------------------------------------------|---------------------------------------|------------------|
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches outside MSAs | Residence | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Residence | Parity |
| Dispatches outside MSAs | Residence | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Residence | Parity |
| Mean Time to Restore disp out MSA | Residence | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Residence | Parity |
| Repair Repeat Report Rate-Disp out MSA | Residence | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Repair Appointments Met-Disp w/I MSA | Residence | Parity |
| Repair Appointments Met-Disp out MSA | Residence | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |

| | | |
|---------------------------------------------------|------------------------------------|------------------|
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | DS0 | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | DS0 | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Quality | DS0 | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | Business | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality Multiple Report Rate | Business | Diagnostic |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | DS0 | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| All | | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |

| | | |
|-------------------------------------------------|----------------------------------------|------------------|
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| All Eligible LSRs received via IMA-GUI | Unbundled Loop Aggregate | Benchmark |
| All Eligible LSRs received via IMA-GUI | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop Aggregate | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |

| | | |
|--------------------------------------------------|---------------------------------------|------------------|
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Scheduled Interval 121 to 150 Calendar Days | All | Benchmark |
| Collocations with Intervals Longer than 120 Days | All | Benchmark |
| All | | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | PBX | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Residence | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Residence | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS1 | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Residence | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | DS1 | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Residence | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | DS1 | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | Centrex 21 | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Repair Appointments Met-Disp w/l MSA | Business | Parity |
| Repair Appointments Met-Disp w/l MSA | Residence | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Business | Parity |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Business | Diagnostic |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | LIS Trunk | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |

| | | |
|-------------------------------------------------|---------------------------------|------------------|
| All | | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| All Eligible LSRs received via IMA-GUI | Unbundled Loop Aggregate | Benchmark |
| All Eligible LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| All Eligible LSRs received via IMA-GUI | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via facsimile | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop Aggregate | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| Billing Completion Notification Timeliness | All | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| Collocations Feasibility Study Interval | All | Benchmark |
| Collocation Feasibility Study Commitments Met | All | Benchmark |
| All | | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Residence | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches outside MSAs | Residence | Parity |
| No dispatches | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | LIS Trunk | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore disp out MSA | Residence | Parity |
| Mean Time to Restore no dispatch | Business | Parity |
| Mean Time to Restore-No Dispatch | Business | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | LIS Trunk | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/I MSA | Business | Parity |
| Repair Repeat Report Rate-Disp out MSA | Residence | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Repair Repeat Report Rate-no dispatch | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | LIS Trunk | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Repair Appointments Met-Disp w/l MSA | Business | Parity |
| Repair Appointments Met-Disp out MSA | Residence | Parity |
| Repair Appointments Met-No Dispatch | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Interval for Pending Orders Delayed Past Due Date | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| No dispatches | PBX | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| No dispatches | PBX | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | PBX | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Quality | PBX | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |

| | | |
|--------------------------------------------------|------------------------------------|------------------|
| New Service Installation Quality Total | PBX | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| All | | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| All Eligible LSRs received via IMA-GUI | Unbundled Loop Aggregate | Benchmark |
| All Eligible LSRs received via IMA-GUI | LNP | Benchmark |
| All Eligible LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via facsimile | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |

| | | |
|--------------------------------------------------|----------------------------------------|------------------|
| FOCs provided for UBLs and specified UNEs | Unbundled Loop Aggregate | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Jointly-provided Switched Access | Jointly-provided Switched Access | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| All | All | Parity by Design |
| Billing Accuracy - Adjustments for Errors | UNEs and Resale Aggregate | Benchmark |
| Billing Accuracy - Adjustments for Errors | Reciprocal Compensation | Benchmark |
| UNEs and Resale Aggregate | UNEs and Resale Aggregate | Parity |
| Reciprocal Compensation (MOU): | Reciprocal Compensation | Benchmark |
| All | | Parity by Design |
| All | E911 | Parity by Design |
| All | LIDB | Parity by Design |
| All | Directory Listing | Parity by Design |
| All | Directory Listing | Parity by Design |
| Gateway Availability - IMA-GUI | All | Benchmark |
| Gateway Availability - IMA-GUI | SIA | Benchmark |
| All | ALL | Benchmark |
| System Availability - EXACT | ALL | Benchmark |
| Gateway Availability - GUI - Repair | ALL | Benchmark |
| Timely Outage Resolution after Software Releases | ALL | Benchmark |
| Customer and Non-CTLQ Related Trouble Reports | Residence | Parity |
| Customer and Non-CTLQ Related Trouble Reports | Business | Parity |
| Calls Answered w/i 20 seconds - IRC | All | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| Dispatches within MSAs | Sub-Loop Unbundling | Diagnostic |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Interval Zone 2 Areas | Unbundled Loop Analog | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | DS0 | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| All Troubles Cleared w/i 4 Hours-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Mean Time to Restore-Disp w/i MSA | Sub-Loop Unbundling | Diagnostic |
| Mean Time to Restore-Disp w/i MSA | Business | Parity |
| Mean Time to Restore Interval Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Mean Time to Restore Interval Zone 2 | DS0 | Parity |
| Mean Time to Restore - Zone 2 | DS0 | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop - DS1 Capable | Parity |

| | | |
|---------------------------------------------------|---------------------------------------|------------|
| Mean Time to Restore Interval Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Mean Time to Restore Interval Zone 2 | Unbundled Loop Analog | Parity |
| Repair Repeat Rprt Rate-Disp w/l MSA | Sub-Loop Unbundling | Diagnostic |
| Repair Repeat Rprt Rate-Disp w/l MSA | Business | Parity |
| Repair Repeat Report Rate-Zone 2 | DS0 | Parity |
| Repair Repeat Report Rate-Zone 2 | Enhanced Extended Loops - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop - DS1 Capable | Parity |
| Repair Repeat Report Rate-Zone 2 | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Repair Repeat Report Rate-Zone 2 | Unbundled Loop Analog | Parity |
| Trouble Rate | Sub-Loop Unbundling | Diagnostic |
| Trouble Rate | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| Trouble Rate | Unbundled Loop - DS1 Capable | Parity |
| Trouble Rate | Basic Rate ISDN | Parity |
| Trouble Rate | LIS Trunk | Parity |
| Trouble Rate | Residence | Parity |
| Trouble Rate | Centrex 21 | Parity |
| Trouble Rate | Business | Parity |
| Trouble Rate | PBX | Parity |
| Trouble Rate | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Trouble Rate | Enhanced Extended Loops - DS1 Capable | Parity |
| Trouble Rate | Unbundled Loop Analog | Parity |
| Repair Appointments Met-Disp w/l MSA | Business | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q End Ofc wi TGSR excl | LIS Trunk | Parity |
| Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Trunk Blockage to CTL-Q End Ofc w/o TGSR excl | LIS Trunk | Diagnostic |
| Cuts Completed On Time | Unbundled Loop - Analog | Benchmark |
| Cuts Started Without CLEC Approval | Unbundled Loop - Analog | Diagnostic |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| Interval for Pending Orders Delayed Past Due Date | Residence | Parity |
| Interval for Pending Orders Delayed Past Due Date | Unbundled Loop Analog | Parity |
| Pending Orders Delayed for Facilities | Residence | Diagnostic |
| Pending Orders Delayed for Facilities | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| Pending Orders Delayed for Facilities | Unbundled Loop Analog | Diagnostic |
| Timeliness of Disconnects on LNP Orders | LNP | Benchmark |
| Timeliness of Disconnects on LNP Orders | LNP | Diagnostic |
| All | | Parity |
| Dispatches within MSAs | Business | Parity |
| Dispatches within MSAs | Residence | Parity |
| Dispatches outside MSAs | Residence | Parity |
| No dispatches | Residence | Parity |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | DS0 | Parity |
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| Interval Zone 2 Areas | LIS Trunk | Parity |
| Dispatches within MSAs | Business | Parity |
| Interval Zone 2 Areas | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop Analog | Benchmark |
| Interval Zone 2 Areas | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| Interval Zone 2 Areas | DS0 | Parity |

| | | |
|--------------------------------------------------|------------------------------------|------------------|
| Interval Zone 2 Areas | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Business | Parity |
| New Service Installation Quality | DS0 | Parity |
| New Service Installation Quality | Unbundled Loop - DS1 Capable | Parity |
| New Service Installation Quality | Unbundled Loop - 2 Wire Non-Loaded | Parity |
| New Service Installation Quality | LIS Trunk | Parity |
| New Service Installation Quality | Unbundled Loop Analog | Parity |
| New Service Installation Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Parity |
| New Service Installation Quality | Residence | Parity |
| New Service Quality | Business | Benchmark |
| New Service Quality | DS0 | Benchmark |
| New Service Quality | Unbundled Loop - DS1 Capable | Benchmark |
| New Service Quality | Unbundled Loop - 2 Wire Non-Loaded | Benchmark |
| New Service Quality | Unbundled Loop Analog | Benchmark |
| New Service Quality | UNBUNDLED LOOP - ADSL COMPATIBLE | Benchmark |
| New Service Quality | Residence | Benchmark |
| New Service Quality Multiple Report Rate | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | Business | Diagnostic |
| New Service Installation Quality Total | DS0 | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - DS1 Capable | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop - 2 Wire Non-Loaded | Diagnostic |
| New Service Installation Quality Total | Unbundled Loop Analog | Diagnostic |
| New Service Installation Quality Total | UNBUNDLED LOOP - ADSL COMPATIBLE | Diagnostic |
| New Service Installation Quality Total | Residence | Diagnostic |
| Coordinated Unbundled Loops | Unbundled Loop - Analog | Diagnostic |
| Number Portability Timeliness with Loop Coord | LNP | Benchmark |
| Number Portability Timeliness without Loop Coord | LNP | Benchmark |
| All | | Parity by Design |
| Pre-Order Response Times (TN Reservation) | TOTAL | Benchmark |
| Pre-Order Response Times (Appt. Scheduler) | TOTAL | Benchmark |
| Pre-Order Response Times (Address Validation) | TOTAL | Benchmark |
| Pre-Order Response Times (Get CSR) | TOTAL | Benchmark |
| Pre-Order Response Times(Loop Qual Tools) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Assignment) | TOTAL | Benchmark |
| Pre-Order Response Times (Facility Check) | TOTAL | Benchmark |
| Pre-Order Response Times (Service Availability) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | TOTAL | Benchmark |
| Pre-Order Response Times (Meet Point Inquiry) | REQUEST | Diagnostic |
| Pre-Order Response Times (Meet Point Inquiry) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | RESPONSE | Diagnostic |
| Pre-Order Response Times(Loop Qual Tools) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Assignment) | RESPONSE | Diagnostic |
| Pre-Order Response Times (TN Reservation) | ACCEPT | Diagnostic |
| Pre-Order Response Times (TN Reservation) | REQUEST | Diagnostic |
| Pre-Order Response Times (TN Reservation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Appt. Scheduler) | REQUEST | Diagnostic |
| Pre-Order Response Times (Facility Check) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Facility Check) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | REQUEST | Diagnostic |
| Pre-Order Response Times (Service Availability) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Get CSR) | REQUEST | Diagnostic |

| | | |
|-------------------------------------------------|----------------------------------------|------------|
| Pre-Order Response Times (Address Validation) | RESPONSE | Diagnostic |
| Pre-Order Response Times (Address Validation) | REQUEST | Diagnostic |
| All | All | Parity |
| All | | Benchmark |
| Manual Service Order Accuracy | Resale & UNE-P (POTS) | Benchmark |
| Manual Service Order Accuracy | Unbundled Loops | Benchmark |
| LSRs received via IMA-GUI | Unbundled Loop Aggregate | Diagnostic |
| LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Diagnostic |
| LSRs received via IMA-GUI | LNP | Diagnostic |
| All Eligible LSRs received via IMA-GUI | Unbundled Loop Aggregate | Benchmark |
| All Eligible LSRs received via IMA-GUI | Resale Aggregate W/O UNE-P-POTS | Benchmark |
| All Eligible LSRs received via IMA-GUI | LNP | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Benchmark |
| LSRs received via IMA-GUI and rejected manually | Product Aggregate | Diagnostic |
| LSRs received via IMA-GUI and auto-rejected | Product Aggregate | Diagnostic |
| LSRs received via facsimile | Product Aggregate | Diagnostic |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop Aggregate | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for Resale services and UNE-P | Resale Aggregate | Benchmark |
| FOCs provided for UBLs and specified UNEs | Unbundled Loop AGG-EELs | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for LNP | LNP | Benchmark |
| FOCs provided for ASRs requesting LIS Trunks. | LIS Trunk | Benchmark |
| Work Completion Notification Timeliness | All | Benchmark |
| Billing Completion Notification Timeliness | All | Parity |
| Non-Designed Services | Non-Designed Services | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |
| Unbundled Loops | Unbundled Loops and Number Portability | Parity |

| Benchmark | LEC Numerat | EC Denominat | CLEC Result | Standard De | TL-Q Numera | L-Q Denomin | CTL-Q Result | Standard De | Modified Z Sco |
|-----------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|-------------|----------------|
| N/A | | | 100.00% | | | | | | |
| N/A | 252,717 | 252,717 | 100.00% | | | | | | |
| N/A | 1,651 | 1,651 | 100.00% | | | | | | |
| N/A | 682 | 682 | 100.00% | 0.00% | 5,196 | 5,257 | 98.84% | 10.71% | -2.662164 |
| N/A | 1,651 | 1,651 | 100.00% | | | | | | |
| N/A | 3,768,190 | 3,617,763 | 1.04 | | | | | | |
| N/A | 1605.34 | 6,475 | 0.25 | | | | | | |
| N/A | 27,228 | 27,360 | 99.52% | | | | | | |
| N/A | 27,360 | 27,360 | 100.00% | | | | | | |
| N/A | 27,360 | 27,360 | 100.00% | | | | | | |
| N/A | 75,600 | 75,600 | 100.00% | | | | | | |
| N/A | 77,580 | 77,580 | 100.00% | | | | | | |
| N/A | 20,160 | 20,160 | 100.00% | | | | | | |
| N/A | 0 | 0 | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | | | | | | |
| N/A | 11 | 18 | 61.11% | 48.75% | 3 | 3 | 100.00% | 0.00% | 1.203416 |
| N/A | 1:27 | 1 | 1:27 | 0:00 | | | | | |
| N/A | 157:40 | 18 | 8:46 | 9:13 | 8:11 | 3 | 2:44 | 0:51 | 0.785774 |
| N/A | 5:28 | 2 | 2:44 | 1:38 | | | | | |
| N/A | 344:31 | 33 | 10:26 | 10:31 | 11652:47 | 270 | 43:10 | 40:25 | -4.390347 |
| N/A | 18 | 1,094 | 1.65% | 12.72% | 3 | 290 | 1.03% | 10.12% | 0.443366 |
| N/A | 2 | 1,131 | 0.18% | 4.20% | 0 | 89 | 0.00% | | -1.077469 |
| N/A | 0 | 102 | 0.00% | | 213 | 26,120 | 0.82% | 8.99% | -0.913976 |
| N/A | 0 | 12,116 | 0.00% | | 1 | 15,618 | 0.01% | 0.80% | -0.660978 |
| N/A | 0 | 5 | 0.00% | | 3 | 284 | 1.06% | 10.22% | -0.229035 |
| N/A | 1 | 556 | 0.18% | 4.24% | 0 | 89 | 0.00% | | -1.089419 |
| N/A | 33 | 7,845 | 0.42% | 6.47% | 283 | 39,613 | 0.71% | 8.42% | -2.82253 |
| N/A | 0 | 80 | 0.00% | | 3 | 290 | 1.03% | 10.12% | -0.809586 |
| N/A | 2 | 984 | 0.23% | 1.02% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 2 | 984 | 0.23% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| N/A | 339 | 5 | 67.80 | 26.18 | 7,412 | 31 | 239.10 | 513.69 | -0.691925 |
| N/A | 2 | 5 | 40.00% | 48.99% | 12 | 31 | 38.71% | 48.71% | 0.550466 |
| 90.00% | 15 | 15 | 100.00% | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | |
| 90.00% | 9 | 9 | 100.00% | | | | | | |
| N/A | 6 | 6 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| 5.50 | 45 | 6 | 7.50 | | | | | | |
| 6.00 | 55 | 11 | 5.00 | | | | | | |
| 6.00 | 6 | 2 | 3.00 | | | | | | |
| 6.00 | 15 | 3 | 5.00 | | | | | | |
| 95.00% | 197 | 197 | 100.00% | | | | | | |
| N/A | 48.34 | 1,096 | 0.04 | | | | | | |
| N/A | 1299.26 | 1,097 | 1.18 | | | | | | |
| N/A | 809.80 | 1,222 | 0.66 | | | | | | |
| N/A | 92.51 | 1,259 | 0.07 | | | | | | |
| N/A | 1931.01 | 2,152 | 0.90 | | | | | | |
| N/A | 2740.81 | 2,152 | 1.27 | | | | | | |
| N/A | 859.45 | 2,965 | 0.29 | | | | | | |
| N/A | 951.96 | 2,965 | 0.32 | | | | | | |

| | | | | | | | | | | |
|--------|-----------|-----------|---------|--------|----------|-------|---------|--------|-----------|--|
| N/A | 1101.11 | 3,435 | 0.32 | | | | | | | |
| N/A | 2448.71 | 3,435 | 0.71 | | | | | | | |
| N/A | 17837.82 | 3,981 | 4.48 | | | | | | | |
| N/A | 80666.67 | 4,101 | 19.67 | | | | | | | |
| N/A | 21210.16 | 5,429 | 3.91 | | | | | | | |
| N/A | 3372.34 | 5,429 | 0.62 | | | | | | | |
| N/A | 2003.11 | 5,498 | 0.36 | | | | | | | |
| N/A | 82669.78 | 5,498 | 15.04 | | | | | | | |
| N/A | 1889.47 | 6,446 | 0.29 | | | | | | | |
| N/A | 2028.64 | 6,446 | 0.31 | | | | | | | |
| N/A | 2243.80 | 7,715 | 0.29 | | | | | | | |
| N/A | 6592.92 | 7,715 | 0.85 | | | | | | | |
| N/A | 47240.39 | 12,136 | 3.89 | | | | | | | |
| N/A | 7536.52 | 12,136 | 0.62 | | | | | | | |
| N/A | 4349.12 | 13,474 | 0.32 | | | | | | | |
| N/A | 12751.11 | 20,208 | 0.63 | | | | | | | |
| N/A | 39703.87 | 25,973 | 1.53 | | | | | | | |
| N/A | 17076.70 | 29,426 | 0.58 | | | | | | | |
| N/A | 4325.59 | 29,426 | 0.15 | | | | | | | |
| N/A | 11 | 12 | 91.67% | | | | | | | |
| N/A | 145 | 195 | 74.36% | | | | | | | |
| N/A | 201 | 254 | 79.13% | | | | | | | |
| N/A | 11 | 11 | 100.00% | | | | | | | |
| N/A | 145 | 146 | 99.32% | | | | | | | |
| N/A | 201 | 203 | 99.01% | | | | | | | |
| N/A | 38:52 | 14 | 2:47 | | | | | | | |
| 95.00% | 11 | 11 | 100.00% | | | | | | | |
| 95.00% | 194 | 194 | 100.00% | | | | | | | |
| 90.00% | 63 | 65 | 96.92% | | | | | | | |
| 90.00% | 48 | 48 | 100.00% | | | | | | | |
| 85.00% | 9 | 9 | 100.00% | | | | | | | |
| N/A | | | 100.00% | | | | | | | |
| N/A | 264,038 | 264,038 | 100.00% | | | | | | | |
| N/A | 1,680 | 1,680 | 100.00% | | | | | | | |
| N/A | 406 | 406 | 100.00% | 0.00% | 5,220 | 5,267 | 99.11% | 9.40% | -1.842264 | |
| N/A | 1,563 | 1,563 | 100.00% | | | | | | | |
| N/A | 4,189,698 | 4,019,065 | 1.04 | | | | | | | |
| N/A | 1061.48 | 5,622 | 0.19 | | | | | | | |
| N/A | 30,600 | 30,600 | 100.00% | | | | | | | |
| N/A | 30,600 | 30,600 | 100.00% | | | | | | | |
| N/A | 30,600 | 30,600 | 100.00% | | | | | | | |
| N/A | 84,360 | 84,360 | 100.00% | | | | | | | |
| N/A | 86,400 | 86,400 | 100.00% | | | | | | | |
| N/A | 22,860 | 22,860 | 100.00% | | | | | | | |
| N/A | 0 | 0 | | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 4 | 14 | 28.57% | 45.18% | 3 | 3 | 100.00% | 0.00% | 3.261518 | |
| N/A | 2 | 3 | 66.67% | 47.14% | 40 | 70 | 57.14% | 49.49% | -0.326412 | |
| N/A | 2:51 | 1 | 2:51 | 0:00 | | | | | | |
| N/A | 95:24 | 14 | 6:49 | 5:49 | 2:20 | 3 | 0:47 | 0:30 | 2.290368 | |
| N/A | 831:19 | 40 | 20:47 | 67:13 | 14383:22 | 323 | 44:32 | 68:01 | -2.083124 | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 14 | 0.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -1.111438 | |

| | | | | | | | | | |
|--------|-----------|--------|---------|--------|-------|--------|---------|--------|-----------|
| N/A | 7 | 40 | 17.50% | 38.00% | 31 | 352 | 8.81% | 28.34% | 1.429533 |
| N/A | 14 | 1,109 | 1.26% | 11.16% | 3 | 294 | 1.02% | 10.05% | -0.021709 |
| N/A | 0 | 1,124 | 0.00% | | 0 | 89 | 0.00% | | |
| N/A | 0 | 103 | 0.00% | | 269 | 26,423 | 1.02% | 10.04% | -1.027261 |
| N/A | 0 | 12,116 | 0.00% | | 1 | 15,642 | 0.01% | 0.80% | -0.660693 |
| N/A | 0 | 5 | 0.00% | | 3 | 288 | 1.04% | 10.15% | -0.22745 |
| N/A | 1 | 572 | 0.17% | 4.18% | 0 | 89 | 0.00% | | -1.104701 |
| N/A | 40 | 7,991 | 0.50% | 7.06% | 352 | 39,984 | 0.88% | 9.34% | -3.317955 |
| N/A | 0 | 78 | 0.00% | | 3 | 294 | 1.02% | 10.05% | -0.797193 |
| N/A | 1 | 984 | 0.09% | 0.40% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 1 | 984 | 0.09% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| N/A | 239 | 5 | 47.80 | 26.18 | 7,105 | 28 | 253.75 | 529.49 | -0.801148 |
| 90.00% | 15 | 15 | 100.00% | | | | | | |
| 90.00% | 28 | 28 | 100.00% | | | | | | |
| 90.00% | 6 | 6 | 100.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 7 | 7 | 100.00% | 0.00% | |
| N/A | 7 | 7 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| 5.50 | 56 | 7 | 8.00 | | | | | | |
| 6.00 | 3 | 1 | 3.00 | | | | | | |
| 6.00 | 30 | 10 | 3.00 | | | | | | |
| 6.00 | 125 | 25 | 5.00 | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 7 | 7 | 100.00% | 0.00% | |
| N/A | 15 | 15 | 100.00% | 0.00% | | | | | |
| N/A | 27 | 28 | 96.43% | 18.56% | 204 | 218 | 93.58% | 24.51% | -0.579231 |
| N/A | 6 | 6 | 100.00% | 0.00% | | | | | |
| N/A | 7 | 7 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| 95.00% | 210 | 210 | 100.00% | | | | | | |
| N/A | 15.77 | 354 | 0.04 | | | | | | |
| N/A | 2062.34 | 738 | 2.79 | | | | | | |
| N/A | 657.80 | 738 | 0.89 | | | | | | |
| N/A | 270.39 | 984 | 0.27 | | | | | | |
| N/A | 420.23 | 984 | 0.43 | | | | | | |
| N/A | 2670.14 | 1,188 | 2.25 | | | | | | |
| N/A | 366.46 | 1,188 | 0.31 | | | | | | |
| N/A | 1142.64 | 1,848 | 0.62 | | | | | | |
| N/A | 31826.32 | 1,848 | 17.22 | | | | | | |
| N/A | 2287.91 | 1,933 | 1.18 | | | | | | |
| N/A | 139497.22 | 1,956 | 71.32 | | | | | | |
| N/A | 686.38 | 1,956 | 0.35 | | | | | | |
| N/A | 595.58 | 2,094 | 0.28 | | | | | | |
| N/A | 853.12 | 2,094 | 0.41 | | | | | | |
| N/A | 1404.54 | 2,136 | 0.66 | | | | | | |
| N/A | 149.84 | 2,309 | 0.06 | | | | | | |
| N/A | 758.63 | 2,670 | 0.28 | | | | | | |
| N/A | 7730.84 | 2,670 | 2.90 | | | | | | |
| N/A | 2525.93 | 4,188 | 0.60 | | | | | | |
| N/A | 69938.49 | 4,188 | 16.70 | | | | | | |
| N/A | 30683.68 | 6,889 | 4.45 | | | | | | |
| N/A | 138810.84 | 7,196 | 19.29 | | | | | | |
| N/A | 1386.80 | 10,260 | 0.14 | | | | | | |
| N/A | 23064.18 | 10,260 | 2.25 | | | | | | |

| | | | | | | | | | | |
|--------|-----------|-----------|---------|--------|---------|---------|---------|--------|------------|--|
| N/A | 6972.21 | 23,796 | 0.29 | | | | | | | |
| N/A | 21677.38 | 36,031 | 0.60 | | | | | | | |
| N/A | 67412.56 | 45,236 | 1.49 | | | | | | | |
| N/A | 8 | 14 | 57.14% | | | | | | | |
| N/A | 212 | 261 | 81.23% | | | | | | | |
| N/A | 351 | 416 | 84.38% | | | | | | | |
| N/A | 212 | 215 | 98.60% | | | | | | | |
| N/A | 351 | 351 | 100.00% | | | | | | | |
| N/A | 8 | 8 | 100.00% | | | | | | | |
| N/A | 67:05 | 24 | 2:48 | | | | | | | |
| 95.00% | 7 | 7 | 100.00% | | | | | | | |
| 95.00% | 202 | 202 | 100.00% | | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | | |
| 90.00% | 86 | 86 | 100.00% | | | | | | | |
| 90.00% | 43 | 43 | 100.00% | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| N/A | 2,360 | 2,673 | 0.88 | 0.33 | 93,983 | 28,879 | 3.25 | 4.21 | -27.849418 | |
| 95.00% | 1,792,918 | 1,792,918 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 1.00 | 0.00 | 93,983 | 28,879 | 3.25 | 4.21 | -0.535229 | |
| N/A | 2,359 | 2,672 | 0.88 | 0.33 | 93,983 | 28,879 | 3.25 | 4.21 | -27.845164 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 268,488 | 268,488 | 100.00% | | | | | | | |
| 95.00% | 1,533 | 1,533 | 100.00% | | | | | | | |
| N/A | 411 | 411 | 100.00% | 0.00% | 6,256 | 6,311 | 99.13% | 9.29% | -1.841848 | |
| 95.00% | 1,533 | 1,533 | 100.00% | | | | | | | |
| 150.00 | 537 | 4 | 134.25 | | | | | | | |
| 90.00% | 4 | 4 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.74 | | | |
| N/A | | | 0:00 | | | | | | | |
| 99.25% | 30,060 | 30,060 | 100.00% | | | | | | | |
| 99.25% | 30,060 | 30,060 | 100.00% | | | | | | | |
| 99.25% | 85,668 | 85,800 | 99.85% | | | | | | | |
| 99.25% | 21,960 | 21,960 | 100.00% | | | | | | | |
| 99.25% | 83,550 | 83,640 | 99.89% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 25 | 97 | 25.77% | 43.74% | -0.586242 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 74 | 288 | 25.69% | 43.69% | 0.64484 | |
| N/A | 5,372 | 6,024 | 89.18% | 31.07% | 142,083 | 158,964 | 89.38% | 30.81% | 0.504427 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 8 | 19 | 42.11% | 49.37% | -1.142913 | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 15 | 23 | 65.22% | 47.63% | 45 | 110 | 40.91% | 49.17% | -2.156348 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 28 | 50 | 56.00% | 49.64% | -0.877672 | |
| N/A | 31 | 35 | 88.57% | 31.82% | 158 | 277 | 57.04% | 49.50% | -3.550765 | |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | 0 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 3 | 5 | 60.00% | 48.99% | -1.490712 | |
| N/A | 7 | 10 | 70.00% | 45.83% | 3 | 5 | 60.00% | 48.99% | -0.745356 | |
| N/A | 21:57 | 1 | 21:57 | 0:00 | 2696:35 | 50 | 53:56 | 52:55 | -1.196696 | |
| N/A | 16:51 | 1 | 16:51 | 0:00 | 2:10 | 1 | 2:10 | 0:00 | | |
| N/A | 16:51 | 1 | 16:51 | 0:00 | 2:10 | 1 | 2:10 | 0:00 | | |
| N/A | 3:30 | 1 | 3:30 | 0:00 | 19:26 | 5 | 3:53 | 3:46 | -0.093719 | |
| N/A | 44:07 | 10 | 4:25 | 4:07 | 19:26 | 5 | 3:53 | 3:46 | 0.110516 | |

| | | | | | | | | | |
|--------|----------|--------|---------|--------|----------|-----------|---------|--------|-----------|
| N/A | 1985:20 | 35 | 56:43 | 138:05 | 16164:28 | 270 | 59:52 | 68:04 | -0.257146 |
| N/A | 10:07 | 4 | 2:32 | 0:35 | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 7 | 56 | 12.50% | 33.07% | -0.374634 |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 5 | 0.00% | 0.00% | |
| N/A | 3 | 10 | 30.00% | 45.83% | 0 | 5 | 0.00% | 0.00% | 0.631869 |
| N/A | 3 | 35 | 8.57% | 27.99% | 33 | 286 | 11.54% | 31.95% | -0.518604 |
| N/A | 0 | 4 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 5 | 0.00% | | | | | | |
| N/A | 4 | 1,124 | 0.36% | 5.95% | 0 | 92 | 0.00% | | -0.611961 |
| N/A | 10 | 1,151 | 0.87% | 9.28% | 5 | 304 | 1.64% | 12.72% | -0.946056 |
| N/A | 0 | 104 | 0.00% | | 214 | 26,727 | 0.80% | 8.91% | -0.914431 |
| N/A | 0 | 11,900 | 0.00% | | 0 | 15,594 | 0.00% | | |
| N/A | 0 | 13 | 0.00% | | 0 | 101 | 0.00% | | |
| N/A | 0 | 20 | 0.00% | | 0 | 199 | 0.00% | | |
| N/A | 1 | 249 | 0.40% | 6.32% | 72 | 13,599 | 0.53% | 7.26% | -0.275474 |
| N/A | 0 | 54 | 0.00% | | 0 | 1,730 | 0.00% | | |
| N/A | 0 | 619 | 0.00% | | 0 | 92 | 0.00% | | |
| N/A | 35 | 8,348 | 0.42% | 6.46% | 286 | 40,329 | 0.71% | 8.39% | -2.873194 |
| N/A | 1 | 80 | 1.25% | 11.11% | 5 | 304 | 1.64% | 12.72% | -0.246989 |
| N/A | 1 | 1 | 100.00% | 0.00% | 44 | 56 | 78.57% | 41.03% | -0.517632 |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| N/A | 135 | 4 | 33.75 | 22.19 | 7,051 | 35 | 201.46 | 473.50 | -0.671062 |
| N/A | 3 | 4 | 75.00% | | | | | | |
| 98.25% | 274 | 274 | 100.00% | | | | | | |
| N/A | 274 | 274 | 100.00% | | | | | | |
| N/A | 3,297 | 3,558 | 92.66% | 26.07% | 669,955 | 1,001,358 | 66.90% | 47.06% | |
| 90.00% | 21 | 21 | 100.00% | | | | | | |
| 90.00% | 26 | 26 | 100.00% | | | | | | |
| N/A | 11 | 13 | 84.62% | 36.08% | 2 | 2 | 100.00% | 0.00% | -0.652179 |
| 6.00 | 76 | 16 | 4.75 | | | | | | |
| 6.00 | 9 | 3 | 3.00 | | | | | | |
| N/A | 113 | 13 | 8.69 | 2.39 | | | | | |
| N/A | 13 | 13 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | |
| N/A | 21 | 21 | 100.00% | 0.00% | | | | | |
| N/A | 25 | 26 | 96.15% | 19.23% | 172 | 184 | 93.48% | 24.69% | -0.517211 |
| 96.50% | 13 | 13 | 100.00% | | | | | | |
| 96.50% | 21 | 21 | 100.00% | | | | | | |
| 96.50% | 26 | 26 | 100.00% | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| N/A | 13 | 13 | 100.00% | | | | | | |
| N/A | 21 | 21 | 100.00% | | | | | | |
| N/A | 25 | 26 | 96.15% | | | | | | |
| N/A | 1 | 1 | 1.00 | 0.00 | | | | | |
| N/A | 7 | 1 | 7.00 | 0.00 | | | | | |
| 95.00% | 274 | 274 | 100.00% | | | | | | |
| N/A | | | | | | | 8.37 | | |
| 10.00 | 5200.83 | 4,021 | 1.29 | | | | | | |
| 10.00 | 4859.20 | 7,490 | 0.65 | | | | | | |
| 10.00 | 22932.82 | 37,570 | 0.61 | | | | | | |

| | | | | | | | | | |
|---------|-----------|--------|---------|--------|--------|--------|--------|-------|------------|
| 12.50 | 57377.83 | 14,601 | 3.93 | | | | | | |
| 20.00 | 74178.13 | 6,199 | 11.97 | | | | | | |
| 25.00 | 2955.12 | 3,724 | 0.79 | | | | | | |
| 25.00 | 34102.45 | 7,021 | 4.86 | | | | | | |
| 25.00 | 11863.93 | 9,851 | 1.20 | | | | | | |
| 30.00 | 5306.17 | 2,943 | 1.80 | | | | | | |
| N/A | 2068.71 | 1,673 | 1.24 | | | | | | |
| N/A | 3278.41 | 1,719 | 1.91 | | | | | | |
| N/A | 3268.34 | 1,923 | 1.70 | | | | | | |
| N/A | 926.26 | 2,749 | 0.34 | | | | | | |
| N/A | 2027.76 | 2,943 | 0.69 | | | | | | |
| N/A | 886.41 | 3,724 | 0.24 | | | | | | |
| N/A | 72184.97 | 3,883 | 18.59 | | | | | | |
| N/A | 1006.23 | 4,021 | 0.25 | | | | | | |
| N/A | 30680.30 | 5,126 | 5.99 | | | | | | |
| N/A | 1993.16 | 6,199 | 0.32 | | | | | | |
| N/A | 3422.15 | 7,021 | 0.49 | | | | | | |
| N/A | 1918.73 | 7,490 | 0.26 | | | | | | |
| N/A | 2385.84 | 9,851 | 0.24 | | | | | | |
| N/A | 7498.36 | 14,601 | 0.51 | | | | | | |
| N/A | 9478.09 | 17,280 | 0.55 | | | | | | |
| N/A | 17793.45 | 22,323 | 0.80 | | | | | | |
| N/A | 49879.47 | 30,616 | 1.63 | | | | | | |
| N/A | 5139.37 | 37,570 | 0.14 | | | | | | |
| N/A | 1 | 86 | 0.01 | 0.11 | 63 | 1,026 | 0.06 | 0.26 | -1.68313 |
| 92.50% | 1 | 1 | 100.00% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| 95.00% | 9 | 9 | 100.00% | | | | | | |
| N/A | 10 | 14 | 71.43% | | | | | | |
| N/A | 125 | 154 | 81.17% | | | | | | |
| N/A | 42 | 57 | 73.68% | | | | | | |
| 85.00% | 125 | 125 | 100.00% | | | | | | |
| 95.00% | 10 | 10 | 100.00% | | | | | | |
| 95.00% | 42 | 42 | 100.00% | | | | | | |
| 12:00 | 0:21 | 3 | 0:07 | | | | | | |
| 00:0:18 | 00:592:47 | 7,107 | 00:0:05 | | | | | | |
| 24:00 | 4:30 | 1 | 4:30 | | | | | | |
| N/A | 505 | 15,376 | 3.28% | | | | | | |
| N/A | 7,107 | 15,376 | 46.22% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| 95.00% | 10 | 10 | 100.00% | | | | | | |
| 95.00% | 120 | 120 | 100.00% | | | | | | |
| 95.00% | 39 | 39 | 100.00% | | | | | | |
| 90.00% | 4 | 4 | 100.00% | | | | | | |
| 90.00% | 34 | 35 | 97.14% | | | | | | |
| 90.00% | 14 | 15 | 93.33% | | | | | | |
| 85.00% | 3 | 3 | 100.00% | | | | | | |
| 6:00 | 3:51 | 185 | 0:01 | | | | | | |
| N/A | 248 | 249 | 99.60% | 6.32% | 10,097 | 10,180 | 99.18% | 8.99% | -0.717247 |
| N/A | 9 | 1 | 9.00 | 0.00 | 0 | 1 | 0.00 | 0.00 | |
| N/A | 54 | 8 | 6.75 | 2.05 | 0 | 1 | 0.00 | 0.00 | |
| N/A | 3 | 4 | 75.00% | 43.30% | 0 | 19 | 0.00% | 0.00% | |
| N/A | 2,312 | 2,666 | 0.87 | 0.63 | 85,487 | 25,814 | 3.31 | 4.37 | -27.479213 |

| | | | | | | | | | |
|--------|-----------|-----------|---------|--------|----------|---------|---------|--------|------------|
| 95.00% | 1,747,923 | 1,747,925 | 100.00% | | | | | | |
| N/A | 2 | 10 | 0.20 | 0.42 | 85,487 | 25,814 | 3.31 | 4.37 | -2.249805 |
| N/A | 2,310 | 2,656 | 0.87 | 0.63 | 85,487 | 25,814 | 3.31 | 4.37 | -27.404253 |
| N/A | | | 100.00% | | | | | | |
| 98.00% | 263,134 | 263,134 | 100.00% | | | | | | |
| 95.00% | 1,781 | 1,781 | 100.00% | | | | | | |
| N/A | 481 | 481 | 100.00% | 0.00% | 5,402 | 5,443 | 99.25% | 8.65% | -1.831466 |
| 95.00% | 1,639 | 1,639 | 100.00% | | | | | | |
| N/A | | | | | | | 9.14 | | |
| N/A | | | 0:00 | | | | | | |
| N/A | | | 1.05 | | | | | | |
| N/A | | | 0.18 | | | | | | |
| N/A | | | 98.89% | | | | | | |
| 99.25% | 29,340 | 29,340 | 100.00% | | | | | | |
| 99.25% | 29,340 | 29,340 | 100.00% | | | | | | |
| 99.25% | 83,400 | 83,400 | 100.00% | | | | | | |
| 99.25% | 21,600 | 21,600 | 100.00% | | | | | | |
| 99.25% | 80,970 | 80,970 | 100.00% | | | | | | |
| 95.00% | 0 | 0 | | | | | | | |
| N/A | 2 | 7 | 28.57% | 45.18% | 32 | 136 | 23.53% | 42.42% | -0.070274 |
| N/A | 5 | 7 | 71.43% | 45.18% | | | | | |
| N/A | 5,170 | 6,267 | 82.50% | 38.00% | 141,838 | 175,727 | 80.71% | 39.45% | -3.510826 |
| N/A | 2 | 2 | 100.00% | 0.00% | 10 | 21 | 47.62% | 49.94% | -1.417285 |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | |
| N/A | 21 | 36 | 58.33% | 49.30% | 93 | 192 | 48.44% | 49.98% | -1.090257 |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | |
| N/A | 4 | 4 | 100.00% | 0.00% | 44 | 64 | 68.75% | 46.35% | -1.30814 |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | |
| N/A | 52 | 61 | 85.25% | 35.46% | 270 | 436 | 61.93% | 48.56% | -3.513144 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 8 | 8 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 69:50 | 4 | 17:27 | 10:25 | 6307:37 | 64 | 98:33 | 234:05 | -1.344398 |
| N/A | 10:32 | 2 | 5:16 | 1:26 | | | | | |
| N/A | 10:32 | 2 | 5:16 | 1:26 | | | | | |
| N/A | 0:01 | 1 | 0:01 | 0:00 | | | | | |
| N/A | 0:27 | 1 | 0:27 | 0:00 | | | | | |
| N/A | 5:07 | 2 | 2:34 | 0:09 | | | | | |
| N/A | 23:55 | 4 | 5:59 | 5:23 | | | | | |
| N/A | 3104:02 | 61 | 50:53 | 110:02 | 41850:09 | 426 | 98:14 | 253:48 | -1.362937 |
| N/A | 20:05 | 8 | 2:31 | 1:06 | | | | | |
| N/A | 0 | 5 | 0.00% | 0.00% | 7 | 71 | 9.86% | 29.81% | -0.71477 |
| N/A | 0 | 2 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 0 | 4 | 0.00% | 0.00% | | | | | |
| N/A | 6 | 61 | 9.84% | 29.78% | 50 | 454 | 11.01% | 31.31% | -0.275741 |
| N/A | 1 | 8 | 12.50% | 33.07% | 0 | 1 | 0.00% | 0.00% | -1.22064 |
| N/A | 0 | 5 | 0.00% | | | | | | |
| N/A | 4 | 1,109 | 0.36% | 5.99% | 0 | 92 | 0.00% | | -0.602957 |

| | | | | | | | | | |
|--------|----------|--------|---------|--------|---------|---------|--------|--------|-----------|
| N/A | 8 | 1,162 | 0.69% | 8.27% | 1 | 309 | 0.32% | 5.68% | 0.238533 |
| N/A | 0 | 106 | 0.00% | | 350 | 27,069 | 1.29% | 11.30% | -1.176056 |
| N/A | 1 | 12,260 | 0.01% | 0.90% | 0 | 15,546 | 0.00% | | |
| N/A | 2 | 13 | 15.38% | 36.08% | 0 | 101 | 0.00% | | 2.253624 |
| N/A | 0 | 20 | 0.00% | | 0 | 205 | 0.00% | | |
| N/A | 5 | 250 | 2.00% | 14.00% | 104 | 13,689 | 0.76% | 8.68% | 1.680779 |
| N/A | 0 | 54 | 0.00% | | 0 | 1,774 | 0.00% | | |
| N/A | 1 | 636 | 0.16% | 3.96% | 0 | 92 | 0.00% | | -1.143702 |
| N/A | 61 | 8,457 | 0.72% | 8.46% | 454 | 40,761 | 1.11% | 10.49% | -3.130042 |
| N/A | 2 | 80 | 2.50% | 15.61% | 1 | 309 | 0.32% | 5.68% | 1.233255 |
| N/A | 4 | 5 | 80.00% | 40.00% | 53 | 71 | 74.65% | 43.50% | -0.265899 |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| N/A | 69 | 3 | 23.00 | 10.39 | 6,688 | 41 | 163.12 | 436.88 | -0.536259 |
| N/A | 3 | 3 | 100.00% | | | | | | |
| 98.25% | 250 | 250 | 100.00% | | | | | | |
| N/A | 250 | 250 | 100.00% | | | | | | |
| N/A | 4,510 | 4,723 | 95.49% | 20.75% | 633,829 | 900,267 | 70.40% | 45.65% | |
| 90.00% | 15 | 15 | 100.00% | | | | | | |
| 90.00% | 28 | 28 | 100.00% | | | | | | |
| N/A | 17 | 20 | 85.00% | 35.71% | | | | | |
| 6.00 | 116 | 24 | 4.83 | | | | | | |
| 6.00 | 9 | 3 | 3.00 | | | | | | |
| N/A | 183 | 19 | 9.63 | 4.28 | | | | | |
| N/A | 15 | 15 | 100.00% | 0.00% | | | | | |
| N/A | 20 | 20 | 100.00% | 0.00% | | | | | |
| N/A | 28 | 28 | 100.00% | 0.00% | 183 | 195 | 93.85% | 24.03% | -1.267094 |
| 96.50% | 15 | 15 | 100.00% | | | | | | |
| 96.50% | 20 | 20 | 100.00% | | | | | | |
| 96.50% | 28 | 28 | 100.00% | | | | | | |
| N/A | 15 | 15 | 100.00% | | | | | | |
| N/A | 20 | 20 | 100.00% | | | | | | |
| N/A | 28 | 28 | 100.00% | | | | | | |
| N/A | 30 | 3 | 10.00 | 0.00 | | | | | |
| 95.00% | 247 | 247 | 100.00% | | | | | | |
| N/A | | | | | | | 8.09 | | |
| 10.00 | 4077.18 | 2,287 | 1.78 | | | | | | |
| 10.00 | 4145.88 | 2,606 | 1.59 | | | | | | |
| 10.00 | 12411.90 | 15,765 | 0.79 | | | | | | |
| 12.50 | 13985.15 | 4,936 | 2.83 | | | | | | |
| 20.00 | 13917.93 | 2,141 | 6.50 | | | | | | |
| 25.00 | 2782.70 | 1,343 | 2.07 | | | | | | |
| 25.00 | 21674.50 | 3,013 | 7.19 | | | | | | |
| 25.00 | 11224.94 | 3,830 | 2.93 | | | | | | |
| 30.00 | 4177.48 | 1,275 | 3.28 | | | | | | |
| N/A | 2616.01 | 706 | 3.71 | | | | | | |
| N/A | 13650.24 | 723 | 18.88 | | | | | | |
| N/A | 4017.09 | 867 | 4.63 | | | | | | |
| N/A | 160.39 | 1,275 | 0.13 | | | | | | |

| | | | | | | | | | | |
|---------|-----------|-----------|---------|--------|---------|--------|--------|--------|------------|--|
| N/A | 166.69 | 1,343 | 0.12 | | | | | | | |
| N/A | 2942.69 | 1,409 | 2.09 | | | | | | | |
| N/A | 850.40 | 1,409 | 0.60 | | | | | | | |
| N/A | 267.69 | 2,141 | 0.13 | | | | | | | |
| N/A | 284.09 | 2,287 | 0.12 | | | | | | | |
| N/A | 21316.70 | 2,307 | 9.24 | | | | | | | |
| N/A | 317.51 | 2,606 | 0.12 | | | | | | | |
| N/A | 357.80 | 3,013 | 0.12 | | | | | | | |
| N/A | 438.21 | 3,830 | 0.11 | | | | | | | |
| N/A | 573.39 | 4,936 | 0.12 | | | | | | | |
| N/A | 10399.40 | 6,144 | 1.69 | | | | | | | |
| N/A | 10786.73 | 6,835 | 1.58 | | | | | | | |
| N/A | 13411.76 | 10,767 | 1.25 | | | | | | | |
| N/A | 2012.50 | 15,765 | 0.13 | | | | | | | |
| N/A | 1 | 81 | 0.01 | 0.11 | 37 | 1,003 | 0.04 | 0.20 | -1.068345 | |
| 92.50% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 16 | 16 | 100.00% | | | | | | | |
| N/A | 91 | 146 | 62.33% | | | | | | | |
| N/A | 26 | 37 | 70.27% | | | | | | | |
| N/A | 31 | 48 | 64.58% | | | | | | | |
| 85.00% | 91 | 93 | 97.85% | | | | | | | |
| 95.00% | 26 | 26 | 100.00% | | | | | | | |
| 95.00% | 31 | 31 | 100.00% | | | | | | | |
| 12:00 | 5:41 | 6 | 0:57 | | | | | | | |
| 00:0:18 | 00:843:23 | 8,208 | 00:0:06 | | | | | | | |
| 24:00 | 8:06 | 3 | 2:42 | | | | | | | |
| N/A | 519 | 17,250 | 3.01% | | | | | | | |
| N/A | 8,208 | 17,250 | 47.58% | | | | | | | |
| N/A | 3 | 4 | 75.00% | | | | | | | |
| 95.00% | 26 | 26 | 100.00% | | | | | | | |
| 95.00% | 78 | 78 | 100.00% | | | | | | | |
| 95.00% | 31 | 31 | 100.00% | | | | | | | |
| 90.00% | 9 | 9 | 100.00% | | | | | | | |
| 90.00% | 60 | 60 | 100.00% | | | | | | | |
| 90.00% | 15 | 15 | 100.00% | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 85.00% | 1 | 1 | 100.00% | | | | | | | |
| 6:00 | 10:26 | 227 | 0:03 | | | | | | | |
| N/A | 274 | 274 | 100.00% | 0.00% | 10,770 | 10,897 | 98.83% | 10.73% | -1.77532 | |
| N/A | 27 | 5 | 5.40 | 2.07 | 2 | 3 | 0.67 | 0.58 | -11.226086 | |
| N/A | 5 | 7 | 71.43% | 45.18% | 0 | 7 | 0.00% | 0.00% | | |
| N/A | 3,432 | 3,665 | 0.94 | 0.80 | 103,927 | 30,185 | 3.44 | 5.38 | -26.641191 | |
| 95.00% | 1,918,640 | 1,918,640 | 100.00% | | | | | | | |
| N/A | 14 | 14 | 1.00 | 0.00 | 103,927 | 30,185 | 3.44 | 5.38 | -1.699052 | |
| N/A | 3,418 | 3,651 | 0.94 | 0.80 | 103,927 | 30,185 | 3.44 | 5.38 | -26.598346 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 272,378 | 272,378 | 100.00% | | | | | | | |
| 95.00% | 1,552 | 1,552 | 100.00% | | | | | | | |
| N/A | 506 | 507 | 99.80% | 4.44% | 7,036 | 7,064 | 99.60% | 6.28% | -0.689309 | |
| 95.00% | 1,552 | 1,552 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.35 | | | |
| N/A | | | 0:00 | | | | | | | |

| | | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|---------|---------|--------|--|-----------|
| N/A | | | 1.05 | | | | | | | |
| N/A | | | 0.17 | | | | | | | |
| N/A | | | 98.85% | | | | | | | |
| 99.25% | 29,160 | 29,160 | 100.00% | | | | | | | |
| 99.25% | 30,600 | 30,600 | 100.00% | | | | | | | |
| 99.25% | 86,372 | 86,400 | 99.97% | | | | | | | |
| 99.25% | 22,860 | 22,860 | 100.00% | | | | | | | |
| 99.25% | 84,360 | 84,360 | 100.00% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 2 | 50.00% | 50.00% | | -0.816497 |
| N/A | 0 | 1 | 0.00% | 0.00% | 115 | 579 | 19.86% | 39.90% | | -0.497411 |
| N/A | 1 | 3 | 33.33% | 47.14% | 28 | 148 | 18.92% | 39.17% | | 0.062442 |
| N/A | 3 | 4 | 75.00% | 43.30% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 6,354 | 7,861 | 80.83% | 39.36% | 170,949 | 212,055 | 80.62% | 39.53% | | -0.471325 |
| N/A | 2 | 2 | 100.00% | 0.00% | 20 | 36 | 55.56% | 49.69% | | -1.231174 |
| N/A | 0 | 1 | 0.00% | 0.00% | 6 | 44 | 13.64% | 34.32% | | -1.110772 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 29 | 48 | 60.42% | 48.90% | 93 | 257 | 36.19% | 48.05% | | -3.206702 |
| N/A | 6 | 9 | 66.67% | 47.14% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | 43 | 85 | 50.59% | 50.00% | | -1.381514 |
| N/A | 0 | 1 | 0.00% | 0.00% | 41 | 87 | 47.13% | 49.92% | | -0.085558 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 12 | 12 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 61 | 80 | 76.25% | 42.56% | 285 | 557 | 51.17% | 49.99% | | -4.196925 |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 10 | 14 | 71.43% | 45.18% | 6 | 7 | 85.71% | 34.99% | | 0.28813 |
| N/A | 2 | 3 | 66.67% | 47.14% | 8 | 10 | 80.00% | 40.00% | | -0.202967 |
| N/A | 26:23 | 1 | 26:23 | 0:00 | | | | | | |
| N/A | 25:46 | 2 | 12:53 | 12:32 | 7032:14 | 85 | 82:44 | 117:52 | | -1.65688 |
| N/A | 3:12 | 1 | 3:12 | 0:00 | | | | | | |
| N/A | 3:12 | 1 | 3:12 | 0:00 | | | | | | |
| N/A | 50:26 | 1 | 50:26 | 0:00 | 10527:18 | 87 | 121:00 | 204:48 | | -0.342618 |
| N/A | 14:00 | 1 | 14:00 | 0:00 | | | | | | |
| N/A | 169:38 | 12 | 14:08 | 10:41 | | | | | | |
| N/A | 59:18 | 14 | 4:14 | 2:50 | 12:36 | 4 | 3:09 | 2:33 | | 0.453762 |
| N/A | 7:12 | 3 | 2:24 | 2:07 | 62:57 | 10 | 6:18 | 11:05 | | -0.533732 |
| N/A | 7:12 | 3 | 2:24 | 2:07 | 62:14 | 9 | 6:55 | 11:34 | | -0.585164 |
| N/A | 9:24 | 3 | 3:08 | 3:29 | | | | | | |
| N/A | 5343:36 | 80 | 66:48 | 140:26 | 49053:52 | 549 | 89:21 | 145:27 | | -1.295927 |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 11 | 96 | 11.46% | 31.85% | | -0.503529 |
| N/A | 0 | 1 | 0.00% | 0.00% | 13 | 90 | 14.44% | 35.15% | | -0.408627 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 2 | 12 | 16.67% | 37.27% | | | | | | |
| N/A | 0 | 14 | 0.00% | 0.00% | 0 | 7 | 0.00% | 0.00% | | |
| N/A | 0 | 3 | 0.00% | 0.00% | 1 | 10 | 10.00% | 30.00% | | -0.50637 |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 7 | 80 | 8.75% | 28.26% | 93 | 584 | 15.92% | 36.59% | | -1.644747 |
| N/A | 0 | 5 | 0.00% | | | | | | | |

| | | | | | | | | | |
|--------|-------|--------|---------|--------|---------|-----------|---------|--------|-----------|
| N/A | 12 | 1,105 | 1.09% | 10.36% | 0 | 93 | 0.00% | | 0.312233 |
| N/A | 14 | 1,153 | 1.21% | 10.95% | 7 | 313 | 2.24% | 14.79% | -1.08465 |
| N/A | 1 | 108 | 0.93% | 9.58% | 464 | 27,448 | 1.69% | 12.89% | -0.61512 |
| N/A | 1 | 11,636 | 0.01% | 0.93% | 0 | 15,738 | 0.00% | | |
| N/A | 1 | 13 | 7.69% | 26.65% | 0 | 102 | 0.00% | | 1.2105 |
| N/A | 1 | 20 | 5.00% | 21.79% | 1 | 207 | 0.48% | 6.93% | 0.958901 |
| N/A | 2 | 260 | 0.77% | 8.74% | 120 | 13,764 | 0.87% | 9.30% | -0.176316 |
| N/A | 0 | 56 | 0.00% | | 2 | 1,774 | 0.11% | 3.36% | -0.24753 |
| N/A | 3 | 644 | 0.47% | 6.81% | 0 | 93 | 0.00% | | -0.431109 |
| N/A | 80 | 8,527 | 0.94% | 9.64% | 584 | 41,215 | 1.42% | 11.82% | -3.404908 |
| N/A | 0 | 80 | 0.00% | | 7 | 313 | 2.24% | 14.79% | -1.207283 |
| N/A | 1 | 1 | 100.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 2 | 2 | 100.00% | 0.00% | 78 | 96 | 81.25% | 39.03% | -0.672398 |
| N/A | 1 | 1 | 100.00% | 0.00% | 53 | 90 | 58.89% | 49.20% | -0.830928 |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| 95.00% | 3 | 3 | 100.00% | | | | | | |
| N/A | 0 | 3 | 0.00% | | | | | | |
| N/A | 77 | 3 | 25.67 | 27.14 | 6,121 | 32 | 191.28 | 483.89 | -0.56683 |
| N/A | 3 | 3 | 100.00% | | | | | | |
| 98.25% | 805 | 805 | 100.00% | | | | | | |
| N/A | 805 | 805 | 100.00% | | | | | | |
| N/A | 4,510 | 4,723 | 95.49% | 20.75% | 717,918 | 1,181,538 | 60.76% | 48.83% | |
| N/A | 1 | 1 | 100.00% | 0.00% | 6 | 6 | 100.00% | 0.00% | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| 90.00% | 10 | 10 | 100.00% | | | | | | |
| 90.00% | 44 | 48 | 91.67% | | | | | | |
| N/A | 16 | 16 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| 6.00 | 3 | 1 | 3.00 | | | | | | |
| 6.00 | 9 | 3 | 3.00 | | | | | | |
| 6.00 | 201 | 41 | 4.90 | | | | | | |
| N/A | 122 | 15 | 8.13 | 1.88 | 9 | 1 | 9.00 | 0.00 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 59 | 63 | 93.65% | 24.38% | -0.258336 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 10 | 10 | 100.00% | 0.00% | | | | | |
| N/A | 16 | 16 | 100.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 48 | 48 | 100.00% | 0.00% | 228 | 242 | 94.21% | 23.35% | -1.568288 |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 10 | 10 | 100.00% | | | | | | |
| 96.50% | 16 | 16 | 100.00% | | | | | | |
| 96.50% | 48 | 48 | 100.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 10 | 10 | 100.00% | | | | | | |
| N/A | 16 | 16 | 100.00% | | | | | | |
| N/A | 48 | 48 | 100.00% | | | | | | |
| N/A | 5 | 4 | 1.25 | 0.50 | 45 | 14 | 3.21 | 4.42 | -0.783271 |
| N/A | 0:10 | 6 | 0:02 | | | | | | |
| 95.00% | 6 | 6 | 100.00% | | | | | | |
| 95.00% | 798 | 798 | 100.00% | | | | | | |

| | | | | | | | | | |
|---------|-----------|--------|---------|-------|--------|--------|--------|--------|-----------|
| N/A | | | | | | | 7.83 | | |
| 10.00 | 3497.32 | 1,889 | 1.85 | | | | | | |
| 10.00 | 3520.06 | 2,147 | 1.64 | | | | | | |
| 10.00 | 10423.51 | 12,530 | 0.83 | | | | | | |
| 12.50 | 10742.33 | 3,960 | 2.71 | | | | | | |
| 20.00 | 15369.35 | 1,710 | 8.99 | | | | | | |
| 25.00 | 2580.10 | 1,187 | 2.17 | | | | | | |
| 25.00 | 17618.21 | 2,471 | 7.13 | | | | | | |
| 25.00 | 9431.40 | 3,103 | 3.04 | | | | | | |
| 30.00 | 3239.69 | 1,054 | 3.07 | | | | | | |
| N/A | 2433.48 | 606 | 4.02 | | | | | | |
| N/A | 3105.51 | 688 | 4.51 | | | | | | |
| N/A | 15150.65 | 987 | 15.35 | | | | | | |
| N/A | 134.18 | 1,054 | 0.13 | | | | | | |
| N/A | 731.17 | 1,137 | 0.64 | | | | | | |
| N/A | 2521.29 | 1,139 | 2.21 | | | | | | |
| N/A | 146.62 | 1,187 | 0.12 | | | | | | |
| N/A | 218.70 | 1,710 | 0.13 | | | | | | |
| N/A | 17317.50 | 1,889 | 9.17 | | | | | | |
| N/A | 244.86 | 1,889 | 0.13 | | | | | | |
| N/A | 258.64 | 2,147 | 0.12 | | | | | | |
| N/A | 300.71 | 2,471 | 0.12 | | | | | | |
| N/A | 359.68 | 3,103 | 0.12 | | | | | | |
| N/A | 468.72 | 3,960 | 0.12 | | | | | | |
| N/A | 8806.84 | 4,893 | 1.80 | | | | | | |
| N/A | 9071.72 | 5,448 | 1.67 | | | | | | |
| N/A | 10273.61 | 8,622 | 1.19 | | | | | | |
| N/A | 1616.67 | 12,530 | 0.13 | | | | | | |
| N/A | 9 | 119 | 0.08 | 0.27 | 59 | 1,311 | 0.05 | 0.22 | 1.443385 |
| 92.50% | 1 | 1 | 100.00% | | | | | | |
| 95.00% | 13 | 13 | 100.00% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| N/A | 7 | 14 | 50.00% | | | | | | |
| N/A | 190 | 247 | 76.92% | | | | | | |
| N/A | 71 | 90 | 78.89% | | | | | | |
| 85.00% | 190 | 191 | 99.48% | | | | | | |
| 95.00% | 7 | 7 | 100.00% | | | | | | |
| 95.00% | 71 | 71 | 100.00% | | | | | | |
| 12:00 | 15:37 | 17 | 0:55 | | | | | | |
| 00:0:18 | 00:874:38 | 9,941 | 00:0:05 | | | | | | |
| N/A | 771 | 21,177 | 3.64% | | | | | | |
| N/A | 9,941 | 21,177 | 46.94% | | | | | | |
| 95.00% | 7 | 7 | 100.00% | | | | | | |
| 95.00% | 175 | 175 | 100.00% | | | | | | |
| 95.00% | 69 | 69 | 100.00% | | | | | | |
| 90.00% | 2 | 2 | 100.00% | | | | | | |
| 90.00% | 62 | 64 | 96.88% | | | | | | |
| 90.00% | 18 | 18 | 100.00% | | | | | | |
| 85.00% | 7 | 7 | 100.00% | | | | | | |
| 6:00 | 6:13 | 247 | 0:02 | | | | | | |
| N/A | 332 | 332 | 100.00% | 0.00% | 10,162 | 10,286 | 98.79% | 10.91% | -1.981035 |
| N/A | 15 | 3 | 5.00 | 3.00 | 0 | 2 | 0.00 | 0.00 | |
| N/A | 0 | 3 | 0.00% | 0.00% | 0 | 16 | 0.00% | 0.00% | |

| | | | | | | | | | |
|--------|-----------|-----------|---------|--------|----------|---------|---------|--------|------------|
| N/A | 0 | 3 | 0.00% | 0.00% | 0 | 16 | 0.00% | 0.00% | |
| N/A | 3,029 | 3,420 | 0.89 | 0.67 | 98,762 | 29,378 | 3.36 | 4.67 | -29.356648 |
| 95.00% | 1,740,312 | 1,740,312 | 100.00% | | | | | | |
| N/A | 3 | 5 | 0.60 | 0.55 | 98,762 | 29,378 | 3.36 | 4.67 | -1.322738 |
| N/A | 3,026 | 3,415 | 0.89 | 0.67 | 98,762 | 29,378 | 3.36 | 4.67 | -29.332462 |
| N/A | | | 100.00% | | | | | | |
| 98.00% | 270,460 | 270,460 | 100.00% | | | | | | |
| 95.00% | 1,666 | 1,666 | 100.00% | | | | | | |
| N/A | 425 | 425 | 100.00% | 0.00% | 5,997 | 6,034 | 99.39% | 7.81% | -1.565122 |
| 95.00% | 1,666 | 1,666 | 100.00% | | | | | | |
| N/A | | | | | | | 8.49 | | |
| N/A | | | 0:00 | | | | | | |
| N/A | | | 1.04 | | | | | | |
| N/A | | | 0.16 | | | | | | |
| N/A | | | 98.70% | | | | | | |
| 99.25% | 28,980 | 28,980 | 100.00% | | | | | | |
| 99.25% | 28,980 | 28,980 | 100.00% | | | | | | |
| 99.25% | 82,825 | 82,920 | 99.89% | | | | | | |
| 99.25% | 21,060 | 21,060 | 100.00% | | | | | | |
| 99.25% | 80,738 | 80,760 | 99.97% | | | | | | |
| 95.00% | 0 | 0 | | | | | | | |
| N/A | 1 | 2 | 50.00% | 50.00% | 39 | 146 | 26.71% | 44.25% | 0.078196 |
| N/A | 1 | 2 | 50.00% | 50.00% | 101 | 532 | 18.98% | 39.22% | 0.396611 |
| N/A | 6,763 | 8,323 | 81.26% | 39.03% | 162,429 | 251,080 | 64.69% | 47.79% | -31.108475 |
| N/A | 0 | 1 | 0.00% | 0.00% | 11 | 29 | 37.93% | 48.52% | -0.340695 |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | |
| N/A | 30 | 49 | 61.22% | 48.72% | 96 | 239 | 40.17% | 49.02% | -2.739013 |
| N/A | 1 | 1 | 100.00% | 0.00% | 167 | 329 | 50.76% | 49.99% | -0.983423 |
| N/A | 1 | 1 | 100.00% | 0.00% | 45 | 79 | 56.96% | 49.51% | -0.863777 |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | |
| N/A | 56 | 69 | 81.16% | 39.10% | 278 | 511 | 54.40% | 49.81% | -4.188586 |
| N/A | 9 | 9 | 100.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 4 | 4 | 100.00% | 0.00% | 1.683242 |
| N/A | 1 | 1 | 100.00% | 0.00% | 7 | 7 | 100.00% | 0.00% | |
| N/A | 13 | 14 | 92.86% | 25.75% | 4 | 4 | 100.00% | 0.00% | -1.52942 |
| N/A | 20:03 | 1 | 20:03 | 0:00 | 23854:32 | 329 | 72:30 | 75:25 | -0.694444 |
| N/A | 26:46 | 1 | 26:46 | 0:00 | 5602:46 | 79 | 70:55 | 86:03 | -1.019758 |
| N/A | 2:28 | 1 | 2:28 | 0:00 | 12:14 | 6 | 2:02 | 0:58 | 0.186567 |
| N/A | 2:28 | 1 | 2:28 | 0:00 | 12:31 | 7 | 1:47 | 1:06 | 0.337155 |
| N/A | 9:44 | 1 | 9:44 | 0:00 | 6:18 | 3 | 2:06 | 1:48 | 0.954165 |
| N/A | 45:03 | 14 | 3:13 | 4:26 | 6:18 | 3 | 2:06 | 1:48 | -0.240426 |
| N/A | 28:13 | 4 | 7:03 | 2:36 | | | | | |
| N/A | 4716:25 | 69 | 68:21 | 175:54 | 36974:10 | 504 | 73:22 | 84:06 | -0.463852 |
| N/A | 31:09 | 9 | 3:28 | 1:58 | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 56 | 342 | 16.37% | 37.00% | -0.441852 |
| N/A | 0 | 1 | 0.00% | 0.00% | 14 | 90 | 15.56% | 36.24% | -0.426833 |
| N/A | 0 | 1 | 0.00% | 0.00% | 2 | 4 | 50.00% | 50.00% | -0.894427 |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 7 | 0.00% | 0.00% | |
| N/A | 4 | 14 | 28.57% | 45.18% | 2 | 4 | 50.00% | 50.00% | -0.755929 |
| N/A | 0 | 4 | 0.00% | 0.00% | | | | | |
| N/A | 5 | 69 | 7.25% | 25.93% | 88 | 538 | 16.36% | 36.99% | -1.926186 |
| N/A | 2 | 9 | 22.22% | 41.57% | | | | | |

| | | | | | | | | | | |
|--------|-------|--------|---------|--------|---------|-----------|---------|--------|--|-----------|
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 9 | 1,112 | 0.81% | 8.96% | 0 | 94 | 0.00% | | | 0.048836 |
| N/A | 14 | 1,146 | 1.22% | 10.99% | 4 | 322 | 1.24% | 11.08% | | -0.029481 |
| N/A | 1 | 109 | 0.92% | 9.53% | 431 | 27,786 | 1.55% | 12.36% | | -0.534346 |
| N/A | 0 | 11,636 | 0.00% | | 1 | 15,834 | 0.01% | 0.79% | | -0.650858 |
| N/A | 0 | 13 | 0.00% | | 0 | 103 | 0.00% | | | |
| N/A | 0 | 20 | 0.00% | | 0 | 213 | 0.00% | | | |
| N/A | 1 | 268 | 0.37% | 6.10% | 107 | 13,838 | 0.77% | 8.76% | | -0.740627 |
| N/A | 0 | 56 | 0.00% | | 1 | 1,802 | 0.06% | 2.36% | | -0.173657 |
| N/A | 4 | 653 | 0.61% | 7.80% | 0 | 94 | 0.00% | | | -0.210255 |
| N/A | 69 | 8,608 | 0.80% | 8.92% | 538 | 41,627 | 1.29% | 11.29% | | -3.670336 |
| N/A | 1 | 84 | 1.19% | 10.85% | 4 | 322 | 1.24% | 11.08% | | -0.038143 |
| N/A | 0 | 1 | 0.00% | 0.00% | 75 | 90 | 83.33% | 37.27% | | 0.931397 |
| N/A | 1 | 1 | 100.00% | 0.00% | 303 | 342 | 88.60% | 31.79% | | -0.358242 |
| N/A | 0 | 984 | 0.00% | 0.02% | | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 88 | 1 | 88.00 | 0.00 | | | | | | |
| N/A | 250 | 4 | 62.50 | 19.00 | 5,853 | 29 | 201.83 | 498.20 | | -0.524331 |
| N/A | 1 | 4 | 25.00% | | | | | | | |
| 98.25% | 463 | 463 | 100.00% | | | | | | | |
| N/A | 463 | 463 | 100.00% | | | | | | | |
| N/A | 3,901 | 4,197 | 92.95% | 25.60% | 491,942 | 1,165,901 | 42.19% | 49.39% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | | |
| 90.00% | 19 | 20 | 95.00% | | | | | | | |
| 90.00% | 34 | 35 | 97.14% | | | | | | | |
| 90.00% | 1 | 4 | 25.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 13 | 14 | 92.86% | 25.75% | | | | | | |
| N/A | 0 | 1 | 0.00 | 0.00 | 1 | 1 | 1.00 | 0.00 | | |
| 6.00 | 141 | 28 | 5.04 | | | | | | | |
| 6.00 | 117 | 4 | 29.25 | | | | | | | |
| 6.00 | 15 | 5 | 3.00 | | | | | | | |
| N/A | 91 | 13 | 7.00 | 2.20 | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 55 | 58 | 94.83% | 22.15% | | -0.231562 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 14 | 14 | 100.00% | 0.00% | | | | | | |
| N/A | 20 | 20 | 100.00% | 0.00% | | | | | | |
| N/A | 32 | 35 | 91.43% | 27.99% | 209 | 224 | 93.30% | 25.00% | | 0.126233 |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 14 | 14 | 100.00% | | | | | | | |
| 96.50% | 20 | 20 | 100.00% | | | | | | | |
| 96.50% | 35 | 35 | 100.00% | | | | | | | |
| 96.50% | 4 | 4 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 0 | 3 | 0.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |

| | | | | | | | | | | |
|---------|-----------|--------|---------|------|----|-------|------|------|-----------|--|
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 14 | 14 | 100.00% | | | | | | | |
| N/A | 20 | 20 | 100.00% | | | | | | | |
| N/A | 32 | 35 | 91.43% | | | | | | | |
| N/A | 4 | 4 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 1.00 | 0.00 | 29 | 6 | 4.83 | 7.49 | -0.473548 | |
| N/A | 1 | 1 | 1.00 | 0.00 | | | | | | |
| N/A | 2 | 1 | 2.00 | 0.00 | | | | | | |
| N/A | 5 | 1 | 5.00 | 0.00 | | | | | | |
| N/A | 97 | 3 | 32.33 | | | | | | | |
| N/A | 0:04 | 4 | 0:01 | | | | | | | |
| 95.00% | 4 | 4 | 100.00% | | | | | | | |
| 95.00% | 456 | 456 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.09 | | | |
| 10.00 | 5601.41 | 2,915 | 1.92 | | | | | | | |
| 10.00 | 6076.80 | 3,450 | 1.76 | | | | | | | |
| 10.00 | 18640.49 | 20,072 | 0.93 | | | | | | | |
| 12.50 | 18015.03 | 6,475 | 2.78 | | | | | | | |
| 20.00 | 26599.12 | 2,706 | 9.83 | | | | | | | |
| 25.00 | 4639.29 | 2,047 | 2.27 | | | | | | | |
| 25.00 | 29213.20 | 4,017 | 7.27 | | | | | | | |
| 25.00 | 14493.78 | 5,079 | 2.85 | | | | | | | |
| 30.00 | 5658.53 | 1,696 | 3.34 | | | | | | | |
| N/A | 26253.52 | 943 | 18.84 | | | | | | | |
| N/A | 5446.64 | 1,149 | 4.74 | | | | | | | |
| N/A | 4396.27 | 1,150 | 3.82 | | | | | | | |
| N/A | 211.89 | 1,696 | 0.12 | | | | | | | |
| N/A | 1116.59 | 1,799 | 0.62 | | | | | | | |
| N/A | 4125.50 | 1,799 | 2.29 | | | | | | | |
| N/A | 243.02 | 2,047 | 0.12 | | | | | | | |
| N/A | 345.60 | 2,706 | 0.13 | | | | | | | |
| N/A | 359.32 | 2,915 | 0.12 | | | | | | | |
| N/A | 28735.67 | 3,135 | 9.17 | | | | | | | |
| N/A | 409.17 | 3,450 | 0.12 | | | | | | | |
| N/A | 477.53 | 4,017 | 0.12 | | | | | | | |
| N/A | 578.05 | 5,079 | 0.11 | | | | | | | |
| N/A | 751.18 | 6,475 | 0.12 | | | | | | | |
| N/A | 16120.96 | 7,919 | 2.04 | | | | | | | |
| N/A | 13915.73 | 8,880 | 1.57 | | | | | | | |
| N/A | 17263.85 | 14,331 | 1.20 | | | | | | | |
| N/A | 2519.53 | 20,072 | 0.13 | | | | | | | |
| N/A | 0 | 107 | 0.00 | 0.00 | 33 | 1,333 | 0.02 | 0.16 | -1.585069 | |
| 92.50% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 26 | 26 | 100.00% | | | | | | | |
| 95.00% | 3 | 3 | 100.00% | | | | | | | |
| N/A | 3 | 12 | 25.00% | | | | | | | |
| N/A | 123 | 181 | 67.96% | | | | | | | |
| N/A | 55 | 85 | 64.71% | | | | | | | |
| 85.00% | 123 | 124 | 99.19% | | | | | | | |
| 95.00% | 3 | 3 | 100.00% | | | | | | | |
| 95.00% | 55 | 55 | 100.00% | | | | | | | |
| 12:00 | 28:33 | 18 | 1:35 | | | | | | | |
| 00:0:18 | 00:748:14 | 8,203 | 00:0:05 | | | | | | | |

| | | | | | | | | | | |
|--------|-----------|-----------|---------|--------|---------|---------|--------|--------|------------|--|
| N/A | 642 | 18,494 | 3.47% | | | | | | | |
| N/A | 8,203 | 18,494 | 44.35% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| 95.00% | 3 | 3 | 100.00% | | | | | | | |
| 95.00% | 106 | 106 | 100.00% | | | | | | | |
| 95.00% | 54 | 54 | 100.00% | | | | | | | |
| 90.00% | 5 | 5 | 100.00% | | | | | | | |
| 90.00% | 63 | 64 | 98.44% | | | | | | | |
| 90.00% | 23 | 23 | 100.00% | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 6:00 | 9:06 | 218 | 0:03 | | | | | | | |
| N/A | 293 | 293 | 100.00% | 0.00% | 8,080 | 8,159 | 99.03% | 9.79% | -1.662955 | |
| N/A | 0 | 4 | 0.00% | 0.00% | 0 | 4 | 0.00% | 0.00% | | |
| N/A | 2,927 | 3,229 | 0.91 | 0.30 | 127,991 | 30,755 | 4.16 | 6.55 | -26.883126 | |
| 95.00% | 1,733,132 | 1,733,132 | 100.00% | | | | | | | |
| N/A | 10 | 10 | 1.00 | 0.00 | 127,991 | 30,755 | 4.16 | 6.55 | -1.527192 | |
| N/A | 2,917 | 3,219 | 0.91 | 0.30 | 127,991 | 30,755 | 4.16 | 6.55 | -26.847812 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 278,654 | 278,654 | 100.00% | | | | | | | |
| 95.00% | 1,862 | 1,862 | 100.00% | | | | | | | |
| N/A | 528 | 528 | 100.00% | 0.00% | 6,415 | 6,438 | 99.64% | 5.97% | -1.322715 | |
| 95.00% | 1,724 | 1,724 | 100.00% | | | | | | | |
| 150.00 | 228 | 3 | 76.00 | | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | | |
| 10.00 | 27 | 3 | 9.00 | | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.75 | | | |
| N/A | | | 0:00 | | | | | | | |
| N/A | | | 1.03 | | | | | | | |
| N/A | | | 0.17 | | | | | | | |
| N/A | | | 98.82% | | | | | | | |
| 99.25% | 30,355 | 30,420 | 99.79% | | | | | | | |
| 99.25% | 30,420 | 30,420 | 100.00% | | | | | | | |
| 99.25% | 86,123 | 86,280 | 99.82% | | | | | | | |
| 99.25% | 22,500 | 22,500 | 100.00% | | | | | | | |
| 99.25% | 83,720 | 83,850 | 99.84% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 1 | 6 | 16.67% | 37.27% | 36 | 154 | 23.38% | 42.32% | -0.380999 | |
| N/A | 6,560 | 7,299 | 89.88% | 30.17% | 188,346 | 214,623 | 87.76% | 32.78% | -5.430501 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 23 | 37 | 62.16% | 48.50% | -0.769855 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 53 | 66 | 80.30% | 39.77% | 120 | 232 | 51.72% | 49.97% | -4.099601 | |
| N/A | 3 | 3 | 100.00% | 0.00% | 61 | 86 | 70.93% | 45.41% | -1.089984 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 12 | 15 | 80.00% | 40.00% | -0.484123 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 69 | 79 | 87.34% | 33.25% | 380 | 535 | 71.03% | 45.36% | -2.983704 | |
| N/A | 9 | 10 | 90.00% | 30.00% | 2 | 5 | 40.00% | 48.99% | -3.72678 | |
| N/A | 70:23 | 3 | 23:28 | 20:21 | 4272:22 | 86 | 49:41 | 86:28 | -1.032586 | |
| N/A | 2:20 | 1 | 2:20 | 0:00 | 859:44 | 15 | 57:19 | 100:08 | -0.531696 | |
| N/A | 2:20 | 1 | 2:20 | 0:00 | 859:44 | 15 | 57:19 | 100:08 | -0.531696 | |
| N/A | 2:01 | 1 | 2:01 | 0:00 | | | | | | |

| | | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|-----------|---------|--------|-----------|--|
| N/A | 5:25 | 1 | 5:25 | 0:00 | | | | | | |
| N/A | 21:59 | 10 | 2:12 | 1:05 | 15:54 | 4 | 3:58 | 0:55 | -3.283379 | |
| N/A | 3125:55 | 79 | 39:34 | 102:32 | 30286:18 | 523 | 57:55 | 117:01 | -1.298496 | |
| N/A | 0 | 3 | 0.00% | 0.00% | 12 | 91 | 13.19% | 33.83% | -0.664193 | |
| N/A | 0 | 2 | 0.00% | 0.00% | 3 | 16 | 18.75% | 39.03% | -0.640513 | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 10 | 30.00% | 45.83% | 0 | 5 | 0.00% | 0.00% | 0.631869 | |
| N/A | 8 | 79 | 10.13% | 30.17% | 73 | 549 | 13.30% | 33.95% | -0.775944 | |
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 10 | 1,141 | 0.88% | 9.32% | 5 | 329 | 1.52% | 12.23% | -0.840342 | |
| N/A | 1 | 1,150 | 0.09% | 2.95% | 0 | 94 | 0.00% | | -1.435568 | |
| N/A | 0 | 109 | 0.00% | | 431 | 28,171 | 1.53% | 12.27% | -1.298853 | |
| N/A | 0 | 11,636 | 0.00% | | 0 | 15,906 | 0.00% | | | |
| N/A | 0 | 13 | 0.00% | | 0 | 103 | 0.00% | | | |
| N/A | 0 | 20 | 0.00% | | 1 | 214 | 0.47% | 6.82% | -0.293038 | |
| N/A | 5 | 273 | 1.83% | 13.41% | 118 | 13,862 | 0.85% | 9.19% | 1.340812 | |
| N/A | 0 | 56 | 0.00% | | 2 | 1,834 | 0.11% | 3.30% | -0.243565 | |
| N/A | 1 | 661 | 0.15% | 3.89% | 0 | 94 | 0.00% | | -1.152766 | |
| N/A | 79 | 8,689 | 0.91% | 9.49% | 549 | 42,036 | 1.31% | 11.35% | -2.965964 | |
| N/A | 0 | 80 | 0.00% | | 5 | 329 | 1.52% | 12.23% | -0.996538 | |
| N/A | 1 | 3 | 33.33% | 47.14% | 72 | 91 | 79.12% | 40.64% | 1.153817 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 9 | 16 | 56.25% | 49.61% | -0.541395 | |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | | |
| 95.00% | 0 | 1 | 0.00% | | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | | |
| N/A | 58 | 2 | 29.00 | | | | | | | |
| N/A | 68 | 1 | 68.00 | 0.00 | | | | | | |
| N/A | 214 | 5 | 42.80 | 16.47 | 5,541 | 18 | 307.83 | 601.80 | -0.871179 | |
| N/A | 2 | 2 | 100.00% | | | | | | | |
| N/A | 1 | 5 | 20.00% | | | | | | | |
| 98.25% | 490 | 490 | 100.00% | | | | | | | |
| N/A | 490 | 490 | 100.00% | | | | | | | |
| N/A | 3,958 | 4,240 | 93.35% | 24.92% | 330,980 | 1,131,805 | 29.24% | 45.49% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 9 | 9 | 100.00% | 0.00% | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 90.00% | 21 | 22 | 95.45% | | | | | | | |
| 90.00% | 38 | 39 | 97.44% | | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 5 | 5 | 100.00% | 0.00% | 1 | 2 | 50.00% | 50.00% | -1.195229 | |
| 6.00 | 3 | 1 | 3.00 | | | | | | | |
| 6.00 | 141 | 29 | 4.86 | | | | | | | |
| 6.00 | 28 | 8 | 3.50 | | | | | | | |
| N/A | 34 | 5 | 6.80 | 2.05 | 36 | 1 | 36.00 | 0.00 | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 68 | 74 | 91.89% | 27.30% | -0.295057 | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 22 | 22 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |

| | | | | | | | | | |
|--------|----------|--------|---------|--------|-----|-------|--------|--------|-----------|
| N/A | 38 | 39 | 97.44% | 15.81% | 235 | 263 | 89.35% | 30.84% | -1.527157 |
| N/A | 5 | 5 | 100.00% | 0.00% | 1 | 2 | 50.00% | 50.00% | -1.195229 |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 22 | 22 | 100.00% | | | | | | |
| 96.50% | 39 | 39 | 100.00% | | | | | | |
| 96.50% | 5 | 5 | 100.00% | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 22 | 22 | 100.00% | | | | | | |
| N/A | 38 | 39 | 97.44% | | | | | | |
| N/A | 5 | 5 | 100.00% | | | | | | |
| N/A | 2 | 1 | 2.00 | 0.00 | 33 | 18 | 1.83 | 1.25 | 0.138304 |
| N/A | 2 | 1 | 2.00 | 0.00 | | | | | |
| N/A | 0:13 | 6 | 0:02 | | | | | | |
| 95.00% | 6 | 6 | 100.00% | | | | | | |
| 95.00% | 484 | 484 | 100.00% | | | | | | |
| N/A | | | | | | | 8.49 | | |
| 10.00 | 5886.87 | 2,470 | 2.38 | | | | | | |
| 10.00 | 5666.97 | 2,847 | 1.99 | | | | | | |
| 10.00 | 19987.57 | 16,616 | 1.20 | | | | | | |
| 12.50 | 16275.94 | 5,307 | 3.07 | | | | | | |
| 20.00 | 28973.83 | 2,221 | 13.05 | | | | | | |
| 25.00 | 3839.19 | 1,594 | 2.41 | | | | | | |
| 25.00 | 25848.96 | 3,293 | 7.85 | | | | | | |
| 25.00 | 12120.12 | 4,207 | 2.88 | | | | | | |
| 30.00 | 4793.66 | 1,407 | 3.41 | | | | | | |
| N/A | 3642.54 | 865 | 4.21 | | | | | | |
| N/A | 4616.49 | 954 | 4.84 | | | | | | |
| N/A | 177.17 | 1,407 | 0.13 | | | | | | |
| N/A | 919.11 | 1,525 | 0.60 | | | | | | |
| N/A | 4657.12 | 1,526 | 3.05 | | | | | | |
| N/A | 196.65 | 1,594 | 0.12 | | | | | | |
| N/A | 28695.16 | 1,807 | 15.88 | | | | | | |
| N/A | 278.67 | 2,221 | 0.13 | | | | | | |
| N/A | 310.64 | 2,470 | 0.13 | | | | | | |
| N/A | 25443.43 | 2,564 | 9.92 | | | | | | |
| N/A | 347.46 | 2,847 | 0.12 | | | | | | |
| N/A | 405.53 | 3,293 | 0.12 | | | | | | |
| N/A | 491.11 | 4,207 | 0.12 | | | | | | |
| N/A | 627.01 | 5,307 | 0.12 | | | | | | |
| N/A | 17854.55 | 6,443 | 2.77 | | | | | | |
| N/A | 11629.01 | 7,388 | 1.57 | | | | | | |
| N/A | 15648.93 | 11,820 | 1.32 | | | | | | |
| N/A | 2133.02 | 16,616 | 0.13 | | | | | | |
| N/A | 10 | 106 | 0.09 | 0.32 | 54 | 1,496 | 0.04 | 0.19 | 3.047568 |
| 92.50% | 0 | 0 | 100.00% | | | | | | |
| 95.00% | 21 | 21 | 100.00% | | | | | | |
| N/A | 122 | 200 | 61.00% | | | | | | |
| N/A | 57 | 74 | 77.03% | | | | | | |
| N/A | 9 | 9 | 100.00% | | | | | | |
| 85.00% | 122 | 122 | 100.00% | | | | | | |

| | | | | | | | | | |
|---------|-----------|-----------|---------|--------|---------|---------|---------|--------|------------|
| 95.00% | 57 | 58 | 98.28% | | | | | | |
| 95.00% | 9 | 9 | 100.00% | | | | | | |
| 12:00 | 21:13 | 18 | 1:11 | | | | | | |
| 00:0:18 | 00:761:51 | 8,888 | 00:0:05 | | | | | | |
| N/A | 614 | 19,832 | 3.10% | | | | | | |
| N/A | 8,888 | 19,832 | 44.82% | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| 95.00% | 8 | 8 | 100.00% | | | | | | |
| 95.00% | 103 | 103 | 100.00% | | | | | | |
| 95.00% | 51 | 51 | 100.00% | | | | | | |
| 90.00% | 86 | 87 | 98.85% | | | | | | |
| 90.00% | 14 | 14 | 100.00% | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| 85.00% | 1 | 1 | 100.00% | | | | | | |
| 6:00 | 4:36 | 171 | 0:02 | | | | | | |
| N/A | 232 | 235 | 98.72% | 11.23% | 9,560 | 9,609 | 99.49% | 7.12% | 1.140326 |
| N/A | 0 | 5 | 0.00% | 0.00% | 0 | 20 | 0.00% | 0.00% | |
| N/A | 0 | 3 | 0.00% | 0.00% | 0 | 20 | 0.00% | 0.00% | |
| N/A | 3,058 | 2,953 | 1.04 | 1.89 | 127,356 | 32,555 | 3.91 | 5.50 | -27.222089 |
| 95.00% | 1,801,133 | 1,801,133 | 100.00% | | | | | | |
| N/A | 3,058 | 2,953 | 1.04 | 1.89 | 127,356 | 32,555 | 3.91 | 5.50 | -27.222089 |
| N/A | | | 100.00% | | | | | | |
| 98.00% | 287,313 | 287,313 | 100.00% | | | | | | |
| 95.00% | 1,610 | 1,610 | 100.00% | | | | | | |
| N/A | 622 | 622 | 100.00% | 0.00% | 5,453 | 5,476 | 99.58% | 6.47% | -1.534897 |
| 95.00% | 1,610 | 1,610 | 100.00% | | | | | | |
| 90.00 | 87 | 1 | 87.00 | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| 10.00 | 20 | 2 | 10.00 | | | | | | |
| 90.00% | 2 | 2 | 100.00% | | | | | | |
| N/A | | | | | | | 8.71 | | |
| N/A | | | 0:00 | | | | | | |
| N/A | | | 1.03 | | | | | | |
| N/A | | | 0.16 | | | | | | |
| N/A | | | 98.91% | | | | | | |
| 99.25% | 30,600 | 30,600 | 100.00% | | | | | | |
| 99.25% | 30,600 | 30,600 | 100.00% | | | | | | |
| 99.25% | 86,400 | 86,400 | 100.00% | | | | | | |
| 99.25% | 22,860 | 22,860 | 100.00% | | | | | | |
| 99.25% | 84,360 | 84,360 | 100.00% | | | | | | |
| 95.00% | 0 | 0 | | | | | | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 0 | 3 | 0.00% | 0.00% | 35 | 166 | 21.08% | 40.79% | -0.887298 |
| N/A | 5,936 | 7,002 | 84.78% | 35.93% | 177,602 | 231,273 | 76.79% | 42.22% | -15.588602 |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 3 | 3 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 27 | 35 | 77.14% | 41.99% | 163 | 303 | 53.80% | 49.86% | -2.623142 |
| N/A | 1 | 2 | 50.00% | 50.00% | 59 | 97 | 60.82% | 48.81% | -0.345463 |
| N/A | 1 | 1 | 100.00% | 0.00% | 10 | 20 | 50.00% | 50.00% | -0.9759 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |

| | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|--------|---------|--------|-----------|
| N/A | 51 | 58 | 87.93% | 32.58% | 425 | 655 | 64.89% | 47.73% | -3.524193 |
| N/A | 6 | 6 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -1.34898 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 9 | 18 | 50.00% | 50.00% | 1 | 3 | 33.33% | 47.14% | -1.133894 |
| N/A | 2 | 2 | 100.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -1.549193 |
| N/A | 76:51 | 2 | 38:25 | 23:29 | 5774:55 | 97 | 59:32 | 63:56 | -0.924436 |
| N/A | 28:27 | 1 | 28:27 | 0:00 | | | | | |
| N/A | 28:27 | 1 | 28:27 | 0:00 | | | | | |
| N/A | 28:45 | 1 | 28:45 | 0:00 | 1673:31 | 20 | 83:41 | 93:04 | -0.575995 |
| N/A | 28:45 | 1 | 28:45 | 0:00 | 1673:31 | 20 | 83:41 | 93:04 | -0.575995 |
| N/A | 0:55 | 1 | 0:55 | 0:00 | | | | | |
| N/A | 0:08 | 1 | 0:08 | 0:00 | | | | | |
| N/A | 5:51 | 1 | 5:51 | 0:00 | 18:00 | 3 | 6:00 | 3:59 | -0.032645 |
| N/A | 83:32 | 17 | 4:55 | 5:08 | 18:00 | 3 | 6:00 | 3:59 | -0.435921 |
| N/A | 2:50 | 2 | 1:25 | 0:08 | 18:00 | 3 | 6:00 | 3:59 | -1.26174 |
| N/A | 16:58 | 3 | 5:39 | 5:17 | 9:25 | 1 | 9:25 | 0:00 | |
| N/A | 2221:14 | 58 | 38:18 | 86:34 | 40414:57 | 635 | 63:39 | 84:46 | -2.179841 |
| N/A | 17:32 | 6 | 2:55 | 0:53 | 9:25 | 1 | 9:25 | 0:00 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 9 | 101 | 8.91% | 28.49% | 0.894197 |
| N/A | 0 | 1 | 0.00% | 0.00% | 2 | 20 | 10.00% | 30.00% | -0.3253 |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 3 | 0.00% | 0.00% | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 6 | 18 | 33.33% | 47.14% | 0 | 3 | 0.00% | 0.00% | 0.406724 |
| N/A | 0 | 2 | 0.00% | 0.00% | 0 | 3 | 0.00% | 0.00% | |
| N/A | 0 | 3 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 4 | 58 | 6.90% | 25.34% | | | | | |
| N/A | 0 | 6 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | |
| N/A | 0 | 5 | 0.00% | | | | | | |
| N/A | 6 | 1,156 | 0.52% | 7.19% | 1 | 93 | 1.08% | 10.31% | -0.500367 |
| N/A | 18 | 1,159 | 1.55% | 12.37% | 3 | 335 | 0.90% | 9.42% | 0.605303 |
| N/A | 1 | 11,852 | 0.01% | 0.92% | 0 | 15,954 | 0.00% | | |
| N/A | 0 | 111 | 0.00% | | 546 | 28,606 | 1.91% | 13.68% | -1.466807 |
| N/A | 0 | 13 | 0.00% | | 1 | 103 | 0.97% | 9.81% | -0.336404 |
| N/A | 0 | 20 | 0.00% | | 2 | 218 | 0.92% | 9.53% | -0.411854 |
| N/A | 3 | 280 | 1.07% | 10.30% | 131 | 13,911 | 0.94% | 9.66% | 0.012836 |
| N/A | 2 | 56 | 3.57% | 18.56% | 1 | 1,858 | 0.05% | 2.32% | 2.810133 |
| N/A | 3 | 677 | 0.44% | 6.64% | 1 | 93 | 1.08% | 10.31% | -0.554231 |
| N/A | 58 | 8,827 | 0.66% | 8.08% | 677 | 42,520 | 1.59% | 12.52% | -6.387033 |
| N/A | 1 | 86 | 1.16% | 10.72% | 3 | 335 | 0.90% | 9.42% | -0.254796 |
| N/A | 1 | 2 | 50.00% | 50.00% | 81 | 101 | 80.20% | 39.85% | 0.337713 |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 7 | 20 | 35.00% | 47.70% | -1.329928 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| N/A | 46 | 1 | 46.00 | 0.00 | | | | | |

| | | | | | | | | | | |
|--------|----------|--------|---------|--------|---------|---------|---------|--------|-----------|--|
| N/A | 188 | 5 | 37.60 | 21.74 | | | | | | |
| N/A | 2 | 5 | 40.00% | | | | | | | |
| 98.25% | 845 | 845 | 100.00% | | | | | | | |
| N/A | 845 | 845 | 100.00% | | | | | | | |
| N/A | 4,161 | 4,576 | 90.93% | 28.72% | 658,295 | 919,860 | 71.56% | 45.11% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 2 | 5 | 40.00% | 48.99% | -1.118034 | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 90.00% | 28 | 29 | 96.55% | | | | | | | |
| 90.00% | 8 | 8 | 100.00% | | | | | | | |
| N/A | 26 | 26 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 3 | 1 | 3.00 | 0.00 | 39 | 3 | 13.00 | 13.45 | -0.643712 | |
| 6.00 | 121 | 27 | 4.48 | | | | | | | |
| 6.00 | 9 | 3 | 3.00 | | | | | | | |
| N/A | 138 | 18 | 7.67 | 1.81 | 9 | 1 | 9.00 | 0.00 | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 47 | 50 | 94.00% | 23.75% | -0.250156 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 23 | 26 | 88.46% | 31.95% | 1 | 1 | 100.00% | 0.00% | -1.22064 | |
| N/A | 28 | 29 | 96.55% | 18.25% | | | | | | |
| N/A | 8 | 8 | 100.00% | 0.00% | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 26 | 26 | 100.00% | | | | | | | |
| 96.50% | 29 | 29 | 100.00% | | | | | | | |
| 96.50% | 8 | 8 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 0 | 3 | 0.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 23 | 26 | 88.46% | | | | | | | |
| N/A | 28 | 29 | 96.55% | | | | | | | |
| N/A | 8 | 8 | 100.00% | | | | | | | |
| N/A | 2 | 1 | 2.00 | 0.00 | 183 | 15 | 12.20 | 36.53 | -0.27034 | |
| N/A | 0:01 | 1 | 0:01 | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 842 | 842 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.25 | | | |
| 10.00 | 8460.73 | 2,988 | 2.83 | | | | | | | |
| 10.00 | 6839.22 | 3,562 | 1.92 | | | | | | | |
| 10.00 | 23165.33 | 20,240 | 1.14 | | | | | | | |
| 12.50 | 18125.46 | 6,693 | 2.71 | | | | | | | |
| 20.00 | 17207.47 | 2,737 | 6.29 | | | | | | | |
| 25.00 | 5318.27 | 2,132 | 2.49 | | | | | | | |
| 25.00 | 31383.92 | 4,150 | 7.56 | | | | | | | |
| 25.00 | 14759.50 | 5,223 | 2.83 | | | | | | | |
| 30.00 | 6047.67 | 1,725 | 3.51 | | | | | | | |
| N/A | 5825.00 | 1,187 | 4.91 | | | | | | | |
| N/A | 5052.88 | 1,250 | 4.04 | | | | | | | |
| N/A | 222.67 | 1,725 | 0.13 | | | | | | | |
| N/A | 1438.16 | 1,890 | 0.76 | | | | | | | |
| N/A | 6640.69 | 1,890 | 3.51 | | | | | | | |
| N/A | 16866.36 | 2,037 | 8.28 | | | | | | | |
| N/A | 265.39 | 2,132 | 0.12 | | | | | | | |
| N/A | 341.11 | 2,737 | 0.12 | | | | | | | |

| | | | | | | | | | |
|---------|-----------|-----------|---------|--------|--------|--------|--------|--------|------------|
| N/A | 381.88 | 2,988 | 0.13 | | | | | | |
| N/A | 30873.95 | 3,293 | 9.38 | | | | | | |
| N/A | 464.02 | 3,562 | 0.13 | | | | | | |
| N/A | 509.97 | 4,150 | 0.12 | | | | | | |
| N/A | 622.04 | 5,223 | 0.12 | | | | | | |
| N/A | 808.31 | 6,693 | 0.12 | | | | | | |
| N/A | 20579.95 | 8,044 | 2.56 | | | | | | |
| N/A | 14137.46 | 9,210 | 1.54 | | | | | | |
| N/A | 17317.15 | 15,018 | 1.15 | | | | | | |
| N/A | 2585.38 | 20,240 | 0.13 | | | | | | |
| N/A | 6 | 103 | 0.06 | 0.27 | 45 | 1,173 | 0.04 | 0.20 | 0.984695 |
| 92.50% | 0 | 0 | 100.00% | | | | | | |
| 95.00% | 16 | 17 | 94.12% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| N/A | 136 | 207 | 65.70% | | | | | | |
| N/A | 5 | 7 | 71.43% | | | | | | |
| N/A | 63 | 84 | 75.00% | | | | | | |
| 85.00% | 136 | 136 | 100.00% | | | | | | |
| 95.00% | 5 | 6 | 83.33% | | | | | | |
| 95.00% | 63 | 63 | 100.00% | | | | | | |
| 12:00 | 20:34 | 18 | 1:09 | | | | | | |
| 00:0:18 | 00:782:54 | 8,930 | 00:0:05 | | | | | | |
| N/A | 818 | 22,288 | 3.67% | | | | | | |
| N/A | 8,930 | 22,288 | 40.07% | | | | | | |
| 95.00% | 5 | 5 | 100.00% | | | | | | |
| 95.00% | 112 | 112 | 100.00% | | | | | | |
| 95.00% | 60 | 60 | 100.00% | | | | | | |
| 90.00% | 2 | 2 | 100.00% | | | | | | |
| 90.00% | 87 | 88 | 98.86% | | | | | | |
| 90.00% | 17 | 17 | 100.00% | | | | | | |
| 85.00% | 1 | 1 | 100.00% | | | | | | |
| 6:00 | 5:44 | 255 | 0:01 | | | | | | |
| N/A | 341 | 347 | 98.27% | 13.04% | 9,157 | 9,223 | 99.28% | 8.43% | 1.6859 |
| N/A | 0 | 2 | 0.00% | 0.00% | 2 | 16 | 12.50% | 33.07% | -0.786845 |
| N/A | 0 | 2 | 0.00% | 0.00% | 2 | 16 | 12.50% | 33.07% | -0.786845 |
| N/A | 2,617 | 2,898 | 0.90 | 0.56 | 90,880 | 28,825 | 3.15 | 4.68 | -24.679113 |
| 95.00% | 1,632,284 | 1,632,284 | 100.00% | | | | | | |
| N/A | 1 | 4 | 0.25 | 0.50 | 90,880 | 28,825 | 3.15 | 4.68 | -1.240972 |
| N/A | 2,616 | 2,894 | 0.90 | 0.56 | 90,880 | 28,825 | 3.15 | 4.68 | -24.653735 |
| N/A | | | 100.00% | | | | | | |
| 98.00% | 285,756 | 285,756 | 100.00% | | | | | | |
| 95.00% | 1,972 | 1,972 | 100.00% | | | | | | |
| N/A | 564 | 565 | 99.82% | 4.20% | 6,040 | 6,060 | 99.67% | 5.74% | -0.60662 |
| 95.00% | 1,811 | 1,811 | 100.00% | | | | | | |
| 150.00 | 103 | 1 | 103.00 | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| N/A | | | | | | | 9.18 | | |
| N/A | | | 0:00 | | | | | | |
| N/A | | | 1.02 | | | | | | |
| N/A | | | 0.16 | | | | | | |
| N/A | | | 98.46% | | | | | | |
| 99.25% | 28,788 | 28,800 | 99.96% | | | | | | |
| 99.25% | 28,800 | 28,800 | 100.00% | | | | | | |

| | | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|---------|--------|--------|------------|--|
| 99.25% | 82,371 | 82,800 | 99.48% | | | | | | | |
| 99.25% | 20,700 | 20,700 | 100.00% | | | | | | | |
| 99.25% | 80,017 | 80,250 | 99.71% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 36 | 192 | 18.75% | 39.03% | -0.675855 | |
| N/A | 5,800 | 6,808 | 85.19% | 35.52% | 156,500 | 200,343 | 78.12% | 41.35% | -13.890635 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 43 | 61 | 70.49% | 45.61% | 185 | 370 | 50.00% | 50.00% | -2.965769 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 65 | 116 | 56.03% | 49.63% | -0.881992 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 10 | 19 | 52.63% | 49.93% | -0.924662 | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 71 | 86 | 82.56% | 37.95% | 483 | 774 | 62.40% | 48.44% | -3.660792 | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 17 | 26 | 65.38% | 47.57% | 4 | 5 | 80.00% | 40.00% | 0.140456 | |
| N/A | 3 | 4 | 75.00% | 43.30% | 4 | 5 | 80.00% | 40.00% | -1.178912 | |
| N/A | 24:14 | 1 | 24:14 | 0:00 | 7235:12 | 116 | 62:22 | 73:18 | -1.03625 | |
| N/A | 2:40 | 1 | 2:40 | 0:00 | 2054:20 | 19 | 108:07 | 163:40 | -0.628038 | |
| N/A | 2:40 | 1 | 2:40 | 0:00 | 2054:20 | 19 | 108:07 | 163:40 | -0.628038 | |
| N/A | 2:06 | 2 | 1:03 | 0:51 | | | | | | |
| N/A | 106:28 | 26 | 4:06 | 3:16 | 30:24 | 4 | 7:36 | 12:25 | -0.525871 | |
| N/A | 11:06 | 3 | 3:42 | 0:50 | | | | | | |
| N/A | 8:28 | 3 | 2:49 | 0:32 | | | | | | |
| N/A | 34:33 | 4 | 8:38 | 12:18 | 30:24 | 4 | 7:36 | 12:25 | 0.802956 | |
| N/A | 2664:02 | 86 | 30:59 | 57:38 | 44948:42 | 757 | 59:23 | 71:26 | -3.494242 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 15 | 128 | 11.72% | 32.16% | -0.362925 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 0 | 19 | 0.00% | 0.00% | | |
| N/A | 0 | 2 | 0.00% | 0.00% | | | | | | |
| N/A | 6 | 26 | 23.08% | 42.13% | 0 | 5 | 0.00% | 0.00% | 0.488231 | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 4 | 0.00% | 0.00% | 0 | 5 | 0.00% | 0.00% | | |
| N/A | 10 | 86 | 11.63% | 32.06% | 121 | 805 | 15.03% | 35.74% | -0.839391 | |
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 3 | 1,160 | 0.26% | 5.08% | 0 | 93 | 0.00% | | -0.817924 | |
| N/A | 26 | 1,161 | 2.24% | 14.80% | 5 | 337 | 1.48% | 12.09% | 0.616009 | |
| N/A | 2 | 11,852 | 0.02% | 1.30% | 0 | 16,040 | 0.00% | | | |
| N/A | 0 | 112 | 0.00% | | 649 | 28,989 | 2.24% | 14.79% | -1.598432 | |
| N/A | 0 | 13 | 0.00% | | 0 | 103 | 0.00% | | | |
| N/A | 0 | 20 | 0.00% | | 3 | 218 | 1.38% | 11.65% | -0.505587 | |
| N/A | 2 | 279 | 0.72% | 8.44% | 156 | 14,000 | 1.11% | 10.50% | -0.626215 | |
| N/A | 0 | 55 | 0.00% | | 1 | 1,872 | 0.05% | 2.31% | -0.168988 | |
| N/A | 3 | 685 | 0.44% | 6.60% | 0 | 93 | 0.00% | | -0.47383 | |
| N/A | 4 | 86 | 4.65% | 21.06% | 5 | 337 | 1.48% | 12.09% | 1.354148 | |
| N/A | 86 | 9,028 | 0.95% | 9.71% | 805 | 42,992 | 1.87% | 13.56% | -5.861673 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 95 | 128 | 74.22% | 43.74% | 0.63239 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 8 | 19 | 42.11% | 49.37% | -1.142913 | |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 984 | 0.00% | | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |

| | | | | | | | | | | |
|--------|----------|-------|---------|--------|---------|---------|---------|--------|-----------|--|
| 95.00% | 5 | 5 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 134 | 2 | 67.00 | 0.00 | | | | | | |
| N/A | 78 | 6 | 13.00 | 20.46 | | | | | | |
| N/A | 2 | 6 | 33.33% | | | | | | | |
| 98.25% | 491 | 491 | 100.00% | | | | | | | |
| N/A | 491 | 491 | 100.00% | | | | | | | |
| N/A | 4,118 | 4,395 | 93.70% | 24.30% | 658,295 | 929,035 | 70.86% | 45.44% | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 90.00% | 30 | 30 | 100.00% | | | | | | | |
| 90.00% | 48 | 49 | 97.96% | | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 17 | 17 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| 6.00 | 194 | 37 | 5.24 | | | | | | | |
| 6.00 | 30 | 9 | 3.33 | | | | | | | |
| N/A | 5 | 1 | 5.00 | 0.00 | | | | | | |
| N/A | 133 | 16 | 8.31 | 1.78 | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 17 | 17 | 100.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 31 | 31 | 100.00% | 0.00% | | | | | | |
| N/A | 47 | 49 | 95.92% | 19.79% | 248 | 270 | 91.85% | 27.36% | -0.957268 | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 17 | 17 | 100.00% | | | | | | | |
| 96.50% | 31 | 31 | 100.00% | | | | | | | |
| 96.50% | 49 | 49 | 100.00% | | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 17 | 17 | 100.00% | | | | | | | |
| N/A | 31 | 31 | 100.00% | | | | | | | |
| N/A | 47 | 49 | 95.92% | | | | | | | |
| N/A | 1 | 1 | 1.00 | 0.00 | 26 | 12 | 2.17 | 1.11 | -1.005613 | |
| N/A | 3 | 1 | 3.00 | 0.00 | | | | | | |
| N/A | 0:32 | 15 | 0:02 | | | | | | | |
| 95.00% | 5 | 5 | 100.00% | | | | | | | |
| 95.00% | 480 | 484 | 99.17% | | | | | | | |
| N/A | | | | | | | 8.60 | | | |
| 10.00 | 4939.50 | 2,225 | 2.22 | | | | | | | |
| 10.00 | 10350.70 | 2,326 | 4.45 | | | | | | | |
| 10.00 | 16007.50 | 6,403 | 2.50 | | | | | | | |
| 12.50 | 7162.80 | 5,640 | 1.27 | | | | | | | |
| 20.00 | 11652.48 | 2,023 | 5.76 | | | | | | | |
| 25.00 | 4920.00 | 1,200 | 4.10 | | | | | | | |
| 25.00 | 32493.86 | 3,479 | 9.34 | | | | | | | |
| 25.00 | 7171.72 | 4,373 | 1.64 | | | | | | | |
| 30.00 | 8284.21 | 1,397 | 5.93 | | | | | | | |
| N/A | 144.00 | 1,200 | 0.12 | | | | | | | |
| N/A | 4776.00 | 1,200 | 3.98 | | | | | | | |
| N/A | 1578.61 | 1,397 | 1.13 | | | | | | | |
| N/A | 6705.60 | 1,397 | 4.80 | | | | | | | |

| | | | | | | | | | | |
|---------|-----------|-----------|---------|-------|---------|--------|--------|--------|------------|--|
| N/A | 11409.72 | 2,023 | 5.64 | | | | | | | |
| N/A | 242.76 | 2,023 | 0.12 | | | | | | | |
| N/A | 267.00 | 2,225 | 0.12 | | | | | | | |
| N/A | 1535.16 | 2,326 | 0.66 | | | | | | | |
| N/A | 279.12 | 2,326 | 0.12 | | | | | | | |
| N/A | 8536.42 | 2,326 | 3.67 | | | | | | | |
| N/A | 32076.38 | 3,479 | 9.22 | | | | | | | |
| N/A | 417.48 | 3,479 | 0.12 | | | | | | | |
| N/A | 524.76 | 4,373 | 0.12 | | | | | | | |
| N/A | 6646.96 | 4,373 | 1.52 | | | | | | | |
| N/A | 6486.00 | 5,640 | 1.15 | | | | | | | |
| N/A | 676.80 | 5,640 | 0.12 | | | | | | | |
| N/A | 15239.14 | 6,403 | 2.38 | | | | | | | |
| N/A | 768.36 | 6,403 | 0.12 | | | | | | | |
| N/A | 13 | 133 | 0.10 | 0.41 | 47 | 1,350 | 0.03 | 0.20 | 3.548579 | |
| 92.50% | 2 | 2 | 100.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 19 | 19 | 100.00% | | | | | | | |
| N/A | 192 | 258 | 74.42% | | | | | | | |
| N/A | 1 | 5 | 20.00% | | | | | | | |
| N/A | 54 | 75 | 72.00% | | | | | | | |
| 85.00% | 192 | 192 | 100.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 54 | 54 | 100.00% | | | | | | | |
| 12:00 | 20:09 | 16 | 1:16 | | | | | | | |
| 00:0:18 | 00:744:25 | 8,241 | 00:0:05 | | | | | | | |
| N/A | 759 | 20,323 | 3.73% | | | | | | | |
| N/A | 8,241 | 20,323 | 40.55% | | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 174 | 174 | 100.00% | | | | | | | |
| 95.00% | 48 | 48 | 100.00% | | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | | |
| 90.00% | 73 | 75 | 97.33% | | | | | | | |
| 90.00% | 15 | 15 | 100.00% | | | | | | | |
| 90.00% | 2 | 2 | 100.00% | | | | | | | |
| 85.00% | 4 | 4 | 100.00% | | | | | | | |
| 6:00 | 5:03 | 232 | 0:01 | | | | | | | |
| N/A | 295 | 296 | 99.66% | 5.80% | 8,148 | 8,224 | 99.08% | 9.57% | -1.035687 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 4 | 18 | 22.22% | 41.57% | -0.804596 | |
| N/A | 0 | 2 | 0.00% | 0.00% | 4 | 18 | 22.22% | 41.57% | -0.336038 | |
| N/A | 3,897 | 3,621 | 1.08 | 1.19 | 107,651 | 33,744 | 3.19 | 4.15 | -29.096468 | |
| 95.00% | 1,775,286 | 1,837,826 | 96.60% | | | | | | | |
| N/A | 4 | 4 | 1.00 | 0.00 | 107,651 | 33,744 | 3.19 | 4.15 | -1.05426 | |
| N/A | 3,893 | 3,617 | 1.08 | 1.19 | 107,651 | 33,744 | 3.19 | 4.15 | -29.08079 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 300,368 | 300,368 | 100.00% | | | | | | | |
| 95.00% | 2,287 | 2,287 | 100.00% | | | | | | | |
| N/A | 658 | 658 | 100.00% | 0.00% | 5,735 | 5,768 | 99.43% | 7.54% | -1.84351 | |
| 95.00% | 2,123 | 2,123 | 100.00% | | | | | | | |
| 10.00 | 26 | 3 | 8.67 | | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | | |
| N/A | | | | | | | 9.15 | | | |

| | | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|---------|---------|--------|------------|--|
| N/A | | | 0:00 | | | | | | | |
| N/A | | | 1.03 | | | | | | | |
| N/A | | | 0.16 | | | | | | | |
| N/A | | | 98.74% | | | | | | | |
| 99.25% | 29,160 | 29,160 | 100.00% | | | | | | | |
| 99.25% | 30,600 | 30,600 | 100.00% | | | | | | | |
| 99.25% | 86,400 | 86,400 | 100.00% | | | | | | | |
| 99.25% | 22,860 | 22,860 | 100.00% | | | | | | | |
| 99.25% | 84,360 | 84,360 | 100.00% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 0 | 3 | 0.00% | 0.00% | 115 | 675 | 17.04% | 37.60% | -0.783164 | |
| N/A | 5,543 | 6,760 | 82.00% | 38.42% | 144,685 | 204,025 | 70.92% | 45.42% | -19.737854 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 23 | 62 | 37.10% | 48.31% | -0.344914 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 23 | 32 | 71.88% | 44.96% | 164 | 306 | 53.59% | 49.87% | -1.972942 | |
| N/A | 2 | 2 | 100.00% | 0.00% | 300 | 411 | 72.99% | 44.40% | -0.858147 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 75 | 108 | 69.44% | 46.06% | -0.660275 | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 46 | 51 | 90.20% | 29.74% | 479 | 648 | 73.92% | 43.91% | -2.548909 | |
| N/A | 2 | 2 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 19 | 24 | 79.17% | 40.61% | 1 | 1 | 100.00% | 0.00% | -1.683242 | |
| N/A | 49:17 | 2 | 24:38 | 0:36 | 19150:21 | 411 | 46:36 | 66:25 | -0.466322 | |
| N/A | 26:36 | 1 | 26:36 | 0:00 | 4116:16 | 108 | 38:07 | 28:28 | -0.402541 | |
| N/A | 3:27 | 2 | 1:43 | 1:58 | 3:24 | 1 | 3:24 | 0:00 | | |
| N/A | 80:03 | 24 | 3:20 | 2:56 | 3:24 | 1 | 3:24 | 0:00 | | |
| N/A | 15:40 | 3 | 5:13 | 1:40 | | | | | | |
| N/A | 37:58 | 3 | 12:39 | 6:32 | | | | | | |
| N/A | 1004:34 | 51 | 19:42 | 29:13 | 27448:51 | 636 | 43:10 | 58:10 | -2.771687 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 85 | 427 | 19.91% | 39.93% | 0.355466 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 14 | 108 | 12.96% | 33.59% | -0.384148 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 0 | 1 | 0.00% | 0.00% | -0.430727 | |
| N/A | 4 | 24 | 16.67% | 37.27% | 0 | 1 | 0.00% | 0.00% | -0.994458 | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 5 | 51 | 9.80% | 29.74% | 121 | 675 | 17.93% | 38.36% | -1.458103 | |
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 3 | 1,138 | 0.26% | 5.13% | 0 | 95 | 0.00% | | -0.792784 | |
| N/A | 24 | 1,158 | 2.07% | 14.25% | 1 | 338 | 0.30% | 5.43% | 2.22024 | |
| N/A | 0 | 11,852 | 0.00% | | 0 | 16,016 | 0.00% | | | |
| N/A | 3 | 114 | 2.63% | 16.01% | 560 | 29,397 | 1.90% | 13.67% | 0.329038 | |
| N/A | 0 | 13 | 0.00% | | 0 | 105 | 0.00% | | | |
| N/A | 0 | 20 | 0.00% | | 1 | 218 | 0.46% | 6.76% | -0.290553 | |
| N/A | 0 | 277 | 0.00% | | 115 | 14,001 | 0.82% | 9.03% | -1.499844 | |
| N/A | 0 | 55 | 0.00% | | 0 | 1,925 | 0.00% | | | |
| N/A | 3 | 697 | 0.43% | 6.55% | 0 | 95 | 0.00% | | -0.47116 | |
| N/A | 2 | 87 | 2.30% | 14.99% | 1 | 338 | 0.30% | 5.43% | 1.237909 | |
| N/A | 51 | 9,185 | 0.56% | 7.43% | 675 | 43,401 | 1.56% | 12.37% | -7.036565 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 354 | 427 | 82.90% | 37.65% | 0.48013 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 68 | 108 | 62.96% | 48.29% | 0.315617 | |
| N/A | 0 | 984 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | | |

| | | | | | | | | | | |
|--------|----------|-------|---------|--------|---------|-----------|---------|--------|-----------|--|
| N/A | 0 | 984 | 0.00% | | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | | |
| 95.00% | 3 | 4 | 75.00% | | | | | | | |
| N/A | 0 | 4 | 0.00% | | | | | | | |
| N/A | 94 | 2 | 47.00 | 0.00 | | | | | | |
| N/A | 391 | 4 | 97.75 | 42.50 | 3,828 | 23 | 166.43 | 430.63 | -0.294418 | |
| N/A | 1 | 4 | 25.00% | | | | | | | |
| 98.25% | 289 | 289 | 100.00% | | | | | | | |
| N/A | 289 | 289 | 100.00% | | | | | | | |
| N/A | 4,228 | 4,450 | 95.01% | 21.77% | 852,560 | 1,007,556 | 84.62% | 36.08% | | |
| N/A | 1 | 2 | 50.00% | 50.00% | 57 | 65 | 87.69% | 32.85% | 0.667036 | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 90.00% | 18 | 20 | 90.00% | | | | | | | |
| 90.00% | 48 | 50 | 96.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 7 | 7 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | | |
| N/A | 2 | 1 | 2.00 | 0.00 | 274 | 44 | 6.23 | 8.05 | -0.519519 | |
| 6.00 | 3 | 1 | 3.00 | | | | | | | |
| 6.00 | 219 | 44 | 4.98 | | | | | | | |
| 6.00 | 18 | 6 | 3.00 | | | | | | | |
| N/A | 45 | 7 | 6.43 | 1.40 | 5 | 1 | 5.00 | 0.00 | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | 87 | 88 | 98.86% | 10.60% | -0.149925 | |
| N/A | 20 | 20 | 100.00% | 0.00% | | | | | | |
| N/A | 45 | 50 | 90.00% | 30.00% | 257 | 267 | 96.25% | 18.99% | 1.482436 | |
| N/A | 7 | 7 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 1 | 2 | 50.00% | | | | | | | |
| 96.50% | 20 | 20 | 100.00% | | | | | | | |
| 96.50% | 50 | 50 | 100.00% | | | | | | | |
| 96.50% | 7 | 7 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 2 | 7 | 28.57% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 2 | 50.00% | | | | | | | |
| N/A | 20 | 20 | 100.00% | | | | | | | |
| N/A | 45 | 50 | 90.00% | | | | | | | |
| N/A | 7 | 7 | 100.00% | | | | | | | |
| N/A | 3 | 1 | 3.00 | 0.00 | 17 | 7 | 2.43 | 3.36 | 0.550466 | |
| N/A | 1 | 1 | 1.00 | 0.00 | 34 | 14 | 2.43 | 2.93 | -0.471405 | |
| N/A | 2 | 1 | 2.00 | 0.00 | 37 | 2 | 18.50 | 16.26 | -0.828372 | |
| N/A | 6 | 2 | 3.00 | 0.00 | | | | | | |
| N/A | 0:03 | 2 | 0:01 | | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | | |
| 95.00% | 287 | 287 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.57 | | | |
| 10.00 | 6733.50 | 1,675 | 4.02 | | | | | | | |
| 10.00 | 5137.30 | 2,506 | 2.05 | | | | | | | |
| 10.00 | 14461.44 | 7,532 | 1.92 | | | | | | | |
| 12.50 | 8134.74 | 6,306 | 1.29 | | | | | | | |

| | | | | | | | | | | |
|---------|-----------|-----------|---------|--------|---------|--------|--------|--------|------------|--|
| 20.00 | 11132.10 | 1,995 | 5.58 | | | | | | | |
| 25.00 | 5887.60 | 1,436 | 4.10 | | | | | | | |
| 25.00 | 28406.03 | 3,239 | 8.77 | | | | | | | |
| 25.00 | 8195.04 | 4,878 | 1.68 | | | | | | | |
| 30.00 | 5312.80 | 1,145 | 4.64 | | | | | | | |
| N/A | 137.40 | 1,145 | 0.12 | | | | | | | |
| N/A | 5175.40 | 1,145 | 4.52 | | | | | | | |
| N/A | 172.32 | 1,436 | 0.12 | | | | | | | |
| N/A | 5715.28 | 1,436 | 3.98 | | | | | | | |
| N/A | 1105.50 | 1,675 | 0.66 | | | | | | | |
| N/A | 201.00 | 1,675 | 0.12 | | | | | | | |
| N/A | 5427.00 | 1,675 | 3.24 | | | | | | | |
| N/A | 10892.70 | 1,995 | 5.46 | | | | | | | |
| N/A | 239.40 | 1,995 | 0.12 | | | | | | | |
| N/A | 300.72 | 2,506 | 0.12 | | | | | | | |
| N/A | 28017.35 | 3,239 | 8.65 | | | | | | | |
| N/A | 388.68 | 3,239 | 0.12 | | | | | | | |
| N/A | 585.36 | 4,878 | 0.12 | | | | | | | |
| N/A | 7609.68 | 4,878 | 1.56 | | | | | | | |
| N/A | 7378.02 | 6,306 | 1.17 | | | | | | | |
| N/A | 756.72 | 6,306 | 0.12 | | | | | | | |
| N/A | 13482.28 | 7,532 | 1.79 | | | | | | | |
| N/A | 979.16 | 7,532 | 0.13 | | | | | | | |
| N/A | 8 | 110 | 0.07 | 0.29 | 46 | 1,354 | 0.03 | 0.19 | 2.0659 | |
| 92.50% | 2 | 2 | 100.00% | | | | | | | |
| 95.00% | 19 | 20 | 95.00% | | | | | | | |
| N/A | 182 | 237 | 76.79% | | | | | | | |
| N/A | 52 | 74 | 70.27% | | | | | | | |
| N/A | 0 | 9 | 0.00% | | | | | | | |
| 85.00% | 182 | 182 | 100.00% | | | | | | | |
| 95.00% | 52 | 52 | 100.00% | | | | | | | |
| 12:00 | 16:03 | 8 | 2:00 | | | | | | | |
| 00:0:18 | 00:749:19 | 9,624 | 00:0:05 | | | | | | | |
| N/A | 750 | 21,981 | 3.41% | | | | | | | |
| N/A | 9,624 | 21,981 | 43.78% | | | | | | | |
| 95.00% | 162 | 162 | 100.00% | | | | | | | |
| 95.00% | 50 | 50 | 100.00% | | | | | | | |
| 90.00% | 4 | 4 | 100.00% | | | | | | | |
| 90.00% | 63 | 64 | 98.44% | | | | | | | |
| 90.00% | 18 | 18 | 100.00% | | | | | | | |
| 6:00 | 5:46 | 265 | 0:01 | | | | | | | |
| N/A | 349 | 349 | 100.00% | 0.00% | 9,232 | 9,319 | 99.07% | 9.62% | -1.780495 | |
| N/A | 10 | 3 | 3.33 | 2.89 | 1 | 1 | 1.00 | 0.00 | | |
| N/A | 0 | 3 | 0.00% | 0.00% | 1 | 11 | 9.09% | 28.75% | -0.791639 | |
| N/A | 1 | 3 | 33.33% | 47.14% | 1 | 11 | 9.09% | 28.75% | -1.294678 | |
| N/A | 3,356 | 3,985 | 0.84 | 0.54 | 115,199 | 35,410 | 3.25 | 4.51 | -32.020573 | |
| 95.00% | 1,813,465 | 1,813,465 | 100.00% | | | | | | | |
| N/A | 256 | 393 | 0.65 | 0.48 | 115,199 | 35,410 | 3.25 | 4.51 | -11.382564 | |
| N/A | 3,100 | 3,592 | 0.86 | 0.54 | 115,199 | 35,410 | 3.25 | 4.51 | -30.288975 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 280,674 | 282,621 | 99.31% | | | | | | | |
| 95.00% | 1,952 | 1,952 | 100.00% | | | | | | | |
| N/A | 466 | 466 | 100.00% | 0.00% | 5,026 | 5,051 | 99.51% | 7.02% | -1.456763 | |

| | | | | | | | | | | |
|--------|---------|--------|---------|--------|----------|---------|--------|--------|-----------|--|
| 95.00% | 1,952 | 1,952 | 100.00% | | | | | | | |
| 150.00 | 117 | 1 | 117.00 | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| N/A | | | | | | | | 8.77 | | |
| N/A | | | 0:00 | | | | | | | |
| N/A | | | 1.03 | | | | | | | |
| N/A | | | 0.16 | | | | | | | |
| N/A | | | 99.28% | | | | | | | |
| 99.25% | 29,520 | 29,520 | 100.00% | | | | | | | |
| 99.25% | 29,520 | 29,520 | 100.00% | | | | | | | |
| 99.25% | 83,520 | 83,520 | 100.00% | | | | | | | |
| 99.25% | 21,960 | 21,960 | 100.00% | | | | | | | |
| 99.25% | 81,480 | 81,480 | 100.00% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 4 | 25.00% | 43.30% | 108 | 574 | 18.82% | 39.08% | -0.170161 | |
| N/A | 2 | 5 | 40.00% | 48.99% | 28 | 151 | 18.54% | 38.86% | 0.688747 | |
| N/A | 5,677 | 6,393 | 88.80% | 31.54% | 156,226 | 179,274 | 87.14% | 33.47% | -3.888408 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 92 | 232 | 39.66% | 48.92% | -0.266701 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 21 | 52 | 40.38% | 49.07% | -0.271956 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 37 | 44 | 84.09% | 36.58% | 123 | 321 | 38.32% | 48.62% | -5.856837 | |
| N/A | 2 | 3 | 66.67% | 47.14% | 231 | 367 | 62.94% | 48.30% | -0.133009 | |
| N/A | 2 | 3 | 66.67% | 47.14% | 68 | 90 | 75.56% | 42.98% | -0.197198 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 71 | 78 | 91.03% | 28.58% | 380 | 565 | 67.26% | 46.93% | -4.193222 | |
| N/A | 1 | 2 | 50.00% | 50.00% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 27 | 31 | 87.10% | 33.52% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 3 | 4 | 75.00% | 43.30% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 112:49 | 3 | 37:36 | 31:43 | 18183:47 | 367 | 49:33 | 46:59 | -0.438422 | |
| N/A | 131:14 | 3 | 43:45 | 45:59 | 3490:53 | 90 | 38:47 | 35:15 | 0.97473 | |
| N/A | 3:28 | 1 | 3:28 | 0:00 | | | | | | |
| N/A | 5:05 | 2 | 2:33 | 2:52 | 5:35 | 1 | 5:35 | 0:00 | | |
| N/A | 10:53 | 3 | 3:38 | 0:45 | | | | | | |
| N/A | 79:23 | 31 | 2:34 | 1:09 | 5:35 | 1 | 5:35 | 0:00 | | |
| N/A | 6:32 | 4 | 1:38 | 2:17 | 5:35 | 1 | 5:35 | 0:00 | | |
| N/A | 1307:38 | 78 | 16:46 | 21:55 | 26479:30 | 553 | 47:53 | 54:57 | -4.682708 | |
| N/A | 1 | 3 | 33.33% | 47.14% | 5 | 103 | 4.85% | 21.49% | 0.98697 | |
| N/A | 1 | 3 | 33.33% | 47.14% | 71 | 376 | 18.88% | 39.14% | 0.076533 | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 0 | 1 | 0.00% | 0.00% | | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 3 | 31 | 9.68% | 29.57% | 0 | 1 | 0.00% | 0.00% | -1.318011 | |
| N/A | 1 | 4 | 25.00% | 43.30% | 0 | 1 | 0.00% | 0.00% | -0.841621 | |
| N/A | 3 | 78 | 3.85% | 19.23% | 97 | 589 | 16.47% | 37.09% | -2.824438 | |
| N/A | 0 | 5 | 0.00% | | | | | | | |
| N/A | 3 | 1,132 | 0.27% | 5.14% | 0 | 95 | 0.00% | | -0.789481 | |
| N/A | 31 | 1,152 | 2.69% | 16.18% | 1 | 337 | 0.30% | 5.44% | 2.7929 | |
| N/A | 0 | 11,948 | 0.00% | | 1 | 15,968 | 0.01% | 0.79% | -0.654236 | |
| N/A | 3 | 114 | 2.63% | 16.01% | 466 | 29,755 | 1.57% | 12.42% | 0.624536 | |
| N/A | 0 | 13 | 0.00% | | 0 | 105 | 0.00% | | | |
| N/A | 0 | 20 | 0.00% | | 1 | 218 | 0.46% | 6.76% | -0.290553 | |

| | | | | | | | | | |
|--------|-------|-------|---------|--------|---------|-----------|---------|--------|-----------|
| N/A | 3 | 277 | 1.08% | 10.35% | 123 | 14,002 | 0.88% | 9.33% | 0.142259 |
| N/A | 0 | 57 | 0.00% | | 0 | 1,929 | 0.00% | | |
| N/A | 1 | 719 | 0.14% | 3.73% | 0 | 95 | 0.00% | | -1.191607 |
| N/A | 4 | 87 | 4.60% | 20.94% | 1 | 337 | 0.30% | 5.44% | 2.454326 |
| N/A | 78 | 9,357 | 0.83% | 9.09% | 589 | 43,760 | 1.35% | 11.52% | -3.903947 |
| N/A | 2 | 3 | 66.67% | 47.14% | 80 | 103 | 77.67% | 41.65% | -0.102826 |
| N/A | 3 | 3 | 100.00% | 0.00% | 313 | 376 | 83.24% | 37.35% | -0.773986 |
| N/A | 0 | 1,008 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1,008 | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| 95.00% | 1 | 2 | 50.00% | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | |
| N/A | 2 | 1 | 2.00 | 0.00 | 3,448 | 14 | 246.29 | 472.08 | -0.499919 |
| N/A | 50 | 2 | 25.00 | 0.00 | | | | | |
| N/A | 192 | 3 | 64.00 | 45.57 | 3,647 | 12 | 303.92 | 559.70 | -0.664069 |
| N/A | 0 | 1 | 0.00% | | | | | | |
| N/A | 2 | 3 | 66.67% | | | | | | |
| 98.25% | 166 | 166 | 100.00% | | | | | | |
| N/A | 166 | 166 | 100.00% | | | | | | |
| N/A | 4,234 | 4,571 | 92.63% | 26.13% | 901,959 | 1,051,155 | 85.81% | 34.90% | |
| N/A | 1 | 1 | 100.00% | 0.00% | 51 | 56 | 91.07% | 28.52% | -0.310353 |
| 90.00% | 23 | 23 | 100.00% | | | | | | |
| 90.00% | 0 | 4 | 0.00% | | | | | | |
| 90.00% | 60 | 63 | 95.24% | | | | | | |
| N/A | 15 | 15 | 100.00% | 0.00% | 1 | 1 | 100.00% | 0.00% | |
| N/A | 10 | 1 | 10.00 | 0.00 | 268 | 45 | 5.96 | 6.87 | 0.986271 |
| 6.00 | 36 | 4 | 9.00 | | | | | | |
| 6.00 | 233 | 46 | 5.07 | | | | | | |
| 6.00 | 21 | 7 | 3.00 | | | | | | |
| N/A | 121 | 15 | 8.07 | 1.03 | 4 | 1 | 4.00 | 0.00 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 85 | 89 | 95.51% | 20.72% | -0.215722 |
| N/A | 13 | 15 | 86.67% | 33.99% | 1 | 1 | 100.00% | 0.00% | -1.150349 |
| N/A | 22 | 23 | 95.65% | 20.39% | | | | | |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | |
| N/A | 4 | 4 | 100.00% | 0.00% | | | | | |
| N/A | 63 | 63 | 100.00% | 0.00% | 206 | 221 | 93.21% | 25.15% | -1.88938 |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 15 | 15 | 100.00% | | | | | | |
| 96.50% | 23 | 23 | 100.00% | | | | | | |
| 96.50% | 4 | 4 | 100.00% | | | | | | |
| 96.50% | 63 | 63 | 100.00% | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | |
| N/A | 13 | 15 | 86.67% | | | | | | |
| N/A | 22 | 23 | 95.65% | | | | | | |
| N/A | 4 | 4 | 100.00% | | | | | | |
| N/A | 63 | 63 | 100.00% | | | | | | |
| N/A | 5 | 3 | 1.67 | 0.58 | 14 | 11 | 1.27 | 0.47 | 0.493018 |
| N/A | 24 | 4 | 6.00 | 0.00 | | | | | |
| N/A | 0:24 | 1 | 0:24 | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | |
| 95.00% | 159 | 159 | 100.00% | | | | | | |

| | | | | | | | | | |
|---------|-----------|--------|---------|------|----|-------|------|------|----------|
| N/A | | | | | | | 8.22 | | |
| 10.00 | 6735.96 | 1,458 | 4.62 | | | | | | |
| 10.00 | 5799.20 | 2,636 | 2.20 | | | | | | |
| 10.00 | 15669.14 | 7,757 | 2.02 | | | | | | |
| 12.50 | 8873.94 | 6,774 | 1.31 | | | | | | |
| 20.00 | 11407.20 | 2,065 | 5.52 | | | | | | |
| 25.00 | 6083.17 | 1,517 | 4.01 | | | | | | |
| 25.00 | 28530.25 | 3,425 | 8.33 | | | | | | |
| 25.00 | 8887.60 | 5,228 | 1.70 | | | | | | |
| 30.00 | 5606.64 | 1,198 | 4.68 | | | | | | |
| N/A | 155.74 | 1,198 | 0.13 | | | | | | |
| N/A | 5450.90 | 1,198 | 4.55 | | | | | | |
| N/A | 1108.08 | 1,458 | 0.76 | | | | | | |
| N/A | 189.54 | 1,458 | 0.13 | | | | | | |
| N/A | 5438.34 | 1,458 | 3.73 | | | | | | |
| N/A | 197.21 | 1,517 | 0.13 | | | | | | |
| N/A | 5885.96 | 1,517 | 3.88 | | | | | | |
| N/A | 11142.39 | 2,065 | 5.52 | | | | | | |
| N/A | 264.81 | 2,065 | 0.12 | | | | | | |
| N/A | 342.68 | 2,636 | 0.13 | | | | | | |
| N/A | 28119.25 | 3,425 | 8.21 | | | | | | |
| N/A | 411.00 | 3,425 | 0.12 | | | | | | |
| N/A | 627.36 | 5,228 | 0.12 | | | | | | |
| N/A | 8260.24 | 5,228 | 1.58 | | | | | | |
| N/A | 8061.06 | 6,774 | 1.19 | | | | | | |
| N/A | 812.88 | 6,774 | 0.12 | | | | | | |
| N/A | 1008.41 | 7,757 | 0.13 | | | | | | |
| N/A | 14660.73 | 7,757 | 1.89 | | | | | | |
| N/A | 15 | 153 | 0.10 | 0.50 | 50 | 1,044 | 0.05 | 0.23 | 2.555215 |
| 92.50% | 2 | 2 | 100.00% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| 95.00% | 35 | 35 | 100.00% | | | | | | |
| N/A | 2 | 12 | 16.67% | | | | | | |
| N/A | 175 | 237 | 73.84% | | | | | | |
| N/A | 45 | 50 | 90.00% | | | | | | |
| 85.00% | 175 | 176 | 99.43% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| 95.00% | 45 | 45 | 100.00% | | | | | | |
| 12:00 | 4:20 | 8 | 0:32 | | | | | | |
| 00:0:18 | 00:647:23 | 10,087 | 00:0:04 | | | | | | |
| 24:00 | 18:55 | 1 | 18:55 | | | | | | |
| N/A | 834 | 23,411 | 3.56% | | | | | | |
| N/A | 10,087 | 23,411 | 43.09% | | | | | | |
| N/A | 1 | 2 | 50.00% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| 95.00% | 148 | 148 | 100.00% | | | | | | |
| 95.00% | 45 | 45 | 100.00% | | | | | | |
| 90.00% | 3 | 3 | 100.00% | | | | | | |
| 90.00% | 82 | 82 | 100.00% | | | | | | |
| 90.00% | 5 | 5 | 100.00% | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| 85.00% | 4 | 4 | 100.00% | | | | | | |
| 6:00 | 8:23 | 223 | 0:02 | | | | | | |

| | | | | | | | | | |
|--------|-----------|-----------|---------|--------|----------|---------|---------|--------|------------|
| N/A | 360 | 360 | 100.00% | 0.00% | 9,661 | 9,734 | 99.25% | 8.63% | -1.619629 |
| N/A | 23 | 10 | 2.30 | 2.45 | 1 | 2 | 0.50 | 0.71 | -3.286335 |
| N/A | 0 | 2 | 0.00% | 0.00% | 1 | 14 | 7.14% | 25.75% | -1.150349 |
| N/A | 0 | 6 | 0.00% | 0.00% | 1 | 14 | 7.14% | 25.75% | -0.524401 |
| N/A | 2,743 | 2,961 | 0.93 | 0.56 | 126,420 | 31,504 | 4.01 | 5.71 | -28.116915 |
| 95.00% | 1,687,792 | 1,687,792 | 100.00% | | | | | | |
| N/A | 6 | 6 | 1.00 | 0.00 | 126,420 | 31,504 | 4.01 | 5.71 | -1.292123 |
| N/A | 2,737 | 2,955 | 0.93 | 0.56 | 126,420 | 31,504 | 4.01 | 5.71 | -28.092219 |
| N/A | | | 100.00% | | | | | | |
| 98.00% | 280,773 | 280,803 | 99.99% | | | | | | |
| 95.00% | 1,808 | 1,808 | 100.00% | | | | | | |
| N/A | 475 | 475 | 100.00% | 0.00% | 4,846 | 4,873 | 99.45% | 7.42% | -1.552886 |
| 95.00% | 1,808 | 1,808 | 100.00% | | | | | | |
| 10.00 | 8 | 1 | 8.00 | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| N/A | | | | | | | 8.91 | | |
| N/A | | | 0:00 | | | | | | |
| N/A | | | 1.03 | | | | | | |
| N/A | | | 0.16 | | | | | | |
| N/A | | | 98.70% | | | | | | |
| 99.25% | 29,880 | 29,880 | 100.00% | | | | | | |
| 99.25% | 29,880 | 29,880 | 100.00% | | | | | | |
| 99.25% | 85,680 | 85,680 | 100.00% | | | | | | |
| 99.25% | 21,600 | 21,600 | 100.00% | | | | | | |
| 99.25% | 83,130 | 83,130 | 100.00% | | | | | | |
| 95.00% | 0 | 0 | | | | | | | |
| N/A | 1 | 2 | 50.00% | 50.00% | 88 | 360 | 24.44% | 42.98% | 0.171842 |
| N/A | 0 | 4 | 0.00% | 0.00% | 17 | 112 | 15.18% | 35.88% | -0.831329 |
| N/A | 5,003 | 5,599 | 89.36% | 30.84% | 151,671 | 171,316 | 88.53% | 31.86% | -1.900431 |
| N/A | 1 | 2 | 50.00% | 50.00% | 14 | 26 | 53.85% | 49.85% | -0.589456 |
| N/A | 1 | 1 | 100.00% | 0.00% | 4 | 23 | 17.39% | 37.90% | -2.133561 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 41 | 43 | 95.35% | 21.06% | 73 | 158 | 46.20% | 49.86% | -5.73115 |
| N/A | 2 | 3 | 66.67% | 47.14% | 56 | 61 | 91.80% | 27.43% | 0.64517 |
| N/A | 1 | 1 | 100.00% | 0.00% | 22 | 42 | 52.38% | 49.94% | -0.942311 |
| N/A | 1 | 1 | 100.00% | 0.00% | 9 | 9 | 100.00% | 0.00% | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 1 | 2 | 50.00% | 50.00% | | | | | |
| N/A | 65 | 66 | 98.48% | 12.22% | 265 | 347 | 76.37% | 42.48% | -3.876746 |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 10 | 13 | 76.92% | 42.13% | 2 | 3 | 66.67% | 47.14% | -0.679366 |
| N/A | 140:18 | 3 | 46:46 | 41:11 | 1458:37 | 61 | 23:55 | 17:48 | 3.5735 |
| N/A | 22:11 | 1 | 22:11 | 0:00 | 2187:03 | 42 | 52:04 | 31:58 | -0.924133 |
| N/A | 5:47 | 1 | 5:47 | 0:00 | 23:45 | 6 | 3:57 | 3:05 | 0.388022 |
| N/A | 5:47 | 1 | 5:47 | 0:00 | 24:36 | 9 | 2:44 | 3:03 | 0.621912 |
| N/A | 1:59 | 1 | 1:59 | 0:00 | | | | | |
| N/A | 2:06 | 1 | 2:06 | 0:00 | | | | | |
| N/A | 43:49 | 13 | 3:22 | 2:00 | 9:28 | 3 | 3:09 | 3:08 | 0.042626 |
| N/A | 57:57 | 2 | 28:58 | 35:33 | | | | | |
| N/A | 723:18 | 66 | 10:58 | 20:58 | 12088:01 | 336 | 35:59 | 32:07 | -5.7868 |
| N/A | 1 | 3 | 33.33% | 47.14% | 6 | 70 | 8.57% | 27.99% | 0.630263 |
| N/A | 0 | 1 | 0.00% | 0.00% | 7 | 43 | 16.28% | 36.92% | -0.435919 |

| | | | | | | | | | |
|--------|-------|--------|---------|--------|---------|-----------|---------|--------|-----------|
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 9 | 11.11% | 31.43% | -0.33541 |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 1 | 0.00% | 0.00% | | | | | |
| N/A | 2 | 13 | 15.38% | 36.08% | 1 | 3 | 33.33% | 47.14% | -0.594445 |
| N/A | 0 | 2 | 0.00% | 0.00% | | | | | |
| N/A | 4 | 66 | 6.06% | 23.86% | 49 | 367 | 13.35% | 34.01% | -1.603231 |
| N/A | 0 | 3 | 0.00% | | | | | | |
| N/A | 2 | 1,130 | 0.18% | 4.20% | 0 | 98 | 0.00% | | -1.022381 |
| N/A | 13 | 1,165 | 1.12% | 10.50% | 3 | 348 | 0.86% | 9.24% | 0.052539 |
| N/A | 0 | 11 | 0.00% | | 0 | 108 | 0.00% | | |
| N/A | 1 | 11,708 | 0.01% | 0.92% | 0 | 16,040 | 0.00% | | |
| N/A | 1 | 117 | 0.85% | 9.21% | 272 | 30,168 | 0.90% | 9.45% | -0.053584 |
| N/A | 0 | 20 | 0.00% | | 0 | 213 | 0.00% | | |
| N/A | 4 | 278 | 1.44% | 11.91% | 95 | 13,970 | 0.68% | 8.22% | 1.134705 |
| N/A | 0 | 57 | 0.00% | | 2 | 1,948 | 0.10% | 3.20% | -0.238571 |
| N/A | 1 | 741 | 0.13% | 3.67% | 0 | 98 | 0.00% | | -1.191107 |
| N/A | 0 | 87 | 0.00% | | 3 | 348 | 0.86% | 9.24% | -0.777957 |
| N/A | 66 | 9,421 | 0.70% | 8.34% | 367 | 44,142 | 0.83% | 9.08% | -1.269713 |
| N/A | 2 | 3 | 66.67% | 47.14% | 58 | 70 | 82.86% | 37.69% | 0.126157 |
| N/A | 1 | 1 | 100.00% | 0.00% | 20 | 43 | 46.51% | 49.88% | -1.060124 |
| N/A | 1 | 1 | 100.00% | 0.00% | 8 | 9 | 88.89% | 31.43% | -0.33541 |
| N/A | 0 | 936 | 0.01% | 0.02% | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | |
| N/A | 0 | 936 | 0.01% | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | |
| 95.00% | 2 | 2 | 100.00% | | | | | | |
| N/A | 0 | 2 | 0.00% | | | | | | |
| N/A | 136 | 2 | 68.00 | 9.90 | 3,564 | 10 | 356.40 | 589.89 | -0.63117 |
| N/A | 6 | 2 | 3.00 | 0.00 | | | | | |
| N/A | 1 | 2 | 50.00% | | | | | | |
| 98.25% | 556 | 556 | 100.00% | | | | | | |
| N/A | 556 | 556 | 100.00% | | | | | | |
| N/A | 4,123 | 4,554 | 90.54% | 29.27% | 862,814 | 1,053,780 | 81.88% | 38.52% | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| 90.00% | 8 | 10 | 80.00% | | | | | | |
| 90.00% | 8 | 11 | 72.73% | | | | | | |
| 90.00% | 36 | 36 | 100.00% | | | | | | |
| N/A | 5 | 5 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | |
| N/A | 5 | 1 | 5.00 | 0.00 | | | | | |
| 6.00 | 6 | 2 | 3.00 | | | | | | |
| 6.00 | 120 | 24 | 5.00 | | | | | | |
| 6.00 | 24 | 8 | 3.00 | | | | | | |
| N/A | 27 | 3 | 9.00 | 0.00 | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | |
| N/A | 10 | 10 | 100.00% | 0.00% | | | | | |
| N/A | 10 | 11 | 90.91% | 28.75% | | | | | |
| N/A | 36 | 36 | 100.00% | 0.00% | 173 | 184 | 94.02% | 23.71% | -1.383637 |
| N/A | 5 | 5 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | |
| 96.50% | 1 | 1 | 100.00% | | | | | | |
| 96.50% | 10 | 10 | 100.00% | | | | | | |
| 96.50% | 11 | 11 | 100.00% | | | | | | |
| 96.50% | 36 | 36 | 100.00% | | | | | | |
| 96.50% | 5 | 5 | 100.00% | | | | | | |

| | | | | | | | | | | |
|---------|-----------|--------|---------|------|----|-----|------|------|-----------|--|
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 10 | 10 | 100.00% | | | | | | | |
| N/A | 10 | 11 | 90.91% | | | | | | | |
| N/A | 36 | 36 | 100.00% | | | | | | | |
| N/A | 5 | 5 | 100.00% | | | | | | | |
| N/A | 5 | 2 | 2.50 | 2.12 | | | | | | |
| N/A | 3 | 3 | 1.00 | 0.00 | | | | | | |
| 95.00% | 553 | 553 | 100.00% | | | | | | | |
| N/A | | | | | | | | 8.69 | | |
| 10.00 | 8241.75 | 1,665 | 4.95 | | | | | | | |
| 10.00 | 5400.20 | 2,077 | 2.60 | | | | | | | |
| 10.00 | 8142.71 | 4,549 | 1.79 | | | | | | | |
| 12.50 | 11117.84 | 8,966 | 1.24 | | | | | | | |
| 20.00 | 11407.20 | 2,037 | 5.60 | | | | | | | |
| 25.00 | 5305.36 | 1,411 | 3.76 | | | | | | | |
| 25.00 | 20018.10 | 2,518 | 7.95 | | | | | | | |
| 25.00 | 8142.40 | 5,089 | 1.60 | | | | | | | |
| 30.00 | 4522.50 | 1,005 | 4.50 | | | | | | | |
| N/A | 130.65 | 1,005 | 0.13 | | | | | | | |
| N/A | 4391.85 | 1,005 | 4.37 | | | | | | | |
| N/A | 183.43 | 1,411 | 0.13 | | | | | | | |
| N/A | 5121.93 | 1,411 | 3.63 | | | | | | | |
| N/A | 1015.65 | 1,665 | 0.61 | | | | | | | |
| N/A | 216.45 | 1,665 | 0.13 | | | | | | | |
| N/A | 7009.65 | 1,665 | 4.21 | | | | | | | |
| N/A | 11142.39 | 2,037 | 5.47 | | | | | | | |
| N/A | 264.81 | 2,037 | 0.13 | | | | | | | |
| N/A | 249.24 | 2,077 | 0.12 | | | | | | | |
| N/A | 19690.76 | 2,518 | 7.82 | | | | | | | |
| N/A | 327.34 | 2,518 | 0.13 | | | | | | | |
| N/A | 591.37 | 4,549 | 0.13 | | | | | | | |
| N/A | 7551.34 | 4,549 | 1.66 | | | | | | | |
| N/A | 610.68 | 5,089 | 0.12 | | | | | | | |
| N/A | 7531.72 | 5,089 | 1.48 | | | | | | | |
| N/A | 10041.92 | 8,966 | 1.12 | | | | | | | |
| N/A | 1075.92 | 8,966 | 0.12 | | | | | | | |
| N/A | 3 | 94 | 0.03 | 0.18 | 35 | 923 | 0.04 | 0.19 | -0.290227 | |
| 92.50% | 0 | 0 | 100.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| 95.00% | 19 | 19 | 100.00% | | | | | | | |
| N/A | 7 | 12 | 58.33% | | | | | | | |
| N/A | 184 | 229 | 80.35% | | | | | | | |
| N/A | 40 | 45 | 88.89% | | | | | | | |
| 85.00% | 184 | 184 | 100.00% | | | | | | | |
| 95.00% | 40 | 40 | 100.00% | | | | | | | |
| 95.00% | 7 | 8 | 87.50% | | | | | | | |
| 12:00 | 4:40 | 15 | 0:19 | | | | | | | |
| 00:0:18 | 00:533:02 | 8,413 | 00:0:04 | | | | | | | |
| 24:00 | 42:02 | 2 | 21:01 | | | | | | | |
| N/A | 925 | 21,673 | 4.27% | | | | | | | |
| N/A | 8,413 | 21,673 | 38.82% | | | | | | | |
| N/A | 2 | 3 | 66.67% | | | | | | | |
| 95.00% | 7 | 7 | 100.00% | | | | | | | |

| | | | | | | | | | | |
|--------|-----------|-----------|---------|--------|---------|---------|--------|--------|------------|--|
| 95.00% | 165 | 165 | 100.00% | | | | | | | |
| 95.00% | 40 | 40 | 100.00% | | | | | | | |
| 90.00% | 5 | 5 | 100.00% | | | | | | | |
| 90.00% | 47 | 48 | 97.92% | | | | | | | |
| 90.00% | 5 | 5 | 100.00% | | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | | |
| 85.00% | 6 | 6 | 100.00% | | | | | | | |
| 6:00 | 5:26 | 265 | 0:01 | | | | | | | |
| N/A | 343 | 343 | 100.00% | 0.00% | 8,064 | 8,120 | 99.31% | 8.28% | -1.511756 | |
| N/A | 4 | 1 | 4.00 | 0.00 | 0 | 1 | 0.00 | 0.00 | | |
| N/A | 1 | 3 | 33.33% | 47.14% | 0 | 12 | 0.00% | 0.00% | | |
| N/A | 0 | 5 | 0.00% | 0.00% | 0 | 12 | 0.00% | 0.00% | | |
| N/A | 2,491 | 2,683 | 0.93 | 0.66 | 80,928 | 28,116 | 2.88 | 3.84 | -25.162199 | |
| 95.00% | 1,632,165 | 1,632,207 | 100.00% | | | | | | | |
| N/A | 2,491 | 2,683 | 0.93 | 0.66 | 80,928 | 28,116 | 2.88 | 3.84 | -25.162199 | |
| N/A | | | 100.00% | | | | | | | |
| 98.00% | 298,256 | 298,256 | 100.00% | | | | | | | |
| 95.00% | 2,058 | 2,058 | 100.00% | | | | | | | |
| N/A | 553 | 554 | 99.82% | 4.24% | 5,375 | 5,423 | 99.11% | 9.37% | -1.686607 | |
| 95.00% | 2,058 | 2,058 | 100.00% | | | | | | | |
| N/A | | | | | | | 8.93 | | | |
| N/A | | | 0:00 | | | | | | | |
| N/A | | | 1.02 | | | | | | | |
| N/A | | | 0.16 | | | | | | | |
| N/A | | | 99.02% | | | | | | | |
| 99.25% | 27,360 | 27,360 | 100.00% | | | | | | | |
| 99.25% | 27,360 | 27,360 | 100.00% | | | | | | | |
| 99.25% | 77,705 | 77,760 | 99.93% | | | | | | | |
| 99.25% | 20,160 | 20,160 | 100.00% | | | | | | | |
| 99.25% | 75,665 | 75,720 | 99.93% | | | | | | | |
| 95.00% | 0 | 0 | | | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 80 | 393 | 20.36% | 40.26% | 0.821841 | |
| N/A | 0 | 2 | 0.00% | 0.00% | 21 | 101 | 20.79% | 40.58% | -0.7175 | |
| N/A | 4,520 | 5,140 | 87.94% | 32.57% | 142,826 | 163,796 | 87.20% | 33.41% | -1.564059 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 10 | 27 | 37.04% | 48.29% | -0.366106 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 1 | 3 | 33.33% | 47.14% | | | | | | |
| N/A | 27 | 31 | 87.10% | 33.52% | 91 | 204 | 44.61% | 49.71% | -4.434126 | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 2 | 50.00% | 50.00% | 41 | 54 | 75.93% | 42.75% | 0.148665 | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 3 | 3 | 100.00% | 0.00% | | | | | | |
| N/A | 38 | 40 | 95.00% | 21.79% | 283 | 381 | 74.28% | 43.71% | -2.852314 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -0.67449 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -2.44949 | |
| N/A | 16 | 20 | 80.00% | 40.00% | 1 | 3 | 33.33% | 47.14% | -3.197826 | |
| N/A | 23:59 | 1 | 23:59 | | | | | | | |
| N/A | 107:15 | 2 | 53:37 | 28:23 | 2012:26 | 54 | 37:16 | 34:39 | 1.684791 | |
| N/A | 1:19 | 1 | 1:19 | 0:00 | 21:19 | 2 | 10:40 | 0:43 | -10.609958 | |
| N/A | 24:01 | 1 | 24:01 | 0:00 | 16:11 | 2 | 8:06 | 0:06 | 0.706303 | |
| N/A | 24:01 | 1 | 24:01 | 0:00 | 16:35 | 3 | 5:32 | 4:26 | 0.859617 | |
| N/A | 6:33 | 2 | 3:16 | 1:44 | | | | | | |
| N/A | 78:54 | 20 | 3:57 | 6:17 | 21:19 | 2 | 10:40 | 0:43 | -12.59192 | |

| | | | | | | | | | | |
|--------|--------|--------|---------|--------|----------|---------|--------|--------|-----------|--|
| N/A | 94:30 | 3 | 31:30 | 9:19 | | | | | | |
| N/A | 615:21 | 40 | 15:23 | 33:07 | 13956:50 | 370 | 37:43 | 40:31 | -3.31202 | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 0 | 2 | 0.00% | 0.00% | 7 | 57 | 12.28% | 32.82% | -0.520104 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -0.612372 | |
| N/A | 0 | 1 | 0.00% | 0.00% | 1 | 3 | 33.33% | 47.14% | -0.612372 | |
| N/A | 0 | 2 | 0.00% | 0.00% | | | | | | |
| N/A | 2 | 20 | 10.00% | 30.00% | 1 | 3 | 33.33% | 47.14% | -0.799456 | |
| N/A | 0 | 3 | 0.00% | 0.00% | | | | | | |
| N/A | 2 | 40 | 5.00% | 21.79% | 72 | 393 | 18.32% | 38.68% | -2.074819 | |
| N/A | 1 | 2 | 50.00% | | | | | | | |
| N/A | 3 | 1,122 | 0.27% | 5.16% | 0 | 100 | 0.00% | | -0.751663 | |
| N/A | 20 | 1,173 | 1.71% | 12.95% | 3 | 353 | 0.85% | 9.18% | 0.89913 | |
| N/A | 0 | 10 | 0.00% | | 0 | 110 | 0.00% | | | |
| N/A | 0 | 11,747 | 0.00% | | 0 | 16,074 | 0.00% | | | |
| N/A | 0 | 117 | 0.00% | | 313 | 30,510 | 1.03% | 10.08% | -1.099138 | |
| N/A | 0 | 20 | 0.00% | | 0 | 216 | 0.00% | | | |
| N/A | 2 | 277 | 0.72% | 8.47% | 80 | 14,011 | 0.57% | 7.53% | 0.064833 | |
| N/A | 0 | 57 | 0.00% | | 7 | 1,953 | 0.36% | 5.98% | -0.446342 | |
| N/A | 2 | 761 | 0.26% | 5.12% | 0 | 100 | 0.00% | | -0.775853 | |
| N/A | 1 | 88 | 1.14% | 10.60% | 3 | 353 | 0.85% | 9.18% | -0.22978 | |
| N/A | 40 | 9,593 | 0.42% | 6.44% | 393 | 44,525 | 0.88% | 9.35% | -4.423095 | |
| N/A | 0 | 2 | 0.00% | 0.00% | 43 | 57 | 75.44% | 43.05% | 1.474791 | |
| N/A | 0 | 936 | 0.02% | 0.07% | | | | | | |
| N/A | 0 | 936 | 0.00% | 0.00% | | | | | | |
| N/A | 0 | 936 | 0.02% | | | | | | | |
| N/A | 0 | 936 | 0.00% | | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 3 | 1 | 3.00 | 0.00 | | | | | | |
| N/A | 9 | 1 | 9.00 | 0.00 | 1,373 | 5 | 274.60 | 474.39 | -0.511096 | |
| N/A | 94 | 2 | 47.00 | 9.90 | 3,609 | 12 | 300.75 | 537.77 | -0.617803 | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | | |
| N/A | 1 | 2 | 50.00% | | | | | | | |
| 98.25% | 383 | 383 | 100.00% | | | | | | | |
| N/A | 383 | 383 | 100.00% | | | | | | | |
| N/A | 3,923 | 4,262 | 92.05% | 27.06% | 746,455 | 995,824 | 74.96% | 43.33% | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 29 | 35 | 82.86% | 37.69% | -0.448497 | |
| N/A | 4 | 4 | 100.00% | 0.00% | 136 | 140 | 97.14% | 16.66% | -0.3382 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 17 | 19 | 89.47% | 30.69% | -0.334312 | |
| N/A | 4 | 4 | 100.00% | 0.00% | 61 | 62 | 98.39% | 12.60% | -0.248193 | |
| 90.00% | 14 | 14 | 100.00% | | | | | | | |
| 90.00% | 32 | 32 | 100.00% | | | | | | | |
| 90.00% | 5 | 5 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 12 | 12 | 100.00% | 0.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | | | | | | |
| N/A | 10 | 1 | 10.00 | 0.00 | 196 | 28 | 7.00 | 4.43 | 0.591777 | |
| 6.00 | 6 | 2 | 3.00 | | | | | | | |
| 6.00 | 140 | 28 | 5.00 | | | | | | | |
| 6.00 | 18 | 6 | 3.00 | | | | | | | |
| N/A | 5 | 1 | 5.00 | 0.00 | | | | | | |

| | | | | | | | | | | |
|--------|----------|-------|---------|--------|-----|-----|---------|--------|-----------|--|
| N/A | 60 | 11 | 5.45 | 2.34 | | | | | | |
| N/A | 1 | 1 | 100.00% | 0.00% | 45 | 47 | 95.74% | 20.18% | -0.208611 | |
| N/A | 1 | 1 | 100.00% | 0.00% | | | | | | |
| N/A | 12 | 12 | 100.00% | 0.00% | | | | | | |
| N/A | 14 | 14 | 100.00% | 0.00% | | | | | | |
| N/A | 2 | 2 | 100.00% | 0.00% | 2 | 2 | 100.00% | 0.00% | | |
| N/A | 29 | 32 | 90.63% | 29.15% | 190 | 201 | 94.53% | 22.74% | 0.529333 | |
| N/A | 5 | 5 | 100.00% | 0.00% | | | | | | |
| N/A | 9 | 9 | 100.00% | 0.00% | 202 | 221 | 91.40% | 28.03% | -0.901892 | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 1 | 1 | 100.00% | | | | | | | |
| 96.50% | 12 | 12 | 100.00% | | | | | | | |
| 96.50% | 14 | 14 | 100.00% | | | | | | | |
| 96.50% | 32 | 32 | 100.00% | | | | | | | |
| 96.50% | 5 | 5 | 100.00% | | | | | | | |
| 96.50% | 9 | 9 | 100.00% | | | | | | | |
| N/A | 0 | 3 | 0.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 1 | 1 | 100.00% | | | | | | | |
| N/A | 12 | 12 | 100.00% | | | | | | | |
| N/A | 14 | 14 | 100.00% | | | | | | | |
| N/A | 29 | 32 | 90.63% | | | | | | | |
| N/A | 5 | 5 | 100.00% | | | | | | | |
| N/A | 9 | 9 | 100.00% | | | | | | | |
| N/A | 0:08 | 4 | 0:02 | | | | | | | |
| 95.00% | 4 | 4 | 100.00% | | | | | | | |
| 95.00% | 379 | 379 | 100.00% | | | | | | | |
| N/A | | | | | | | 7.97 | | | |
| 10.00 | 8985.18 | 2,346 | 3.83 | | | | | | | |
| 10.00 | 7055.49 | 2,977 | 2.37 | | | | | | | |
| 10.00 | 13168.48 | 6,331 | 2.08 | | | | | | | |
| 12.50 | 7242.24 | 5,658 | 1.28 | | | | | | | |
| 20.00 | 11445.80 | 1,895 | 6.04 | | | | | | | |
| 25.00 | 8551.79 | 2,041 | 4.19 | | | | | | | |
| 25.00 | 35288.94 | 3,579 | 9.86 | | | | | | | |
| 25.00 | 7027.80 | 4,420 | 1.59 | | | | | | | |
| 30.00 | 6470.64 | 1,419 | 4.56 | | | | | | | |
| N/A | 184.47 | 1,419 | 0.13 | | | | | | | |
| N/A | 6286.17 | 1,419 | 4.43 | | | | | | | |
| N/A | 11161.55 | 1,895 | 5.89 | | | | | | | |
| N/A | 284.25 | 1,895 | 0.15 | | | | | | | |
| N/A | 265.33 | 2,041 | 0.13 | | | | | | | |
| N/A | 8286.46 | 2,041 | 4.06 | | | | | | | |
| N/A | 1290.30 | 2,346 | 0.55 | | | | | | | |
| N/A | 304.98 | 2,346 | 0.13 | | | | | | | |
| N/A | 7389.90 | 2,346 | 3.15 | | | | | | | |
| N/A | 387.01 | 2,977 | 0.13 | | | | | | | |
| N/A | 34823.67 | 3,579 | 9.73 | | | | | | | |
| N/A | 465.27 | 3,579 | 0.13 | | | | | | | |
| N/A | 574.60 | 4,420 | 0.13 | | | | | | | |
| N/A | 6453.20 | 4,420 | 1.46 | | | | | | | |
| N/A | 6563.28 | 5,658 | 1.16 | | | | | | | |
| N/A | 678.96 | 5,658 | 0.12 | | | | | | | |

| | | | | | | | | | |
|---------|-----------|--------|---------|-------|-------|-------|--------|-------|-----------|
| N/A | 12345.45 | 6,331 | 1.95 | | | | | | |
| N/A | 823.03 | 6,331 | 0.13 | | | | | | |
| N/A | 1 | 112 | 0.01 | 0.09 | 38 | 1,006 | 0.04 | 0.25 | -1.142458 |
| 92.50% | 0 | 0 | 100.00% | | | | | | |
| 95.00% | 1 | 1 | 100.00% | | | | | | |
| 95.00% | 9 | 9 | 100.00% | | | | | | |
| N/A | 189 | 227 | 83.26% | | | | | | |
| N/A | 22 | 41 | 53.66% | | | | | | |
| N/A | 34 | 46 | 73.91% | | | | | | |
| 85.00% | 189 | 189 | 100.00% | | | | | | |
| 95.00% | 22 | 22 | 100.00% | | | | | | |
| 95.00% | 34 | 35 | 97.14% | | | | | | |
| 12:00 | 9:19 | 14 | 0:40 | | | | | | |
| 00:0:18 | 00:752:50 | 10,105 | 00:0:04 | | | | | | |
| N/A | 862 | 25,431 | 3.39% | | | | | | |
| N/A | 10,105 | 25,431 | 39.73% | | | | | | |
| N/A | 0 | 1 | 0.00% | | | | | | |
| 95.00% | 20 | 20 | 100.00% | | | | | | |
| 95.00% | 176 | 176 | 100.00% | | | | | | |
| 95.00% | 34 | 34 | 100.00% | | | | | | |
| 90.00% | 10 | 10 | 100.00% | | | | | | |
| 90.00% | 42 | 43 | 97.67% | | | | | | |
| 90.00% | 11 | 11 | 100.00% | | | | | | |
| 90.00% | 1 | 1 | 100.00% | | | | | | |
| 85.00% | 4 | 4 | 100.00% | | | | | | |
| 6:00 | 11:41 | 249 | 0:03 | | | | | | |
| N/A | 297 | 297 | 100.00% | 0.00% | 7,905 | 7,943 | 99.52% | 6.90% | -1.173134 |
| N/A | 20 | 3 | 6.67 | 2.89 | 1 | 1 | 1.00 | 0.00 | |
| N/A | 10 | 2 | 5.00 | 4.24 | 1 | 1 | 1.00 | 0.00 | |
| N/A | 1 | 1 | 100.00% | 0.00% | 0 | 12 | 0.00% | 0.00% | |

| |
|-----------|
| -3.142557 |
| |
| -2.820122 |
| |
| -2.689358 |
| -1.941843 |
| -2.562018 |
| |
| |
| -1.35018 |
| -1.35018 |
| |
| |
| -1.019847 |
| -1.265021 |
| -1.767084 |
| |
| |
| -2.325249 |
| |
| |
| -0.456367 |
| -1.197768 |
| |
| |
| |
| |
| -0.752729 |
| |
| |
| |
| |
| |
| -1.304202 |
| -0.632002 |
| |
| |
| -1.891755 |
| -1.204519 |
| -1.250389 |
| -0.992196 |
| 0.708439 |
| -1.336949 |
| -4.88304 |
| -1.154905 |
| -0.794685 |
| |
| |
| -1.808539 |
| |
| |
| -3 |
| -3 |
| |
| |
| |
| |
| |
| |

| |
|-----------|
| |
| |
| |
| |
| |
| -1.410891 |
| -9.444906 |
| |
| |
| |
| -2.80306 |
| -1.536213 |
| -1.562155 |
| |
| |
| |
| -3.225603 |
| |
| |
| -1.914608 |
| -2.716728 |
| -2.629994 |
| -1.38182 |
| -1.38182 |
| |
| |
| -1.319707 |
| |
| |
| |
| -0.511837 |
| -3.124348 |
| -1.220643 |
| |
| |
| |
| -0.703177 |
| |
| |
| |
| |
| -1.510314 |
| |
| |
| -1.497262 |
| -0.625493 |
| |
| |
| -1.971778 |
| |
| |
| |
| -1.307375 |
| -1.380712 |
| -1.102738 |
| -1.288068 |
| -0.176737 |
| -4.563644 |
| -0.615534 |
| -1.694842 |
| |
| -3 |
| -3 |
| |
| |
| |
| |

