

August 21, 2014

North Dakota Public Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480

ATTN: Patrick Fahn
PHONE: 701-328-4077
EMAIL: pfahn@nd.gov

RE: Progress Report – Week Ending – 08/17/2014
Transmission Facility Siting, Case No. PU-13-799
Two Petroleum Pipelines
Dakota Prairie Refining, LLC



WESTCON

Dear Mr. Fahn,

The project is currently at 92% work continues on installing heat tracing.

Manpower

6 Craft

Safety and Health

No issues to report.

Quality Assurance

No issues to report

One Week Look Ahead

1. Heat Trace ATB Piping System.

Respectfully,

A handwritten signature in blue ink, appearing to read "Jeffrey Rust".

Jeffrey Rust
Project Director

62 **PU-13-799** Filed: 9/5/2014 Pages: 3
**Dakota Prairie Refining Progress Reports - weeks
ending 8-3, 8-10 and 8-17-2014**

Dakota Prairie Refining, LLC

August 15, 2014

North Dakota Public Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480

ATTN: Patrick Fahn
PHONE: 701-328-4077
EMAIL: pfahn@nd.gov

RE: Progress Report – Week Ending – 08/10/2014
Transmission Facility Siting, Case No. PU-13-799
Two Petroleum Pipelines
Dakota Prairie Refining, LLC



WESTCON

Dear Mr. Fahn,

The project is currently at 92% work continues on installing heat tracing.

Manpower

6 Craft

Safety and Health

No issues to report.

Quality Assurance

No issues to report

One Week Look Ahead

1. Heat Trace ATB Piping System.

Respectfully,

Jeffrey Rust
Project Director

August 8, 2014

North Dakota Public Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480

ATTN: Patrick Fahn
PHONE: 701-328-4077
EMAIL: pfahn@nd.gov

RE: Progress Report – Week Ending – 08/03/2014
Transmission Facility Siting, Case No. PU-13-799
Two Petroleum Pipelines
Dakota Prairie Refining, LLC



WESTCON

Dear Mr. Fahn,

The project is currently at 91% work continues on installing heat tracing.

Manpower

6 Craft

Safety and Health

No issues to report.

Quality Assurance

No issues to report

One Week Look Ahead

1. Heat Trace ATB Piping System.

Respectfully,

A handwritten signature in blue ink, appearing to read "Jeffrey Rust", is written over a faint, circular blue stamp or watermark.

Jeffrey Rust
Project Director