

Date 6/17/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Y Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton	State ND	Zip Code 58260	<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
County Cavalier	Telephone Number 701-496-3141		<input checked="" type="checkbox"/> Y Variance Permit Posted; Exp. Date: 6/23/2015	
Device Contact Person/Manager Josh Roppel	Cell Phone Number 701-256-2462		<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> NA Software is NTEP Approved	
Device Location Langdon IN Scale - 10617 92nd Street NE; Langdon, ND 58249			<input type="checkbox"/> NA Built-In Standards; Date Certified: NA	
			<input type="checkbox"/> N Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Y Customer Has Clear View
			<input checked="" type="checkbox"/> Y Clearance Below Scale Clear	<input checked="" type="checkbox"/> Y Video Camera Working
			<input checked="" type="checkbox"/> Y Approach Requirements Met	<input checked="" type="checkbox"/> Y View Distance > 200'
			<input checked="" type="checkbox"/> Y Pit Coping & Crush Strip Good	<input checked="" type="checkbox"/> Y Two-Way Audio Working
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	

SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1670700081	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good	Printer Serial Number NA
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb.	LOADED = 1.4d = 2d lb.	Motion Detection Range = 60 lb.	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
		AZSM (Auto Zero) Range = 60 lb.	

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	-20	0
LBP #3	10,000 lbs	-20	0	Section #3	20,000 lbs	-20	0
LBP #4	10,000 lbs	-20	0	Section #4	20,000 lbs	-20	0
LBP #5	10,000 lbs	-20	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,480	56,460	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,480	36,460	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale and adjusted to tolerance.
Date: 2014 Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				

Permit Holder Signature _____ **1398** Permit No. _____
Operator Signature _____ Date _____

Date 6/17/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> Y Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton	State ND	Zip Code 58260	<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
County Cavalier	Telephone Number 701-496-3141		<input type="checkbox"/> Y Variance Permit Posted; Exp. Date: 6/23/2015	
Device Contact Person/Manager Josh Roppel	Cell Phone Number 701-256-2462		<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> NA Software is NTEP Approved	
Device Location Langdon OUT Scale - 10617 92nd St NE; Langdon, ND 58249			<input type="checkbox"/> NA Built-In Standards; Date Certified: NA	
			<input type="checkbox"/> N Multiple Decks/Single Indicator	<input type="checkbox"/> Y Customer Has Clear View
			<input type="checkbox"/> Y Clearance Below Scale Clear	<input type="checkbox"/> Y Video Camera Working
			<input type="checkbox"/> Y Approach Requirements Met	<input type="checkbox"/> Y View Distance > 200'
			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	<input type="checkbox"/> Y Two-Way Audio Working
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	



SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56DN / Ind:1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good	Printer Serial Number NA
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb. LOADED = 1.4d = 2d lb.	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	+40	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	-20	0	Section #3	20,000 lbs	-20	0
LBP #4	10,000 lbs	-20	0	Section #4	20,000 lbs	-20	0
LBP #5	10,000 lbs	-20	0	Section #5	20,000 lbs	-20	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	-20	0				
LBP #12	10,000 lbs	+40	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,480	56,460	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,480	36,480	NA	
Errors	0	-20	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale and adjusted to tolerance.
Date: _____ Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 		Permit No. 1398		
Operator Signature 		Date		